


21B



GENERAL HEADQUARTERS
SUPREME COMMANDER for the ALLIED POWERS
PUBLIC HEALTH and WELFARE SECTION



Public Health and Welfare
in
Japan

Annual Summary — 1949
Volume II
(Part Two)

1550

W2

MS9

P9p

1949

v.2, pt.2

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949
TYPHOID FEVER (1)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	970	57	57	72	54	68	82	96	147	123	90	59	65
All "Shi"	536	30	31	39	35	34	48	46	82	68	62	28	33
All "Gun"	434	27	26	33	19	34	34	50	65	55	28	31	32
Aichi	47	2	4	4	-	8	2	4	13	4	1	3	2
Akita	8	-	-	1	1	1	-	-	-	2	1	-	2
Aomori	22	-	2	-	3	1	-	1	2	5	4	3	1
Chiba	27	1	3	5	-	1	3	4	3	1	3	2	1
Ehime	7	-	-	1	-	1	4	-	1	-	-	-	-
Fukui	11	-	1	-	-	3	-	3	-	2	1	-	1
Fukuoka	23	-	2	2	1	3	4	4	2	4	-	-	1
Fukushima	19	3	1	3	-	1	-	2	-	5	3	-	1
Gifu	28	1	3	3	1	2	1	6	3	5	1	-	2
Gumma	10	-	1	-	2	-	1	-	-	-	2	4	-
Hiroshima	44	3	4	3	3	1	4	3	5	7	3	4	4
Hokkaido	33	3	1	6	-	3	2	1	7	2	6	4	2
Hyogo	58	2	2	5	1	3	7	5	13	10	5	2	3
Ibaraki	15	1	-	-	-	3	-	3	2	2	1	3	-
Ishikawa	8	-	-	1	-	-	1	1	1	2	1	1	-
Iwate	13	1	-	3	-	2	1	2	3	-	-	-	1
Kagawa	8	-	-	-	1	1	-	-	1	1	2	2	-
Kagoshima	4	-	1	-	2	-	1	-	-	-	-	-	-
Kanagawa	38	2	1	1	1	5	3	5	3	8	5	2	2
Kochi	21	2	1	2	-	2	5	-	1	4	1	1	2
Kumamoto	3	-	-	-	1	1	1	-	-	-	-	-	-
Kyoto	20	1	-	-	3	-	2	1	4	5	2	1	2
Mie	34	1	2	3	3	2	1	4	3	7	3	1	4
Miyagi	25	2	3	-	2	3	1	3	5	2	2	-	2
Miyazaki	3	-	-	-	-	-	-	-	-	-	1	-	-

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
TYPHOID FEVER (1) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	17	-	-	2	3	-	-	1	1	4	2	2	2
Nagasaki	10	-	2	-	-	-	3	2	1	1	1	-	-
Nara	21	3	-	2	2	1	-	3	4	4	1	-	1
Niigata	25	2	-	-	2	-	4	1	4	4	4	3	1
Oita	4	-	1	-	-	2	-	-	1	-	-	-	-
Okayama	45	1	2	2	1	5	6	9	6	4	5	3	1
Osaka	55	4	3	6	1	4	4	7	11	4	5	4	2
Saga	6	-	1	2	-	-	1	1	-	-	1	-	-
Saitama	31	3	4	1	5	1	-	5	4	2	1	1	4
Shiga	7	1	-	-	-	-	-	-	2	1	1	1	1
Shimane	8	1	1	1	-	1	-	1	-	2	1	-	-
Shizuoka	25	3	2	1	-	1	3	2	7	2	2	2	-
Tochigi	19	1	1	2	-	1	1	3	3	3	1	2	1
Tokushima	10	1	1	-	1	-	1	-	3	1	2	-	1
Tokyo	99	10	6	6	11	3	12	2	12	6	11	7	13
Tottori	4	1	-	-	-	-	2	-	-	-	1	-	-
Toyama	17	-	-	1	-	1	-	3	6	2	1	1	1
Wakayama	16	-	-	2	1	-	-	3	4	2	-	3	1
Yamagata	8	-	2	-	1	-	-	1	1	-	-	1	2
Yamaguchi	11	1	-	-	-	1	-	-	5	1	1	1	1
Yamanashi	3	-	-	1	1	-	1	-	-	-	-	-	-

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
PARATYPHOID FEVER (2)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	116	7	3	13	4	4	11	16	15	20	10	9	4
All "Shi"	57	3	1	6	3	1	6	8	8	10	4	6	1
All "Gun"	59	4	2	7	1	3	5	8	7	10	6	3	3
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	2	-	-	-	-	-	-	2	-	-	-	-	-
Aomori	4	-	1	-	-	-	-	1	1	-	-	1	-
Chiba	2	-	-	1	-	-	1	-	-	-	-	-	-
Ehime	1	-	-	-	1	-	-	-	-	-	-	-	-
Fukui	1	-	-	-	-	-	-	-	-	1	-	-	-
Fukuoka	2	-	-	-	-	-	1	-	-	-	1	-	-
Fukushima	6	-	-	-	-	-	-	1	2	3	-	-	-
Gifu	3	-	-	-	-	-	1	1	-	-	-	1	-
Gumma	2	-	-	1	-	-	-	1	-	-	-	-	-
Hiroshima	3	1	-	-	-	-	-	1	-	-	-	1	-
Hokkaido	3	-	-	-	-	-	1	1	1	-	-	-	-
Hyogo	1	-	-	-	-	-	-	-	-	-	1	-	-
Ibarak	2	-	-	-	-	-	-	-	1	-	-	1	-
Ishikawa	2	-	-	-	-	-	-	-	-	1	1	-	-
Iwate	5	2	-	-	-	-	-	-	-	1	1	1	-
Kagawa	1	-	-	1	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	4	-	-	2	-	1	-	-	-	-	-	-	1
Kochi	2	-	-	-	2	-	-	-	-	-	-	-	-
Kumamoto	1	-	-	-	-	-	-	-	-	-	-	-	1
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	7	-	-	1	-	-	3	-	1	1	-	-	1
Miyagi	8	1	-	2	-	2	-	1	-	2	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
PARATYPHOID FEVER (2) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nazano	1	-	-	-	-	-	-	-	-	-	1	-	-
Nagesaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	4	1	-	1	-	-	-	2	-	-	-	-	-
Oita	1	-	-	-	-	-	-	-	-	1	-	-	-
Okayama	2	-	-	-	-	-	-	-	1	-	-	1	-
Osaka	6	-	-	-	-	-	-	-	3	3	-	-	-
Saga	-	-	-	-	-	-	-	-	-	3	1	-	-
Saitama	5	-	-	-	-	-	-	-	1	-	-	-	-
Shiga	3	-	-	-	-	-	-	1	-	1	-	-	1
Shimane	1	-	-	-	-	-	-	-	1	-	-	-	-
Shizuoka	6	1	-	1	-	-	1	-	1	1	-	-	-
Tochigi	2	-	1	-	-	-	1	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	16	1	1	2	-	1	1	4	-	2	1	3	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	2	-	-	-	-	-	-	-	2	-	-	-	-
Wakayama	3	-	-	-	-	-	1	-	-	-	2	-	-
Yamagata	1	-	-	-	-	-	-	-	-	-	1	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	1	-	-	1	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
CEREBROSPINAL (MENINGOCOCCUS) MENINGITIS (6)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	497	37	35	59	44	33	48	30	46	80	38	23	24
All "Shi"	294	24	19	36	28	23	25	21	30	44	18	13	13
All "Gun"	203	13	16	23	16	10	23	9	16	36	20	10	11
Aichi	6	-	-	-	-	-	2	1	2	-	1	-	-
Akita	8	-	1	2	-	-	1	-	1	1	1	-	1
Aomori	11	-	-	2	1	-	1	-	3	2	1	-	1
Chiba	11	2	1	3	1	1	-	-	-	-	2	-	1
Ehime	4	-	-	1	-	-	-	1	-	2	-	-	-
Fukui	1	-	-	-	-	-	1	-	-	-	-	-	-
Fukuoka	21	2	1	3	2	-	1	2	1	2	3	2	2
Fukushima	18	3	4	-	4	-	3	-	-	2	2	-	-
Gifu	4	1	-	-	-	-	-	-	1	1	-	-	1
Gumma	8	-	2	1	-	-	2	1	-	1	1	-	-
Hiroshima	10	1	-	2	1	-	-	-	1	3	1	1	-
Hokkaido	51	2	7	5	5	1	4	6	4	5	9	2	1
Hyogo	12	1	-	2	-	-	3	-	2	2	-	2	-
Ibaraki	10	2	-	1	3	1	-	-	-	-	1	-	2
Ishikawa	2	-	-	-	1	1	-	-	-	-	-	-	-
Iwate	8	-	-	1	1	-	3	-	-	3	-	-	-
Kagawa	2	-	-	-	1	-	-	-	-	1	-	-	-
Kagoshima	5	2	-	-	1	-	1	-	-	-	-	-	1
Kanagawa	23	3	2	3	3	2	1	1	3	1	1	1	2
Kochi	6	-	-	2	-	-	-	1	-	3	-	-	-
Kumamoto	5	-	-	-	-	2	1	1	-	1	-	-	-
Kyoto	22	1	1	4	-	1	1	1	4	9	1	-	-
Mie	7	-	1	1	1	1	1	1	1	2	1	-	-
Miyagi	14	3	1	3	1	1	2	-	-	-	1	-	1
Miyazaki	5	-	-	-	-	-	-	1	-	1	1	2	-

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
CEREBROSPINAL (MENINGOCOCCUS) MENINGITIS (6) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	8	-	1	1	-	1	2	-	1	-	1	1	-
Nagasaki	7	-	-	2	-	1	-	-	-	2	1	1	-
Nara	1	-	-	-	-	1	-	1	-	-	-	-	-
Niigata	5	1	-	-	-	1	1	1	-	1	-	-	-
Oita	6	-	-	2	-	-	-	-	2	1	-	-	-
Okayama	4	-	-	-	-	1	1	-	-	1	-	1	-
Osaka	50	4	2	7	3	6	4	2	5	9	4	2	2
Saga	4	-	1	-	-	-	1	-	-	-	-	1	1
Saitama	11	2	1	1	1	1	1	1	1	1	1	-	-
Shiga	3	-	-	-	-	1	2	-	-	-	-	-	-
Shimane	5	1	-	-	-	1	-	-	-	2	-	1	-
Shizuoka	11	-	1	-	4	-	1	-	2	3	-	-	-
Tochigi	2	-	-	1	-	-	-	-	-	-	-	-	1
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	72	6	7	4	6	4	3	7	11	15	3	4	2
Tottori	10	-	1	2	2	1	1	-	-	1	2	-	-
Toyama	2	-	1	-	-	-	1	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	14	-	-	3	2	4	1	-	-	-	-	1	3
Yamaguchi	4	-	-	-	-	1	1	-	1	1	-	-	-
Yamanashi	4	-	-	-	-	-	-	-	-	1	-	1	2

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
SCARLET FEVER (8)

Area	Total Deaths											
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	51	6	4	1	7	5	3	5	2	3	7	3
All "Shi"	26	1	2	1	4	3	1	3	2	-	4	2
All "Gun"	25	5	2	-	3	2	2	2	-	3	3	1
Aichi	-	-	-	-	-	-	-	-	-	-	-	-
Akita	1	-	-	-	-	-	-	-	-	1	-	-
Aomori	1	-	-	-	-	-	-	-	-	-	-	1
Chiba	3	1	-	1	-	-	1	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	1	-	-	-	-	-	-	-	1	-	-	-
Fukushima	1	-	-	-	1	-	-	-	-	-	-	-
Gifu	3	-	1	1	-	-	-	-	-	-	1	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	5	2	1	1	1	-	-	-	-	-	-	-
Hyogo	3	1	1	-	-	-	-	1	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	1	-	-	-	-	-	-	-	-	-	-	1
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	2	-	-	-	-	-	-	1	-	-	1	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	1	-	-	1	-	-	-	-	-	-	-	-
Kyoto	1	-	-	-	-	-	-	-	1	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	1	-	-	-	-	-	-	-	-	-	1	-
Miyazaki	1	-	-	-	-	1	-	-	-	-	-	-

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
SCARLET FEVER (8) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	1	-	-	-	-	-	-	1	-	-	-	-	-
Nagasaki	1	-	-	-	1	-	-	-	-	-	-	-	-
Nara	1	-	-	-	-	1	-	-	-	-	-	-	-
Niigata	1	-	-	-	-	-	1	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	1	-	-	-	-	-	-	1	-	-	-	-	-
Osaka	4	-	-	1	-	1	-	-	1	-	-	1	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	3	-	-	-	2	-	1	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	1	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	1	-	-	-	-	1	1	-	-	-	-	-	-
Tochigi	2	1	-	-	-	-	-	-	1	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	7	1	1	-	-	-	-	-	1	-	-	3	1
Tottori	1	-	-	-	-	-	-	-	-	-	1	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	1	-	-	-	-	-	-	-	-	-	1	-	-
Yamagata	1	-	-	-	-	-	1	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
WHOOPIING COUGH (9)

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	9147	566	556	530	580	728	928	1070	1186	922	591	588	902
All "Shi"	3412	208	233	202	225	293	365	413	421	340	224	199	289
All "Gun"	5735	358	323	328	355	435	563	657	765	582	367	389	613
Aichi	402	34	32	32	26	54	49	54	57	26	17	9	12
Akita	164	7	9	5	8	11	13	21	25	22	17	12	14
Aomori	236	26	13	15	14	14	19	24	25	18	26	22	22
Chiba	227	9	11	9	10	15	25	28	34	16	17	19	34
Ehime	233	5	14	13	15	26	40	33	28	26	10	8	15
Fukui	66	3	1	1	1	-	3	14	8	15	6	4	10
Fukuoka	484	27	21	27	40	47	73	66	43	44	24	28	42
Fukushima	302	16	16	11	6	22	25	43	36	27	22	29	49
Gifu	176	11	17	14	16	16	16	26	26	16	5	4	9
Gumma	297	30	38	31	32	19	31	26	32	23	7	8	20
Hiroshima	175	3	2	6	9	9	14	21	30	28	15	18	20
Hokkaido	634	84	62	62	45	53	53	58	73	54	51	21	18
Hyogo	340	8	16	13	22	29	40	46	43	32	33	27	31
Ibaraki	124	8	6	10	4	10	8	10	13	14	9	11	21
Ishikawa	131	10	3	8	15	8	15	7	10	19	14	9	13
Iwate	183	7	6	4	7	11	11	16	21	25	22	19	34
Kagawa	91	4	2	2	4	7	12	12	14	12	7	7	8
Kagoshima	103	9	10	9	4	6	13	7	6	11	7	8	13
Kanagawa	271	7	12	13	14	22	21	36	36	43	19	18	30
Kochi	32	2	2	4	3	1	2	3	4	4	2	1	4
Kumamoto	99	6	6	3	4	9	8	5	8	10	10	8	22
Kyogo	162	6	11	6	12	23	13	19	23	20	6	12	11
Mie	113	7	4	8	10	12	22	14	13	8	5	4	6
Miyagi	290	18	16	22	23	43	36	30	30	22	6	17	27
Miyazaki	46	-	5	2	3	2	4	5	8	8	3	-	6

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
WHOOPIING COUGH (9) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	241	27	23	25	15	18	22	32	35	15	8	8	13
Nagasaki	109	1	3	6	4	3	8	9	17	10	6	15	27
Nara	76	-	2	2	4	4	9	9	12	15	7	4	8
Niigata	259	28	22	16	23	21	29	23	23	22	14	16	22
Oita	97	4	4	5	7	6	10	10	19	10	6	4	12
Okayama	96	4	3	7	3	7	10	4	26	11	7	4	10
Osaka	433	14	13	20	17	39	49	56	78	45	31	40	31
Saga	92	2	3	4	7	8	10	13	21	8	3	3	10
Saitama	344	29	16	13	25	14	25	42	58	33	24	22	43
Shiga	121	8	6	11	13	9	18	17	18	9	3	5	4
Shimane	53	4	3	5	4	3	3	4	4	4	5	7	7
Shizuoka	302	9	13	13	16	20	25	45	48	30	18	21	44
Tochigi	177	23	23	12	7	5	15	20	26	12	8	13	13
Tokushima	40	3	-	1	1	1	2	8	3	5	1	4	11
Tokyo	574	24	38	25	32	42	58	65	74	63	33	47	73
Tottori	57	-	1	-	5	2	5	11	7	3	4	8	11
Toyama	151	8	10	8	13	17	13	16	17	18	12	11	8
Wakayama	31	1	1	-	3	-	2	11	2	3	1	3	4
Yamagata	296	16	22	17	24	27	27	31	33	34	23	17	25
Yamaguchi	166	12	11	6	8	11	17	19	19	24	14	5	20
Yamanashi	51	2	4	4	2	2	3	1	8	5	3	8	9

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
DIPHTHERIA (10)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1659	245	196	184	165	115	75	82	49	60	100	178	210
All "Shi"	703	119	84	75	86	62	29	31	23	17	26	64	87
All "Gun"	956	126	112	109	79	53	46	51	26	43	74	114	123
Aichi	28	5	3	5	4	2	1	3	1	1	-	3	-
Akita	31	5	2	3	6	-	3	2	1	-	2	4	3
Aomori	49	7	5	4	3	3	3	1	-	6	2	9	6
Chiba	31	5	3	7	1	1	4	4	-	2	1	1	2
Ehime	24	2	4	3	3	3	1	-	2	-	-	3	3
Fukui	16	1	3	-	3	4	-	-	1	-	-	-	4
Fukuoka	86	10	7	8	9	13	3	4	4	1	4	9	14
Fukushima	40	5	7	2	4	1	-	3	-	1	6	6	5
Gifu	27	5	5	3	2	1	-	2	-	-	-	5	4
Gunma	32	3	1	4	2	3	2	-	-	2	6	3	6
Hiroshima	36	4	6	4	3	2	-	1	1	1	6	4	4
Hokkaido	142	27	18	14	8	12	7	6	3	4	7	14	22
Hyogo	63	15	4	12	2	3	6	4	-	1	2	6	8
Ibaraki	25	1	2	2	3	1	3	1	2	-	2	2	6
Ishikawa	20	4	1	4	1	1	1	-	-	3	1	3	1
Iwate	43	4	4	6	5	2	2	4	-	1	2	5	8
Kagawa	17	5	2	1	3	-	1	1	-	-	2	-	2
Kagoshima	63	7	5	7	9	3	3	3	2	3	7	5	9
Kanagawa	45	8	9	5	4	4	2	2	1	-	2	5	3
Kochi	11	3	-	-	-	-	1	-	-	1	-	-	6
Kumamoto	39	4	4	2	5	1	-	4	1	2	3	6	7
Kyoto	13	2	1	3	-	1	2	1	-	-	1	-	2
Mie	17	3	-	3	2	-	1	3	-	-	3	1	1
Miyagi	29	2	3	7	2	2	2	-	1	1	4	1	4
Miyazaki	55	10	7	3	3	2	3	4	4	1	7	4	7

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
DIPHTHERIA (10) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	22	5	3	2	4	1	1	1	-	-	-	4	1
Nagasaki	61	7	10	6	6	3	2	1	2	2	-	16	6
Nara	17	2	2	2	-	2	-	1	-	-	3	4	1
Niigata	56	8	10	10	5	6	2	3	2	-	1	4	5
Oita	42	6	5	3	2	3	3	5	1	2	4	1	7
Okayama	27	3	5	3	4	-	-	5	-	-	2	3	2
Osaka	45	6	6	4	11	3	3	-	1	-	5	3	3
Saga	39	4	3	5	1	3	1	3	3	3	3	2	2
Saitama	18	4	2	1	3	1	-	1	2	-	-	2	2
Shiga	9	-	-	2	-	2	-	-	-	1	-	-	4
Shimane	18	2	3	1	2	2	2	1	-	1	-	2	2
Shizuoka	37	8	6	4	4	2	2	1	1	3	-	3	3
Tochigi	27	3	1	2	2	2	2	2	-	3	-	3	7
Tokushima	15	1	3	1	1	1	-	-	1	4	1	-	2
Tokyo	127	26	18	15	19	10	4	3	8	1	2	9	12
Tottori	13	2	2	1	2	-	-	-	1	1	-	3	1
Toyama	28	3	6	-	5	-	1	-	-	-	4	6	3
Wakayama	5	2	1	1	-	-	-	-	-	-	-	1	1
Yamagata	21	2	3	3	2	1	1	-	1	4	3	-	-
Yamaguchi	39	3	1	4	5	5	-	2	2	2	2	4	1
Yamanashi	11	1	-	2	-	3	-	-	-	2	-	3	-

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
TETANUS (12)

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1964	136	142	136	158	156	170	188	212	217	169	145	135
All "Shi"	676	45	45	46	58	60	46	64	70	85	59	53	45
All "Gun"	1288	91	97	90	100	96	124	124	142	132	110	92	90
Aichi	72	4	3	6	3	5	6	8	7	9	16	1	4
Akita	20	1	1	2	3	1	1	1	2	3	5	3	1
Aomori	26	1	1	3	2	-	3	2	2	4	5	3	-
Chiba	118	4	16	6	6	10	9	10	17	11	8	13	8
Ehime	62	2	9	6	6	8	4	4	5	7	5	2	4
Fukui	11	1	-	1	-	1	2	2	1	1	1	-	1
Fukuoka	74	4	6	6	9	7	5	4	8	6	3	4	7
Fukushima	37	6	5	1	1	-	2	2	9	3	3	4	1
Gifu	30	2	2	3	1	1	5	2	6	2	1	2	3
Gumma	66	2	4	6	7	4	5	4	11	9	2	5	7
Hiroshima	47	7	3	4	5	5	2	3	5	5	2	5	1
Hokkaido	50	5	3	3	3	2	6	8	6	7	1	4	2
Hyogo	40	-	2	7	5	4	1	6	1	5	2	5	2
Ibaraki	103	7	10	9	4	6	14	10	11	12	5	10	5
Ishikawa	25	2	3	3	-	3	2	2	1	2	4	1	2
Iwate	15	-	1	2	1	2	3	1	-	2	-	2	1
Kagawa	40	2	2	1	3	3	8	2	3	5	2	4	5
Kagoshima	99	6	5	5	11	8	6	8	15	10	9	6	10
Kanagawa	51	3	2	1	5	5	2	8	4	15	2	2	5
Kochi	32	2	-	1	4	1	5	2	3	4	3	2	5
Kumamoto	42	3	1	-	7	3	4	1	3	8	2	7	3
Kyoto	19	3	1	2	-	3	1	2	1	3	3	-	-
Mie	33	3	2	5	2	3	1	2	4	3	3	4	1
Miyagi	28	2	2	1	1	4	3	1	3	3	2	5	1
Miyazaki	60	5	6	9	3	5	3	6	5	7	7	6	2

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
TETANUS (12) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	50	1	2	3	1	3	13	7	6	5	2	2	5
Nagasaki	48	2	10	5	2	2	3	6	5	5	4	2	2
Nara	16	2	-	1	2	2	1	1	2	2	3	-	-
Niigata	41	1	3	2	3	3	2	5	7	2	4	3	6
Oita	34	4	2	3	3	3	2	1	3	2	5	1	5
Okayama	36	3	1	2	8	3	1	5	3	2	3	2	3
Osaka	42	5	3	3	5	2	1	5	3	7	2	5	1
Saga	41	5	4	2	3	2	6	3	6	2	1	5	2
Saitama	58	6	2	2	2	9	4	8	4	3	6	5	7
Shiga	7	-	1	-	1	1	-	-	-	-	3	1	-
Shimane	14	-	-	2	1	1	1	1	4	2	2	-	-
Shizuoka	67	5	2	4	7	7	7	11	2	4	9	5	4
Tochigi	48	4	6	3	3	3	2	6	2	4	5	5	5
Tokushima	32	5	1	1	4	3	3	3	4	5	1	1	1
Tokyo	99	8	4	5	13	8	9	14	5	11	11	6	5
Tottori	7	1	-	-	-	1	-	-	1	-	1	1	2
Toyama	11	2	-	-	2	1	-	1	2	1	-	1	1
Wakayama	18	-	5	3	1	5	1	1	1	-	-	-	1
Yamagata	20	1	-	-	1	1	4	1	6	2	1	1	2
Yamaguchi	46	2	4	-	1	1	5	3	7	8	4	4	4
Yamanashi	29	2	2	2	-	1	2	5	6	4	3	1	1

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
TUBERCULOSIS (ALL FORMS) (13-22)

Area	Deaths	Total											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	138764	11135	10106	12279	12493	13005	12287	12095	11833	11526	11240	10525	10240
All "Shi"	60630	4929	4403	5210	5430	5622	5338	5219	5154	5048	5056	4578	4643
All "Gun"	78134	6206	5703	7069	7063	7383	6949	6876	6679	6478	6184	5947	5597
Aichi	5383	437	374	482	461	448	500	478	448	468	456	422	409
Akita	2120	158	148	185	222	190	171	188	190	156	184	154	174
Aomori	2710	207	186	274	266	263	287	209	200	218	222	203	219
Chiba	2961	240	199	272	273	274	256	234	238	250	246	233	233
Ehime	2268	195	186	198	202	212	205	195	199	180	153	189	154
Fukui	1166	99	91	114	111	125	107	96	70	105	75	95	78
Fukuoka	6918	576	522	583	601	607	602	621	620	631	526	540	489
Fukushima	2997	209	209	243	285	302	287	279	272	255	214	213	228
Gifu	2575	208	178	221	256	214	229	213	230	213	222	199	192
Gumma	2007	146	150	187	183	199	212	178	168	173	171	126	114
Hiroshima	3324	259	232	292	276	320	279	307	295	283	284	241	246
Hokkaido	10284	761	773	937	996	1068	905	894	818	870	823	749	690
Iyogo	5478	419	424	462	474	468	478	500	480	465	481	415	406
Ibaraki	2315	172	170	196	205	231	213	224	203	204	167	154	176
Ishikawa	1631	131	126	149	143	162	137	134	137	129	130	134	119
Iwate	2737	202	198	272	291	283	244	242	228	215	183	184	185
Kagawa	1398	106	98	126	119	136	124	127	146	99	102	112	103
Kagoshima	2771	235	214	240	248	200	256	218	266	247	249	202	200
Kanazawa	4240	342	326	345	322	393	352	346	354	383	377	359	336
Kochi	1358	107	100	103	107	137	113	112	115	102	106	129	107
Kumamoto	2736	230	197	222	216	221	227	246	248	230	223	241	235
Kyoto	3915	324	294	376	344	357	368	317	301	333	313	286	302
Mie	2239	204	176	192	184	210	191	219	174	193	163	174	159
Miyagi	2690	221	199	275	265	264	250	225	201	188	200	202	200
Miyazaki	1810	145	148	147	155	153	166	158	169	139	143	161	126

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
TUBERCULOSIS (ALL FORMS) (13-22) - Cont'd

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	2620	203	225	219	244	229	246	258	214	211	204	194	173
Nagasaki	2717	214	167	217	208	235	237	245	272	221	260	232	209
Nara	1232	101	79	109	101	131	130	101	100	92	93	101	94
Niigata	4237	335	297	387	412	417	370	418	341	343	314	310	293
Oita	2248	185	185	212	203	224	180	145	214	189	179	180	152
Okayama	2443	200	192	195	207	235	201	202	214	225	220	180	172
Osaka	7259	580	484	648	612	633	626	636	667	621	629	551	572
Saga	1643	153	130	144	152	150	146	149	176	136	122	112	113
Saitama	2918	232	179	255	237	283	248	254	276	232	242	245	235
Shiga	1350	121	94	104	140	143	127	128	127	115	89	79	83
Shimane	1772	147	128	184	175	178	146	141	127	150	157	120	119
Shizuoka	3204	245	256	270	305	296	280	296	281	245	243	245	242
Tochigi	1852	126	140	172	177	189	160	164	146	168	131	136	143
Tokushima	1533	129	93	134	133	141	138	133	145	135	137	110	105
Tokyo	11632	1014	819	1013	1019	1083	1066	1005	939	892	954	928	900
Tottori	1013	77	88	90	89	77	93	95	81	105	75	75	68
Toyama	1906	132	106	154	176	199	180	179	191	161	153	132	143
Wakayama	1422	115	100	134	119	146	127	117	122	108	138	94	102
Yamagata	2048	164	151	188	219	213	175	152	159	144	177	135	171
Yamaguchi	2915	278	220	282	281	282	233	255	242	236	231	177	218
Yamanashi	769	51	55	69	79	64	63	62	68	67	79	59	53

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
LEPROSY (23)

Area	Total Deaths	Total											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	162	17	15	12	18	14	12	12	6	9	15	19	13
All "Shi"	13	6	-	-	-	2	1	1	-	1	-	1	1
All "Gun"	149	11	15	12	18	12	11	11	6	8	15	18	12
Aichi	7	1	-	-	2	1	-	1	-	1	-	-	1
Akita	3	-	2	-	1	-	-	-	-	-	-	-	-
Aomori	1	-	-	-	-	-	-	-	-	-	-	1	-
Chiba	1	-	-	-	1	-	-	-	-	-	-	-	-
Ehime	3	1	-	-	-	1	-	-	-	1	-	-	-
Fukuoka	2	-	-	-	-	-	1	-	-	-	-	-	1
Fukushima	1	-	-	-	1	-	-	-	-	-	1	1	-
Gifu	2	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	1	-	3	1	1	1	1	-	-	3	1
Hiroshima	1	-	-	-	-	-	-	1	-	-	-	-	-
Hokkaido	2	-	-	-	-	-	-	-	1	-	1	-	-
Hyogo	3	1	1	-	-	-	-	-	-	1	-	-	-
Ibaraki	1	-	-	1	-	-	-	-	-	-	-	-	-
Ishikawa	1	-	-	-	-	1	-	-	-	-	-	-	-
Iwate	2	-	-	-	1	-	-	-	-	-	-	-	1
Kagawa	1	-	-	-	-	-	-	-	-	-	-	1	-
Kagoshima	9	2	-	-	-	1	2	-	1	-	2	1	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	3	-	-	1	1	-	-	-	-	-	-	-	1
Kumamoto	56	5	6	5	4	4	6	5	2	3	6	8	2
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	4	1	-	1	-	-	-	-	-	1	-	1	-
Miyagi	9	1	1	1	3	2	-	-	-	-	-	-	-
Miyazaki	3	-	-	-	-	-	-	2	-	1	-	-	-

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
LEPROSY (23) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	6	1	-	2	-	-	-	1	-	-	1	1	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	2	-	1	-	-	-	-	-	1	-	-	-	-
Oita	4	1	-	1	-	-	-	1	-	-	-	-	1
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	1	-	-	-	-	1	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	3	1	1	-	-	-	1	-	-	-	-	-	-
Shiga	2	-	1	-	-	-	-	-	-	-	-	-	1
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	2	1	-	-	-	1	-	-	-	-	1	-	-
Tochigi	1	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	2	-	-	-	-	-	-	-	-	-	2	-	-
Tokyo	4	1	-	-	-	1	-	-	-	-	-	-	2
Tottori	3	-	1	-	-	-	-	-	-	1	-	-	1
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	1	-	-	-	-	-	-	-	-	-	-	1	-
Yamagata	2	-	-	-	1	-	1	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	2	-	-	-	-	-	-	-	-	-	1	-	1

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
GLANDERS (26a)

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1	-	-	-	-	1	-	-	-	-	-	-	-
All "Shi"	-	-	-	-	-	-	-	-	-	-	-	-	-
All "Gun"	1	-	-	-	-	1	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	1	-	-	-	-	1	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
GLANDERS (26a) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
DYSENTERY (27)

Area	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total Deaths												
All Japan	47	54	60	111	225	534	1850	2430	1638	569	191	115
All "Shi"	19	29	29	44	90	160	557	717	625	231	83	60
All "Gun"	28	25	31	67	135	374	1293	1713	1013	338	108	55
Aichi	2	2	8	3	13	17	125	153	72	36	12	1
Akita	-	-	-	2	3	4	16	14	9	5	1	-
Aomori	1	-	-	1	-	5	10	17	14	1	-	-
Chiba	2	4	2	4	-	10	78	106	61	22	9	8
Ehime	3	-	1	2	4	14	17	27	27	5	-	1
Fukui	1	-	2	-	1	2	12	5	9	2	-	-
Fukuoka	-	2	-	5	3	13	39	27	35	12	5	3
Fukushima	-	3	2	2	6	14	46	80	45	12	3	-
Gifu	-	-	-	1	5	12	60	77	55	11	4	1
Gunma	-	-	-	2	12	39	141	135	47	17	6	2
Hiroshima	1	1	1	4	4	14	38	88	42	11	4	1
Hokkaido	-	1	1	1	4	4	21	29	22	7	2	5
Hyogo	2	1	2	4	8	13	26	42	34	11	5	1
Ibaraki	3	1	2	6	20	42	151	180	102	30	9	6
Ishikawa	-	1	-	2	2	5	7	10	16	4	2	1
Iwate	-	1	-	1	1	4	13	56	30	9	1	2
Kagawa	-	1	-	2	3	5	22	27	25	13	2	2
Kagoshima	-	1	2	-	2	10	21	31	16	9	4	2
Kanagawa	2	2	2	2	9	7	46	74	58	30	6	2
Kochi	-	-	-	-	2	4	13	14	17	5	-	-
Kumamoto	-	-	-	1	8	11	41	29	14	2	2	2
Kyoto	-	4	1	-	2	5	13	28	21	8	2	4
Mie	1	-	1	-	-	9	18	21	19	5	2	-
Miyagi	-	-	-	-	1	1	8	15	21	7	-	-
Miyazaki	1	1	2	3	8	13	28	48	19	10	1	4

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
DYSENTERY (27) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	92	-	-	2	1	3	7	13	39	23	2	2	-
Nagasaki	87	1	1	2	3	4	4	26	22	16	3	5	-
Nara	25	-	-	-	1	1	-	6	8	5	3	1	-
Niigata	372	3	3	-	6	8	17	89	123	86	29	2	7
Oita	105	1	2	-	4	2	10	25	32	18	6	4	1
Okayama	123	-	-	2	3	1	5	20	28	46	14	4	-
Osaka	153	2	2	2	7	5	14	43	28	27	17	3	3
Saga	52	2	-	1	3	-	2	18	11	9	5	-	1
Saitama	575	-	4	2	2	11	35	173	195	102	28	11	12
Shiga	18	-	-	1	-	1	-	6	3	6	1	-	-
Shimane	124	1	-	-	-	2	3	10	54	43	7	3	1
Shizuoka	355	1	1	-	4	16	33	76	111	63	29	15	6
Tochigi	307	2	1	-	2	6	30	88	93	52	23	8	2
Tokushima	71	-	1	1	2	3	4	13	23	14	5	3	3
Tokyo	835	6	11	16	15	25	44	135	220	216	88	37	22
Tottori	34	2	-	-	-	1	1	6	11	10	1	2	-
Toyama	68	-	1	-	6	1	8	22	17	9	2	1	1
Wakayama	42	-	1	-	1	2	5	10	9	9	-	1	4
Yamagata	69	1	-	-	-	-	6	14	24	16	5	2	-
Yamaguchi	127	5	-	1	3	6	6	37	27	29	11	1	1
Yamanashi	60	1	-	1	-	2	3	10	20	10	6	4	3

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
MALARIA (28)

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	122	13	11	19	7	9	9	9	8	17	6	9	5
All "Shi"	29	-	5	4	2	2	2	2	3	3	1	5	-
All "Gun"	93	13	6	15	5	7	7	7	5	14	5	4	5
Aichi	4	-	-	2	-	-	-	1	-	1	-	-	-
Akita	4	3	1	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	3	-	-	1	-	1	-	-	-	-	1	-	-
Eniwe	1	-	-	-	-	-	-	-	-	-	1	-	-
Fukui	2	-	-	1	1	-	-	-	-	-	-	-	-
Fukuoka	5	-	-	-	-	-	-	-	2	1	-	-	2
Fukushima	3	-	1	-	-	-	-	-	-	2	-	-	-
Gifu	3	-	1	-	-	-	1	-	-	-	1	-	-
Gumma	2	2	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	3	-	-	1	-	-	-	-	1	-	-	1	-
Hokkaido	3	-	-	1	-	-	-	-	-	1	-	1	-
Hyogo	7	-	-	1.	1	1	1	-	-	1	1	1	-
Ibaraki	1	-	-	-	1	-	-	1	-	-	-	-	-
Ishikawa	1	-	-	-	-	1	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kakawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	5	1	-	-	1	-	-	1	-	1	-	-	1
Kanagawa	2	-	1	-	1	-	-	-	-	-	-	-	-
Kochi	2	-	1	-	-	-	-	-	-	1	-	-	-
Kumamoto	2	-	-	-	-	1	-	-	-	1	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	5	2	-	1	-	-	-	1	-	-	-	1	-
Miyagi	2	1	-	1	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
MALARIA (28) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	4	-	2	-	-	-	1	-	-	-	-	-	1
Nagasaki	4	1	-	3	-	-	-	-	-	-	-	-	-
Nara	2	-	-	1	1	-	-	-	-	-	-	-	-
Niigata	3	-	-	-	-	1	-	-	1	-	-	1	-
Oita	1	-	-	-	-	-	-	-	-	1	-	-	-
Okayama	1	-	-	-	-	-	1	-	-	-	-	-	-
Osaka	4	-	-	-	-	1	-	-	-	1	-	2	-
Saga	1	-	-	-	-	-	-	-	1	-	-	-	-
Saitama	2	-	-	-	-	-	1	-	-	1	-	-	-
Shiga	6	-	-	-	-	-	1	1	1	1	-	1	1
Shimane	4	-	-	-	-	-	-	-	-	1	-	1	-
Shizuoka	1	-	-	1	-	2	-	-	-	-	-	-	-
Tochigi	4	-	-	1	1	-	-	-	-	1	1	-	-
Tokushima	6	-	1	-	1	-	1	2	1	-	-	-	-
Tokyo	4	-	2	-	-	-	-	1	1	-	-	-	-
Tottori	2	-	-	1	-	-	-	-	-	-	1	-	-
Toyama	1	-	-	-	-	1	-	-	-	-	-	-	-
Wakayama	3	1	-	1	-	-	-	-	-	1	-	-	-
Yamagata	1	1	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	6	-	-	2	-	-	2	1	-	1	-	-	-
Yamanashi	2	1	1	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
SYNOPSIS (30)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	5492	518	467	518	467	397	390	404	393	399	477	515	547
All "Shi"	2870	248	202	246	208	213	181	189	176	172	214	261	260
All "Gun"	2922	270	265	272	259	184	209	215	217	227	263	254	287
Aichi	199	12	17	19	15	20	16	17	13	15	21	21	7
Akita	77	5	4	4	5	10	10	8	9	3	9	3	13
Aomori	83	6	5	9	7	7	8	2	6	10	8	4	11
Chiba	172	22	17	15	20	16	15	13	14	10	14	10	13
Ehime	67	5	2	7	5	5	3	3	8	5	3	11	10
Fukui	32	2	1	2	5	2	2	4	1	5	3	1	4
Fukuoka	230	33	29	40	36	21	13	29	25	21	21	30	32
Fukushima	117	9	19	8	9	3	5	8	17	9	14	5	11
Gifu	85	6	13	5	9	10	5	6	4	3	11	8	5
Gunma	109	13	9	7	5	5	9	5	11	10	9	13	13
Hiroshima	93	6	8	4	7	7	7	12	5	7	8	13	9
Iokkaido	331	36	24	37	33	25	25	28	19	24	23	27	30
Ihyogo	177	14	16	13	18	14	10	16	17	11	16	15	17
Ibaraki	128	12	12	13	13	5	11	8	4	10	15	11	14
Ishikawa	55	4	6	5	4	1	3	3	6	3	4	6	10
Iwate	76	7	7	3	9	6	6	4	5	3	7	9	9
Kagawa	54	3	5	10	5	5	3	3	5	1	7	5	2
Kagoshima	139	11	9	16	10	12	6	11	11	18	8	12	15
Kanagawa	197	14	18	22	12	15	15	14	12	10	15	25	25
Kochi	57	9	3	3	7	2	4	1	4	3	11	2	8
Kumamoto	107	10	9	9	6	7	10	10	8	7	9	11	12
Yokoto	165	17	17	18	10	14	14	8	11	12	14	10	20
Mie	89	6	9	6	8	5	5	4	4	2	8	17	13
Miyagi	117	7	9	10	14	4	12	8	7	11	11	13	11
Miyazaki	81	11	4	8	8	4	5	8	4	6	8	8	7

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH B- PREFECTURE: JAPAN 1949 Cont'd
SYPHILIS (30) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	112	11	9	6	6	8	12	7	10	8	14	10	11
Nagasaki	145	18	20	10	9	12	9	8	11	8	9	12	19
Nara	62	5	4	7	5	3	6	3	6	7	3	8	5
Niigata	104	8	8	5	13	4	10	9	7	8	11	12	9
Oita	82	9	7	6	10	9	6	6	4	6	7	4	8
Okayama	86	11	5	9	4	7	9	9	5	10	5	5	6
Osaka	300	34	20	32	28	22	22	21	20	24	31	25	21
Saga	84	8	11	14	4	-	4	9	3	8	4	13	6
Saitama	123	11	13	11	10	9	9	9	14	7	8	12	10
Shiga	43	4	-	4	3	6	2	6	4	4	4	3	3
Shimane	61	5	5	8	5	6	5	2	3	2	5	8	7
Shizuoka	147	15	13	13	12	9	10	12	13	10	11	16	13
Tochigi	124	12	8	12	6	6	9	8	15	15	10	14	9
Tokushima	58	6	7	6	3	4	3	5	2	6	3	4	9
Tokyo	511	55	39	51	38	50	31	37	26	32	43	52	57
Tottori	34	2	2	3	6	2	4	2	1	5	4	2	1
Toyama	45	3	1	3	3	5	4	1	6	6	5	2	6
Wakayama	49	3	6	2	8	4	2	3	2	4	3	5	7
Yamagata	63	5	7	6	5	1	3	8	2	4	7	8	7
Yamaguchi	85	11	6	13	9	4	4	5	4	4	8	7	10
Yamanashi	30	-	5	2	-	1	4	1	4	2	5	4	2

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
INFLUENZA (33)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	502	57	78	62	53	51	25	13	16	20	19	32	76
All "Shi"	135	13	21	18	14	20	5	-	3	3	8	9	21
All "Gun"	367	44	57	44	39	31	20	13	13	17	11	23	55
Aichi	16	-	3	2	1	-	-	-	2	-	2	3	3
Akita	8	2	-	-	2	1	1	1	-	1	-	-	-
Aomori	24	4	5	3	1	4	1	-	1	1	1	2	1
Chiba	13	1	2	4	2	-	1	1	1	1	-	-	-
Ehime	23	-	8	4	-	-	1	-	-	1	1	2	6
Fukui	7	3	1	-	1	1	-	-	-	-	-	-	1
Fukuoka	27	5	2	2	3	3	1	-	1	4	2	2	2
Fukushima	7	-	2	2	-	1	1	-	-	-	-	-	1
Gifu	9	1	2	-	-	1	-	2	-	-	1	-	2
Gumma	8	1	4	1	1	1	-	-	-	-	-	-	-
Hiroshima	20	1	-	-	5	1	3	-	-	2	-	2	6
Hokkaido	17	2	2	5	2	3	-	1	-	1	-	-	1
Hyogo	15	1	3	2	-	1	1	-	-	-	-	-	7
Ibaraki	1	-	1	-	-	1	-	-	-	-	-	-	-
Ishikawa	6	-	2	-	1	-	-	-	-	-	-	-	2
Iwate	8	2	-	-	1	-	1	1	-	-	-	2	1
Kagawa	11	-	-	1	1	-	2	1	1	1	1	-	3
Kagoshima	11	1	1	-	-	3	2	1	-	-	-	1	2
Kanagawa	13	-	5	2	-	2	-	-	1	-	2	-	1
Kochi	4	-	-	-	-	-	-	-	-	1	-	-	3
Kumamoto	16	-	4	2	3	1	2	-	-	-	2	1	1
Kyoto	9	5	4	2	-	2	-	-	-	-	-	1	1
Mie	12	3	4	2	-	1	-	-	-	-	-	1	1
Miyagi	2	-	-	1	1	-	-	-	-	-	-	-	-
Miyazaki	7	1	2	-	2	-	-	-	1	-	-	-	1

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
INFLUENZA ('53) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	6	1	-	2	1	-	-	2	-	-	-	-	-
Nagasaki	9	-	-	3	2	1	-	-	1	-	1	1	-
Nara	4	-	-	3	1	-	-	-	-	-	-	1	-
Niigata	19	3	2	3	3	3	-	1	-	-	1	2	1
Oita	12	-	1	-	-	4	1	1	1	-	-	2	2
Okayama	7	3	-	-	-	1	-	-	-	-	-	-	3
Osaka	22	2	5	5	1	2	1	-	-	1	2	1	2
Saga	14	-	2	-	1	-	1	1	3	-	1	2	3
Saitama	3	-	1	-	1	-	-	-	-	-	-	-	1
Shiga	3	1	-	-	-	-	-	-	-	2	-	-	1
Shimane	10	2	-	2	4	1	-	-	-	-	-	-	1
Shizuoka	19	2	2	1	-	3	1	-	-	3	1	4	2
Tochigi	7	1	1	2	1	-	-	-	-	1	-	-	1
Tokushima	6	1	1	-	2	-	1	-	-	-	-	-	2
Tokyo	27	3	5	5	5	5	-	-	-	-	-	-	4
Tottori	1	1	-	-	-	-	-	-	-	-	-	-	-
Toyama	12	1	2	1	1	2	2	-	2	-	-	-	1
Wakayama	7	-	1	-	-	1	-	-	1	-	-	-	4
Yamanashi	4	1	-	-	2	-	-	-	-	-	1	-	-
Yamaguchi	12	2	2	1	1	1	1	-	-	-	-	2	2
Yamanashi	4	-	1	1	1	-	-	-	-	-	-	-	1

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
SMALLPOX (34)

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	21	-	2	2	5	6	3	1	1	-	1	-	-
All "Shi"	16	-	2	2	3	5	2	1	-	-	1	-	-
All "Gun"	5	-	-	-	2	1	1	-	1	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	1	-	-	-	1	-	-	-	-	-	-	-	-
Ehime	1	-	-	1	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	2	-	-	-	1	-	-	-	1	-	-	-	-
Hyogo	2	-	-	-	-	2	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	1	-	-	-	-	1	-	-
Miyagi	2	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
SMALLPOX (34) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	7	-	1	-	2	2	2	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	1	-	-	-	-	1	-	-	-	-	-	-	-
Tochigi	1	-	1	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	1	-	-	-	-	-
Tokyo	2	-	-	-	1	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yakayama	1	-	-	-	-	-	1	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	1	-	-	1	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
MEASLES (35)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	12440	575	681	1403	1787	2758	2209	1442	679	233	169	229	275
All "Shi"	4629	239	292	577	751	1133	791	515	191	53	19	26	42
All "Gun"	7811	336	389	826	1036	1625	1418	927	488	180	150	203	233
Aichi	557	7	8	32	49	127	128	109	52	9	3	9	24
Akita	238	17	13	22	33	30	33	24	28	13	6	10	9
Aomori	23	24	23	29	37	37	25	23	10	15	7	8	6
Chiba	274	2	4	17	35	69	67	44	17	7	3	6	3
Ehime	137	4	9	19	15	23	23	14	12	2	3	5	8
Fukui	78	3	5	4	7	12	14	14	7	2	4	3	3
Fukunoka	820	75	89	141	153	173	112	49	14	6	-	4	4
Fukushima	378	16	18	53	55	71	59	49	19	9	7	9	13
Gifu	160	1	3	3	9	41	42	32	17	5	2	-	5
Gumma	283	6	12	18	18	41	61	44	20	3	9	28	23
Hiroshima	164	4	8	21	19	38	32	22	11	3	-	2	4
Hokkaido	1156	180	106	142	155	211	134	110	60	23	16	9	10
Hyogo	393	3	7	36	51	113	78	52	26	10	5	6	6
Ibaraki	262	5	5	20	36	53	71	40	18	3	3	6	4
Ishikawa	180	12	7	18	16	57	37	25	6	2	-	-	-
Iwate	216	9	7	17	13	38	35	35	14	15	12	14	7
Kagawa	27	-	1	5	-	1	6	2	4	1	1	3	3
Kagoshima	228	6	8	35	25	46	35	36	15	4	1	4	13
Kanagawa	279	-	4	18	30	67	64	60	23	5	2	3	3
Kochi	21	6	2	1	2	4	2	-	2	1	1	-	-
Kumamoto	225	11	18	36	51	42	31	25	4	1	2	3	1
Kyoto	358	9	27	59	89	107	33	21	6	-	4	-	3
Mie	257	5	20	37	41	65	46	18	11	3	5	3	3
Miyagi	240	4	6	13	28	59	43	27	20	3	8	19	10
Miyazaki	97	-	3	8	8	25	22	16	7	2	2	1	3

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
MEASLES (35) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	173	3	4	4	26	25	42	25	16	2	5	8	13
Nagasaki	311	25	21	21	62	55	49	37	12	3	5	10	11
Nara	198	1	3	21	28	79	42	17	4	3	-	-	-
Niigata	575	17	25	75	63	126	115	64	35	7	12	19	17
Oita	244	7	15	49	54	51	35	16	9	3	2	1	2
Okayama	54	-	-	7	8	15	11	10	1	2	-	-	-
Osaka	878	28	54	144	201	259	134	38	12	3	2	2	1
Saga	154	3	15	19	34	31	34	12	4	-	1	-	1
Saitama	271	-	4	10	24	49	66	59	20	10	6	6	17
Shiga	188	-	4	7	23	55	61	28	8	2	-	-	-
Shimane	145	10	15	28	24	40	15	4	6	2	-	1	-
Shizuoka	264	2	2	17	21	59	66	37	35	6	3	4	12
Tochigi	98	3	5	9	14	17	13	16	5	4	1	6	5
Tokushima	47	-	1	-	3	2	9	12	6	1	4	3	6
Tokyo	605	15	43	95	99	126	110	73	22	9	6	3	4
Tottori	30	1	-	1	2	6	8	6	4	-	2	-	-
Toyama	211	2	7	8	21	65	53	30	10	10	3	-	2
Wakayama	169	24	23	40	29	33	15	1	3	1	-	-	-
Yamagata	195	21	13	12	16	23	30	30	18	12	7	5	8
Yamaguchi	231	4	14	29	56	63	34	18	10	1	2	-	-
Yamanashi	132	-	1	2	9	29	34	18	18	5	2	6	8

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
ACUTE POLIOMYELITIS AND ACUTE POLIOENCEPHALITIS (36)

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1024	76	60	75	67	81	89	109	81	110	113	79	84
All "Shi"	321	30	18	21	27	20	23	39	25	30	34	24	30
All "Gun"	703	46	42	54	40	61	66	70	56	80	79	55	54
Aichi	56	4	3	3	4	4	3	5	9	5	10	3	4
Akita	16	1	1	1	1	2	-	-	-	1	3	2	3
Aomori	23	-	1	2	-	2	5	4	1	2	2	2	2
Chiba	27	2	4	3	-	3	3	1	1	3	3	1	3
Ehime	21	-	2	1	1	2	2	1	1	1	7	1	2
Fukui	6	2	-	1	-	-	-	-	1	2	-	-	-
Fukuoka	46	6	4	6	2	3	5	6	3	4	4	3	-
Fukushima	25	1	-	2	2	3	2	4	-	3	6	2	-
Gifu	18	1	-	1	3	1	2	2	2	1	1	1	-
Gumma	26	-	-	1	1	4	-	5	5	3	2	-	5
Hiroshima	31	3	2	2	1	6	-	2	2	5	1	1	6
Hokkaido	59	4	5	7	4	3	8	8	2	9	6	1	2
Hyogo	38	3	1	2	3	2	2	7	-	8	4	2	4
Ibaraki	23	3	2	2	1	-	3	1	2	3	3	2	1
Ishikawa	9	-	1	1	1	-	1	1	1	1	-	-	2
Iwate	20	1	-	3	2	2	1	2	4	2	2	1	-
Kagawa	14	2	2	2	-	1	1	1	1	3	-	3	-
Kagoshima	34	5	5	-	2	3	4	4	-	2	4	-	2
Kanagawa	28	3	2	3	4	-	3	1	1	3	6	-	-
Kochi	10	1	1	-	2	1	1	1	1	1	1	-	-
Kumamoto	24	1	1	-	1	1	3	-	2	5	6	2	2
Kyoto	10	1	1	1	1	-	-	1	-	2	1	1	-
Mie	13	2	-	1	-	2	1	-	1	1	3	2	-
Miyagi	25	1	-	2	1	7	2	2	4	-	-	5	1
Miyazaki	17	1	-	-	-	1	2	1	3	1	2	2	4

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
ACUTE POLIOMYELITIS AND ACUTE POLIOENCEPHALITIS (36) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	25	1	-	1	1	2	3	2	4	3	2	5	1
Nagasaki	21	2	-	1	1	1	3	3	-	1	4	3	2
Nara	12	1	-	1	-	-	3	3	3	2	1	-	1
Niigata	24	1	2	2	2	1	-	5	-	3	2	3	1
Oita	39	1	3	2	1	4	4	6	5	2	4	4	3
Okayama	21	-	1	3	1	3	1	2	2	3	1	1	3
Osaka	45	5	2	2	6	3	3	4	4	5	1	7	3
Saga	13	2	1	1	-	1	3	-	-	2	2	-	-
Saitama	17	2	1	-	-	1	2	2	-	2	-	2	1
Shiga	8	-	1	-	-	-	1	3	-	1	-	1	1
Shimane	11	-	-	2	1	-	-	1	3	2	-	2	-
Shizuoka	38	3	2	1	4	3	1	4	5	3	5	3	4
Tochigi	19	1	3	2	1	1	1	1	1	1	1	2	5
Tokushima	8	-	2	-	1	-	1	-	-	-	1	-	-
Tokyo	43	6	1	2	7	2	3	5	1	5	4	3	4
Tottori	2	-	-	-	-	-	1	-	-	-	-	-	1
Toyama	11	1	-	-	-	1	-	2	1	1	1	3	1
Wakayama	11	-	-	-	3	-	1	2	1	1	1	1	1
Yamagata	11	-	-	-	-	2	1	2	2	-	-	-	1
Yamaguchi	18	2	-	3	1	3	1	1	2	-	1	1	1
Yamanashi	6	-	1	-	-	-	2	1	-	-	2	1	-

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949- Cont'd
JAPANESE "B" ENCEPHALITIS (37b)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1182	3	6	8	2	5	14	24	153	774	169	21	3
All "Shi"	639	2	4	6	1	4	4	9	86	427	83	13	-
All "Gun"	543	1	2	2	1	1	10	15	67	347	86	8	3
Aichi	72	-	-	1	-	-	-	1	26	38	5	1	-
Akita	7	-	-	-	-	-	-	-	5	2	-	-	-
Aomori	9	-	1	-	-	-	2	1	-	3	2	-	-
Chiba	21	-	1	-	-	1	-	1	1	12	5	-	-
Ehime	18	-	-	-	-	-	1	-	2	14	1	-	-
Fukui	26	-	-	-	-	-	-	-	1	20	4	1	-
Fukuoka	31	1	-	1	-	-	-	-	1	21	7	-	-
Fukushima	1	-	-	-	-	-	1	-	-	-	-	-	-
Gifu	23	-	-	-	-	-	-	-	2	19	2	-	-
Gumma	6	-	-	-	-	-	-	1	-	2	2	-	1
Hiroshima	51	-	-	-	-	-	-	1	5	41	2	2	-
Hokkaido	2	-	-	-	-	-	-	1	1	-	-	-	-
Hyogo	71	-	-	-	-	-	-	2	4	52	10	2	1
Ibaraki	24	-	-	-	-	-	3	1	3	7	8	2	-
Ishikawa	10	1	-	-	-	-	-	-	-	9	-	-	-
Iwate	2	-	-	-	-	-	-	-	2	-	-	-	-
Kagawa	16	-	-	-	-	-	-	-	-	12	3	-	-
Kagoshima	15	-	-	1	-	-	-	1	-	8	4	1	-
Kanagawa	45	-	-	-	-	-	-	-	8	25	12	-	-
Kochi	1	-	-	-	-	-	-	-	-	-	1	-	-
Kumamoto	80	-	-	-	-	1	-	2	1	68	7	1	-
Kyoto	18	1	-	-	-	-	-	-	-	15	1	1	-
Mie	26	-	-	-	-	-	-	1	8	16	1	-	-
Miyagi	6	-	-	-	-	-	-	2	2	1	1	-	-
Miyazaki	35	-	-	1	-	-	-	1	1	21	8	3	-

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
JAPANESE "B" ENCEPHALITIS (37b) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	22	-	-	-	-	-	-	1	3	15	3	-	-
Nagasaki	7	-	-	-	-	-	-	1	-	5	1	-	-
Nara	15	-	-	-	-	-	-	-	5	9	1	-	-
Nilgata	11	-	-	-	-	-	2	1	-	5	3	-	-
Oita	8	-	-	-	-	-	-	-	1	4	3	-	-
Okayama	35	-	-	-	-	-	-	1	4	22	6	2	-
Osaka	52	-	-	-	-	-	-	2	7	38	5	-	-
Saga	8	-	-	-	-	-	-	-	-	5	3	-	-
Saitama	40	-	-	-	-	-	1	-	4	25	9	-	1
Shiga	30	-	-	-	-	-	-	1	2	22	5	-	-
Shimane	17	-	-	-	-	-	-	-	-	11	5	1	-
Shizuoka	64	-	1	1	-	-	1	-	25	32	3	1	-
Tochigi	7	-	-	-	-	-	-	-	-	4	3	-	-
Tokushima	28	-	-	-	-	-	-	-	7	18	2	1	-
Tokyo	86	-	2	3	1	-	1	-	11	60	8	-	-
Tottori	4	-	-	-	-	-	-	-	2	1	1	-	-
Toyama	44	-	-	-	1	-	-	-	3	33	6	1	-
Wakayama	29	-	-	-	-	-	-	1	3	23	2	-	-
Yamagata	2	-	1	-	-	-	-	-	-	1	-	-	-
Yamaguchi	46	-	-	-	-	-	-	-	1	32	12	1	-
Yamanashi	12	-	-	-	-	3	2	-	2	3	2	-	-

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
RABIES (38b)

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	76	2	4	3	6	6	5	6	12	10	10	6	6
All "Shi"	33	1	1	1	3	3	-	2	4	7	7	2	2
All "Gun"	43	1	3	2	3	3	5	4	8	3	3	4	4
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	19	-	1	-	2	2	3	2	3	3	-	2	1
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	7	-	-	-	-	-	-	1	2	1	-	1	2
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	1	-	1	-	-	-	-	-	-	-	-	-	-
Ibaraki	3	-	-	-	1	-	-	1	1	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	8	-	-	1	-	-	-	-	-	4	2	1	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
RABIES (38b) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	1	-	-	-	-	-	-	-	-	-	1	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	14	-	1	1	2	1	1	-	3	-	1	1	3
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	1	-	-	-	-	-	1	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	22	2	1	1	1	3	-	2	3	2	6	1	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
TYPHUS FEVER AND TYPHUS-LIKE DISEASES (39)

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	67	4	8	7	5	6	10	3	9	8	3	2	2
All "Shi"	22	1	2	3	1	2	4	1	4	2	1	1	-
All "Gun"	45	3	6	4	4	4	6	2	5	6	2	1	2
Aichi	1	-	-	-	1	-	-	-	-	-	-	-	-
Akita	1	-	-	-	-	-	-	-	-	1	-	-	-
Aomori	3	-	1	1	-	-	1	-	-	-	-	-	-
Chiba	3	-	1	-	-	-	1	-	-	1	1	-	-
Ehime	6	-	3	-	-	-	1	-	1	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	2	-	-	-	-	-	-	-	-	-	1	-	1
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	3	-	1	-	-	1	1	-	-	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	4	-	1	1	-	-	1	-	-	-	-	1	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Kuramoto	3	1	-	-	1	-	-	-	1	-	-	-	-
Kyoto	3	2	-	-	-	-	1	-	-	-	-	-	-
Mie	1	-	1	-	-	-	-	-	-	-	-	-	-
Miyagi	4	-	-	-	1	1	-	-	2	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
TYPHUS FEVER AND TYPHUS-LIKE DISEASES (39) - Cont'd

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	3	-	-	-	-	-	-	1	2	-	-	-	-
Oite	4	-	-	1	-	2	-	-	-	1	-	-	-
Okayama	11	-	-	1	-	2	1	1	2	2	-	1	1
Osaka	2	-	-	-	-	-	1	1	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	1	-	-	1	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	1	-	-	-	-	-	-	-	-	1	-	-	-
Shizuoka	2	-	-	-	1	-	1	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	4	-	-	1	1	-	1	-	1	-	-	-	1
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	4	-	-	1	-	-	-	-	-	2	1	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	1	1	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
CANCER AND OTHER MALIGNANT TUMORS (45-55)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	58890	4741	4239	4737	4647	4910	4837	5137	5318	5155	5126	4916	5127
All "Shi"	22356	1829	1616	1827	1734	1786	1828	1916	2036	1967	1976	1892	1949
All "Gun"	36534	2912	2623	2910	2913	3124	3009	3221	3282	3188	3150	3024	3178
Aichi	2368	202	150	189	184	200	169	216	201	204	222	222	209
Akita	755	59	64	46	59	65	68	55	72	72	67	79	68
Aomori	664	50	39	54	55	47	58	54	53	64	55	64	71
Chiba	1802	134	115	156	152	145	157	161	164	145	164	152	157
Ehime	1110	103	79	99	83	94	91	95	105	101	85	98	77
Fukui	554	39	47	36	44	46	46	47	49	40	55	38	67
Fukuoka	2642	203	199	224	202	201	197	230	266	215	238	229	238
Fukushima	1334	92	89	123	94	116	96	129	128	118	107	119	123
Gifu	1047	78	80	85	83	91	83	100	103	83	100	77	84
Gumma	1180	72	75	93	96	91	106	122	94	124	91	99	117
Hiroshima	1557	130	127	126	116	122	139	124	133	140	126	141	133
Hokkaido	2445	194	175	197	211	183	204	201	231	232	202	205	210
Hyogo	2270	179	167	202	172	181	199	186	192	188	215	177	212
Ibaraki	1570	139	129	127	128	120	126	151	145	121	128	125	131
Ishikawa	805	64	72	77	58	58	65	68	72	71	71	53	76
Iwate	635	56	42	51	66	44	56	54	59	54	57	47	49
Kagawa	769	69	61	51	70	74	68	66	62	63	65	68	52
Kagoshima	997	91	78	67	75	87	90	96	78	98	85	70	82
Kanagawa	1586	131	117	123	130	135	132	133	134	147	124	148	132
Kochi	610	45	49	45	49	54	47	62	50	56	56	40	57
Kumamoto	1223	106	61	94	90	109	89	108	110	112	111	120	113
Kyoto	1420	103	98	122	110	106	116	123	135	143	116	122	126
Mie	1098	101	86	92	69	93	70	93	109	102	99	92	92
Miyagi	1205	88	102	93	111	110	94	100	117	95	84	99	112
Miyazaki	658	56	53	59	46	47	56	61	62	64	49	54	51

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
CANCER AND OTHER MALIGNANT TUMORS (45-55) - Cont'd

Area	Deaths	Total											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	1704	137	113	133	149	134	140	145	157	150	165	132	149
Nagasaki	1050	83	83	70	77	91	101	86	104	90	90	94	81
Nara	793	65	61	65	69	68	60	71	82	56	63	60	73
Niigata	2075	181	125	170	173	175	163	183	186	187	181	165	186
Oita	885	72	70	76	59	92	64	76	74	55	80	97	70
Okayama	1308	116	88	100	87	120	102	123	133	113	113	111	102
Osaka	2771	218	231	221	200	231	223	263	244	213	283	224	220
Saga	754	73	59	64	65	62	69	59	54	65	63	63	58
Saitama	1652	115	100	132	136	153	139	143	156	152	158	122	146
Shiga	679	57	49	63	58	63	62	50	57	46	66	49	59
Shimane	708	48	57	52	51	74	59	56	79	59	62	55	56
Shizuoka	1418	127	93	115	118	126	119	135	128	121	102	115	119
Tochigi	1189	92	79	93	109	98	99	110	102	110	92	88	117
Tokushima	646	56	47	47	50	43	57	52	50	57	47	82	58
Tokyo	3980	328	292	318	301	337	319	343	363	352	355	310	362
Tottori	505	40	27	42	45	43	46	42	43	41	36	47	53
Toyama	837	63	47	70	62	80	76	71	73	79	72	71	73
Wakayama	859	65	73	70	63	62	78	67	76	83	82	74	66
Yamagata	1075	76	68	77	86	94	99	77	95	115	103	93	92
Yamaguchi	1081	96	80	84	80	96	91	92	101	107	85	76	93
Yamanashi	617	49	43	44	56	49	51	58	54	52	56	50	55

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
DIABETES MELLITUS (61)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1885	201	179	202	175	151	130	139	127	129	152	141	159
All "Shi"	517	51	42	61	47	40	31	39	37	37	39	41	52
All "Gun"	1368	150	137	141	128	111	99	100	90	92	113	100	107
Aichi	88	11	10	5	11	6	5	5	7	6	4	4	14
Akita	18	-	3	2	2	3	2	-	-	1	2	3	-
Aomori	15	1	1	1	1	1	2	1	-	1	3	2	1
Chiba	51	3	6	10	8	3	2	2	2	2	4	3	6
Ehime	37	10	1	4	2	1	3	3	3	4	2	3	1
Fukui	27	2	2	3	1	4	2	1	1	3	3	-	5
Fukuoka	80	11	4	10	10	4	9	5	9	5	2	8	3
Fukushima	30	2	3	2	3	4	5	3	4	1	3	-	3
Gifu	37	6	2	4	4	2	3	1	1	4	5	3	2
Gumma	29	1	5	5	1	1	-	2	1	3	2	3	5
Hiroshima	81	9	7	13	4	8	7	9	4	6	5	8	1
Hokkaido	85	6	7	9	11	5	6	7	7	7	6	7	7
Hyogo	68	5	6	5	11	7	5	7	2	2	5	4	9
Ibaraki	43	3	3	4	6	2	1	1	5	1	8	4	5
Ishikawa	45	7	3	8	1	5	4	2	4	5	4	1	1
Iwate	21	1	2	-	2	5	1	2	1	1	2	2	2
Kagawa	38	2	6	1	7	1	2	6	3	3	1	2	4
Kagoshima	37	9	6	5	1	3	-	2	3	-	5	2	1
Kanagawa	38	4	4	-	4	6	-	2	6	2	1	4	4
Kochi	53	11	5	3	4	5	2	4	4	-	1	5	9
Kumamoto	40	6	5	2	3	2	7	4	1	4	1	4	1
Kyoto	43	5	4	5	2	10	1	3	2	4	5	2	-
Mie	34	1	2	3	4	3	2	2	5	4	4	3	-
Miyagi	24	3	1	4	3	1	2	3	2	3	1	2	-
Miyazaki	22	2	4	-	3	1	1	2	-	1	3	1	4

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
DIABETES MELLITUS (61) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	44	6	6	3	6	1	4	5	3	1	3	2	4
Nagasaki	45	6	4	4	3	2	1	5	2	4	3	5	6
Nara	17	1	1	3	1	1	3	1	1	1	1	1	2
Niigata	72	5	7	10	6	7	5	6	2	4	8	5	7
Oita	35	5	7	5	-	3	-	4	3	2	2	1	3
Okayama	58	3	5	4	6	7	4	1	5	4	8	6	5
Osaka	52	7	1	10	5	1	6	4	6	3	1	1	7
Saga	25	6	5	3	2	-	1	1	-	1	2	2	2
Saitama	40	4	3	1	2	5	4	2	3	5	3	4	4
Shiga	24	3	2	2	2	-	2	1	2	2	4	1	3
Shimane	40	2	1	5	6	4	5	1	1	3	3	4	5
Shizuoka	48	5	3	4	5	4	6	8	1	1	6	4	1
Tochigi	22	1	5	2	-	3	2	1	2	1	2	3	1
Tokushima	24	5	3	3	1	1	2	2	1	-	1	3	2
Tokyo	75	8	9	13	3	4	4	7	6	5	3	3	10
Tottori	26	1	1	2	3	3	3	3	2	3	2	3	-
Toyama	34	3	3	5	1	3	-	1	1	3	7	2	5
Wakayama	35	2	3	4	4	3	3	4	1	5	3	3	-
Yamagata	28	1	2	6	4	-	2	2	2	3	3	2	1
Yamaguchi	40	5	6	3	4	3	-	-	3	4	3	4	5
Yamanashi	17	1	-	2	2	3	1	1	3	1	2	1	-

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
BERIBERI (68)

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	5591	597	539	603	553	474	411	373	412	361	381	394	493
All "Shi"	1828	189	169	209	176	145	135	143	150	102	141	119	150
All "Gun"	3763	408	370	394	377	329	276	230	262	259	240	275	343
Aichi	222	30	24	26	20	16	26	13	16	9	20	8	15
Akita	135	11	11	12	17	12	7	8	10	13	12	11	11
Aomori	207	22	14	25	27	20	5	12	13	12	17	25	15
Chiba	113	10	14	10	15	5	16	5	9	5	10	4	10
Ehime	46	4	4	6	3	6	3	4	3	5	3	3	2
Fukui	55	3	6	6	7	7	5	7	2	4	3	3	2
Fukuoka	216	30	25	24	22	16	12	16	13	15	17	14	12
Fukushima	119	10	13	16	11	9	10	3	11	6	6	10	14
Gifu	86	4	8	10	9	10	6	7	3	9	8	3	9
Gumma	70	11	8	4	7	7	9	1	2	4	3	7	7
Hiroshima	128	18	15	14	11	11	6	6	14	6	7	7	13
Hokkaido	347	27	28	49	39	30	28	20	32	15	13	25	41
Hyogo	214	24	17	30	22	19	19	15	14	9	13	20	12
Ibaraki	135	13	18	21	9	15	10	12	10	10	4	5	8
Ishikawa	113	14	7	9	16	12	12	7	8	6	6	4	13
Iwate	187	14	18	23	22	23	10	8	8	8	9	16	28
Kagawa	18	1	2	-	1	1	2	3	4	1	1	2	-
Kagoshima	104	15	12	12	7	6	4	7	7	6	12	6	10
Kanagawa	113	11	9	12	13	10	8	7	8	10	10	6	9
Kochi	67	14	7	9	6	6	4	5	2	4	5	2	3
Kumamoto	96	11	6	8	9	6	4	5	7	10	9	9	12
Kyoto	146	16	7	21	14	10	12	13	14	9	14	8	8
Mie	110	9	17	19	9	10	7	7	7	5	5	5	10
Miyagi	145	18	13	18	18	17	15	4	8	5	8	10	11
Miyazaki	58	7	2	5	4	6	7	-	3	7	7	6	4

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
BERIBERI (68) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	77	7	7	9	6	4	6	5	10	6	6	5	6
Nagasaki	91	15	9	14	5	4	3	6	8	4	5	8	10
Nara	58	3	2	8	6	2	2	6	10	5	5	3	6
Niigata	216	8	20	20	23	28	21	15	15	11	20	13	22
Oita	82	6	13	4	7	1	6	13	6	11	3	7	5
Okayama	111	8	9	7	15	8	7	16	8	9	9	10	5
Osaka	387	45	38	34	31	31	32	29	35	34	29	22	27
Saga	110	20	17	7	10	5	9	6	9	6	3	8	10
Saitama	103	8	10	13	10	10	3	6	9	7	7	13	7
Shiga	73	13	4	5	5	3	4	1	10	8	4	7	9
Shimane	51	5	5	4	5	5	3	2	2	2	6	5	7
Shizuoka	134	18	11	9	10	16	6	11	9	8	9	14	13
Tochigi	80	8	12	7	7	4	7	6	5	2	5	6	11
Tokushima	30	3	1	1	3	-	2	3	4	3	4	3	3
Tokyo	302	34	34	35	31	25	27	18	20	17	21	16	24
Tottori	52	2	6	4	5	4	5	4	3	5	2	6	6
Toyama	113	12	8	9	12	9	6	8	8	13	4	7	17
Wakayama	35	6	2	4	1	1	3	2	1	3	3	6	3
Yamagata	120	17	14	12	10	10	7	5	5	7	12	9	12
Yamaguchi	102	9	11	7	11	14	6	13	7	6	3	7	8
Yamanashi	14	3	1	1	2	-	-	3	-	1	-	-	3

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
SIMPLE MENINGITIS (Gla)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	9108	767	706	870	919	889	759	760	771	753	645	615	654
All "Shi"	2923	250	237	292	300	284	227	233	248	203	231	187	231
All "Gun"	6185	517	469	578	619	605	532	527	523	550	414	428	423
Aichi	445	37	33	44	48	48	41	45	48	23	23	25	30
Akita	213	26	18	29	14	24	28	8	13	11	13	10	19
Aomori	130	9	10	17	20	12	14	2	15	8	9	5	9
Chiba	290	22	25	23	24	29	18	42	32	28	17	14	16
Ehime	199	15	16	15	13	36	13	13	16	9	17	17	19
Fukui	103	7	6	7	11	10	13	8	14	7	3	9	8
Fukuoka	322	22	21	24	30	23	30	24	37	21	26	39	25
Fukushima	260	21	17	19	26	30	22	23	25	22	13	15	27
Gifu	267	20	19	24	26	21	17	36	29	31	16	17	11
Gumma	155	14	11	14	15	13	6	19	12	13	16	12	10
Hiroshima	234	21	13	29	27	36	23	16	17	18	11	13	10
Hokkaido	593	47	42	80	66	61	63	42	29	40	44	40	39
Hyogo	363	30	35	29	28	31	32	28	36	34	26	23	31
Ibaraki	180	18	15	8	19	15	14	19	12	16	15	18	11
Ishikawa	159	15	10	21	23	10	9	9	14	7	12	17	12
Iwate	177	18	18	17	21	20	19	5	12	13	10	11	13
Kagawa	126	9	10	11	17	6	13	9	7	12	12	9	11
Kagoshima	199	17	12	16	20	19	13	13	10	22	15	24	18
Kanagawa	210	17	14	17	22	19	16	21	13	17	19	11	24
Kochi	104	10	8	14	7	5	11	10	10	12	8	6	3
Kumamoto	169	13	10	14	16	17	11	17	22	18	10	10	11
Kyoto	186	24	14	12	20	16	16	17	13	17	7	11	19
Mie	207	23	16	14	18	20	17	23	23	16	12	10	15
Miyagi	144	9	13	13	25	20	9	8	9	6	13	9	10
Miyazaki	143	15	12	11	12	14	9	12	10	18	10	7	9

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
SIMPLE MENINGITIS (81a) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	152	14	14	12	18	18	8	13	8	20	10	8	9
Nagasaki	208	15	14	17	18	25	10	24	16	23	14	19	13
Nara	92	7	6	10	11	8	7	6	11	7	7	7	5
Niigata	310	19	21	40	27	43	27	19	23	32	27	19	13
Oita	186	12	17	15	19	18	15	18	17	17	15	15	8
Okayama	202	14	17	12	15	22	22	15	15	24	12	14	20
Osaka	328	20	29	35	36	25	30	32	28	23	25	25	20
Saga	110	5	8	12	7	8	18	5	8	6	12	11	10
Saitama	216	21	13	22	26	7	18	15	24	29	19	9	13
Shiga	80	7	5	4	12	6	4	6	9	4	9	7	7
Shimane	94	8	5	10	6	9	8	8	10	8	7	8	7
Shizuoka	283	24	26	28	29	26	17	23	21	29	19	23	18
Tochigi	131	17	8	21	11	9	11	5	3	13	9	11	13
Tokushima	125	12	15	12	12	9	5	11	15	10	7	8	9
Tokyo	328	33	31	37	36	26	28	29	26	10	25	20	27
Tottori	52	3	6	4	8	5	5	4	6	2	2	3	4
Toyama	153	17	6	10	18	23	11	9	12	17	13	10	7
Wakayama	86	6	8	11	8	7	8	10	6	10	5	2	5
Yamagata	162	19	15	20	10	20	17	6	14	12	13	6	10
Yamaguchi	178	13	17	14	18	18	9	24	16	14	11	7	17
Yamanashi	54	2	7	2	6	2	4	9	5	4	7	1	5

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
INTRACRANIAL LESIONS OF VASCULAR ORIGIN (83)

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	100650	9581	8446	9811	9006	7947	7358	7133	6724	7713	8517	8753	9661
All "Shi"	28366	2732	2424	2797	2626	2274	2049	1971	1895	2226	2315	2411	2656
All "Gun"	72284	6849	6022	7024	6380	5673	5309	5162	4829	5487	6202	6342	7005
Aichi	3906	398	348	393	382	313	290	252	241	282	335	333	359
Akita	2476	226	204	279	246	211	195	155	133	165	207	220	235
Aomori	1712	169	163	155	151	134	149	130	117	111	133	143	157
Chiba	3340	309	282	314	259	253	248	236	204	239	296	329	371
Ehime	1614	178	149	161	158	122	95	108	106	132	127	143	135
Fukui	902	71	74	95	86	71	59	62	51	79	88	77	89
Fukuoka	3594	341	300	328	321	272	248	235	240	295	352	320	342
Fukushima	3019	292	235	280	262	250	226	222	208	210	263	282	289
Gifu	1918	168	151	171	189	154	145	149	149	142	159	152	189
Gumma	2201	217	171	207	182	157	166	202	146	154	173	199	227
Hiroshima	2415	232	175	213	210	211	169	177	158	231	204	201	234
Hokkaido	3670	311	297	386	326	292	297	284	252	264	291	321	349
Hyogo	3112	263	257	296	262	255	239	219	224	300	251	267	279
Ibaraki	3348	313	286	349	288	246	240	257	218	220	273	314	344
Ishikawa	1235	109	107	119	108	106	92	75	84	101	116	107	111
Iwate	2407	221	203	242	236	202	193	175	170	181	175	202	207
Kagawa	1116	120	97	99	104	86	70	71	81	92	95	99	102
Kagoshima	2324	243	194	221	187	171	132	162	163	176	207	219	249
Kanagawa	2514	244	209	228	221	211	184	155	177	209	216	217	243
Kochi	1284	150	126	126	103	89	78	86	88	104	111	109	114
Kumamoto	2258	215	194	232	197	165	135	155	176	194	191	180	224
Kyoto	1732	166	147	173	160	129	139	108	100	153	140	144	173
Mie	1788	181	147	204	149	131	130	116	141	110	160	163	156
Miyagi	2284	232	199	241	230	182	195	152	138	147	175	181	212
Miyazaki	1279	129	116	119	118	81	74	84	79	113	118	102	146

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
INTRACRANIAL LESIONS OF VASCULAR ORIGIN (83) - Cont'd

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	3223	265	248	305	295	271	239	253	199	252	298	270	328
Nagasaki	1660	148	153	146	134	124	127	122	101	122	152	156	175
Nara	960	84	71	74	72	81	67	83	66	80	99	98	85
Niigata	3985	334	314	421	411	352	311	264	277	285	329	362	325
Oita	1697	172	163	154	132	120	132	122	112	142	142	151	155
Okayama	2077	215	190	173	178	172	153	144	140	171	187	168	186
Osaka	3036	279	261	307	272	243	230	238	191	234	262	239	280
Saga	1217	121	98	103	101	100	87	78	85	105	112	96	131
Saitama	3004	271	269	307	259	250	240	233	203	218	222	246	286
Shiga	1083	120	89	95	97	78	62	78	91	81	89	91	112
Shimane	1376	114	112	113	128	98	100	193	114	131	115	120	128
Shizuoka	2883	306	248	301	228	234	197	198	183	203	225	251	309
Tochigi	2271	235	190	241	215	174	145	156	143	167	169	220	216
Tokushima	962	102	86	93	78	71	67	63	72	68	68	82	112
Tokyo	5241	514	440	545	480	407	384	399	314	374	408	451	525
Tottori	813	79	69	69	82	72	55	42	64	70	75	71	65
Toyama	1307	121	87	121	139	108	104	102	75	111	107	104	128
Wakayama	1173	127	89	97	98	80	64	80	92	114	116	102	114
Yamagata	2382	206	194	246	228	207	184	157	160	176	210	203	211
Yamaguchi	1825	179	154	165	159	132	142	117	125	160	186	153	153
Yamanashi	1027	91	90	104	85	79	80	74	73	65	90	95	101

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
DISEASES OF THE HEART (90-95)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	52825	5111	4572	5229	4878	4186	3953	3864	3677	3655	4221	4408	5071
All "Shi"	16719	1705	1517	1666	1531	1328	1215	1193	1095	1114	1294	1435	1626
All "Gun"	36106	3406	3055	3563	3347	2858	2738	2671	2582	2541	2927	2973	3445
Aichi	2198	203	187	244	222	178	149	154	130	131	187	207	206
Akita	911	83	81	109	98	70	54	59	57	84	57	71	88
Aomori	662	57	43	57	73	66	52	47	53	54	51	52	57
Chiba	1642	138	151	183	157	135	120	128	101	102	132	137	158
Ehime	969	121	80	75	82	82	69	68	71	67	82	84	88
Fukui	520	56	36	46	50	46	38	40	32	37	48	43	48
Fukuoka	1847	186	162	160	151	146	139	141	137	155	163	141	166
Fukushima	1337	116	106	142	137	114	106	102	94	91	106	104	119
Gifu	1051	92	100	91	110	77	76	70	76	75	88	87	109
Gunma	1236	139	122	126	97	89	108	88	99	74	90	98	106
Hiroshima	1322	149	131	115	132	106	75	104	94	82	87	107	140
Hokkaido	2250	199	186	216	204	193	156	177	162	179	185	187	206
Hyogo	1860	201	185	201	171	149	126	153	130	128	142	162	142
Ibaraki	1629	137	124	175	155	117	137	143	118	105	114	160	144
Ishikawa	711	56	67	71	78	56	57	50	56	48	51	63	58
Iwate	865	65	68	92	74	72	73	72	61	61	68	70	89
Kagawa	624	74	61	59	52	46	51	37	39	45	50	52	58
Kagoshima	1122	108	87	92	85	69	100	96	94	93	95	92	111
Kanagawa	1263	123	100	129	112	99	85	74	87	94	108	107	145
Kochi	456	38	47	47	37	36	28	37	33	31	28	51	43
Kumamoto	1239	120	93	97	115	90	101	85	88	95	100	118	137
Kyoto	1054	106	100	97	90	69	88	64	72	80	96	89	103
Mie	1038	94	86	98	95	81	77	73	74	63	105	76	116
Miyagi	1086	98	102	137	86	85	79	79	76	66	77	89	112
Miyazaki	769	78	53	59	67	66	48	62	70	60	71	49	86

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
DISEASES OF THE HEART (90-95) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	1604	167	139	155	162	131	118	103	115	89	140	124	161
Nagasaki	995	90	83	92	92	79	85	86	58	66	93	81	90
Nara	520	51	55	54	48	49	40	44	38	29	35	31	46
Niigata	1651	133	141	165	175	146	132	118	112	132	118	142	137
Oita	910	85	68	104	84	57	82	57	71	73	74	83	72
Okayama	1077	90	105	107	94	85	87	72	74	81	84	94	104
Osaka	2146	220	192	218	193	154	164	156	153	130	176	162	228
Saga	616	67	47	66	59	45	42	44	49	50	43	50	54
Saitama	1607	158	132	150	146	137	123	112	108	110	127	135	169
Shiga	657	68	50	69	55	57	51	48	44	51	54	53	57
Shimane	743	81	64	82	63	53	51	47	46	64	52	71	69
Shizuoka	1477	153	120	128	129	117	112	104	126	86	129	129	144
Tochigi	1085	88	107	120	87	72	83	87	76	71	94	94	106
Tokushima	682	86	66	86	47	51	49	37	50	45	57	50	58
Tokyo	3131	323	326	318	267	247	228	242	184	201	226	249	320
Tottori	381	41	27	40	45	43	31	29	19	29	12	24	41
Toyama	700	68	57	48	74	60	55	56	48	47	65	56	66
Wakayama	597	54	51	61	63	57	45	44	32	37	53	42	58
Yamagata	995	93	78	80	119	85	77	69	70	53	67	105	99
Yamaguchi	973	106	88	92	90	79	54	68	54	69	90	89	94
Yamanashi	617	52	48	76	56	45	52	38	46	42	51	48	63

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
BRONCHITIS (106)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	25695	3109	3060	3370	2844	2153	1688	1389	1136	1142	1471	1749	2584
All "Shi"	6069	822	736	766	638	471	375	307	277	278	343	428	628
All "Gun"	19626	2287	2324	2604	2206	1682	1313	1082	859	864	1128	1321	1956
Aichi	1058	132	133	153	132	81	94	52	45	47	49	62	78
Akita	488	57	33	60	56	64	32	23	14	16	39	40	54
Aomori	524	61	54	61	65	55	37	35	20	23	26	31	56
Chiba	657	64	99	110	74	46	33	28	33	36	36	42	56
Ehime	545	69	70	71	52	40	34	33	30	23	42	42	39
Fukuï	289	41	41	35	32	26	20	6	17	14	16	20	21
Fukuoka	869	101	82	121	94	67	48	51	47	44	67	65	82
Fukushima	660	70	69	90	69	53	52	35	26	38	32	53	73
Gifu	616	75	75	80	77	56	46	33	31	17	32	42	52
Gumma	442	47	63	62	58	37	30	21	14	22	23	28	37
Hiroshima	634	71	77	76	74	57	37	34	29	24	30	46	79
Hokkaido	1256	172	150	177	147	115	80	75	47	51	61	78	103
Hyogo	885	104	100	122	84	61	55	45	38	41	57	77	101
Ibaraki	798	88	101	132	85	67	52	42	37	31	38	45	80
Ishikawa	425	58	46	53	51	47	23	19	16	13	20	30	49
Iwate	599	63	60	91	75	65	54	24	30	19	28	36	54
Kagawa	275	37	43	43	21	23	18	19	14	7	15	11	24
Kagoshima	578	81	65	53	53	54	42	41	29	36	30	37	57
Kanagawa	392	50	58	49	51	22	22	15	17	14	15	26	53
Kochi	262	30	38	35	26	22	16	10	11	9	21	20	24
Kumamoto	599	61	60	62	57	49	32	34	35	33	57	60	59
Kyoto	362	44	44	41	40	30	23	21	13	21	18	25	42
Mie	650	92	100	99	77	45	35	29	26	28	29	40	52
Miyagi	383	53	46	58	39	27	27	27	16	16	15	21	42
Miyazaki	364	38	26	41	33	24	16	32	14	25	25	29	61

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
BRONCHITIS (106) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	625	71	77	75	88	52	41	35	27	19	32	41	67
Nagasaki	644	86	82	66	49	59	47	37	31	34	46	44	63
Nara	237	39	20	30	27	13	15	13	11	11	10	19	29
Niigata	1161	131	98	151	149	124	78	59	49	38	75	77	132
Oita	575	64	60	72	64	42	43	24	35	35	46	37	53
Okayama	551	71	83	63	57	53	32	45	20	18	31	33	45
Osaka	702	86	78	80	86	54	47	25	35	31	42	46	92
Saga	340	44	41	35	34	25	17	25	19	16	22	26	36
Saitama	917	105	109	122	84	67	66	53	38	40	55	70	108
Shiga	308	28	43	44	33	31	22	15	9	23	16	17	27
Shimane	353	43	48	45	51	39	27	15	6	17	16	23	23
Shizuoka	644	62	84	82	77	54	39	35	36	25	31	44	75
Tochigi	561	69	89	90	48	46	41	33	17	19	27	34	48
Tokushima	244	48	41	47	36	21	23	15	21	19	23	14	36
Tokyo	849	137	109	99	91	52	55	47	34	36	43	60	86
Tottori	193	16	25	22	20	22	13	12	11	11	11	11	19
Toyama	504	63	51	59	56	62	34	25	19	17	27	28	63
Wakayama	269	29	33	32	34	17	11	13	12	22	18	17	31
Yamagata	587	72	63	91	67	39	37	31	27	26	29	51	54
Yamaguchi	417	47	50	44	34	30	28	26	24	23	33	27	51
Yamanashi	304	39	43	46	37	18	16	22	10	14	17	24	18

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
PNEUMONIA (ALL FORMS) (107-109)

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	56636	7529	6816	7277	6378	4918	3452	2828	2025	2251	2692	4043	6427
All "Shi"	19416	2827	2279	2332	2097	1599	1120	935	727	766	865	1424	2445
All "Gun"	37220	4702	4537	4945	4281	3319	2332	1893	1298	1485	1827	2619	3982
Aichi	2258	314	301	277	273	242	160	109	68	81	75	129	229
Akita	832	99	87	98	98	73	47	32	35	37	50	76	100
Aomori	1149	148	89	157	164	121	66	69	43	39	46	82	125
Chiba	1568	197	210	239	180	109	92	78	66	58	72	94	173
Ehime	1082	159	167	136	120	77	64	50	37	39	54	75	104
Fukui	490	63	34	54	56	49	23	30	22	17	28	43	71
Fukuoka	2508	278	277	313	272	210	164	128	99	123	155	244	245
Fukushima	1732	188	204	263	194	158	110	84	58	62	90	139	242
Gifu	981	116	134	115	130	104	65	50	29	41	45	51	101
Gumma	1342	187	210	199	136	111	71	60	37	56	60	84	131
Hiroshima	1154	141	114	129	121	110	67	74	40	58	64	79	157
Hokkaido	3276	514	403	441	412	283	239	147	127	99	118	199	284
Hyogo	1798	250	197	207	162	130	104	87	70	85	77	163	266
Ibaraki	1308	159	186	208	115	97	91	68	52	50	52	79	151
Ishikawa	747	87	87	84	90	93	50	37	21	34	43	56	65
Iwate	1367	164	152	167	196	154	101	64	22	47	61	85	154
Kagawa	590	91	86	82	54	43	40	25	23	23	25	35	63
Karoshima	1265	153	129	136	112	115	83	86	50	73	87	105	136
Kanagawa	1647	272	254	218	147	113	89	66	70	64	65	102	187
Kochi	482	66	70	71	58	25	20	12	23	23	20	40	54
Kumamoto	1259	137	133	148	152	96	65	90	42	62	77	123	134
Kyoto	990	116	98	127	112	94	53	49	26	53	61	95	106
Mie	888	97	126	139	107	100	39	49	32	26	36	50	87
Miyagi	1250	145	133	155	154	124	86	76	47	47	59	81	143
Miyazaki	678	108	63	75	70	53	41	43	23	26	38	59	79

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
PNEUMONIA (ALL FORMS) (107-109) - Cont'd

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	1272	144	194	178	160	118	76	52	43	43	56	86	122
Nagasaki	1265	151	124	116	151	110	93	78	39	51	82	97	173
Nara	489	67	51	58	58	47	27	30	17	25	23	32	54
Niigata	1880	207	176	242	244	203	128	96	72	87	77	146	202
Oita	936	101	108	122	112	90	53	51	33	32	66	58	110
Okayama	876	130	111	107	111	77	56	38	40	34	51	49	72
Osaka	2731	385	265	327	290	233	161	109	115	104	128	210	404
Saga	562	68	44	74	62	57	31	32	21	20	37	57	59
Saitama	1570	230	233	181	163	105	75	87	61	54	81	95	205
Shiga	522	61	60	62	42	52	49	29	20	22	24	35	66
Shimane	577	65	80	87	65	63	34	23	14	19	25	35	67
Shizuoka	1517	147	214	243	171	121	88	84	68	64	61	104	152
Tochigi	1118	144	182	166	124	81	61	47	47	54	50	56	106
Tokushima	620	100	82	68	76	49	22	33	16	24	28	47	75
Tokyo	3657	722	457	446	345	226	186	160	98	133	135	254	495
Tottori	307	36	34	28	36	29	19	20	11	8	17	30	39
Toyama	814	91	72	89	106	77	59	36	31	39	41	67	106
Wakayama	562	80	66	86	64	41	30	22	22	24	20	40	67
Yamagata	1068	133	110	143	124	104	83	60	38	40	64	73	96
Yamaguchi	1056	159	136	130	124	105	85	44	40	33	36	73	111
Yamanashi	536	59	73	86	65	46	26	24	17	18	32	31	59

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
PLEURISY (NOT SPECIFIED AS TUBERCULOSIS) (110)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	6030	515	503	612	548	537	517	540	506	461	469	422	400
All "Shi"	1944	173	169	195	177	165	177	152	151	151	159	137	138
All "Gun"	4086	342	334	417	371	372	340	388	355	310	310	285	262
Aichi	221	25	25	26	15	25	14	16	16	20	12	14	13
Akita	98	11	3	12	6	12	9	10	8	6	6	9	6
Amori	98	9	8	12	13	8	5	10	10	8	7	3	5
Chiba	182	19	22	23	20	11	10	17	14	9	17	10	10
Ehime	103	8	9	10	12	8	9	9	9	3	10	8	8
Fuku	60	4	5	7	4	4	7	3	9	3	5	3	6
Fukuoka	263	22	11	19	29	16	25	24	30	24	29	18	16
Fukushima	175	14	17	19	16	22	17	14	13	14	6	7	16
Gifu	123	14	11	2	10	9	15	12	13	10	6	10	11
Gumma	85	5	5	12	12	8	7	8	5	6	7	6	4
Hiroshima	138	13	9	14	14	14	7	8	14	17	11	5	12
Hokkaido	305	17	35	35	34	25	32	29	22	23	27	18	8
Hyogo	233	21	20	26	21	17	19	25	18	15	18	20	13
Ibaraki	171	23	10	21	10	18	11	15	13	11	16	9	14
Ishikawa	61	4	6	6	7	6	2	5	5	6	4	4	6
Iwate	90	7	6	9	14	8	10	5	4	16	3	1	7
Kagawa	61	4	6	8	8	4	3	5	7	3	7	3	3
Kagoshima	166	12	8	13	11	10	15	23	13	12	17	15	17
Kanagawa	139	7	9	18	11	10	19	8	15	12	11	13	6
Kochi	77	9	5	3	8	8	8	4	5	5	10	5	7
Kumamoto	197	17	26	16	15	14	9	24	18	16	17	13	12
Kyoto	110	14	7	11	7	14	10	9	6	8	8	4	12
Mie	101	12	10	8	15	3	4	9	13	3	8	8	8
Miyagi	97	6	12	16	11	5	6	8	11	5	6	9	2
Miyazaki	102	9	10	9	9	7	13	7	10	4	11	11	2

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
PLEURISY (NOT SPECIFIED AS TUBERCULOSIS) (110) - Cont'd

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	121	10	13	13	9	11	14	9	12	7	7	8	8
Nagasaki	158	12	14	11	12	21	14	18	8	6	18	13	11
Nara	46	1	3	-	4	6	2	5	9	8	3	2	3
Niligata	201	17	11	25	13	20	26	18	12	15	17	13	14
Osaka	130	10	13	16	8	16	15	12	6	13	6	7	8
Okayama	147	15	14	12	10	11	12	13	12	14	13	12	9
Osaka	205	13	11	29	21	24	21	17	19	16	11	13	10
Saga	71	10	6	6	5	4	5	7	6	5	7	7	3
Saitama	158	10	17	14	19	13	12	8	11	17	16	12	9
Shiga	63	4	7	4	4	2	4	5	11	6	6	6	4
Shimane	83	10	6	7	10	5	5	9	3	10	5	8	5
Shizuoka	131	16	6	20	13	7	8	14	8	10	10	6	13
Tochigi	104	4	7	6	9	9	13	9	15	10	7	12	3
Tokushima	72	4	6	10	5	7	6	9	3	2	4	8	8
Tokyo	352	32	29	31	30	34	31	33	28	21	31	23	29
Tottori	54	5	3	6	3	6	4	3	4	4	1	11	4
Toyama	76	2	8	7	4	18	4	8	8	4	5	3	5
Wakayama	66	2	6	12	10	5	4	6	4	2	6	5	4
Yamagata	118	17	11	13	9	9	9	13	5	10	3	8	11
Yamaguchi	149	11	12	12	8	17	10	14	15	13	11	13	13
Yamanashi	69	4	5	3	10	6	12	3	6	9	3	6	2

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
ULCER OF THE STOMACH OR DUODENUM (117)

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	19521	1835	1592	1836	1692	1626	1475	1469	1357	1343	1612	1758	1926
All "Shi"	6436	613	556	592	587	507	467	455	431	448	541	592	647
All "Gun"	13085	1222	1036	1244	1105	1119	1008	1014	926	895	1071	1166	1279
Aichi	661	69	60	73	49	52	39	48	42	42	62	67	58
Akita	240	21	21	25	21	25	18	14	10	16	18	31	20
Aomori	218	12	19	31	25	11	18	17	12	14	10	25	24
Chiba	637	54	57	62	61	55	58	44	49	46	51	45	55
Ehime	299	23	27	29	17	25	31	22	19	26	29	29	22
Fukui	184	11	15	20	16	15	16	13	16	10	18	20	14
Fukuoka	860	89	77	81	79	60	54	66	62	52	78	80	82
Fukushima	476	55	37	33	44	41	36	26	39	33	42	46	44
Gifu	337	35	27	36	29	28	21	23	22	26	35	20	35
Gumma	397	35	28	34	33	36	34	38	36	30	28	29	36
Hiroshima	588	47	50	59	55	49	45	36	37	44	58	50	58
Hokkaido	600	54	38	65	55	49	47	41	35	37	52	60	67
Hyogo	710	65	51	53	58	69	47	47	50	47	69	70	84
Ibaraki	594	49	42	67	50	46	47	58	38	33	43	50	71
Ishikawa	294	32	20	33	18	28	25	19	14	15	22	29	39
Iwate	302	28	21	28	27	29	26	25	15	26	28	28	21
Kagawa	253	21	19	24	24	25	23	18	17	15	17	14	36
Kagoshima	507	44	48	43	49	33	42	38	26	46	48	45	45
Kanagawa	547	54	48	53	44	39	35	46	40	46	47	41	54
Kochi	194	18	15	22	15	14	8	16	11	10	15	21	29
Kumamoto	535	45	58	56	55	44	35	46	37	24	36	44	55
Kyoto	429	42	39	42	43	42	26	34	30	25	34	43	29
Mie	409	28	41	53	36	36	21	24	29	28	32	36	45
Miyagi	304	25	34	21	18	23	29	16	25	28	29	33	23
Miyazaki	290	35	24	38	24	31	28	18	12	19	21	16	24

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
ULCER OF THE STOMACH OR DUODENUM (117) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	533	58	35	38	48	36	37	56	33	37	55	47	53
Nagasaki	388	41	30	34	36	31	27	25	34	23	35	29	29
Nara	221	17	21	15	18	17	16	23	15	14	16	20	23
Niligata	555	51	53	51	42	49	45	46	44	33	43	50	48
Oita	431	44	31	40	34	45	39	31	27	40	35	26	39
Okayama	447	52	32	36	34	38	41	28	33	31	30	39	53
Osaka	806	77	62	77	86	64	62	61	52	50	47	92	76
Saga	263	18	27	21	18	25	22	23	19	16	17	31	26
Saitama	502	58	35	52	36	47	32	32	43	30	37	51	49
Shiga	244	13	26	21	17	23	23	14	17	17	30	19	24
Shimane	301	23	26	22	27	24	24	28	22	21	29	30	25
Shizuoka	539	74	42	46	44	52	35	38	40	48	32	37	51
Tochigi	408	41	33	35	33	31	31	25	23	41	36	38	41
Tokushima	216	27	22	24	10	20	15	16	17	17	12	17	19
Tokyo	1129	109	80	109	106	80	91	77	89	68	93	103	124
Tottori	180	19	15	12	17	12	20	10	14	14	11	19	17
Toyama	266	28	19	21	31	28	16	21	20	13	20	25	24
Wakayama	234	16	17	15	29	20	16	20	24	17	19	22	19
Yamagata	321	22	21	31	28	21	22	40	19	27	33	26	31
Yamaguchi	468	38	32	40	38	40	44	44	29	32	41	44	46
Yamanashi	204	18	17	15	15	18	8	18	20	16	19	21	19

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
DIARRHEA, ENTERITIS AND ULCERATION OF THE INTESTINES (ALL AGES) (119-120)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	72186	4824	4046	4755	4857	5375	6767	9328	9603	7424	5327	5044	4836
All "Shi"	19130	1300	1101	1298	1399	1487	2029	2474	2308	1773	1333	1398	1230
All "Gun"	53056	3524	2945	3457	3458	3888	4738	6854	7295	5651	3994	3646	3608
Aichi	2376	162	132	167	179	163	228	348	303	240	152	139	163
Akita	1655	102	83	98	116	122	143	176	252	206	142	122	93
Aomori	1798	90	66	104	95	131	148	207	310	259	153	119	116
Chiba	1421	102	100	114	93	107	127	166	157	125	115	107	108
Chime	1203	59	77	96	79	82	119	146	158	123	93	97	74
Fukui	1087	86	60	72	59	63	73	169	140	148	69	70	69
Fukuoka	2897	204	146	210	208	245	351	383	359	252	212	204	153
Fukushima	1757	109	88	111	132	148	165	233	234	170	130	120	117
Gifu	1585	108	75	88	85	105	153	228	243	172	104	115	109
Gumma	1246	95	75	74	69	86	95	189	172	126	82	89	94
Hiroshima	1665	115	85	122	134	106	158	189	220	172	129	116	119
Hokkaido	4383	289	252	292	296	317	310	419	692	626	335	278	307
Hyogo	2942	174	162	197	195	214	285	439	402	323	217	185	149
Ibaraki	1680	121	114	117	119	113	145	232	212	149	118	120	120
Ishikawa	1167	73	56	66	76	103	109	167	153	111	111	77	65
Iwate	1582	85	63	116	117	133	129	145	221	224	112	122	115
Kagawa	704	61	38	47	39	55	54	84	92	64	60	49	61
Kagoshima	1815	154	112	93	107	116	198	197	268	158	132	132	148
Kanagawa	1094	98	63	76	86	74	107	116	121	101	78	80	94
Kochi	639	56	43	48	40	50	46	56	87	81	46	39	47
Kumamoto	1684	107	102	112	98	144	184	191	184	147	112	158	145
Kyoto	1282	78	86	95	93	98	102	169	169	130	108	83	72
Mie	1450	98	95	95	87	94	135	217	203	147	97	93	88
Miyagi	1247	98	95	93	108	102	128	134	132	96	76	97	89
Miyazaki	1010	95	68	69	62	81	78	117	122	97	79	60	82

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN - 1949 - Cont'd
DIARRHEA, ENTERITIS AND ULCERATION OF THE INTESTINES (ALL AGES) (119-120)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	1403	103	74	103	103	99	125	156	198	131	95	105	111
Nagasaki	1418	107	68	88	80	139	167	157	164	113	116	114	105
Nara	812	64	30	48	50	68	76	141	121	61	52	56	45
Niigata	2803	156	110	147	196	210	269	417	373	331	242	196	156
Oita	1324	105	78	83	90	92	115	174	162	129	101	97	98
Okayama	1474	92	90	86	97	94	102	167	205	191	141	108	101
Osaka	2934	166	138	194	211	238	356	505	355	232	174	202	163
Saga	934	72	73	74	68	76	88	106	97	81	58	63	78
Saitama	1978	141	133	152	129	135	180	291	194	163	150	142	168
Shiga	1204	70	57	71	77	80	119	217	200	103	82	69	59
Shimane	939	63	56	80	65	66	76	73	139	105	79	61	76
Shizuoka	1830	134	104	105	116	127	195	252	232	159	144	131	131
Tochigi	1626	102	103	95	105	119	133	219	238	176	112	117	107
Tokushima	853	48	56	54	50	53	76	115	116	107	62	55	61
Tokyo	2244	173	145	180	190	187	271	241	216	167	153	174	147
Tottori	608	41	33	35	42	41	44	74	104	63	48	44	39
Toyama	1757	98	72	109	123	152	168	254	204	189	150	141	97
Wakayama	988	61	47	64	67	82	118	143	152	100	55	38	61
Yamagata	1728	107	107	93	110	120	134	251	270	195	110	128	103
Yamaguchi	1224	80	87	80	79	101	109	144	172	115	85	87	85
Yamanashi	736	52	49	42	37	44	76	114	107	66	56	45	48

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
DIARRHEA, ENTERITIS AND ULCERATION OF INTESTINES (UNDER 2 YEARS OF AGE) (119)

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	41822	2825	2295	2696	2824	3263	4424	5676	5371	3734	2831	3069	3014
All "Shi"	11996	790	659	802	903	989	1480	1662	1404	936	684	897	790
All "Gun"	29826	2035	1636	1894	1921	2274	2944	4014	3967	2798	1947	2172	2224
Aichi	1342	102	88	100	113	104	150	204	144	99	70	77	91
Akita	1171	67	51	64	67	87	105	123	196	149	103	94	65
Aomori	1426	63	47	76	69	103	116	183	257	204	124	96	88
Chiba	750	60	49	69	50	68	81	79	63	52	50	60	69
Ehime	594	33	37	39	36	46	73	84	68	38	41	62	37
Fuku	560	38	31	31	32	28	51	102	81	58	26	41	41
Fukuoka	1977	132	90	147	142	184	273	275	204	152	129	141	108
Fukushima	1112	64	52	70	85	96	111	156	140	96	80	80	82
Gifu	903	65	51	48	49	59	102	144	132	72	50	65	66
Gumma	543	49	38	29	28	39	43	78	69	48	28	39	55
Hiroshima	819	62	42	56	62	63	89	99	101	78	55	60	52
Hokkaido	3231	191	174	209	217	233	221	311	517	455	245	221	237
Hyogo	1592	96	89	112	110	126	175	262	222	115	94	111	80
Ibaraki	922	77	62	63	82	65	73	130	91	74	58	70	77
Ishikawa	793	44	38	43	53	82	76	127	90	78	61	51	50
Iwate	1200	63	45	83	85	97	104	110	154	179	96	93	91
Kanagawa	333	32	18	29	20	24	31	47	35	12	23	22	40
Kagoshima	1072	97	57	58	62	65	137	129	151	79	68	73	96
Kanazawa	631	50	39	43	57	41	70	75	68	48	35	43	62
Kochi	254	32	13	25	18	16	24	20	30	26	16	15	19
Kumamoto	849	59	47	54	52	81	113	97	82	53	47	80	84
Kyoto	685	40	51	57	44	54	66	100	89	50	43	45	46
Mie	775	57	60	51	50	60	83	119	105	61	34	52	43
Miyagi	884	72	65	62	73	82	90	101	95	62	46	73	63
Miyazaki	562	58	42	39	36	52	38	71	57	48	38	29	54

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
DIARRHEA, ENTERITIS AND ULCERATION OF THE INTESTINES (UNDER 2 YEARS OF AGE) (119) Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	610	44	36	43	48	45	62	67	74	56	24	53	58
Nagasaki	958	69	45	59	54	99	132	105	103	66	67	83	76
Nara	450	37	19	21	29	43	48	86	60	28	19	32	28
Niigata	1,440	58	63	72	94	110	164	247	199	158	104	98	73
Oita	701	68	37	42	50	53	75	101	75	57	39	50	54
Okayama	557	43	35	36	34	31	47	64	82	49	41	50	45
Osaka	1,765	100	79	114	132	151	260	330	199	105	83	114	98
Saga	645	45	47	57	45	56	73	78	63	41	29	49	62
Saitama	928	76	69	62	58	67	91	141	71	57	55	74	107
Shiga	604	37	32	27	43	36	64	126	98	44	31	39	27
Shimane	467	33	29	34	24	21	49	46	73	50	27	30	51
Shizuoka	1,003	84	62	57	64	65	123	139	119	80	64	74	72
Tochigi	717	46	45	46	37	47	58	93	107	62	48	60	70
Tokushima	364	21	18	19	26	29	41	53	44	35	18	24	36
Tokyo	1,539	126	97	125	137	138	213	156	135	94	83	125	110
Tottori	319	16	12	15	24	12	28	47	65	35	19	25	21
Toyama	1,028	57	37	62	77	96	113	144	121	94	74	97	56
Wakayama	550	33	18	37	35	50	88	92	91	34	18	22	32
Yamagata	1,083	55	68	40	51	67	85	181	195	115	66	96	64
Yamaguchi	716	47	50	48	47	62	71	88	99	57	40	53	54
Yamanashi	398	27	21	23	23	30	46	66	57	31	22	28	24

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
DIARRHEA, ENTERITIS AND ULCERATION OF THE INTESTINES (2 YEARS OF AGE AND OVER) (120)

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	30364	1999	1751	2089	2083	2112	2343	3652	4232	3690	2696	1975	1822
All "Shi"	7134	510	442	496	496	498	549	812	904	837	649	501	440
All "Gun"	23230	1489	1309	1563	1537	1614	1794	2840	3328	2853	2047	1474	1382
Aichi	1034	60	44	67	66	59	78	144	159	141	82	62	72
Akita	484	35	32	34	49	35	38	53	56	57	39	28	28
Amori	372	27	19	28	26	28	32	24	53	55	29	23	28
Chiba	671	42	51	45	43	39	46	87	94	73	65	47	39
Ehime	609	26	40	57	43	36	46	62	90	85	52	35	37
Fukui	527	48	29	41	27	35	22	67	68	90	43	29	28
Fukuoka	920	72	56	63	66	61	78	108	124	100	83	63	45
Fukushima	645	45	36	41	47	52	54	77	94	74	50	40	35
Gifu	682	43	24	40	36	46	51	84	111	100	54	50	43
Gumma	703	46	37	45	41	47	52	111	103	78	54	50	39
Hiroshima	846	53	43	66	72	43	69	90	119	94	74	56	67
Hokkaido	1152	68	78	83	79	84	89	108	175	171	90	57	70
Hyogo	1350	78	73	85	85	88	110	177	180	208	123	74	69
Ibaraki	758	44	52	54	37	48	72	102	121	75	60	50	43
Ishikawa	374	29	18	23	23	21	33	40	63	33	50	26	15
Iwate	382	22	18	33	32	36	25	35	67	45	16	29	24
Kagawa	371	29	20	18	19	31	23	37	57	52	37	27	21
Kagoshima	743	57	55	35	45	51	61	68	117	79	64	59	52
Kanagawa	463	48	24	33	29	33	37	41	53	53	43	37	32
Kochi	385	24	30	23	22	34	22	36	57	55	30	24	28
Kumamoto	835	48	55	58	46	63	71	94	102	94	65	78	61
Kyoto	597	38	35	38	49	44	36	69	79	80	65	38	26
Mie	675	41	35	44	37	34	52	98	98	86	63	41	46
Miyagi	363	26	30	31	35	20	38	33	37	34	30	24	25
Miyazaki	448	37	26	30	26	29	40	46	65	49	41	31	28

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE.: JAPAN 1949 - Cont'd
DIARRHEA, ENTERITIS AND ULCERATION OF THE INTESTINES (2 YEARS OF AGE AND OVER) (120) -Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	793	59	38	60	55	54	63	89	124	75	71	52	53
Nagasaki	460	38	23	29	26	40	35	52	61	47	49	31	29
Nara	362	27	11	27	21	25	28	55	61	33	33	24	17
Niigata	1363	98	47	75	102	100	105	170	174	173	138	98	83
Oita	623	37	41	41	40	39	40	73	87	72	62	47	44
Okayama	917	49	55	50	63	63	55	103	123	142	100	58	56
Osaka	1169	66	59	80	79	87	96	175	156	127	91	88	65
Saga	289	27	26	17	23	20	15	28	34	40	29	14	16
Saitama	1050	65	64	90	71	68	89	150	123	106	95	68	61
Shiga	600	33	25	44	34	44	55	91	102	59	51	30	32
Shimane	472	30	27	46	41	45	27	27	66	55	52	31	25
Shizuoka	827	50	42	48	52	62	72	113	113	79	80	57	59
Tochigi	909	56	58	49	68	72	77	126	131	114	64	57	37
Tokushima	489	27	38	35	24	24	35	62	72	72	44	31	25
Tokyo	705	47	48	55	53	49	58	85	81	73	70	49	37
Tottori	289	25	21	20	18	29	16	27	39	28	29	19	18
Toyama	729	41	35	47	46	56	55	110	83	95	76	44	41
Wakayama	438	28	29	27	32	32	30	51	61	66	37	16	29
Yamagata	645	52	39	53	59	53	49	70	75	80	44	32	39
Yamaguchi	508	33	37	32	32	39	38	56	73	58	45	34	45
Yamanashi	338	25	28	19	14	14	30	48	50	35	34	17	24

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
APPENDICITIS (121)

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	3267	266	231	288	270	290	255	334	348	305	238	227	215
All "Shi"	1554	118	106	121	128	135	121	171	167	152	109	112	114
All "Gun"	1713	148	125	167	142	155	134	163	181	153	129	115	101
Aichi	118	14	9	8	10	7	6	14	14	11	8	10	7
Akita	54	3	2	6	6	5	6	1	6	7	5	3	4
Aomori	53	6	7	5	8	7	4	-	6	1	1	7	1
Chiba	97	4	8	8	9	12	7	12	10	9	4	9	5
Ehime	47	7	2	3	4	1	5	3	8	3	5	3	3
Fukui	31	1	1	5	2	1	4	-	4	2	4	4	3
Fukuoka	133	9	10	15	13	11	13	13	14	8	12	5	10
Fukushima	84	8	4	9	8	8	3	10	13	6	4	4	7
Gifu	51	7	5	1	4	1	4	3	4	9	2	7	4
Gunma	51	2	4	4	7	4	2	8	5	1	2	5	7
Hiroshima	83	5	8	11	5	7	6	9	10	3	5	11	3
Hokkaido	184	14	22	18	15	18	17	15	18	20	14	12	11
Hyogo	128	7	9	16	13	10	11	12	8	12	8	11	11
Ibaraki	80	5	6	5	13	7	8	7	7	3	9	4	6
Ishikawa	45	1	4	1	4	4	6	7	4	5	3	3	3
Iwate	63	7	5	2	5	5	3	6	7	9	7	4	3
Kagawa	37	2	2	4	1	4	4	2	2	4	5	4	3
Kagoshima	45	7	2	6	-	3	3	6	2	10	2	2	2
Kanagawa	86	2	6	9	10	10	3	11	10	3	10	4	8
Kochi	20	3	-	3	-	3	-	1	5	1	1	1	2
Kumamoto	61	5	3	4	7	7	4	7	7	5	2	4	6
Kyoto	89	8	8	12	5	4	4	11	14	9	6	4	4
Mie	44	6	3	6	5	2	-	5	7	3	3	2	2
Miyagi	74	5	5	10	5	7	6	6	9	5	7	6	3
Miyazaki	40	1	3	8	2	5	4	1	5	3	3	2	3

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
APPENDICITIS (121)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	82	6	5	9	10	8	5	13	9	6	8	2	3
Nagasaki	42	6	4	3	5	3	6	5	3	2	2	-	3
Nara	31	6	1	-	3	5	2	4	3	1	-	1	2
Nilgata	144	15	8	15	7	12	9	12	13	21	12	11	9
Oita	61	7	5	2	3	5	7	12	9	4	1	2	6
Okayama	69	7	3	7	3	3	4	6	8	9	3	8	8
Osaka	179	18	14	18	13	10	14	23	18	14	11	17	9
Saga	45	4	5	6	3	3	4	5	4	4	2	3	2
Saitama	70	4	4	5	3	8	7	8	7	11	5	3	5
Shiga	43	4	4	-	3	4	3	5	8	5	5	1	1
Shimane	41	3	1	2	4	5	5	5	2	4	6	2	2
Shizuoka	68	4	3	6	3	8	11	4	6	8	7	5	3
Tochigi	58	8	4	3	4	7	3	2	6	7	4	2	2
Tokushima	22	3	1	-	-	3	2	7	3	2	3	1	2
Tokyo	258	18	17	19	22	25	22	29	30	22	22	16	15
Tottori	25	1	4	3	2	3	3	1	2	4	-	2	-
Toyama	46	1	2	2	5	4	4	7	4	6	2	6	3
Wakayama	38	1	3	1	9	5	-	5	-	8	2	1	3
Yamagata	61	9	3	5	3	6	5	3	8	5	4	5	5
Yamaguchi	54	1	3	7	2	8	5	6	3	4	5	5	5
Yamanashi	32	1	1	6	2	2	3	2	3	3	2	3	4

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
NEPHRITIS (ALL FORMS) (130-132)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	33859	3265	2910	3330	2887	2587	2421	2514	2473	2591	2886	2926	3069
All "Shi"	10538	1012	956	1115	980	820	784	790	727	747	838	834	935
All "Gun"	23321	2253	1954	2215	1907	1767	1637	1724	1746	1844	2048	2092	2134
Aichi	1010	88	107	103	88	70	83	76	72	75	89	89	70
Akita	674	71	41	66	59	66	39	66	45	49	63	51	58
Aomori	383	26	24	34	34	26	39	34	37	28	35	25	37
Chiba	1076	105	76	102	90	75	74	92	76	87	84	106	109
Ehime	562	61	49	56	63	43	42	47	26	28	44	42	61
Fukui	276	32	21	28	27	20	20	17	18	24	20	27	22
Fukuoka	1478	140	112	147	121	101	90	115	108	119	137	147	141
Fukushima	737	66	59	76	73	61	56	48	49	48	58	66	77
Gifu	521	47	38	59	49	41	40	33	44	34	37	39	50
Gumma	685	73	46	69	62	44	65	55	47	47	54	58	65
Hiroshima	811	89	67	72	60	57	52	58	59	60	79	76	82
Hokkaido	1115	108	103	103	120	90	63	118	82	67	87	84	90
Hyogo	1158	113	96	95	114	86	90	93	82	88	104	98	99
Ibaraki	1075	106	102	117	94	71	77	81	89	65	86	80	107
Ishikawa	369	38	38	31	32	26	30	21	20	40	24	26	43
Iwate	505	46	42	53	41	41	42	38	33	33	38	47	51
Kagawa	419	42	26	36	34	41	28	32	40	35	36	34	35
Kagoshima	1046	116	97	104	71	50	64	71	94	92	99	98	90
Kanagawa	772	63	76	88	63	57	53	62	70	48	61	63	68
Kochi	426	35	48	47	33	43	26	26	30	34	30	36	38
Kumamoto	871	85	78	69	67	65	49	66	61	83	93	89	66
Kyoto	563	57	44	63	57	48	44	39	30	45	43	60	33
Mie	617	50	52	61	47	53	47	48	48	46	53	55	57
Miyagi	619	48	55	76	54	47	45	44	54	34	47	58	57
Miyazaki	622	62	48	58	50	29	45	42	45	72	53	63	55

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
NEPHRITIS (ALL FORMS) (130-132) - Cont'd

Area	Total	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	947	78	87	97	73	79	72	66	54	74	94	78	95
Nagasaki	697	80	42	60	60	45	58	61	54	63	58	51	65
Nara	394	43	31	42	29	34	31	26	29	39	23	36	31
Niigata	1155	105	107	114	105	99	82	87	67	77	109	105	98
Oita	661	62	84	55	41	58	47	42	51	49	55	57	60
Okayama	659	60	51	67	52	50	57	42	59	56	55	57	53
Osaka	1582	146	138	177	132	126	115	110	115	135	124	117	147
Saga	579	57	48	50	45	51	46	41	30	50	55	47	59
Saitama	1016	93	75	90	79	79	62	75	94	85	90	93	101
Shiga	425	40	44	50	38	27	28	26	39	27	35	47	24
Shimane	434	49	27	39	41	29	22	40	28	35	37	38	49
Shizuoka	878	91	71	86	71	70	68	65	66	61	74	81	74
Tochigi	676	73	61	69	54	41	40	49	59	46	64	61	59
Tokushima	397	34	38	34	38	35	32	29	28	33	34	30	32
Tokyo	2068	225	198	211	184	177	174	153	116	127	147	169	187
Tottori	374	33	33	34	29	21	19	23	24	33	42	38	45
Toyama	510	45	34	54	45	43	30	31	45	46	53	43	41
Wakayama	267	26	25	26	15	20	18	16	21	32	29	11	28
Yamagata	667	58	81	60	57	62	53	43	48	47	51	52	55
Yamaguchi	679	55	66	59	48	50	42	47	57	57	70	60	68
Yamanashi	404	45	24	39	38	40	22	20	30	38	33	38	37

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
DISEASES OF PREGNANCY, CHILD BIRTH AND THE PUERPERIUM (140-150)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	4495	404	346	406	413	373	342	345	415	361	369	354	367
All "Shi"	1605	136	111	138	144	138	120	134	149	123	138	137	137
All "Gun"	2890	268	235	268	269	235	222	211	266	238	231	217	230
Aichi	145	10	4	17	14	13	10	12	17	8	11	14	15
Akita	121	7	12	13	10	11	9	12	12	10	9	10	6
Aomori	93	5	6	8	10	7	8	8	9	10	8	8	6
Chiba	123	12	12	11	6	12	9	10	9	9	12	9	12
Shime	77	7	10	7	8	7	3	2	4	10	5	5	9
Fukui	45	1	-	3	6	4	2	3	7	2	8	3	6
Fukuoka	175	19	13	16	17	12	13	11	18	12	13	14	17
Fukushima	130	9	12	12	7	14	11	13	11	10	9	13	9
Gifu	75	6	8	7	6	4	12	4	6	3	9	4	6
Gumma	82	9	8	6	9	11	7	8	6	8	3	5	2
Hiroshima	102	5	8	13	12	8	5	11	8	6	8	8	10
Hokkaido	291	19	23	30	31	29	19	26	26	25	26	17	20
Ibakeki	180	19	12	17	14	13	15	10	20	20	15	7	18
Ishikawa	119	15	4	9	11	8	16	8	10	11	11	8	8
Ishikawa	50	4	5	6	4	3	4	3	6	7	1	4	3
Iwate	106	9	5	13	10	11	13	8	5	11	3	9	9
Kagawa	44	7	4	1	2	6	1	3	5	2	3	8	2
Kagoshima	148	19	16	8	13	13	10	7	20	17	7	10	8
Kanagawa	110	12	3	9	8	14	10	7	12	9	5	10	11
Kochi	54	4	5	3	6	-	7	6	4	3	5	3	8
Kumamoto	124	15	9	8	9	13	6	14	9	12	13	6	10
Kyoto	82	7	12	9	2	5	8	7	6	4	6	7	9
Mie	76	7	6	7	8	3	6	3	8	5	12	7	4
Miyagi	83	3	8	9	10	8	3	6	11	6	3	4	12
Miyazaki	87	8	8	3	9	6	6	2	10	11	8	8	8

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (140-150) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	102	7	12	14	9	4	10	9	6	12	6	8	5
Nagasaki	98	9	7	10	13	5	3	10	11	11	9	6	4
Nara	30	5	4	2	2	1	1	4	2	3	3	-	3
Niligata	128	13	5	13	10	13	8	13	8	8	11	17	9
Oita	74	7	5	5	11	7	3	5	6	7	3	5	10
Okayama	79	11	4	4	12	5	10	2	7	4	8	6	6
Osaka	186	13	12	16	15	12	18	27	12	14	14	18	15
Saga	48	5	4	4	4	3	8	1	5	4	4	2	4
Saitama	133	12	11	11	14	11	8	8	12	5	17	13	11
Shiga	28	2	2	2	7	1	3	2	1	2	2	1	3
Shimane	50	8	3	8	2	6	-	2	8	4	3	3	3
Shizuoka	109	10	9	10	8	9	8	8	13	4	9	15	6
Tochigi	55	12	5	7	7	7	4	7	7	7	8	8	7
Tokushima	38	4	5	1	2	5	-	-	5	3	4	2	7
Tokyo	266	23	24	26	27	18	17	18	24	16	26	26	21
Tottori	37	5	4	6	2	3	2	2	3	3	3	1	3
Toyama	54	4	3	3	7	2	8	5	11	3	-	4	4
Wakayama	37	6	2	3	6	-	3	3	3	3	3	3	2
Yamagata	69	5	4	4	6	11	4	7	2	5	12	5	4
Yamaguchi	79	4	7	10	4	8	8	5	7	8	7	7	4
Yamanashi	42	1	1	2	3	7	3	3	3	4	4	3	8

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
CONGENITAL MALFORMATION (157)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	6556	641	573	678	560	493	463	459	411	495	536	605	642
All "Shi"	2262	228	180	234	181	161	162	154	152	173	189	215	233
All "Gun"	4294	413	393	444	379	332	301	305	259	322	347	390	409
Aichi	254	21	23	24	21	12	23	22	14	21	18	32	23
Akita	99	13	5	6	5	10	8	6	4	11	8	13	10
Aomori	125	9	8	9	15	12	6	5	12	7	17	10	15
Chiba	174	21	20	21	11	13	7	8	14	12	12	15	20
Eniue	130	12	9	13	11	12	10	10	8	15	8	15	7
Fuku	57	5	12	5	5	2	4	6	2	4	4	3	5
Fukuoka	249	31	22	28	21	18	12	18	10	16	24	25	24
Fukushima	209	19	13	24	19	11	14	13	14	15	18	24	25
Gifu	121	9	11	19	13	9	4	10	8	7	12	10	9
Gumma	171	19	23	14	12	14	9	12	6	7	16	21	18
Hiroshima	166	18	13	19	9	16	12	8	14	11	20	11	15
Hokkaido	367	36	41	26	31	38	27	22	28	31	40	23	24
Hyogo	211	22	10	24	15	16	25	18	13	9	17	21	21
Ibaraki	195	13	15	20	16	13	14	19	13	15	14	17	26
Ishikawa	90	7	7	9	9	8	2	4	6	9	10	7	12
Iwate	117	14	9	20	8	10	7	8	5	12	7	6	11
Kagawa	73	13	7	7	6	6	3	2	4	4	4	9	8
Kagoshima	123	15	11	11	9	8	8	6	5	11	10	15	14
Kanagawa	159	14	14	14	13	14	6	10	13	10	20	16	15
Kochi	58	9	4	4	2	2	9	3	5	7	1	2	10
Kumamoto	129	15	3	11	6	16	11	12	8	15	6	16	10
Kyoto	135	15	12	17	16	11	6	7	7	10	10	13	15
Mie	113	7	13	11	11	12	4	9	10	6	8	10	12
Miyagi	171	13	15	26	18	14	17	10	10	17	4	13	14
Miyazaki	91	11	11	11	6	1	9	2	9	9	6	10	6

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
CONGENITAL MALFORMATION (157) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	143	13	15	13	5	11	9	14	7	10	17	14	15
Nagasaki	135	13	9	18	9	11	8	10	7	11	15	9	15
Nara	50	12	5	3	6	4	-	3	1	4	2	4	6
Niigata	196	19	19	20	16	14	16	12	10	16	17	21	16
Oita	92	11	7	10	8	8	9	5	1	8	3	18	4
Okeyama	128	12	10	13	16	10	8	9	8	8	14	10	10
Osaka	267	23	33	23	21	12	17	28	24	20	20	21	25
Saga	90	8	6	10	10	4	7	8	9	5	5	8	9
Saitama	198	14	18	17	13	22	15	19	9	19	13	18	21
Shiga	54	4	3	3	7	6	3	5	3	2	5	5	8
Shimane	59	7	4	8	8	4	7	5	3	3	5	3	2
Shizuoka	200	11	20	18	17	15	15	10	8	19	20	25	22
Tochigi	156	12	16	16	14	13	15	12	16	6	8	17	11
Tokushima	72	8	8	5	8	1	8	4	6	6	5	6	7
Tokyo	385	46	34	50	30	17	30	21	28	31	24	24	50
Tottori	62	6	7	8	6	2	4	3	3	4	6	6	5
Toyama	102	5	6	13	13	8	9	3	6	10	10	5	14
Wakayama	75	6	5	7	7	4	7	9	5	6	6	7	6
Yamagata	104	15	6	9	17	11	4	7	6	5	10	8	6
Yamaguchi	113	12	3	11	11	12	7	12	7	8	9	8	13
Yamanashi	88	3	8	10	10	6	8	10	2	7	7	9	8

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
CONGENITAL DEBILITY (158)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	37285	4885	4024	4664	3397	2524	2224	2385	2174	2000	2298	3009	3701
All "Shi"	9960	1327	1049	1133	872	703	593	681	633	552	594	812	1011
All "Gun"	27325	3558	2975	3531	2525	1821	1631	1704	1541	1448	1704	2197	2690
Aichi	1654	216	175	224	173	125	93	113	101	95	77	120	144
Akita	1140	118	133	148	124	66	62	71	59	85	69	91	114
Aomori	1114	105	104	122	111	100	87	95	85	68	74	79	84
Chiba	901	101	92	104	75	57	49	57	51	57	64	84	110
Ehime	674	94	82	93	54	40	35	37	49	39	41	49	61
Fukui	495	72	63	61	42	31	21	40	26	29	23	40	47
Fukuoka	1537	216	193	171	114	98	92	79	79	113	97	105	180
Fukushima	943	89	99	132	89	68	45	59	52	54	67	90	99
Gifu	922	124	106	126	83	61	58	59	56	35	61	82	71
Gumma	607	64	55	68	63	50	45	37	43	36	38	53	55
Hiroshima	806	113	81	82	82	44	50	49	42	43	56	81	83
Hokkaido	1616	161	146	202	178	141	100	112	96	92	116	123	149
Hyogo	1161	150	141	163	128	75	77	70	65	41	64	80	107
Ibaraki	1120	148	141	151	98	76	67	69	55	46	54	80	135
Ishikawa	488	55	50	67	51	39	26	30	26	29	39	42	34
Iwate	927	117	88	137	102	68	54	49	40	45	63	86	88
Kagawa	566	91	75	58	37	32	46	46	19	29	30	40	63
Kagoshima	707	115	66	71	52	45	35	40	56	32	48	63	86
Kagawa	546	76	56	64	38	29	30	35	25	37	33	46	77
Kochi	451	67	37	54	39	28	30	34	27	26	27	39	43
Kumamoto	807	110	74	88	64	52	51	51	37	46	53	89	92
Kyoto	660	100	66	85	58	57	38	51	32	39	31	51	52
Mie	698	101	78	96	53	44	38	56	31	44	37	54	66
Miyagi	798	114	94	130	83	45	48	50	33	19	48	68	66
Miyazaki	585	86	63	66	38	43	39	35	33	25	30	51	76

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE:
CONGENITAL DEBILITY (158) - Cont'd

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	642	68	64	78	66	54	40	34	47	30	48	49	64
Nagasaki	889	139	106	81	75	61	55	57	36	46	50	74	109
Nara	408	61	42	65	22	21	25	18	28	33	19	32	42
Niligata	1045	102	114	126	108	84	53	76	73	57	62	95	95
Oita	707	109	98	81	46	37	52	49	46	38	45	40	66
Okayama	890	144	112	108	80	68	46	49	45	43	57	63	75
Osaka	1385	193	145	166	119	86	84	118	93	64	87	113	117
Saga	669	116	69	70	49	45	40	29	37	30	61	48	75
Saitama	1137	147	103	130	83	68	83	71	88	46	68	106	144
Shiga	489	53	45	81	50	35	21	46	25	31	23	29	50
Shimane	460	56	42	63	40	32	29	31	32	30	36	30	39
Shizuoka	1026	138	118	153	92	53	63	45	57	56	61	81	109
Tochigi	605	74	69	82	56	42	33	33	45	31	36	49	55
Tokushima	542	92	58	57	44	31	33	27	35	33	37	36	59
Tokyo	1376	191	147	148	143	86	90	104	79	62	76	125	125
Tottori	293	39	36	28	32	19	12	14	17	25	20	20	31
Toyama	596	67	68	96	70	41	25	35	34	30	33	50	47
Wakayama	347	48	29	42	24	27	27	42	23	20	25	25	39
Yamagata	905	123	100	122	80	54	51	47	56	41	60	91	80
Yamaguchi	676	95	67	87	59	50	28	44	44	49	42	44	66
Yamanashi	265	27	34	37	30	18	18	16	11	12	12	18	32

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
PREMATURE BIRTHS (159)

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	13667	1484	1272	1362	1112	1015	972	1003	1002	989	963	1117	1376
All "Shi"	4252	420	352	397	370	322	317	327	345	296	316	335	455
All "Gun"	9415	1064	920	965	742	693	655	676	657	693	647	782	921
Aichi	603	62	59	54	58	47	58	49	45	38	32	43	58
Akita	327	32	42	30	17	31	17	26	28	20	20	35	29
Aomori	251	20	20	27	29	27	24	24	16	18	11	21	14
Chiba	525	69	47	59	22	40	31	29	57	41	39	43	48
Ehime	252	20	22	29	18	20	14	28	21	14	18	25	23
Fukui	156	20	10	19	14	14	15	15	7	9	9	14	10
Fukuoka	484	61	42	39	32	34	34	36	31	31	34	44	66
Fukushima	379	30	37	43	26	25	25	35	27	28	35	27	41
Gifu	321	37	34	35	28	37	21	28	22	13	19	21	26
Gunma	227	19	14	36	15	7	14	17	9	23	11	29	33
Hiroshima	288	35	31	29	23	18	15	23	16	22	22	29	25
Hokkaido	519	52	52	45	49	38	44	52	35	31	36	41	44
Hyogo	506	62	50	46	51	36	40	32	36	31	35	25	62
Ibaraki	518	59	57	63	45	50	42	33	31	33	27	37	41
Ishikawa	207	20	20	27	28	17	8	19	11	13	13	14	17
Iwate	373	35	39	40	51	42	26	16	26	21	22	28	27
Kagawa	166	20	15	17	10	9	7	15	16	13	16	12	16
Kagoshima	247	34	27	24	10	13	14	14	23	17	15	33	23
Kanagawa	222	16	17	23	24	9	12	16	21	21	15	20	28
Kochi	191	25	20	18	15	9	14	12	17	15	16	11	19
Kumamoto	299	33	31	17	17	17	26	18	21	26	27	26	40
Kyoto	298	36	24	32	28	19	32	13	31	17	26	20	20
Mie	289	32	23	22	19	20	27	21	23	18	22	23	33
Miyagi	271	30	17	31	20	23	15	27	13	21	21	29	30
Miyazaki	170	28	17	14	6	12	8	8	20	15	10	19	13

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
PREMATURE BIRTH (159) - Cont'd

Area	Total												
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	291	24	26	37	14	28	13	28	32	15	22	24	28
Nagasaki	239	29	13	17	25	22	13	11	21	17	20	25	26
Nara	133	16	15	16	14	5	5	6	9	12	11	15	9
Niigata	418	36	37	49	41	33	29	24	28	44	18	26	53
Oita	212	30	20	28	18	11	15	13	11	20	11	17	18
Okayama	288	33	42	17	15	26	20	25	16	26	21	17	30
Osaka	559	64	53	48	39	38	37	37	41	49	39	45	69
Saga	172	21	19	12	14	8	8	7	11	13	14	19	26
Saitama	400	39	37	40	37	29	26	23	32	29	27	34	47
Shiga	167	15	11	12	13	11	18	12	8	17	16	15	19
Shimane	181	21	19	13	14	16	9	14	8	16	16	19	16
Shizuoka	332	43	30	31	31	25	24	26	18	13	22	18	51
Tochigi	228	23	19	29	13	17	18	19	12	18	17	24	19
Tokushima	172	16	12	18	7	13	10	20	20	15	11	21	9
Tokyo	702	77	55	61	55	48	69	55	55	48	53	55	71
Tottori	93	12	9	7	6	6	6	5	3	10	13	8	8
Toyama	268	25	30	22	27	13	21	25	26	24	19	16	20
Wakayama	162	15	12	14	13	11	8	14	14	16	17	11	17
Yamagata	313	33	23	37	42	22	20	15	17	22	31	26	25
Yamaguchi	149	14	12	21	13	8	11	14	12	11	10	7	16
Yamanashi	99	11	11	14	6	11	9	4	5	5	4	6	13

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
INJURY AT BIRTH (160)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1082	89	91	92	96	75	85	95	90	91	101	85	92
All "Shi"	414	33	31	33	34	27	33	45	42	41	39	28	28
All "Gun"	668	56	60	59	62	48	52	50	48	50	62	57	64
Aichi	40	4	3	2	5	5	4	2	3	2	2	2	6
Akita	22	-	2	3	2	4	1	2	1	-	2	1	4
Aomori	11	-	1	1	-	-	1	2	1	1	1	1	2
Chiba	42	5	4	2	2	2	6	2	2	3	9	-	5
Ehime	28	3	7	-	1	-	3	7	2	2	1	2	-
Fukui	9	1	-	1	-	-	1	1	1	-	2	1	-
Fukuoka	36	3	2	7	4	1	4	3	4	2	1	3	2
Fukushima	23	2	1	2	1	1	1	2	1	3	1	4	2
Gifu	19	1	5	2	3	1	2	-	2	1	1	-	1
Gunma	21	3	1	2	1	2	3	3	2	-	1	3	-
Hiroshima	30	1	4	-	3	-	4	3	-	5	4	3	2
Hokkaido	46	3	10	4	4	5	4	4	2	5	4	3	3
Hyogo	35	1	1	2	5	3	2	2	4	5	5	3	2
Ibaraki	22	1	2	3	1	2	1	-	3	2	2	4	1
Ishikawa	12	3	2	1	-	-	-	2	-	1	1	2	-
Iwate	18	1	-	3	3	1	-	-	2	-	2	2	2
Kagawa	16	1	1	3	-	1	1	-	2	-	1	2	2
Kagoshima	22	3	1	-	1	1	2	-	2	2	3	6	1
Kanagawa	34	3	4	2	2	2	3	5	1	5	3	2	4
Kochi	20	1	1	1	2	2	1	5	-	2	2	-	3
Kumamoto	23	-	2	4	3	1	1	-	3	4	1	1	2
Kyoto	37	3	1	4	3	-	2	6	4	3	5	2	5
Mie	18	-	1	1	3	2	1	2	1	3	5	2	1
Miyagi	35	4	-	1	3	6	1	2	1	4	2	2	1
Miyazaki	20	-	1	3	1	3	2	2	1	4	2	4	-

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
INJURY AT BIRTH (160) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	16	-	2	1	2	-	3	1	2	2	1	1	1
Nagasaki	17	2	-	3	3	-	1	2	1	-	2	1	2
Nara	10	-	-	1	1	1	1	2	-	1	2	1	-
Niigata	29	2	1	4	3	3	2	5	4	1	2	1	1
Oita	22	3	3	1	2	-	1	2	2	2	-	4	2
Okayama	24	1	3	1	1	3	2	4	1	4	2	-	2
Osaka	37	2	4	2	2	5	4	3	5	4	2	3	1
Saga	17	2	1	1	-	2	1	-	4	1	3	1	1
Saitama	24	2	-	3	3	-	1	2	3	1	3	2	1
Shiga	14	1	1	2	4	1	-	-	-	-	1	-	4
Shimane	10	1	-	2	-	-	2	2	-	-	-	1	2
Shizuoka	21	2	4	1	2	-	1	-	1	3	3	3	1
Tochigi	15	2	-	4	2	1	1	1	-	1	-	2	2
Tokushima	8	-	-	2	2	1	-	1	-	-	2	-	-
Tokyo	80	11	5	5	7	4	7	7	10	8	8	4	4
Tottori	10	2	-	1	2	-	-	-	-	1	2	2	-
Toyama	26	1	2	-	3	3	4	2	3	2	2	1	3
Wakayama	15	-	2	-	-	2	1	2	1	5	1	-	1
Yamagata	29	6	2	2	-	2	1	3	1	4	2	1	1
Yamaguchi	13	1	2	2	3	-	-	1	2	1	1	2	1
Yamanashi	6	1	-	-	1	-	-	2	-	-	-	1	-

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
SENILITY (162)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	6699	6335	5893	6815	5927	4749	4268	4558	4184	4861	5545	5853	6811
All "Shi"	16366	16366	1492	1740	1484	1147	1027	1156	1118	1123	1286	1415	1686
All "Gun"	50333	4943	4400	5075	4443	3602	3241	3402	3666	3738	4259	4438	5126
Aichi	2685	296	221	238	263	199	180	208	201	191	192	228	268
Akita	1036	85	84	119	113	93	51	75	65	75	84	93	99
Aomori	965	87	65	100	98	80	61	75	81	70	69	81	98
Chiba	2188	223	198	244	175	146	165	164	131	127	176	186	253
Ehime	1776	186	163	150	157	115	106	137	132	145	156	153	176
Fuku	895	79	98	85	94	65	49	62	61	67	86	73	75
Fukuoka	2348	215	214	218	197	156	163	145	135	175	212	232	285
Fukushima	1599	141	146	181	148	131	127	106	119	88	122	142	148
Gifu	1399	123	112	146	116	131	80	113	111	100	123	105	139
Gumma	1140	104	90	114	118	84	83	82	66	86	92	100	121
Hiroshima	2024	200	174	197	164	137	148	137	131	156	194	187	199
Hokkaido	2269	128	194	260	206	196	150	135	158	148	155	194	255
Hyogo	2533	251	218	262	166	166	160	190	202	201	242	219	240
Ibaraki	1871	182	187	206	166	110	148	119	130	110	170	156	187
Ishikawa	1076	91	74	139	112	104	79	73	68	74	86	95	81
Iwate	1104	97	100	130	105	83	87	66	74	88	72	89	113
Kagawa	1056	97	83	91	72	82	63	58	85	112	98	95	120
Kagoshima	1664	188	145	141	134	111	117	106	124	120	149	151	178
Kanagawa	1398	164	131	148	133	107	84	81	72	97	107	114	160
Kochi	1179	141	115	112	81	75	78	59	83	98	104	119	114
Kumamoto	1693	196	147	150	130	100	101	122	127	126	152	156	186
Kyoto	1418	151	120	134	121	99	92	103	108	100	114	132	144
Mie	1262	134	102	131	116	92	76	83	103	88	101	117	119
Miyagi	1070	113	104	122	106	88	64	82	75	47	66	90	113
Miyazaki	928	122	80	93	60	60	47	53	79	61	91	90	92

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
SENILITY (162) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	1731	186	149	182	178	132	97	116	128	110	154	157	142
Nagasaki	1709	181	169	147	155	95	117	109	133	98	145	173	187
Nara	713	59	67	79	61	53	44	47	55	63	46	54	85
Niigata	1729	160	147	176	186	147	124	123	131	128	119	128	160
Oita	1493	156	124	141	106	103	91	112	103	137	135	145	140
Okayama	1971	169	162	186	185	131	117	121	161	193	188	176	182
Osaka	2033	213	183	208	173	122	115	162	165	174	177	148	193
Saga	853	73	69	85	75	59	50	65	54	70	87	71	95
Saitama	1770	185	164	174	143	118	102	131	130	120	141	178	184
Shiga	870	81	72	91	93	61	52	65	67	68	70	62	88
Shimane	968	78	93	100	85	68	58	65	67	76	83	99	96
Shizuoka	1859	203	171	216	175	132	119	124	138	117	110	167	187
Tochigi	1216	112	117	146	115	70	75	70	76	79	100	125	131
Tokushima	1036	90	89	93	95	80	63	65	81	83	97	79	121
Tokyo	2599	283	256	318	242	185	159	173	187	149	187	198	262
Tottori	730	65	60	73	74	65	34	38	45	53	66	63	94
Toyama	664	36	60	71	48	44	28	55	60	64	56	68	74
Wakayama	972	112	80	81	79	62	57	73	78	72	84	100	94
Yamagata	1017	89	99	115	103	73	79	59	64	74	80	86	96
Yamaguchi	1591	159	143	167	130	90	98	107	113	133	150	125	176
Yamanashi	599	61	54	55	59	49	30	44	26	50	56	54	61

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
SUICIDE (163-164)

Area	Total Deaths	Total											
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	14211	864	860	1118	1342	1593	1250	1396	1288	1169	1140	1091	1100
All "Shi"	5320	339	339	392	456	548	475	531	461	432	436	440	471
All "Gun"	8891	525	521	726	886	1045	775	865	827	737	704	651	629
Aichi	558	25	31	44	48	48	48	79	60	43	36	45	51
Akita	201	12	9	15	29	26	17	9	23	20	10	17	14
Aomori	133	3	13	11	11	18	9	12	6	15	11	13	11
Chiba	377	34	16	35	30	44	37	37	37	22	22	27	36
Ehime	235	13	16	13	26	28	19	25	24	21	13	27	10
Fukui	157	6	10	16	20	19	11	11	14	12	9	12	17
Fukuoka	534	45	25	41	56	49	38	49	45	45	45	54	42
Fukushima	256	15	15	22	25	20	30	20	20	32	25	16	16
Gifu	340	10	24	27	29	37	24	37	38	26	40	27	21
Gunma	327	21	16	27	23	42	23	34	27	29	30	23	32
Hiroshima	371	22	26	45	40	29	40	40	31	29	25	20	24
Hokkaido	557	31	24	50	41	64	72	56	60	35	43	48	33
Hyogo	693	43	40	47	64	78	64	69	75	61	45	55	52
Ibaraki	260	15	16	20	28	28	20	37	22	21	17	20	16
Ishikawa	162	9	5	11	12	13	15	17	19	18	18	13	12
Iwate	198	13	17	15	16	31	13	18	16	14	20	13	12
Kagawa	140	5	11	12	11	27	13	9	14	6	14	6	12
Kagoshima	224	13	13	19	18	34	17	26	29	12	14	12	17
Kanagawa	415	36	22	37	34	46	37	30	24	45	35	28	41
Kochi	132	6	11	12	13	18	16	14	6	8	11	7	10
Kumamoto	238	14	16	21	20	18	19	13	38	18	29	18	14
Kyoto	479	28	38	33	50	57	38	37	45	42	38	41	32
Mie	251	13	16	31	26	24	21	23	16	21	27	14	19
Miyagi	172	9	6	17	14	23	19	17	11	13	21	14	8
Miyazaki	152	12	12	13	15	20	9	15	14	10	15	13	4

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
SUICIDE (163-164) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	516	38	30	35	43	69	50	48	54	40	35	30	44
Nazasaki	182	15	10	15	12	11	15	13	25	20	23	9	14
Nara	170	11	7	14	24	24	10	17	15	16	12	7	13
Niigata	503	32	26	33	53	69	54	48	37	39	31	42	39
Oita	221	12	10	18	21	30	20	19	28	21	12	16	14
Okayama	279	14	21	15	40	35	12	35	13	22	28	18	26
Osaka	709	42	41	56	56	75	63	85	47	58	60	68	58
Sara	125	6	8	13	10	15	10	11	14	10	10	9	9
Saitama	331	27	24	19	33	32	38	27	16	24	27	37	27
Shiga	221	9	11	18	24	24	21	30	17	23	16	15	13
Shimane	163	15	10	9	16	19	17	19	16	12	12	10	8
Shizuoka	476	25	37	32	51	54	38	34	46	37	38	37	47
Tochigi	261	15	15	16	32	30	22	21	25	15	27	23	20
Tokushima	165	5	13	14	15	14	12	17	14	19	17	13	12
Tokyo	1137	63	70	76	91	144	94	110	106	96	83	88	116
Tottori	78	5	5	14	4	5	9	9	7	3	9	1	7
Toyama	201	4	13	17	11	27	13	31	20	15	16	21	13
Wakayama	263	31	18	17	37	21	31	18	17	18	21	23	11
Yamagata	249	13	18	21	22	21	22	26	23	29	15	14	20
Yamaguchi	297	19	22	18	36	21	26	32	26	27	28	14	28
Yamanashi	102	10	3	14	7	12	4	12	8	7	7	13	5

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
HOMICIDE (165-168)

Area	Total											
	Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov
All Japan	1669	109	119	145	132	150	115	144	171	164	135	143
All "Shi."	715	47	49	55	68	65	38	67	68	73	54	74
All "Gun"	954	62	70	90	64	85	77	77	103	91	81	69
Aichi	62	1	1	6	4	4	7	5	12	3	9	3
Akita	21	2	1	1	2	5	-	3	1	2	1	1
Aomori	19	2	-	3	-	3	2	-	2	1	1	4
Chiba	87	8	3	8	5	3	5	4	7	13	10	3
Ehime	25	1	2	-	4	1	1	2	3	2	2	3
Fukui	10	1	-	-	2	-	-	-	-	-	1	2
Fukuoka	132	9	10	11	12	14	7	10	15	8	16	6
Fukushima	35	2	3	6	1	3	8	3	2	2	-	4
Gifu	28	-	6	-	2	6	1	2	5	2	3	-
Gunma	29	2	3	4	1	2	2	3	-	5	4	-
Hiroshima	35	-	-	8	2	7	3	2	6	1	3	2
Hokkaido	92	6	7	8	14	9	6	14	4	4	9	7
Hyogo	71	4	6	9	6	5	7	4	6	5	12	4
Ibaraki	54	4	6	2	3	3	5	2	8	8	4	5
Ishikawa	14	1	3	1	1	-	1	3	2	1	1	-
Iwate	24	-	3	6	1	4	2	-	2	-	1	3
Kagawa	21	2	1	3	2	1	4	2	1	1	2	1
Kagoshima	18	2	-	4	1	1	-	1	3	2	1	1
Kanagawa	57	1	1	5	4	3	3	4	7	10	4	1
Kochi	20	-	4	3	3	1	1	-	2	-	3	1
Kumamoto	69	2	6	3	3	2	6	4	12	8	3	1
Kyoto	33	3	2	1	7	2	3	3	1	5	2	3
Mie	31	4	2	2	-	-	3	4	3	8	1	1
Miyagi	28	5	2	3	1	2	3	1	-	2	3	4
Miyazaki	14	4	3	3	-	1	1	1	-	-	1	-

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
HOMICIDE (165-168) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	40	8	-	5	3	5	-	6	4	1	4	3	1
Nagasaki	30	1	2	2	4	1	3	5	6	3	-	2	1
Nara	10	-	-	1	2	1	-	3	-	2	-	-	1
Niigata	28	5	3	3	3	5	2	3	1	-	2	1	1
Oita	29	3	1	2	3	2	2	1	4	5	1	2	3
Okayama	21	1	2	1	1	2	-	4	6	2	-	-	2
Osaka	60	2	3	3	2	12	4	6	4	7	1	12	4
Saga	24	1	-	1	1	6	1	2	2	2	3	5	4
Saitama	42	4	1	1	4	7	1	1	-	6	5	8	-
Shiga	15	1	-	-	2	-	2	2	3	2	1	2	-
Shimane	15	-	-	2	-	2	4	1	-	3	1	-	2
Shizuoka	50	5	5	4	5	3	1	4	8	6	2	3	4
Tochigi	29	2	6	1	1	-	2	4	1	5	2	3	2
Tokushima	12	1	1	1	1	1	1	-	1	2	-	2	1
Tokyo	131	7	12	9	11	11	5	16	14	11	12	13	10
Tottori	12	-	1	-	-	2	1	-	1	2	-	1	4
Toyama	9	-	1	3	-	2	-	1	1	-	-	-	1
Wakayama	12	-	3	-	2	-	1	1	1	3	-	1	-
Yamagata	18	-	1	2	2	3	1	1	3	3	-	-	-
Yamaguchi	39	1	2	2	4	2	2	4	4	5	2	4	7
Yamanashi	14	1	-	4	-	2	1	2	2	1	-	-	1

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
ACCIDENTAL DEATHS (169-195)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	34498	2253	1984	2520	2537	2871	3125	4320	4463	3166	2528	2240	2491
All "Shi"	11555	859	755	877	884	899	971	1349	1350	985	896	811	919
All "Gun"	22943	1394	1229	1643	1653	1972	2154	2971	3113	2181	1632	1429	1572
Aichi	1168	87	57	89	80	79	92	205	157	97	74	79	72
Akita	587	31	31	46	41	45	66	65	94	49	49	33	38
Aomori	490	28	34	41	40	45	50	47	49	40	44	29	43
Chiba	719	42	50	60	51	48	69	112	91	58	48	43	47
Ehime	769	38	30	40	41	61	199	79	83	55	64	40	39
Fukui	428	27	22	40	31	40	28	54	55	47	22	20	42
Fukuoka	1945	121	133	135	136	162	218	204	198	162	151	137	188
Fukushima	933	70	49	79	70	68	66	127	121	101	62	58	62
Gifu	610	32	38	44	64	64	45	74	80	55	41	36	37
Gunma	630	42	29	45	44	57	56	88	65	103	39	37	25
Hiroshima	939	67	51	83	67	91	72	125	116	78	65	68	55
Hokkaido	2232	131	140	162	131	175	201	231	285	201	211	164	200
Hyogo	1361	95	91	106	101	113	107	157	169	117	126	77	102
Ibaraki	719	63	42	58	53	69	45	109	101	61	34	29	55
Ishikawa	398	27	27	22	39	36	36	42	52	43	21	19	34
Iwate	732	57	38	50	49	72	59	69	96	72	65	54	51
Kagawa	441	35	25	23	33	40	35	61	49	48	29	31	32
Kagoshima	861	55	45	50	41	47	139	119	132	75	51	37	70
Kanagawa	1084	72	72	74	90	87	94	125	128	92	83	77	90
Kochi	416	28	28	24	34	34	45	46	57	41	26	29	24
Kumamoto	761	44	36	49	66	61	51	89	106	75	48	71	65
Kyoto	573	56	31	42	44	45	56	69	69	60	26	39	36
Nie	523	32	34	39	33	34	47	77	64	52	34	29	34
Miyagi	683	43	37	45	50	54	49	93	110	61	52	38	51
Miyazaki	466	27	28	31	39	23	64	66	66	50	29	17	26

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
ACCIDENTAL DEATHS (169-195) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	790	55	32	46	59	70	66	103	101	84	43	68	61
Nagasaki	822	80	49	57	60	70	56	70	114	73	63	70	60
Nara	253	21	21	20	17	21	25	25	35	18	20	16	14
Niigata	1036	33	40	114	77	86	83	140	159	96	67	65	76
Oita	548	33	38	37	36	50	44	85	68	57	31	38	31
Okayama	695	30	36	64	61	56	50	105	78	73	55	41	46
Osaka	1277	79	83	97	87	122	113	154	155	102	110	78	97
Saga	532	24	25	28	36	33	38	72	136	46	37	25	32
Saitama	669	55	28	40	49	49	54	108	98	61	36	46	45
Shiga	263	16	11	23	23	20	27	31	36	18	23	16	19
Shimane	414	29	30	43	39	43	27	36	47	30	29	31	30
Shizuoka	885	53	57	66	80	88	58	124	124	73	65	45	52
Tochigi	566	43	26	29	38	49	49	77	81	52	45	40	37
Tokushima	409	33	18	32	31	38	32	69	32	44	35	28	17
Tokyo	1900	146	131	156	144	157	138	197	229	150	139	136	177
Tottori	236	19	9	17	19	20	23	29	24	22	9	16	29
Toyama	570	26	18	30	43	66	69	84	59	71	45	33	26
Wakayama	338	21	17	28	80	20	23	46	54	26	28	27	18
Yamagata	582	28	33	30	43	56	53	77	74	73	43	44	28
Yamaguchi	888	52	63	63	72	70	80	110	113	77	69	60	59
Yamanashi	358	27	21	23	25	37	27	45	53	27	28	26	19

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
SUDDEN DEATHS, ILL-DEFINED AND UNKNOWN CAUSES (199-200a,b,c)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	16984	1659	1506	1721	1605	1340	1288	1307	1243	1119	1259	1364	1573
All "Shi"	5677	577	511	570	541	443	437	416	404	354	433	431	560
All "Gun"	11307	1082	995	1151	1064	897	851	891	839	765	826	933	1013
Aichi	540	47	36	52	54	44	48	48	34	37	46	41	53
Akita	289	26	28	27	27	20	24	20	16	23	20	26	32
Aomori	381	32	22	42	41	34	37	36	25	26	29	31	26
Chiba	462	40	38	39	39	33	36	29	44	22	40	46	51
Ehime	297	26	28	29	28	29	29	26	15	13	27	20	27
Fukui	246	20	15	30	27	18	14	22	20	23	17	19	21
Fukuoka	674	63	58	78	64	42	53	58	56	52	46	45	59
Fukushima	443	34	39	62	40	29	40	27	28	31	29	35	49
Gifu	271	27	22	25	26	21	23	22	29	21	13	18	24
Gumma	273	25	39	29	24	20	18	24	21	17	18	17	21
Hiroshima	365	36	24	35	36	26	29	33	22	21	36	26	41
Hokkaido	1213	121	112	145	128	126	96	92	79	72	69	66	107
Hyogo	670	68	62	50	68	63	52	43	50	53	49	62	50
Ibaraki	413	31	34	39	37	32	33	46	40	24	29	40	28
Ishikawa	178	10	9	10	9	16	23	23	10	17	18	25	8
Iwate	320	22	28	33	34	31	25	21	22	25	16	30	33
Kagawa	302	36	19	31	31	18	15	22	23	24	23	29	31
Kagoshima	324	29	22	30	33	25	37	22	27	27	29	24	19
Kanagawa	463	47	60	48	60	37	28	28	27	17	33	37	41
Kochi	203	25	20	23	16	11	14	14	14	9	14	20	23
Kumamoto	306	33	27	23	20	17	20	23	24	23	31	41	24
Kyoto	288	34	23	28	25	26	29	22	15	17	28	17	24
Mie	342	37	38	31	31	21	26	21	33	31	27	22	24
Miyagi	312	29	32	41	37	24	26	18	18	11	14	24	38
Miyazaki	174	19	7	9	16	16	10	16	16	10	12	18	25

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH AND BY PREFECTURE: JAPAN 1949 - Cont'd
SUDDEN DEATHS, ILL-DEFINED AND UNKNOWN CAUSES (199-200 a,b,c) - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	385	35	32	45	29	41	24	30	30	21	26	41	31
Nagasaki	296	39	21	30	30	23	24	20	21	21	17	27	24
Nara	243	27	31	27	23	13	10	20	8	20	27	16	21
Niigata	513	49	48	52	43	40	39	39	33	29	48	54	39
Oita	252	30	25	25	17	22	15	20	18	17	17	25	21
Okayama	308	31	20	28	37	25	20	20	29	23	26	24	25
Osaka	686	77	66	77	68	63	45	53	49	34	51	47	56
Saga	210	20	24	18	18	18	12	9	19	12	19	13	28
Seitama	431	43	40	51	41	29	44	41	21	29	26	22	44
Shiga	193	17	12	27	24	17	9	13	16	18	12	10	18
Shimane	151	16	11	15	11	10	11	4	13	16	12	16	16
Shizuoka	440	39	40	46	41	29	32	40	42	21	30	36	44
Tochigi	324	32	43	38	23	23	24	20	25	24	28	19	25
Tokushima	214	25	17	17	19	12	10	25	16	12	14	23	24
Tokyo	1199	129	114	111	118	93	90	77	76	80	88	91	132
Tottori	83	10	10	9	3	7	5	15	2	6	6	2	8
Toyama	250	17	24	17	20	15	25	14	21	25	16	28	28
Wakayama	268	26	28	23	14	16	20	23	25	19	25	22	27
Yamagata	268	24	22	31	26	24	17	23	19	18	23	20	21
Yamaguchi	332	37	25	33	33	17	17	29	35	16	13	34	43
Yamanashi	189	19	11	12	16	19	10	16	17	13	22	15	19

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
ALL OTHER CAUSES

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	126349	11949	10771	12383	11847	9869	9236	10170	10182	9764	9717	9453	10508
All "Shi"	38376	3596	3187	3618	3536	2958	2874	3176	3190	3173	3002	2865	3201
All "Gun"	86973	8353	7584	8765	7811	6911	6362	6994	6992	6591	6715	6588	7307
Aichi	4511	424	383	461	421	332	335	414	388	287	333	345	388
Akita	2077	228	195	231	216	163	155	122	149	148	139	152	179
Aomori	2157	213	167	231	208	202	175	169	182	167	145	154	164
Chiba	3332	335	270	315	288	259	232	265	280	264	269	250	305
Ehime	2589	241	210	252	228	204	182	224	202	205	225	185	231
Fukui	1419	136	131	151	146	126	99	113	100	114	105	90	108
Fukuoka	5203	513	414	484	466	361	374	421	455	442	478	380	415
Fukushima	2945	265	245	308	287	238	219	222	216	231	195	278	241
Gifu	2440	217	226	236	221	209	182	214	190	179	186	188	192
Gunma	2550	252	235	259	211	171	199	251	191	206	171	182	222
Hiroshima	3363	310	273	301	341	248	273	246	240	293	275	277	286
Hokkaido	5780	580	527	572	563	480	421	415	467	447	427	391	490
Hyogo	4678	414	362	444	433	379	360	402	369	358	385	354	398
Ibaraki	3363	329	297	342	270	249	271	290	264	254	271	237	289
Ishikawa	2033	195	173	217	197	177	128	148	159	140	160	176	163
Iwate	2251	206	192	245	228	196	165	173	197	185	134	156	174
Kagawa	1611	162	161	157	132	116	128	132	122	123	133	114	131
Kagoshima	3328	361	264	314	259	246	248	258	273	280	286	259	280
Kanagawa	2610	232	224	281	239	185	179	220	210	218	227	188	227
Kochi	1564	174	135	141	119	116	121	125	144	122	120	122	125
Kumamoto	3172	295	249	255	258	254	233	279	302	264	245	271	267
Kyoto	2495	221	201	265	236	197	188	194	191	193	205	194	210
Mie	2556	259	225	253	224	190	185	195	244	199	203	172	207
Miyagi	2153	200	166	236	215	175	157	169	169	175	164	153	170
Miyazaki	1833	158	174	172	129	143	118	154	173	139	164	124	185

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd
ALL OTHER CAUSES - Cont'd

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Nagano	2981	249	278	341	307	255	200	225	223	211	217	244	231
Nagasaki	3087	271	273	255	270	233	240	275	257	255	235	258	265
Nara	1212	115	97	124	104	100	87	119	92	98	93	93	90
Niigata	3976	327	333	438	379	335	309	318	326	294	303	312	302
Oita	2507	234	211	232	218	179	180	211	195	218	206	197	226
Okayama	2826	286	258	273	224	240	186	231	239	216	218	204	251
Osaka	4467	397	365	430	428	376	337	363	367	365	339	334	366
Saga	1789	176	155	158	141	147	115	147	152	137	128	171	162
Saitama	3293	300	306	320	304	254	267	294	267	241	230	232	278
Shiga	1700	147	156	180	190	149	114	130	136	121	129	111	137
Shimane	1577	140	158	164	134	147	112	115	116	117	129	114	131
Shizuoka	3586	377	290	346	308	268	269	318	299	267	274	263	307
Tochigi	2342	234	212	239	198	166	166	205	188	155	198	180	201
Tokushima	1564	140	134	162	113	132	106	95	131	132	132	136	151
Tokyo	6082	597	536	584	562	474	487	482	481	477	456	436	510
Tottori	937	89	94	90	82	79	56	63	91	77	64	73	79
Toyama	1921	174	160	172	193	159	136	180	150	166	127	153	151
Wakayama	1623	176	146	158	131	111	135	119	149	125	141	122	160
Yamagata	2034	226	159	217	208	164	145	152	158	147	155	149	154
Yamaguchi	2378	245	207	238	208	180	154	154	186	201	199	170	199
Yamanashi	1404	129	134	139	110	105	108	114	102	117	107	109	130

See footnotes at end of table.

TABLE 71. - DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN 1949 - Cont'd

Footnotes:

Data refer to deaths of Japanese nationals in Japan.

No deaths were reported during 1949 for plague, cholera, anthrax, and yellow fever.

A dash (-) indicates that no deaths were reported.

Source:

Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949
(Rates per 100,000 population per annum)

TYPHOID FEVER (1)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1.2	0.8	0.9	1.0	0.8	1.0	1.2	1.4	2.1	1.8	1.3	0.9	0.9
All "Shi"	1.9	1.2	1.4	1.6	1.5	1.4	2.1	1.9	3.4	2.9	2.6	1.2	1.4
All "Gun"	0.8	0.6	0.6	0.7	0.4	0.7	0.8	1.1	1.4	1.2	0.6	0.7	0.7
Aichi	1.4	0.7	1.6	1.4	-	2.8	0.7	1.4	4.6	1.5	0.4	1.1	0.7
Akita	0.6	-	-	0.9	0.9	0.9	-	-	-	1.8	0.9	-	1.8
Aomori	1.8	-	2.1	-	2.9	0.9	-	0.9	1.9	4.9	3.8	2.9	0.9
Chiba	1.2	0.5	1.8	2.7	-	0.5	1.7	2.1	1.6	0.6	1.6	1.1	0.5
Ehime	0.5	-	-	0.8	-	0.8	3.2	-	0.8	-	-	-	-
Fukui	1.5	-	1.7	-	-	4.7	-	4.7	-	3.2	1.6	-	1.6
Fukuoka	0.7	-	0.8	0.7	0.4	1.0	1.4	1.4	0.7	1.4	-	-	0.3
Fukushima	0.9	1.7	0.6	1.7	-	0.6	-	1.1	-	2.9	1.7	-	0.6
Gifu	1.8	0.8	2.5	2.3	0.8	1.5	0.8	4.5	2.3	3.9	0.8	-	1.5
Guama	0.6	-	0.8	-	1.5	-	0.7	-	-	-	1.1	3.0	-
Hiroshima	2.1	1.7	2.5	1.7	1.7	0.6	2.3	1.7	2.8	4.1	1.7	2.3	2.2
Hokkaido	0.8	0.9	0.3	1.7	-	0.9	0.6	0.3	2.0	0.6	1.7	-	0.6
Hyogo	1.8	0.7	0.8	1.8	0.4	1.1	2.6	1.8	4.7	3.8	1.8	0.8	1.1
Ibaraki	0.7	0.6	-	-	-	1.7	-	1.7	1.1	1.2	0.6	1.7	-
Ishikawa	0.8	-	-	1.2	-	-	1.3	1.2	1.2	2.5	1.2	1.3	-
Iwate	1.0	0.9	-	2.7	-	1.8	0.9	1.8	2.7	-	-	-	0.9
Kagawa	0.8	-	-	-	1.3	1.2	-	-	1.2	1.3	2.5	2.5	-
Kagoshima	0.2	-	0.7	-	1.3	-	0.7	-	-	-	-	-	-
Kanagawa	1.6	1.0	0.5	0.5	0.5	2.5	1.5	2.5	1.5	4.1	2.5	1.0	1.0
Kochi	2.4	2.7	1.5	2.7	-	2.7	6.9	-	1.3	5.5	1.3	1.4	2.7

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 Cont'd
(Rates per 100,000 population per annum)

TYPHOID FEVER (1)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	0.2	-	-	-	0.7	0.6	0.7	-	2.6	-	-	-	-
Kyoto	1.1	0.6	-	-	2.0	-	1.3	0.6	-	3.3	1.3	-	1.3
Mie	2.3	0.8	1.8	2.4	2.5	1.6	0.8	3.2	2.4	5.7	2.4	0.8	3.2
Miyagi	1.5	1.4	2.4	-	1.5	2.2	0.7	2.2	3.6	1.5	1.4	-	1.4
Miyazaki	0.3	-	-	-	-	-	-	-	-	2.3	1.1	-	-
Nagano	0.8	-	-	1.1	1.7	-	-	0.6	0.6	2.3	1.1	1.1	1.1
Nagasaki	0.6	-	1.6	-	-	-	2.3	1.5	0.7	0.8	0.7	-	-
Nara	2.6	4.4	-	3.0	3.0	1.5	-	4.4	5.9	6.1	1.5	-	1.5
Niigata	1.0	0.9	-	-	1.0	-	2.0	0.5	1.9	2.0	1.9	1.5	0.5
Oita	0.3	-	1.0	-	-	1.8	-	-	0.9	-	-	-	-
Okayama	2.7	0.7	1.5	1.4	0.7	3.5	4.3	6.3	4.2	2.9	3.5	2.2	0.7
Osaka	1.5	1.3	1.1	2.0	0.3	1.3	1.4	2.3	3.6	1.4	1.6	1.4	0.7
Saga	0.6	-	1.4	2.5	-	-	1.3	1.2	-	-	1.2	-	-
Saitama	1.4	1.6	2.4	0.5	2.8	0.5	-	2.7	2.2	1.1	0.5	0.6	2.2
Shiga	0.8	1.3	-	-	-	-	-	-	2.6	1.4	1.3	1.4	1.3
Shimane	0.9	1.3	1.4	1.3	-	1.3	-	1.3	-	2.6	1.3	-	-
Shizuoka	1.0	1.4	1.1	0.5	-	0.5	1.5	1.0	3.3	1.0	1.0	1.0	-
Tochigi	1.2	0.7	0.8	1.5	-	0.7	0.8	2.2	2.2	2.3	0.7	1.5	0.7
Tokushima	1.1	1.3	-	-	1.4	-	1.4	-	4.0	1.4	2.6	-	1.3
Tokyo	1.2	2.1	1.4	1.3	2.4	0.6	2.6	0.4	2.5	1.3	2.3	1.5	2.8
Tottori	0.7	1.9	-	-	-	-	4.0	-	-	-	1.9	-	-
Toyama	1.7	-	-	1.2	-	1.2	-	3.5	6.9	2.4	2.3	1.2	1.2
Wakayama	1.6	-	-	2.3	1.2	-	-	3.5	4.7	2.4	-	3.6	1.2
Yamagata	0.6	-	1.9	-	0.9	-	-	0.9	0.9	-	-	0.9	1.7
Yamaguchi	0.7	0.8	-	-	-	0.8	-	-	3.8	0.8	0.8	0.8	0.8
Yamanashi	0.4	-	-	1.4	1.5	-	1.5	-	-	-	-	-	-

See footnotes at end of table

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)
PARATYPHOID FEVER (2)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.1	0.1	0.0	0.2	0.1	0.1	0.2	0.2	0.2	0.3	0.1	0.1	0.1
All "Shi"	0.2	0.1	0.0	0.2	0.1	0.0	0.3	0.3	0.3	0.4	0.2	0.3	0.0
All "Gun"	0.1	0.1	0.0	0.2	0.0	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	0.2	-	-	-	-	-	-	1.8	-	-	-	-	-
Aomori	0.3	-	1.0	-	-	-	-	0.9	0.9	-	-	1.0	-
Chiba	0.1	-	-	0.5	-	-	0.6	-	-	-	-	-	-
Ehime	0.1	-	-	-	0.8	-	-	-	-	-	-	-	-
Fukui	0.1	-	-	-	-	-	-	-	-	1.6	-	-	-
Fukuoka	0.1	-	-	-	-	-	0.4	-	-	-	0.3	-	-
Fukushima	0.3	-	-	-	-	-	-	0.6	1.1	1.8	-	-	-
Gifu	0.2	-	-	-	-	-	0.8	0.8	-	-	-	0.8	-
Gunma	0.1	-	-	0.7	-	-	-	0.7	-	-	-	-	-
Hiroshima	0.1	0.6	-	-	-	-	-	0.6	-	-	-	0.6	-
Hokkaido	0.1	-	-	-	-	-	0.3	0.3	0.3	-	-	-	-
Hyogo	0.0	-	-	-	-	-	-	-	-	-	0.4	-	-
Ibaraki	0.1	-	-	-	-	-	-	-	0.6	-	-	0.6	-
Ishikawa	0.2	-	-	-	-	-	-	-	-	1.3	1.2	-	-
Iwate	0.4	1.8	-	-	-	-	-	-	-	0.9	0.9	0.9	-
Kagawa	0.1	-	-	1.2	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Managawa	0.2	-	-	1.0	-	0.5	-	-	-	-	-	-	0.5
Kochi	0.2	-	-	-	2.7	-	-	-	-	-	-	-	-

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)
PARATYPHOID FEVER (2)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	0.1	-	-	-	-	-	-	-	-	-	-	-	0.6
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	0.5	-	-	0.8	-	-	-	-	0.8	0.8	-	-	0.8
Miyagi	0.5	0.7	-	1.4	-	1.4	2.5	0.7	-	1.5	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	0.0	-	-	-	-	-	-	-	-	-	0.6	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	0.2	0.5	-	0.5	-	-	-	0.9	-	-	-	-	-
Oita	0.1	-	-	-	-	-	-	-	-	1.0	-	-	-
Okayama	0.1	-	-	-	-	-	-	-	0.7	-	-	0.7	-
Osaka	0.2	-	-	-	-	-	-	-	1.0	1.0	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	0.2	-	-	-	-	-	-	-	0.5	1.7	0.5	-	-
Shiga	0.3	-	-	-	-	-	-	1.3	-	1.4	-	-	1.3
Shimane	0.1	-	-	-	-	-	-	-	1.3	-	-	-	-
Shizuoka	0.2	0.5	-	0.5	-	-	0.5	-	0.5	0.5	-	-	-
Tochigi	0.1	-	0.8	-	-	-	0.8	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	0.3	0.2	0.2	0.4	-	0.2	0.2	0.8	-	0.4	0.2	0.7	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	0.2	-	-	-	-	-	-	-	2.3	-	-	-	-
Wakayama	0.3	-	-	-	-	-	1.2	-	-	-	2.3	-	-
Yamagata	0.1	-	-	-	-	-	-	-	-	-	0.9	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	0.1	-	-	1.4	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 72 - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

CEREBROSPINAL (MENINGOCOCCUS) MENINGITIS (6)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.6	0.5	0.6	0.8	0.7	0.5	0.7	0.4	0.7	1.2	0.5	0.3	0.3
All "Shi"	1.0	1.0	0.9	1.5	1.2	1.0	1.1	0.9	1.2	1.9	0.7	0.6	0.5
All "Gun"	0.4	0.3	0.4	0.5	0.4	0.2	0.5	0.2	0.4	0.8	0.4	0.2	0.2
Aichi	0.2	-	-	-	-	-	0.7	0.4	0.7	-	0.4	-	-
Akita	0.6	-	1.0	1.8	-	-	0.9	-	0.9	0.9	0.9	-	0.9
Aomori	0.9	-	-	1.9	1.0	-	1.0	-	2.8	1.9	0.9	-	0.9
Chiba	0.5	1.1	0.6	1.6	0.6	0.5	-	-	-	-	1.1	-	0.5
Ehime	0.3	-	-	0.8	-	-	-	0.8	-	1.6	-	-	-
Fukui	0.1	-	-	-	-	-	1.6	-	-	-	-	-	-
Fukuoka	0.6	0.7	0.4	1.0	0.7	-	0.4	0.7	0.3	0.7	1.0	0.7	0.7
Fukushima	0.9	1.7	2.5	-	2.3	-	1.8	-	-	1.2	1.1	-	-
Gifu	0.3	0.8	-	-	-	-	-	-	0.8	0.8	-	-	0.8
Gumma	0.5	-	1.6	0.7	-	-	1.5	0.7	-	0.7	0.7	-	-
Hiroshima	0.5	0.6	-	1.1	0.6	-	-	-	0.6	1.7	0.6	0.6	-
Hokkaido	1.2	0.6	2.2	1.4	1.5	0.3	1.2	1.7	1.1	1.5	2.6	0.6	0.3
Hyogo	0.4	0.4	-	0.7	-	-	1.1	-	0.7	0.8	-	0.8	-
Ibaraki	0.5	1.1	-	0.6	1.7	0.6	-	-	-	-	0.6	-	1.1
Ishikawa	0.2	-	-	-	1.3	1.2	-	-	-	-	-	-	-
Iwate	0.6	-	-	0.9	0.9	-	2.2	-	-	2.8	-	-	-
Kagawa	0.2	-	-	-	1.3	-	-	-	-	1.3	-	-	-
Kagoshima	0.3	1.3	-	-	0.7	-	0.7	-	-	-	-	-	0.7
Kanagawa	1.0	1.5	1.1	1.5	1.5	1.0	0.5	0.5	1.5	0.5	0.5	0.5	1.0
Kochi	0.7	-	-	2.7	-	-	-	1.3	-	4.1	-	-	-

TABLE 72 - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

CEREBROSPINAL (MENINGOCOCCUS) MENINGITIS (6)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	0.3	-	-	-	-	1.3	0.7	0.6	-	0.7	-	-	-
Kyoto	1.2	0.6	0.7	0.6	-	0.6	0.7	-	2.6	6.0	0.6	-	-
Mie	0.5	-	-	0.8	0.8	-	0.8	0.8	0.8	1.6	-	-	-
Miyagi	0.9	2.2	0.8	2.2	0.7	0.7	1.5	0.7	-	0.7	0.7	-	0.7
Miyazaki	0.5	-	-	-	-	-	-	1.1	-	1.1	1.1	2.3	-
Nagano	0.4	-	0.6	0.6	-	0.6	1.1	-	0.6	-	0.6	0.6	-
Nagasaki	0.4	-	-	1.5	-	0.7	-	-	-	1.5	0.7	0.8	-
Nara	0.1	-	-	-	-	-	-	1.5	-	-	-	-	-
Niigata	0.2	0.5	-	-	-	0.5	0.5	0.5	-	0.5	-	-	-
Oita	0.5	-	-	1.8	-	-	-	0.9	1.8	1.0	-	-	-
Okayama	0.2	-	-	-	-	0.7	0.7	-	-	0.7	-	0.7	-
Osaka	1.4	1.3	0.7	2.3	1.0	2.0	1.4	0.7	1.6	3.0	1.3	0.7	0.7
Saga	0.4	-	1.4	-	-	-	1.3	-	-	-	-	1.3	1.2
Saitama	0.5	1.1	0.6	0.5	0.6	0.5	0.6	0.5	0.5	0.6	0.5	-	-
Shiga	0.3	-	-	-	-	1.3	2.7	-	-	-	-	-	-
Shimane	0.5	1.3	-	-	-	1.3	-	-	-	2.6	-	1.3	-
Shizuoka	0.4	-	0.5	-	2.0	-	0.5	-	1.0	1.5	-	-	-
Tochigi	0.1	-	-	0.7	-	-	-	-	-	-	-	-	0.7
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	1.3	1.3	1.6	0.8	1.3	0.8	0.7	1.5	2.3	3.3	0.6	0.9	0.4
Tottori	1.6	-	2.1	3.9	4.0	1.9	2.0	-	-	2.0	3.9	-	-
Toyama	0.2	-	1.3	-	-	-	1.2	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	1.0	-	-	2.6	1.8	3.4	0.9	-	-	-	-	0.9	2.6
Yamaguchi	0.3	-	-	-	-	0.8	0.8	-	0.8	0.8	-	-	-
Yamanashi	0.2	-	-	-	-	-	-	-	-	1.5	-	1.5	2.8

See footnotes at end of table.

TABLE 72 - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)
SCARLET FEVER (8)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.0
All "Shi"	0.1	0.0	0.1	0.0	0.2	0.1	0.1	0.0	0.1	0.1	-	0.2	0.1
All "Gun"	0.0	0.1	0.0	-	0.1	0.0	0.0	0.0	0.0	-	0.1	0.1	0.0
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	0.1	-	-	-	-	-	-	-	-	-	0.9	-	-
Aomori	0.1	-	-	-	-	-	-	-	-	-	-	-	0.9
Chiba	0.1	0.5	-	0.6	-	-	-	0.5	-	-	-	-	-
Hime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.0	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	0.0	-	-	-	-	0.6	-	-	-	0.4	-	-	-
Gifu	0.2	-	0.8	-	0.8	-	-	-	-	-	-	0.8	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	0.1	0.6	0.3	-	0.3	0.3	-	-	-	-	-	-	-
Hyogo	0.1	0.4	0.4	-	-	-	-	-	0.4	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	0.1	-	-	-	-	-	-	-	-	-	-	-	0.9
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoehina	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	0.1	-	-	-	-	-	-	-	0.5	-	-	0.5	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 72 - DEATH RATES FOR SELECTED FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)
SCARLET FEVER (8)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	0.1	-	-	-	0.7	-	-	-	-	-	-	-	-
Kyoto	0.1	-	-	-	-	-	-	-	-	0.7	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	0.1	-	-	-	-	-	-	-	-	-	-	0.7	-
Miyazaki	0.1	-	-	-	-	-	1.1	-	-	-	-	-	-
Nagano	0.0	-	-	-	-	-	-	0.6	-	-	-	-	-
Nagasaki	0.1	-	-	-	0.8	-	-	-	-	-	-	-	-
Nara	0.1	-	-	-	-	1.5	-	-	-	-	-	-	-
Niigata	0.0	-	-	-	-	-	0.5	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	0.1	-	-	-	-	-	-	0.7	-	-	-	-	-
Osaka	0.1	-	-	0.3	-	0.3	-	-	0.3	-	-	0.3	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	0.1	-	-	-	1.1	-	0.6	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	0.1	-	-	-	-	1.3	-	-	-	-	-	-	-
Shizuoka	0.0	-	-	-	-	-	0.5	-	-	-	-	-	-
Tochigi	0.1	0.7	-	-	-	-	-	-	0.7	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	0.1	0.2	0.2	-	-	-	-	-	0.2	-	-	0.7	0.2
Tottori	0.2	-	-	-	-	-	-	-	-	-	1.9	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Nakayama	0.1	-	-	-	-	-	-	-	-	-	1.2	-	-
Yamagata	0.1	-	-	-	-	-	0.9	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 72. -- DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

WHOOPING COUGH (9)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	11.1	8.1	8.8	7.6	8.6	10.4	13.7	15.3	17.0	13.6	8.5	8.7	12.9
All "Shi"	12.0	8.6	10.7	8.4	9.6	12.1	15.6	17.1	17.5	14.6	9.3	8.5	12.0
All "Gm"	10.7	7.8	7.8	7.2	8.0	9.5	12.7	14.4	16.7	13.2	8.0	8.8	13.4
Aichi	12.2	12.1	12.6	11.4	9.6	19.2	18.0	19.2	20.3	9.6	6.1	3.3	4.3
Akita	12.5	6.3	8.9	4.5	7.4	9.8	12.0	18.8	22.4	20.3	15.2	11.1	12.5
Aomori	18.9	24.5	13.6	14.1	13.6	13.2	18.5	22.6	16.0	17.5	24.5	21.4	26.4
Chiba	10.3	4.8	6.5	4.8	5.5	8.1	13.9	15.0	18.3	8.9	9.1	10.5	18.3
Ehime	15.4	3.9	12.0	10.1	12.0	20.2	32.1	25.6	21.7	20.8	7.8	6.4	11.6
Fukui	8.8	4.7	1.7	1.6	1.6	-	4.9	21.9	12.5	24.3	9.4	6.5	15.7
Fukuoka	14.3	9.4	8.1	9.4	14.3	16.3	26.9	22.9	14.9	15.8	8.3	10.0	14.6
Fukushima	14.5	9.1	10.0	6.2	3.5	12.5	14.6	24.4	20.4	15.8	12.5	17.0	27.8
Gifu	11.3	8.3	14.2	10.5	12.5	12.1	12.5	19.6	19.6	12.5	3.8	3.1	6.8
Gumma	18.0	21.4	30.0	22.1	23.6	13.6	22.9	18.6	22.9	17.0	5.0	5.9	14.3
Hiroshima	8.3	1.7	1.2	3.4	5.2	5.1	8.1	11.8	16.8	16.2	8.4	10.4	11.2
Hokkaido	15.4	24.0	19.6	17.7	13.3	15.1	15.6	16.6	20.9	15.9	14.6	6.2	5.1
Hyogo	10.5	2.9	6.4	4.7	8.3	10.6	15.0	16.7	15.7	12.0	12.0	10.2	11.3
Ibaraki	5.9	4.5	3.7	5.6	2.3	5.6	4.6	5.6	7.3	8.1	5.1	6.4	11.8
Ishikawa	13.6	12.2	4.1	9.8	18.9	9.8	18.9	8.5	12.2	24.0	17.1	11.3	15.9
Iwate	13.8	6.2	5.9	3.6	6.4	9.8	10.1	14.2	18.6	22.9	19.5	17.4	30.2
Kagawa	9.5	4.9	2.7	2.5	5.1	8.6	15.3	14.8	17.2	15.3	8.6	8.9	9.8
Kagoshima	5.7	5.9	7.2	5.9	2.7	3.9	8.7	4.6	3.9	7.4	4.6	5.4	8.5
Kanagawa	11.4	3.5	6.6	6.4	7.2	10.9	10.8	17.8	17.8	22.0	9.4	9.2	14.9
Kochi	3.6	2.7	2.9	5.3	4.1	1.3	2.7	4.0	5.3	5.5	2.7	1.4	5.3

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

WHOPING COUGH (9)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	5.4	3.9	4.3	1.9	2.7	5.8	5.3	3.2	5.1	6.6	6.4	5.3	14.2
Kyoto	8.9	3.9	7.8	3.9	8.0	14.8	8.6	12.2	14.8	13.3	3.9	8.0	7.1
Mie	7.6	5.5	3.5	6.3	8.2	9.5	18.0	11.1	10.3	6.5	4.0	3.3	4.8
Miyagi	17.7	13.0	12.8	15.8	17.1	31.0	26.8	21.6	21.6	16.4	4.3	12.6	19.4
Miyazaki	4.3	-	6.0	2.2	3.4	2.2	4.5	5.5	8.7	9.0	3.3	-	6.6
Nagano	11.3	14.9	14.1	13.8	8.6	9.9	12.6	17.7	19.3	8.6	4.4	4.6	7.2
Nagasaki	6.8	0.7	2.4	4.4	3.0	2.2	6.1	6.6	12.5	7.6	4.4	11.4	19.8
Nara	9.5	-	3.3	3.0	6.1	5.9	13.7	13.3	17.7	22.9	10.3	6.1	11.8
Niigata	10.4	13.2	11.5	7.5	11.2	9.9	14.1	10.9	10.9	10.7	6.6	7.8	10.4
Oita	7.6	3.7	4.1	4.6	6.7	5.5	9.5	9.2	17.5	9.5	5.5	3.8	11.1
Okayama	5.7	2.8	2.3	4.9	2.2	4.9	7.2	2.8	18.1	7.9	4.9	2.9	7.0
Osaka	12.0	4.6	4.7	6.5	5.7	12.7	16.6	18.3	25.5	15.2	10.1	13.5	10.1
Saga	9.6	2.5	4.1	4.9	8.9	9.9	12.7	16.0	25.9	10.2	3.7	3.8	12.3
Saitama	15.7	15.6	9.5	7.0	13.9	7.5	13.9	22.6	31.3	18.4	12.9	12.3	23.2
Shiga	13.5	10.5	8.7	14.5	17.7	11.8	24.5	22.4	23.7	12.2	3.9	6.8	5.3
Shimane	5.7	5.1	4.2	6.4	5.3	3.8	3.9	5.1	5.1	5.3	6.4	9.2	8.9
Shizuoka	12.2	4.3	6.9	6.2	7.9	9.5	12.3	21.5	22.9	14.8	8.6	10.4	21.0
Tochigi	11.1	17.0	18.8	8.9	5.3	3.7	11.4	14.8	19.2	9.1	5.9	9.9	9.6
Tokushima	4.5	4.0	-	1.3	1.4	1.3	2.7	10.6	4.0	6.8	1.3	5.5	14.5
Tokyo	10.3	5.1	8.9	5.3	7.0	8.9	12.7	13.8	15.7	13.8	7.0	10.3	15.5
Tottori	9.4	-	2.1	-	10.0	3.9	10.0	21.3	13.6	6.0	7.8	16.0	21.3
Toyama	14.8	9.2	12.7	9.2	15.5	19.6	13.5	18.4	19.6	21.4	13.8	13.1	9.2
Wakayama	3.1	1.2	1.3	-	3.6	-	2.4	12.9	2.3	3.6	1.2	3.6	4.7
Yamagata	21.5	13.7	20.8	14.5	21.2	23.0	23.8	26.5	28.2	30.0	19.6	15.0	21.3
Yamaguchi	10.8	9.2	9.3	4.6	6.3	8.4	13.4	14.5	14.5	18.9	10.7	3.9	15.3
Yamanashi	6.1	2.8	6.2	5.6	2.9	2.8	4.4	1.4	11.3	7.3	4.2	11.6	12.7

See footnotes at end of table.

TABLE 72 - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

DIPHTHERIA (10)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	2.0	3.5	3.1	2.6	2.4	1.6	1.1	1.2	0.7	0.9	1.4	2.6	3.0
All "Shi"	2.5	4.9	3.9	3.1	3.7	2.6	1.2	1.3	1.0	0.7	1.1	2.7	3.6
All "Gun"	1.8	2.8	2.7	2.4	1.8	1.2	1.0	1.1	0.6	1.0	1.6	2.6	2.7
Aichi	0.8	1.8	1.2	1.8	1.5	0.7	0.4	1.1	0.4	0.4	-	1.1	-
Akita	2.4	4.5	2.0	2.7	5.5	-	2.8	1.8	0.9	-	1.8	3.7	2.7
Aomori	3.9	6.6	5.2	3.8	2.9	2.8	2.9	0.9	-	5.8	1.9	8.8	5.7
Chiba	1.4	2.7	1.8	3.8	0.6	0.5	2.2	2.1	-	1.1	0.5	0.6	1.1
Ehime	1.6	1.6	3.4	2.3	2.4	2.3	0.8	-	1.6	-	-	2.4	2.3
Fukui	2.1	1.6	5.2	-	4.9	6.3	-	-	1.6	-	-	-	6.3
Fukuoka	2.5	3.5	2.7	2.8	3.2	4.5	1.1	1.4	1.4	0.4	1.4	3.2	4.9
Fukushima	1.9	2.8	4.4	1.1	2.3	0.6	-	1.7	-	0.6	3.4	3.5	2.8
Gifu	1.7	3.8	4.2	2.3	1.6	0.8	-	1.5	-	-	-	3.9	3.0
Gunma	1.9	2.1	0.8	2.9	1.5	2.1	1.5	-	-	1.5	4.3	2.2	4.3
Hiroshima	1.7	2.2	3.7	2.2	1.7	1.1	-	0.6	0.6	0.6	3.4	2.3	2.2
Hokkaido	3.4	7.7	5.7	4.0	2.4	3.4	2.1	1.7	0.9	1.2	2.0	4.1	6.3
Hyogo	1.9	5.5	1.6	4.4	0.8	1.1	2.3	1.5	-	0.4	0.7	2.3	2.9
Ibaraki	1.2	0.6	1.2	1.1	1.7	0.6	1.7	0.6	1.1	-	1.1	1.2	3.4
Ishikawa	2.1	4.9	1.4	4.9	1.3	1.2	1.3	-	-	3.8	1.2	3.8	1.2
Iwate	3.2	3.6	3.9	5.3	4.6	1.8	1.8	3.6	-	0.9	1.8	4.6	7.1
Kagawa	1.8	6.2	2.7	1.2	3.8	-	1.3	1.2	-	-	2.5	-	2.5
Kagoshima	3.5	4.6	3.6	4.6	6.0	2.0	2.0	2.0	1.3	2.0	4.6	3.4	5.9
Kanagawa	1.9	4.0	4.9	2.5	2.0	2.0	1.0	1.0	0.5	-	1.0	2.6	1.5
Kochi	1.2	4.0	-	-	-	-	1.4	-	-	1.4	-	-	8.0

TABLE 72 - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

DIPHTHERIA (10)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	2.1	2.6	2.8	1.3	3.3	0.6	-	2.6	0.6	1.3	1.9	4.0	4.5
Kyoto	0.7	1.3	0.7	1.9	-	0.6	1.3	0.6	-	-	0.6	-	1.3
Mie	1.1	2.4	-	2.4	1.6	-	0.8	2.4	-	-	2.4	0.8	0.8
Miyagi	1.8	1.4	2.4	5.0	1.5	1.4	1.5	-	0.7	0.7	2.9	0.7	2.9
Miyazaki	5.1	10.9	8.5	3.3	3.4	2.2	3.4	4.4	4.4	1.1	7.6	4.5	7.6
Nagano	1.0	2.8	1.8	1.1	2.3	0.6	0.6	0.6	-	-	-	2.3	0.6
Nagasaki	3.8	5.1	8.1	4.4	4.6	2.2	1.5	0.7	1.5	1.5	-	12.1	4.4
Nara	2.1	3.0	3.3	3.0	-	3.0	-	1.5	-	-	4.4	6.1	1.5
Niigata	2.2	3.8	5.2	4.7	2.4	2.8	1.0	1.4	0.9	-	0.5	2.0	2.4
Oita	3.3	5.5	5.1	2.8	1.9	2.8	2.9	4.6	0.9	1.9	3.7	1.0	6.5
Okayama	1.6	2.1	3.9	2.1	2.9	-	-	3.5	-	-	1.4	2.2	1.4
Osaka	1.2	2.0	2.2	1.3	3.7	1.0	1.0	-	0.3	-	1.6	1.0	1.0
Saga	4.1	4.9	4.1	6.2	1.3	3.7	1.3	3.7	3.7	3.8	3.7	10.2	2.5
Saitama	0.8	2.2	1.2	0.5	1.7	0.5	-	0.5	1.1	-	-	1.1	1.1
Shiga	1.0	-	-	2.6	-	2.6	-	-	-	1.4	-	-	5.3
Shimane	1.9	2.5	4.2	1.3	2.6	2.5	2.6	1.3	-	1.3	-	2.6	2.5
Shizuoka	1.5	3.8	3.2	1.9	2.0	1.0	1.0	0.5	0.5	1.5	-	1.5	1.4
Tochigi	1.7	2.2	0.8	1.5	1.5	1.5	1.5	1.5	-	2.3	-	2.3	5.2
Tokushima	1.7	1.3	4.4	1.3	1.4	1.3	-	-	1.3	5.5	1.3	-	2.6
Tokyo	2.3	5.5	4.2	3.2	4.2	2.1	0.9	0.6	1.7	0.2	0.4	2.0	2.5
Tottori	2.1	3.9	4.3	1.9	4.0	-	-	-	1.9	2.0	-	6.0	1.9
Toyama	2.7	3.5	7.6	-	5.9	-	-	1.2	-	-	4.6	7.1	3.5
Wakayama	0.5	2.3	1.3	1.2	-	-	-	-	-	-	-	1.2	-
Yamagata	1.5	1.7	2.8	2.6	1.8	0.9	0.9	-	0.9	3.5	2.6	-	0.9
Yamaguchi	2.5	2.3	0.8	3.1	3.9	3.8	-	1.5	1.5	1.6	1.5	3.2	6.9
Yamanashi	1.3	1.4	-	2.8	-	4.2	-	-	-	2.9	-	4.4	-

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)
TETANUS (12)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	2.4	1.9	2.3	1.9	2.3	2.2	2.5	2.7	3.0	3.2	2.4	2.1	1.9
All "Shiu"	2.4	1.9	2.1	1.9	2.5	2.5	2.0	2.7	2.9	3.6	2.4	2.3	1.9
All "Gun"	2.4	2.0	2.4	2.0	2.3	2.1	2.8	2.7	3.1	3.0	2.4	2.1	2.0
Aichi	2.2	1.4	1.2	2.1	1.1	1.8	2.2	2.8	2.5	3.3	5.7	0.4	1.4
Akita	1.5	0.9	1.0	1.8	2.8	0.9	0.9	0.9	1.8	2.8	2.7	0.9	0.9
Aomori	2.1	0.9	1.0	2.8	1.9	-	2.9	1.9	1.9	3.9	4.7	2.9	-
Chiba	5.4	2.1	9.5	3.2	3.3	5.4	5.0	5.4	9.1	6.1	4.3	7.2	4.3
Ehime	4.1	1.6	7.7	4.7	4.8	6.2	3.2	3.1	3.9	5.6	3.9	1.6	3.1
Fukui	1.5	1.6	-	1.6	-	1.6	3.2	3.1	1.6	1.6	1.6	-	1.6
Fukuoka	2.2	1.4	2.3	2.1	3.2	2.4	1.8	1.4	2.8	2.2	2.8	1.4	2.4
Fukushima	1.8	3.4	3.1	0.6	0.6	-	1.2	1.1	5.1	1.8	1.7	2.3	0.6
Gifu	1.9	1.5	1.7	2.3	0.8	0.8	3.9	1.5	4.5	1.6	0.8	1.6	2.3
Gunma	4.0	1.4	3.2	4.3	5.2	2.9	3.7	2.9	7.9	6.6	1.4	3.7	5.0
Hiroshima	2.2	3.9	1.9	2.2	2.9	2.8	1.2	1.7	2.8	2.9	1.1	2.9	0.6
Hokkaido	1.2	1.4	0.9	0.9	0.9	0.6	1.8	2.3	1.7	2.1	0.3	1.2	0.6
Iwago	1.2	-	0.8	2.5	1.9	1.5	0.4	2.2	0.4	1.9	0.7	1.9	0.7
Ibaraki	4.9	3.9	6.2	5.1	2.3	3.4	8.1	5.6	6.2	7.0	2.8	5.8	2.8
Ishikawa	2.6	2.4	4.1	3.7	-	3.7	2.5	2.4	1.2	2.5	4.9	1.3	2.4
Iwate	1.1	-	1.0	1.8	0.9	1.8	2.8	0.9	-	1.8	-	1.8	0.9
Kanawa	4.2	2.5	2.7	1.2	3.8	3.7	10.2	2.5	3.7	6.4	2.5	5.1	6.2
Kagoshima	5.5	3.9	3.6	3.3	7.4	5.2	4.0	5.2	9.8	6.7	5.9	4.0	6.5
Kanagawa	2.1	1.5	1.1	0.5	2.6	2.5	1.0	4.0	2.0	7.7	1.0	1.0	1.0
Kochi	3.6	2.7	-	1.3	5.5	1.3	6.9	0.7	4.0	5.5	4.0	2.7	6.6

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)
TETANUS (12)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	2.3	1.9	0.7	-	4.7	1.9	2.7	0.6	1.9	5.3	1.3	4.7	1.9
Kyoto	1.0	1.9	0.7	1.3	-	1.9	0.7	1.3	0.6	2.0	1.9	-	-
Mie	2.2	2.4	1.8	4.0	1.6	2.4	0.8	1.6	3.2	2.5	2.4	3.3	0.8
Miyagi	1.7	1.4	1.6	0.7	0.7	2.9	2.2	0.7	2.2	2.2	1.4	3.7	0.7
Miyazaki	5.6	5.5	7.3	9.2	3.4	5.5	3.4	6.6	5.5	7.9	7.6	2.3	2.2
Nagano	2.3	0.6	1.2	1.7	0.6	1.7	7.4	3.9	3.3	2.9	1.1	1.1	2.8
Nagasaki	3.0	1.5	8.1	3.7	1.5	1.5	2.3	4.4	3.7	3.8	2.9	1.5	1.5
Nara	2.0	3.0	-	1.5	3.0	3.0	1.5	1.5	3.0	3.0	4.4	-	-
Niigata	1.6	1.5	1.6	0.9	1.5	1.4	1.0	2.4	3.3	1.0	1.9	1.5	2.8
Oita	2.7	3.7	2.0	2.8	2.9	2.8	1.9	0.9	2.8	1.9	4.6	1.0	4.6
Okayama	2.1	2.1	0.8	1.4	5.8	2.1	0.7	3.5	2.1	1.4	2.1	1.4	2.1
Osaka	1.2	1.6	1.1	1.0	1.7	0.7	0.3	1.6	1.0	2.4	0.7	1.7	0.3
Saga	4.3	6.2	5.5	2.5	3.8	2.5	7.6	3.7	7.4	2.5	1.2	6.4	2.5
Saitama	2.7	3.2	1.2	1.1	1.1	4.9	2.2	4.3	2.2	1.7	3.2	2.8	3.8
Shiga	0.8	-	1.5	-	1.4	1.3	-	-	-	-	3.9	1.4	-
Shimane	1.5	-	-	2.5	1.3	1.3	1.3	1.3	5.1	2.6	2.5	-	-
Shizuoka	2.7	2.4	1.1	1.9	3.5	3.3	3.5	5.3	1.0	2.0	4.3	2.5	1.9
Tochigi	3.0	3.0	4.9	2.2	2.3	2.2	1.5	4.4	1.5	3.0	3.7	3.8	3.7
Tokushima	3.6	6.6	1.5	1.3	5.5	4.0	4.1	4.0	5.3	6.8	1.3	1.4	1.3
Tokyo	1.8	1.7	0.9	1.1	2.8	1.7	2.0	3.0	1.1	2.4	2.3	1.3	1.1
Tottori	1.2	1.9	-	-	-	1.9	-	-	1.9	-	1.9	2.0	3.9
Toyama	1.1	2.3	-	-	2.4	1.2	-	1.2	2.3	1.2	-	1.2	1.2
Wakayama	1.8	-	6.5	3.5	1.2	5.9	1.2	1.2	1.2	-	-	-	-
Yamanashi	1.4	0.9	-	-	0.9	0.9	3.5	0.9	5.1	1.8	0.9	0.9	1.7
Yamaguchi	3.0	1.5	3.4	-	3.2	0.8	3.9	2.3	5.3	6.3	3.1	3.2	3.1
Yamaguchi	2.5	2.8	3.1	2.8	-	1.4	2.9	7.0	8.5	5.8	4.2	1.5	1.4

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

TUBERCULOSIS (ALL FORMS) (13-22)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	168.8	159.5	160.3	175.9	184.9	186.3	181.9	173.2	169.5	170.6	161.0	155.8	146.7
Aomori	213.5	204.3	202.1	216.0	232.6	233.1	228.7	216.4	213.7	216.2	209.6	196.1	192.5
All "Gun"	145.2	135.8	138.2	154.7	159.7	163.6	157.2	150.5	146.2	146.5	135.3	134.5	122.5
Aichi	162.8	155.6	147.5	171.7	169.7	159.6	184.0	170.2	159.6	172.2	162.4	155.3	145.7
Akita	161.2	141.4	146.7	165.6	205.3	170.1	158.2	168.3	170.1	144.3	164.7	142.4	155.7
Aomori	217.1	195.2	194.2	258.4	259.2	248.0	236.8	197.1	188.6	212.5	209.4	197.8	206.5
Chiba	135.0	128.8	118.3	146.0	151.4	147.1	142.0	125.6	127.8	138.7	132.1	136.5	125.1
Ehime	149.4	151.3	159.8	153.6	161.9	164.5	164.3	151.3	154.4	144.3	118.7	151.5	119.5
Fukuoka	155.2	155.1	157.9	178.6	179.7	195.8	173.2	150.4	109.7	170.0	117.5	153.8	122.2
Fukuoka	203.8	199.8	200.5	202.2	215.4	210.5	215.8	215.4	215.1	226.2	182.4	193.5	169.6
Fukushima	144.3	118.5	131.2	137.8	167.0	171.2	168.2	158.2	154.8	149.4	121.3	124.8	129.3
Gifu	164.8	156.7	148.5	164.5	199.3	161.3	178.3	160.5	173.3	165.9	167.3	155.0	144.7
Gumma	121.7	104.3	118.6	133.5	135.0	142.1	156.4	127.1	120.0	127.7	122.1	93.0	81.4
Hiroshima	158.5	145.5	144.3	164.0	160.2	185.3	161.9	172.4	165.7	164.2	159.5	139.9	138.2
Hokkaido	249.6	217.5	244.5	267.7	294.1	305.2	267.2	255.5	233.7	256.9	235.2	221.2	197.2
Hyogo	169.3	152.5	170.9	170.3	178.3	170.3	179.8	182.0	174.7	174.9	175.1	156.1	147.8
Ibaraki	110.5	96.7	105.8	110.1	119.0	128.8	123.7	125.9	114.1	118.5	93.9	89.4	98.9
Ishikawa	169.0	159.8	170.2	181.8	180.3	197.6	172.7	163.5	167.1	162.6	158.6	168.9	145.2
Iwate	206.4	179.3	194.6	241.5	267.0	260.1	223.8	214.9	202.4	197.2	162.5	168.8	164.2
Kagawa	146.1	130.4	133.5	155.0	151.3	167.3	157.6	156.2	179.6	125.8	125.5	142.4	126.7
Kagoshima	153.1	150.9	154.1	155.1	166.7	130.1	172.1	141.8	173.0	163.3	162.0	135.8	130.1
Kanagawa	178.5	166.6	178.9	171.1	165.0	194.8	180.3	171.1	175.5	198.8	186.9	183.9	166.6
Kochi	153.0	141.9	146.8	163.1	146.6	187.7	154.9	148.5	152.5	139.8	140.6	176.8	141.9

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

TUBERCULOSIS (ALL FORMS) (13-22)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	145.5	148.0	140.3	142.8	143.6	142.2	150.9	158.3	159.5	152.9	143.5	160.2	151.2
Kyoto	214.1	208.6	209.6	242.1	228.8	229.8	244.8	204.1	193.8	221.5	201.5	190.3	194.4
Mie	150.6	161.5	154.3	152.0	150.5	166.3	156.3	173.4	137.8	157.9	125.1	142.4	125.9
Miyagi	164.4	159.1	158.6	167.5	167.1	190.0	185.9	162.0	144.0	139.8	144.0	180.2	144.0
Miyazaki	167.8	158.3	178.9	160.5	174.9	167.0	187.3	172.5	184.5	156.8	156.1	181.6	137.6
Nagano	122.9	112.2	137.6	121.0	139.3	126.5	140.4	142.5	118.2	120.5	112.7	110.8	95.6
Nagasaki	169.4	157.1	135.7	158.3	157.7	172.5	179.7	179.8	199.6	167.6	190.8	175.9	153.4
Nara	154.4	149.0	129.1	160.8	154.0	193.3	198.2	149.0	147.6	140.3	137.2	154.0	138.7
Niigata	169.8	158.0	155.1	182.6	200.9	196.7	180.4	197.2	160.9	167.2	148.1	151.1	138.2
Oita	176.1	170.6	188.9	195.5	193.5	206.6	171.6	133.7	197.4	180.1	165.1	171.6	140.2
Okayama	144.5	139.2	148.0	135.8	148.9	163.6	144.6	140.6	149.0	161.9	153.2	129.5	119.8
Osaka	201.5	189.6	175.2	211.8	206.7	206.9	211.4	207.9	218.0	205.8	205.6	186.1	187.0
Saga	172.2	188.8	177.6	177.6	193.8	185.1	186.1	183.8	167.8	173.4	150.5	142.8	135.4
Saitama	133.6	125.0	106.8	137.4	132.0	152.2	138.1	136.9	148.7	129.2	130.4	136.4	126.6
Shiga	150.9	159.3	137.0	136.9	190.4	188.3	172.8	168.5	167.2	156.4	117.2	107.5	109.3
Shimane	191.4	186.9	180.2	234.0	230.0	226.4	191.8	179.3	161.5	197.1	196.6	157.7	151.3
Shizuoka	129.9	116.9	135.3	128.9	150.4	141.3	138.1	141.3	134.1	120.8	116.0	120.8	115.5
Tochigi	116.0	92.9	114.3	126.9	134.9	139.4	121.9	121.0	107.7	128.0	96.6	103.6	105.5
Tokushima	172.1	170.5	136.1	177.1	181.7	186.4	188.5	175.8	161.7	184.4	181.1	150.2	138.8
Tokyo	209.5	215.0	192.3	214.8	223.3	229.7	233.6	173.1	119.1	195.5	202.3	203.4	190.9
Tottori	166.7	149.2	188.8	174.4	178.2	145.2	186.3	184.1	157.0	210.3	145.4	150.2	131.8
Toyama	186.3	151.9	135.1	177.2	209.3	229.0	214.1	206.0	219.8	191.5	176.1	157.0	164.6
Wakayama	141.6	134.8	129.8	157.1	144.2	171.2	153.9	137.2	143.0	130.9	161.8	113.9	139.6
Yamagata	136.9	136.9	142.7	160.4	153.1	148.4	154.3	129.7	135.7	127.0	151.0	115.0	145.9
Yamaguchi	189.0	212.2	185.9	200.0	221.6	215.2	183.8	194.6	184.7	186.1	176.3	139.6	166.4
Yamanashi	92.0	71.9	85.8	97.2	115.0	50.2	91.7	87.4	95.8	97.6	111.3	85.9	74.7

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

LEPROSY (23)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.1	0.1	0.2	0.3	0.2
All "Shi"	0.0	0.2	-	-	-	0.1	0.0	0.0	-	0.0	-	0.0	0.0
All "Gun"	0.3	0.2	0.4	0.3	0.4	0.3	0.2	0.2	0.1	0.2	0.3	0.4	0.3
Aichi	0.2	0.4	-	-	0.7	0.4	-	0.4	-	0.4	-	-	0.4
Akita	0.2	-	2.0	-	0.9	-	-	-	-	-	-	-	-
Aomori	0.1	-	-	-	-	-	-	-	-	-	-	1.0	-
Chiba	0.0	-	-	-	0.6	-	-	-	-	-	-	-	-
Ehime	0.2	0.8	-	-	-	0.8	-	-	-	0.8	-	-	-
Fukui	0.3	-	-	-	-	-	1.6	-	-	-	-	-	1.6
Fukuoka	0.0	-	-	-	-	-	-	-	-	-	0.3	-	-
Fukushima	0.1	-	-	-	0.6	-	-	-	-	-	-	0.6	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	0.7	-	0.8	-	2.2	0.7	0.7	0.7	0.7	-	-	2.2	0.7
Hiroshima	0.0	-	-	-	-	-	-	0.6	-	-	-	-	-
Hokkaido	0.0	-	-	-	-	-	-	-	0.3	-	0.3	-	-
Hyogo	0.1	0.4	0.4	-	-	-	-	-	-	0.4	-	-	-
Ibaraki	0.0	-	-	0.6	-	-	-	-	-	-	-	-	-
Ishikawa	0.1	-	-	-	-	1.2	-	-	-	-	-	-	-
Iwate	0.2	-	-	-	0.9	-	-	-	-	-	-	-	0.9
Kagawa	0.1	-	-	-	-	-	-	-	-	-	-	1.3	-
Kagoshima	0.5	1.3	-	-	-	0.9	1.3	-	0.7	-	1.3	0.7	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	0.3	-	-	1.3	1.4	-	-	-	-	-	-	-	1.3

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

LEPROSY (29)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	3.1	3.2	4.3	3.2	2.7	2.6	4.0	3.2	1.3	2.0	3.9	5.3	1.3
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	0.3	0.8	-	0.8	-	-	-	-	-	0.8	-	0.8	-
Miyagi	0.6	0.7	0.8	0.7	2.2	1.4	-	-	-	-	-	0.7	-
Miyazaki	0.3	-	-	-	-	-	-	2.2	-	1.1	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	0.4	0.7	-	1.5	-	-	-	0.7	-	-	0.7	0.8	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	0.1	-	0.5	-	-	-	-	-	0.5	-	-	-	-
Oita	0.3	0.9	-	0.9	-	-	-	0.9	-	-	-	-	0.9
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	0.0	-	-	-	-	0.3	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	0.1	0.5	0.6	-	-	-	0.6	-	-	-	-	-	-
Shiga	0.2	-	1.5	-	-	-	-	-	-	-	-	-	1.3
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	0.1	0.5	-	-	-	0.5	-	-	-	-	-	-	-
Tochigi	0.1	-	-	-	-	-	-	-	-	-	0.7	-	-
Kagoshima	0.2	-	-	-	-	-	-	-	-	-	2.6	-	-
Tokyo	0.1	0.2	-	-	-	0.2	-	-	-	-	-	-	0.4
Tottori	0.5	-	2.1	-	-	-	-	-	-	2.0	-	-	1.9
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	0.1	-	-	-	-	-	-	-	-	-	-	1.2	-
Yamagata	0.1	-	-	-	0.9	-	-	-	-	-	-	-	-
Yasaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	0.2	-	-	-	-	-	-	-	-	-	1.4	-	1.4

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURES: JAPAN, 1946 - Cont'd
(Rates per 100,000 population per annum)

DIARRHEA (26a)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.0	-	-	-	-	0.0	-	-	-	-	-	-	-
All "Shin"	-	-	-	-	-	-	-	-	-	-	-	-	-
All "Gun"	0.0	-	-	-	-	0.0	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Iyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

GIANDERS (26a)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	0.1	-	-	-	-	0.7	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Toshigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

DISENTERY (27)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	9.5	0.7	0.9	0.9	1.6	3.2	7.9	26.5	34.8	24.2	8.2	2.8	1.6
All "Shi"	9.3	0.8	1.3	1.2	1.9	3.7	6.9	23.1	29.7	26.8	9.6	3.6	2.5
All "Gun"	9.6	0.6	0.6	0.7	1.5	3.0	8.5	28.3	37.5	22.9	7.4	2.4	1.2
Aichi	14.0	0.7	0.8	2.8	1.1	4.6	13.6	44.5	54.5	26.5	12.8	4.4	0.4
Akita	4.1	-	-	-	1.8	2.7	3.7	14.3	12.5	8.3	4.5	0.9	-
Aomori	3.9	0.9	-	-	1.0	-	4.9	5.4	16.0	13.6	0.9	-	-
Chiba	14.1	1.1	2.4	1.1	2.2	2.1	5.5	41.9	56.9	33.8	11.8	5.0	4.3
Ehime	6.7	2.3	-	0.8	1.6	3.1	11.2	13.2	20.9	21.6	3.9	-	0.8
Fuku	4.5	1.6	-	3.1	-	1.6	3.2	18.8	7.8	14.6	3.1	-	-
Fukuoka	4.2	-	0.8	-	1.8	1.0	4.7	13.5	9.4	12.5	4.2	1.8	1.0
Fukushima	10.3	-	1.9	1.1	1.2	3.4	8.2	26.1	45.4	26.4	6.8	1.8	-
Gifu	14.5	-	-	-	0.8	3.8	5.3	45.2	58.0	42.8	8.3	3.1	0.8
Gumma	24.3	-	-	-	1.5	8.6	28.8	100.7	67.4	34.7	12.1	4.4	1.4
Hiroshima	10.0	0.6	0.6	0.6	2.3	2.2	8.1	21.3	49.4	24.4	6.2	2.3	0.6
Hokkaido	2.3	-	0.3	-	0.3	1.1	1.2	6.0	8.3	6.5	2.0	0.6	1.4
Hyogo	4.6	0.7	0.4	0.7	1.5	2.9	4.9	9.5	15.3	12.8	4.0	1.9	0.4
Ibaraki	26.3	1.7	0.6	1.1	3.5	11.2	24.4	84.9	101.2	59.2	16.9	5.2	3.4
Ishikawa	5.2	-	1.4	-	2.5	2.4	6.3	8.5	12.2	20.2	4.9	2.5	1.2
Iwate	8.9	-	1.0	-	0.9	0.9	3.7	11.5	49.7	27.5	8.0	0.9	1.8
Kagawa	10.7	-	1.4	-	2.5	3.7	6.4	27.1	33.2	31.8	16.0	2.5	2.5
Kagoshima	5.4	-	0.7	1.3	-	1.3	6.7	13.7	20.2	10.8	5.9	2.7	1.3
Kanagawa	10.1	1.0	1.1	1.0	1.0	4.5	3.6	22.8	36.7	29.7	14.9	3.1	1.0
Kochi	6.2	-	-	-	-	2.7	5.5	17.2	18.6	23.3	6.6	-	-

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

DYSENTERY (27)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	6.0	-	-	-	0.7	5.1	7.3	26.4	18.7	9.3	1.3	1.3	1.3
Kyoto	4.8	-	2.9	0.6	-	1.3	3.3	8.4	18.0	14.0	5.2	1.3	2.6
Mie	5.1	0.8	-	0.8	-	-	7.4	14.3	16.6	15.5	4.0	1.6	-
Miyagi	3.2	-	-	-	-	0.7	0.7	5.8	10.8	15.6	5.0	-	-
Miyazaki	12.8	1.1	1.2	2.2	3.4	8.7	14.7	30.6	52.4	21.4	10.9	1.1	4.4
Nagano	4.3	-	-	1.1	0.6	1.7	4.0	7.2	21.5	13.1	1.1	1.1	-
Nagasaki	5.4	0.7	0.8	1.5	2.3	2.9	3.0	19.1	16.1	12.1	2.2	3.8	-
Nara	3.1	-	-	-	1.5	1.5	-	8.9	11.8	7.6	4.4	1.5	-
Niigata	14.9	1.4	1.6	-	2.9	3.8	8.3	42.0	58.0	47.4	13.7	1.0	3.3
Osaka	8.2	0.9	2.0	-	3.8	1.8	9.5	23.1	29.5	17.2	5.5	3.8	0.9
Okayama	7.3	-	-	1.4	2.2	0.7	3.6	13.9	19.5	33.1	9.7	2.9	-
Ooka	4.2	0.7	0.7	0.7	2.4	1.6	4.7	14.1	9.2	9.1	5.6	1.0	1.0
Saga	5.4	2.5	-	1.2	3.8	-	2.5	22.2	13.6	11.5	6.2	-	1.2
Saitama	26.3	-	2.4	1.1	1.1	5.9	19.5	93.2	105.1	56.8	15.1	6.1	6.5
Shiga	2.0	-	-	1.3	-	1.3	-	7.9	3.9	8.2	1.3	-	-
Shimane	13.4	1.3	-	-	-	2.5	3.9	12.7	68.7	56.5	8.9	3.9	1.3
Shizuoka	14.4	0.5	0.5	-	2.0	7.6	16.3	36.3	53.0	30.1	13.8	7.4	2.9
Tochigi	19.2	1.5	0.8	-	1.5	4.4	2.9	64.9	68.6	39.6	17.0	6.1	1.5
Tokushima	8.0	-	1.5	1.3	2.7	4.0	5.5	17.2	29.1	19.1	6.6	4.1	4.0
Tokyo	15.0	1.3	2.6	3.4	3.3	5.3	9.6	28.6	46.7	47.3	18.7	8.1	4.7
Tottori	5.6	3.9	-	-	-	1.9	2.0	11.6	21.3	20.0	1.9	4.0	-
Toyama	6.6	-	1.3	-	7.1	1.2	9.5	25.3	19.6	10.7	2.3	1.2	1.2
Wakayama	4.2	-	1.3	-	1.2	2.3	6.1	11.7	10.6	10.9	-	1.2	4.7
Yamagata	5.0	0.9	-	0.9	-	-	5.3	11.9	20.5	14.1	4.3	1.8	-
Yamaguchi	8.2	3.8	-	0.8	2.4	4.6	4.7	28.2	20.6	22.9	8.4	0.8	0.8
Yamanashi	7.2	1.4	-	1.4	-	2.8	4.4	14.1	28.2	14.6	8.5	5.8	4.2

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

MALARIA (28)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.1	0.2	0.2	0.3	0.1	0.1	0.1	0.1	0.1	0.3	0.1	0.1	0.1
All "Shi"	0.1	-	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.2	-
All "Gun"	0.2	0.3	0.1	0.3	0.1	0.2	0.2	0.2	0.1	0.3	0.1	0.1	0.1
Aichi	0.1	-	-	0.7	-	-	-	0.4	-	0.4	-	-	-
Akita	0.3	2.7	1.0	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	0.1	-	-	0.5	-	0.5	-	-	-	-	0.5	-	-
Ehime	0.1	-	-	-	-	-	-	-	-	-	0.8	-	-
Fukui	0.3	-	-	1.6	1.6	-	-	-	-	-	-	-	-
Fukuoka	0.1	-	-	-	-	-	-	-	0.7	0.4	-	-	0.7
Fukushima	0.1	-	0.6	-	-	-	-	-	-	1.2	-	-	-
Gifu	0.2	-	0.8	-	-	-	0.8	-	-	-	0.8	-	-
Gumma	0.1	1.4	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	0.1	-	-	0.6	-	-	-	-	0.6	-	-	0.6	-
Hokkaido	0.1	-	-	0.3	-	-	-	-	-	0.3	-	0.3	-
Hyogo	0.2	-	-	0.4	0.4	0.4	0.4	-	-	0.4	0.4	0.4	-
Ibaraki	0.0	-	-	-	-	-	-	0.6	-	-	-	-	-
Ishikawa	0.1	-	-	-	-	1.2	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	0.3	0.7	-	-	0.7	-	-	0.7	-	0.7	-	-	0.7
Kanagawa	0.1	-	0.5	-	0.5	-	-	-	-	-	-	-	-
Kochi	0.2	-	1.5	-	-	-	-	-	-	1.4	-	-	-

TABLE 72. - DEATH RATES FOR SELECTED BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

MALARIA (28)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	0.1	-	-	-	-	0.6	-	-	-	0.7	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kie	0.3	1.6	-	0.8	-	-	-	0.8	-	-	-	0.8	-
Miyagi	0.1	0.7	-	0.7	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	0.2	-	1.2	-	-	-	0.6	-	-	-	-	-	0.6
Nagasaki	0.2	0.7	-	2.2	-	-	-	-	-	-	-	-	-
Nara	0.3	-	-	1.5	-	-	-	-	0.5	-	-	0.5	-
Niigata	0.1	-	-	-	-	0.5	-	-	-	-	-	-	-
Oita	0.1	-	-	-	-	-	-	-	-	1.0	-	-	-
Okayama	0.1	-	-	-	-	-	0.7	-	-	-	-	-	-
Osaka	0.1	-	-	-	-	0.3	-	-	-	0.3	-	0.7	-
Saga	0.1	-	-	-	-	-	-	-	1.2	-	-	-	-
Saitama	0.1	-	-	-	-	-	0.6	-	-	0.6	-	-	-
Shiga	0.7	-	-	-	-	-	1.4	1.3	1.3	1.4	-	1.4	1.3
Shimane	0.4	-	-	-	-	2.5	-	-	-	1.3	-	1.3	-
Shizuoka	0.0	-	-	0.5	-	-	-	-	-	-	-	-	-
Tochigi	0.3	-	-	0.7	0.8	-	-	-	-	0.8	0.7	-	-
Tokushima	0.7	-	1.5	-	1.4	-	1.4	2.6	1.3	-	-	-	-
Tokyo	0.1	-	0.5	-	-	-	-	0.2	0.2	-	-	-	-
Tottori	0.3	-	-	1.9	-	-	-	-	-	-	1.9	-	-
Toyama	0.1	-	-	-	-	1.2	-	-	-	-	-	-	-
Wakayama	0.3	1.2	-	1.2	-	-	-	-	-	1.2	-	-	-
Yamagata	0.1	0.9	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	0.4	-	-	1.5	-	-	1.6	0.8	-	0.8	-	-	-
Yamanashi	0.2	1.4	1.6	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

SYPHILIS (30)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	6.7	7.4	7.4	7.4	6.9	5.7	5.8	5.8	5.6	5.9	6.8	7.6	7.8
All "Shi"	9.0	10.3	9.3	10.2	8.9	8.8	7.8	7.8	7.3	7.4	8.9	11.2	10.8
All "Gun"	5.4	5.9	6.4	6.0	5.9	4.0	4.7	4.7	4.7	5.1	5.8	5.7	6.3
Aichi	6.0	4.3	6.7	6.8	5.5	7.1	5.9	6.1	4.6	5.5	7.5	7.7	4.6
Akita	5.9	4.5	4.0	3.6	4.6	9.0	9.2	7.2	8.1	2.8	8.1	2.8	6.3
Aomori	6.6	5.7	5.2	8.5	6.8	6.6	7.8	1.9	5.7	9.7	7.5	3.9	10.4
Chiba	8.2	11.8	10.1	8.1	11.1	8.6	8.3	7.0	7.5	5.5	7.5	5.5	7.0
Ehime	4.4	3.9	1.7	5.4	4.0	3.9	2.4	2.3	6.2	4.0	2.3	8.8	7.8
Fuku	4.3	3.1	1.7	3.1	8.1	3.1	3.2	6.3	1.6	8.1	4.7	1.6	6.3
Fukuoka	9.7	11.4	11.1	13.9	12.9	7.3	4.7	10.1	8.7	7.5	7.3	10.8	11.1
Fukushima	5.6	5.1	11.9	4.5	5.3	1.7	2.9	4.5	9.6	5.3	7.9	2.9	6.2
Gifu	5.4	4.5	10.8	3.8	7.0	7.5	3.9	4.5	3.0	2.3	8.3	6.2	3.8
Gumma	6.6	9.3	7.1	5.0	3.7	3.6	6.6	3.6	7.9	7.4	6.4	9.6	9.3
Hiroshima	4.4	3.4	5.0	2.2	4.1	3.9	4.1	6.7	2.8	4.1	4.5	7.5	5.1
Hokkaido	8.0	10.3	7.6	10.6	9.7	7.1	7.4	8.0	5.4	7.1	6.6	8.0	8.6
Iyogo	5.5	5.1	6.4	4.7	6.8	5.1	3.8	5.8	6.2	4.1	5.8	5.6	6.2
Ibaraki	6.1	6.7	7.5	7.3	7.5	2.8	6.4	4.5	2.2	5.8	8.4	6.4	7.9
Ishikawa	5.7	4.9	8.1	6.1	5.0	1.2	3.8	3.7	7.3	3.8	4.9	7.6	12.2
Iwate	5.7	6.2	6.9	4.4	8.3	5.3	5.5	3.6	4.4	2.8	6.2	7.3	8.0
Kagawa	5.6	3.7	6.8	12.3	6.4	6.2	3.8	3.7	6.2	1.3	8.6	6.4	2.5
Kagoshima	7.7	7.2	6.5	10.4	6.7	7.8	4.0	7.2	7.2	12.1	5.2	8.1	9.8
Kanagawa	8.3	6.9	9.9	10.9	6.1	7.4	7.7	6.9	5.9	5.1	7.4	12.8	12.4
Kochi	6.4	11.9	4.4	4.0	9.6	2.7	5.5	1.3	5.3	4.1	14.6	2.7	10.6

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949. - Cont'd
(Rates per 100,000 population per annum)

SYPHILIS (30)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	5.8	6.4	5.7	5.8	4.0	4.5	6.6	6.4	5.1	4.7	5.8	7.3	7.7
Kyoto	9.0	10.9	12.1	11.6	6.7	9.0	9.3	5.2	7.1	8.0	9.0	6.7	12.9
Mie	6.0	6.3	7.9	4.8	6.5	4.0	4.1	3.2	3.2	1.6	6.3	13.9	10.3
Miyagi	7.2	5.0	7.2	7.2	10.4	2.9	8.9	5.8	5.0	8.2	7.9	9.7	7.9
Miyazaki	7.5	12.0	4.8	8.7	9.0	4.4	5.6	8.7	4.4	6.8	8.7	9.0	7.6
Nagano	5.3	6.1	5.5	3.3	3.4	4.4	6.9	3.9	5.5	4.6	7.7	5.7	6.1
Nagasaki	9.0	13.2	16.3	7.3	6.8	8.8	6.8	5.9	8.1	6.1	6.6	9.1	13.9
Nara	7.8	7.4	6.5	10.3	7.6	4.4	9.1	4.4	8.9	10.7	4.4	12.2	7.4
Niigata	4.2	3.8	4.2	2.4	6.3	1.9	4.9	4.2	3.3	3.9	5.2	5.9	4.2
Oita	6.4	8.3	7.1	5.5	9.5	8.3	5.7	5.5	3.7	5.7	6.5	3.8	7.4
Okayama	5.1	7.7	3.9	6.3	2.9	4.9	6.5	6.3	4.2	7.2	3.5	3.6	4.2
Osaka	8.3	11.1	7.2	10.5	9.5	7.2	7.4	6.9	6.5	8.1	10.1	8.4	6.9
Saga	8.8	9.9	15.0	17.3	5.1	-	5.1	11.1	3.7	10.2	4.9	16.6	7.4
Seitama	5.6	5.9	7.8	5.9	5.1	4.9	5.0	4.9	7.5	3.9	4.3	6.7	5.4
Shiga	4.8	5.3	-	5.3	4.1	7.9	2.7	7.9	5.3	5.4	5.3	4.1	3.9
Shimane	6.6	6.4	7.0	10.2	6.6	7.6	6.6	2.5	3.8	2.6	6.4	10.5	8.9
Shizuoka	6.0	7.2	6.9	6.2	5.9	4.3	4.9	5.7	6.2	4.9	5.3	7.9	6.2
Tochigi	7.8	8.9	6.5	8.9	4.6	4.4	6.9	5.9	11.1	11.4	7.4	10.7	6.6
Tokushima	6.5	7.9	10.2	7.9	4.1	5.3	4.1	6.6	2.6	8.2	4.0	5.5	11.9
Tokyo	9.2	11.7	9.2	10.8	8.3	10.6	6.8	7.8	5.5	7.0	9.1	11.4	12.1
Tottori	5.6	3.9	4.3	5.8	12.0	3.9	8.0	3.9	1.9	10.0	7.8	4.0	1.9
Toyama	4.4	3.5	1.3	3.5	3.6	5.8	4.8	1.2	6.9	7.1	5.8	2.4	6.9
Wakayama	4.9	3.5	7.8	2.3	9.7	4.7	2.4	3.5	2.3	4.8	3.5	6.1	8.2
Yamagata	4.6	4.3	6.6	5.1	4.4	0.9	2.6	6.8	1.7	3.5	6.0	7.1	6.0
Yamaguchi	5.5	8.4	5.1	9.9	7.1	3.1	3.2	3.8	3.1	3.2	6.1	5.5	7.6
Yamanashi	3.6	-	7.8	2.8	-	1.4	5.8	1.4	5.6	2.9	7.0	5.8	2.8

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

INFLUENZA (33)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.6	0.8	1.2	0.9	0.8	0.7	0.4	0.2	0.2	0.3	0.3	0.5	1.1
All "Shi"	0.5	0.5	1.0	0.7	0.6	0.8	0.2	-	0.1	0.3	0.3	0.4	0.9
All "Gun"	0.7	1.0	1.4	1.0	0.9	0.7	0.5	0.3	0.3	0.4	0.2	0.5	1.2
Aichi	0.5	-	1.2	0.7	0.4	-	-	-	0.7	-	0.7	1.1	1.1
Akita	0.6	1.8	-	-	1.8	0.9	0.9	0.9	-	0.9	-	-	-
Aomori	1.9	3.8	5.2	2.8	1.0	3.8	1.0	-	0.9	1.0	0.9	1.9	0.9
Chiba	0.6	0.5	1.2	2.1	1.1	-	0.6	0.5	0.5	0.6	-	-	-
Ehime	1.5	-	6.9	3.1	-	-	0.8	-	-	0.8	0.8	1.6	4.7
Fukui	0.9	4.7	1.7	-	1.6	1.6	-	-	-	-	-	-	1.6
Fukuoka	0.8	1.7	0.8	0.7	1.1	1.0	0.4	-	0.3	1.4	0.7	0.7	0.7
Fukushima	0.3	-	1.3	1.1	-	0.6	0.6	-	-	-	-	-	0.6
Gifu	0.6	0.8	1.7	-	-	0.8	-	1.5	-	-	0.8	-	1.5
Gumma	0.5	0.7	3.2	0.7	0.7	0.7	-	-	-	-	-	-	-
Hiroshima	1.0	0.6	-	-	2.9	0.6	1.7	-	-	1.2	-	1.2	3.4
Hokkaido	0.4	0.6	0.6	1.4	0.6	0.9	-	0.3	-	0.3	-	-	0.3
Ibogo	0.5	0.4	1.2	0.7	-	0.4	0.4	-	-	-	-	-	2.5
Ibaraki	0.0	-	0.6	-	-	-	-	-	-	-	-	-	-
Ishikawa	0.6	-	2.7	-	1.3	1.2	-	-	-	-	-	-	2.4
Iwate	0.6	1.8	-	-	0.9	-	0.9	0.9	-	-	-	1.8	0.9
Kagawa	1.1	-	-	1.2	1.3	-	2.5	1.2	1.2	1.3	1.2	-	3.7
Kagoshima	0.6	0.7	0.7	-	-	2.0	1.3	0.7	-	-	-	0.7	1.3
Kanagawa	0.5	-	2.7	1.0	-	1.0	-	-	0.5	-	1.0	-	0.5
Kochi	0.5	-	-	-	-	-	-	-	-	1.4	-	-	4.0

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

INFLUENZA (33)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	0.9	-	2.8	1.3	2.0	0.6	1.3	-	-	-	1.3	0.7	0.6
Kyoto	0.5	3.2	-	-	-	1.3	-	-	-	-	-	0.7	0.6
Kie	0.8	2.4	3.5	1.6	-	0.8	-	-	-	-	-	0.8	0.8
Miyagi	0.1	-	-	0.7	0.7	-	-	-	-	-	-	-	-
Miyazaki	0.6	1.1	2.4	-	2.3	-	-	-	1.1	-	-	-	1.1
Nagano	0.3	0.6	-	1.1	0.6	-	-	1.1	-	-	-	-	-
Nagasaki	0.6	-	-	2.2	1.5	0.7	-	-	0.7	-	0.7	0.8	-
Nara	0.5	-	-	4.4	-	-	-	-	-	-	-	1.5	-
Niigata	0.8	1.4	1.0	1.4	3.5	1.4	-	0.5	-	-	0.5	1.0	0.5
Oita	0.9	-	1.0	-	-	3.7	1.0	0.9	0.9	-	-	1.9	1.8
Okayama	0.4	2.1	-	-	-	0.7	-	-	-	-	-	-	2.1
Osaka	0.6	0.7	1.8	1.6	0.3	0.7	0.3	-	-	0.3	0.7	0.3	0.7
Saga	1.5	-	2.7	-	1.3	-	1.3	1.2	3.7	-	1.2	2.5	3.7
Saitama	0.1	-	0.6	-	0.6	-	-	-	-	-	-	-	0.5
Shiga	0.3	1.3	-	-	-	-	-	-	-	2.7	-	-	-
Shimane	1.1	2.5	-	2.5	5.3	1.3	-	-	-	-	-	-	1.3
Shizuoka	0.8	1.0	1.1	0.5	-	1.4	0.5	-	-	1.5	0.5	2.0	1.0
Tochigi	0.4	0.7	0.8	1.5	0.8	-	-	-	-	0.8	-	-	0.7
Tokushima	0.7	1.3	-	-	2.7	-	1.4	-	-	-	-	-	0.6
Tokyo	0.5	0.6	1.2	1.1	1.1	1.1	-	-	-	-	-	-	0.8
Tottori	0.2	1.9	-	-	-	-	-	-	-	-	-	-	-
Toyama	1.2	1.2	2.5	1.2	1.2	2.3	2.4	-	2.3	-	-	-	1.2
Nakayama	0.7	-	1.3	-	-	1.2	-	-	1.2	-	-	-	4.7
Yamagata	0.3	0.9	-	-	1.8	-	-	-	-	-	0.9	-	-
Yamaguchi	0.8	1.5	1.7	0.8	0.8	0.8	0.8	-	-	-	-	1.6	1.5
Yamanashi	0.5	-	1.6	1.4	1.5	-	-	-	-	-	-	-	1.4

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

SHALLOX (34)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.0	-	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-	0.0	-	-
All "Shi"	0.1	-	0.1	0.1	0.1	0.2	0.1	0.0	-	-	0.0	-	-
All "Gun"	0.0	-	-	-	0.0	0.0	0.0	-	0.0	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	0.0	-	-	-	0.6	-	-	-	-	-	-	-	-
Ehime	0.1	-	-	0.8	-	-	-	-	-	-	-	-	-
Fuku	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	0.0	-	-	-	0.3	-	-	-	0.3	-	-	-	-
Hyogo	0.1	-	-	-	-	0.7	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 72. - DEATH RATES FOR SELECTED BY MONTH BY PREFECTURES: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

SMALLPOX (34)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	0.1	-	-	-	-	0.7	-	-	-	-	0.7	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	0.2	-	0.4	-	0.7	0.7	0.7	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Seitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	0.0	-	-	-	-	0.5	-	-	-	-	-	-	-
Tochigi	0.1	-	0.8	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	0.0	-	-	-	0.2	-	-	0.2	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	0.1	-	-	-	-	-	1.2	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	0.1	-	-	0.8	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

MEASLES (35)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	15.1	8.2	10.8	20.1	26.4	39.5	32.7	20.7	9.7	3.4	2.4	3.4	3.9
All "Shi"	16.3	9.9	13.4	23.9	32.2	47.0	33.9	21.3	7.9	2.3	0.8	1.1	1.7
All "Gun"	14.5	7.4	9.4	18.1	23.4	35.6	32.1	20.3	10.7	4.1	3.3	4.6	5.1
Aichi	16.8	2.5	3.2	11.4	18.0	45.2	47.1	38.8	18.5	3.3	1.1	3.3	8.5
Akita	18.1	15.2	12.9	19.7	30.5	26.9	30.5	21.5	25.1	12.0	5.4	9.2	8.1
Aomori	19.1	22.6	24.0	27.4	31.2	34.9	24.4	21.7	9.4	14.6	6.6	7.8	5.7
Chiba	12.5	1.1	2.4	9.1	19.4	37.0	37.2	23.6	9.1	3.9	1.6	3.3	1.6
Ehime	9.0	3.1	7.7	14.7	12.0	17.8	18.4	10.9	9.3	1.6	2.3	4.0	6.2
Fukui	10.4	4.7	8.7	6.3	11.3	18.8	22.7	21.9	11.0	3.2	6.3	4.9	4.7
Fukuoka	24.2	26.0	34.2	48.9	54.8	60.0	40.1	17.0	4.9	2.2	-	1.4	1.4
Fukushima	15.2	9.1	11.3	30.1	32.2	40.3	34.6	27.8	10.8	5.3	4.0	5.3	7.4
Gifu	10.2	0.8	2.5	2.3	7.0	30.9	32.7	24.1	12.8	3.9	1.5	-	3.8
Gumma	17.2	4.3	9.5	12.9	13.3	29.3	45.0	31.4	14.3	2.2	6.4	20.7	16.4
Hiroshima	7.8	2.2	5.0	11.8	11.0	21.3	18.6	12.4	6.2	1.7	-	1.2	2.2
Hokkaido	28.1	51.4	33.5	40.6	45.8	60.3	39.6	31.4	17.1	6.8	4.6	2.7	2.9
Hyogo	12.1	1.1	2.8	13.1	19.2	41.1	29.3	18.9	9.5	3.8	1.8	2.3	2.2
Ibaraki	12.5	2.8	3.1	11.2	20.9	29.8	41.2	22.5	9.0	1.7	1.7	3.5	2.2
Ishikawa	18.7	14.6	9.5	22.0	20.2	69.5	46.6	30.5	7.3	2.5	-	-	-
Iwate	16.3	8.0	6.9	15.1	11.9	33.7	32.1	31.1	12.4	13.8	10.7	12.2	6.2
Kagawa	2.8	-	1.4	6.2	-	1.2	7.6	2.5	4.9	1.3	1.2	3.8	3.7
Kagoshima	12.6	3.9	5.8	22.8	16.8	29.9	23.5	23.4	9.8	2.7	0.7	2.7	8.5
Kanagawa	11.7	-	2.2	8.9	15.4	33.2	32.8	29.7	11.4	2.6	1.0	1.5	1.5
Kochi	2.4	8.0	2.9	1.3	2.7	5.3	2.7	-	2.7	1.4	1.3	-	-

TABLE 72. - DEATH RATES FOR SELECTED BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

MEASLES (35)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	12.3	7.1	12.8	23.2	33.9	27.0	20.6	16.1	2.6	0.7	1.3	2.0	0.6
Kyoto	19.6	5.8	19.2	38.0	59.2	68.9	22.0	13.5	3.9	-	2.6	-	1.9
Mie	17.3	4.0	17.5	29.3	51.5	33.6	37.6	14.3	8.7	2.5	4.0	2.5	2.4
Miyagi	14.7	2.9	4.8	9.4	20.8	42.5	32.0	19.4	14.4	2.2	5.8	14.1	7.2
Miyazaki	9.0	-	3.6	8.7	9.0	27.3	24.8	17.5	7.6	2.3	2.2	1.1	3.3
Nagano	8.1	1.7	2.4	2.2	14.8	13.8	24.0	13.8	8.8	1.1	2.8	4.6	7.2
Nagasaki	19.4	18.3	17.1	15.4	47.0	40.4	37.2	27.2	8.8	2.3	3.7	7.6	8.1
Nara	24.8	1.5	4.9	31.0	42.7	16.6	64.0	25.1	5.9	4.6	-	-	-
Niigata	23.0	8.0	13.1	35.4	30.7	59.4	56.1	30.2	16.5	3.4	5.7	9.3	8.0
Oita	19.1	6.5	15.3	45.2	51.5	47.0	33.4	14.8	8.3	2.9	1.8	1.0	1.8
Okayama	3.2	-	-	4.9	5.8	10.4	7.9	7.0	0.7	1.4	-	-	-
Osaka	24.4	9.2	19.5	47.1	67.9	84.7	45.3	12.4	3.9	1.0	0.7	0.7	0.3
Saga	16.1	3.7	20.5	23.4	43.3	38.2	43.3	14.8	4.9	-	1.2	-	1.2
Saitama	12.4	-	2.4	5.4	13.4	26.4	36.8	31.8	10.8	5.6	3.2	3.3	9.2
Shiga	21.0	-	5.8	9.2	31.3	72.4	83.0	36.9	10.5	2.7	-	-	-
Shimane	15.7	12.7	21.1	35.6	31.5	50.9	19.7	5.1	7.6	2.6	-	1.3	-
Shizuoka	10.7	1.0	1.1	8.1	10.4	28.2	32.6	17.7	16.7	3.0	1.4	2.0	5.7
Tochigi	6.1	2.2	4.1	6.6	10.7	12.5	9.9	11.8	3.7	3.0	0.7	4.6	3.7
Tokushima	5.3	-	1.5	-	4.1	2.6	12.3	15.9	7.9	1.4	5.3	4.1	7.9
Tokyo	10.9	3.2	10.1	20.1	21.7	26.7	24.1	15.5	4.7	2.0	1.3	0.7	0.8
Tottori	4.9	1.9	-	1.9	4.0	11.6	16.0	11.6	7.8	-	3.9	-	-
Toyama	20.6	2.3	8.9	9.2	25.0	74.8	63.0	34.5	11.5	11.9	3.5	-	2.3
Wakayama	16.8	28.1	29.9	46.9	35.1	38.7	18.2	1.2	3.5	1.2	-	-	-
Yamagata	14.1	17.9	11.3	11.1	14.1	19.6	26.5	25.6	15.4	10.6	6.0	4.4	6.8
Yamaguchi	15.0	3.1	11.8	22.1	44.2	48.1	26.8	13.7	7.6	0.8	1.5	-	-
Yamanashi	15.8	-	1.6	2.8	13.1	40.9	49.5	25.4	25.4	7.3	2.8	8.7	11.3

See footnotes at end of table.

TABLE 72. - DEATH RATE FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

ACUTE POLIOMYELITIS AND ACUTE POLIOENCEPHALITIS (36)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1.2	1.1	1.0	1.1	1.0	1.2	1.3	1.6	1.2	1.6	1.6	1.2	1.2
All "Shin"	1.1	1.2	0.8	0.9	1.2	0.8	1.0	1.6	1.0	1.3	1.4	1.0	1.2
All "Gun"	1.3	1.0	1.0	1.2	0.9	1.3	1.5	1.5	1.2	1.8	1.7	1.2	1.2
Aichi	1.7	1.4	1.2	0.7	1.5	1.4	1.1	1.8	3.2	1.8	3.6	1.1	1.4
Akita	1.4	0.9	1.0	2.7	0.9	1.8	-	0.9	-	0.9	2.7	1.8	1.7
Aomori	1.8	-	1.0	1.9	-	1.9	4.9	3.8	0.9	1.9	1.9	1.9	1.9
Chiba	1.2	1.1	2.4	1.6	-	1.6	1.7	0.5	0.5	1.7	1.6	0.6	1.6
Ehime	1.4	-	1.7	0.8	0.8	1.6	1.6	0.8	0.8	0.8	5.4	0.8	1.6
Fukui	0.8	3.1	-	1.6	-	-	-	-	1.6	3.2	-	-	-
Fukuoka	1.4	2.1	1.5	2.1	0.7	1.0	1.8	2.1	1.0	1.4	1.4	1.1	-
Fukushima	1.2	0.6	-	1.1	1.2	1.7	1.2	2.3	-	1.8	3.4	1.2	-
Gifu	1.2	0.8	-	0.8	2.3	0.8	2.3	1.5	1.5	0.8	0.8	0.8	1.5
Gunma	1.6	-	-	0.7	0.7	2.9	-	3.6	3.6	2.2	1.4	-	3.6
Hiroshima	1.5	1.7	1.2	1.1	0.6	3.4	-	1.1	1.1	2.9	0.6	0.6	3.4
Hokkaido	1.4	1.1	1.6	2.0	1.2	0.9	2.4	2.3	0.6	2.7	1.7	0.3	0.6
Hyogo	1.2	1.1	0.4	0.7	1.1	0.7	0.8	2.5	-	3.0	1.5	0.8	1.5
Ibaraki	1.1	1.7	1.2	1.1	0.6	-	1.7	0.6	1.1	1.7	1.7	1.2	0.6
Ishikawa	0.9	-	1.4	1.2	1.3	-	1.3	1.2	1.2	1.3	-	-	2.4
Iwate	1.5	0.9	-	2.7	1.8	1.8	0.9	1.8	3.6	1.8	1.8	0.9	-
Kagawa	1.5	2.5	2.7	2.5	-	1.2	1.3	1.2	1.2	3.8	-	-	1.2
Nagashima	1.9	3.3	3.6	-	1.3	2.0	2.7	2.6	-	1.3	2.6	2.0	1.3
Nagawga	1.2	1.1	1.1	1.5	2.0	-	1.5	0.5	0.5	1.5	3.0	-	1.0
Kochi	1.1	1.3	1.5	-	2.7	1.7	1.4	1.3	1.3	1.4	1.3	-	-

TABLE 72.- DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

ACUTE POLIOMYELITIS AND ACUTE POLIOENCEPHALITIS (36)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	1.3	0.6	0.7	-	0.7	0.6	2.0	-	1.3	3.3	3.9	1.3	1.3
Kyoto	0.5	0.6	0.7	1.3	0.7	-	-	0.6	-	1.3	0.6	0.7	-
Kie	0.9	1.6	-	0.8	-	1.6	0.8	-	0.8	0.8	2.4	1.6	-
Miyagi	1.5	0.7	-	1.4	0.7	5.0	1.5	1.4	2.9	-	-	3.7	0.7
Miyazaki	1.6	1.1	-	-	-	1.1	2.3	1.1	3.3	1.1	2.2	2.3	4.4
Nagano	1.2	0.6	-	0.6	0.6	1.1	1.7	1.1	2.2	1.7	1.1	2.9	0.6
Nagasaki	1.3	1.5	-	0.7	0.8	0.7	2.3	2.2	-	0.8	2.9	2.3	1.5
Nara	1.5	1.5	-	1.5	-	-	-	4.4	4.4	3.0	1.5	-	1.5
Miigata	1.0	0.5	1.0	0.8	1.0	0.5	1.0	2.4	-	1.5	0.9	1.5	2.5
Oita	3.1	0.9	3.1	1.8	1.0	3.7	3.8	5.5	4.6	1.9	3.7	3.8	2.8
Okavama	1.2	-	0.8	2.1	0.7	2.1	0.7	1.4	1.4	2.2	0.7	0.7	2.1
Osaka	1.2	1.6	0.7	0.7	2.0	1.0	1.0	1.3	1.3	1.7	0.3	2.4	1.0
Saga	1.4	2.5	1.4	1.8	-	1.2	3.8	-	-	2.5	3.7	-	-
Saitama	0.8	1.1	0.6	-	-	0.5	1.1	1.1	1.1	1.1	1.1	1.1	0.5
Shiga	0.9	-	1.5	-	-	-	1.4	3.9	-	1.4	-	1.4	1.3
Shimane	1.2	-	-	2.5	1.3	-	-	1.3	3.8	2.6	-	2.6	-
Shizuoka	1.5	1.4	1.1	0.5	2.0	1.4	0.5	1.9	2.4	1.5	2.4	1.5	1.9
Tchigi	1.2	0.7	2.4	1.5	0.8	0.7	0.8	0.7	0.8	0.8	0.7	1.5	3.7
Tokushima	0.9	-	2.9	-	1.4	-	1.4	-	1.3	-	1.3	-	2.6
Tokyo	0.8	1.3	0.2	0.4	1.5	0.4	0.7	1.1	0.2	1.1	0.8	0.7	0.8
Tottori	0.3	-	-	-	-	-	2.0	-	-	-	-	-	1.9
Toyama	1.1	1.2	-	-	-	1.2	-	2.3	1.2	1.2	1.2	3.6	1.2
Wakayama	1.1	-	-	-	3.6	-	-	2.3	1.2	1.2	1.2	1.2	1.2
Yamagata	0.8	-	-	2.6	-	1.7	0.9	1.7	1.7	-	-	-	0.8
Yamaguchi	1.2	1.5	1.7	2.3	0.8	2.3	0.8	0.8	-	1.6	0.8	0.8	0.8
Yamanashi	0.7	-	1.6	-	-	-	2.9	-	-	-	2.8	1.5	-

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

JAPANESE "B" ENCEPHALITIS (37b)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1.4	0.0	0.1	0.1	0.0	0.1	0.2	0.3	2.2	11.5	2.4	0.3	0.0
All "Shi"	2.2	0.1	0.2	0.2	0.0	0.2	0.2	0.4	3.6	18.3	3.4	0.6	-
All "Gun"	1.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	1.5	7.8	1.9	0.2	0.1
Aichi	2.2	-	-	0.4	-	-	-	0.4	9.3	14.0	1.8	0.4	-
Akita	0.5	-	-	-	-	-	-	-	4.5	1.8	-	-	-
Aomori	0.7	-	1.0	-	-	-	1.9	0.9	-	2.9	1.9	-	-
Chiba	1.7	-	0.6	-	-	0.5	-	0.5	0.5	6.7	2.7	-	-
Ehime	1.2	-	-	-	-	-	0.8	-	1.6	11.2	0.8	-	-
Fuku	3.5	-	-	-	-	-	-	-	1.6	32.4	6.3	1.6	-
Fukuoka	0.9	0.3	-	0.3	-	-	-	-	0.3	7.5	2.4	-	-
Fukushima	0.0	-	-	-	-	-	0.6	-	-	-	-	-	-
Gifu	1.5	-	-	-	-	-	-	-	1.5	14.8	1.5	-	-
Gunma	0.4	-	-	-	-	-	-	0.7	-	1.5	1.4	-	0.7
Hiroshima	2.4	-	-	-	-	-	-	0.6	2.8	23.8	1.1	1.2	-
Hokkaido	0.0	-	-	-	-	-	-	0.3	0.3	-	-	-	-
Hyogo	2.2	-	-	-	-	-	-	0.7	1.5	10.6	3.6	0.8	0.4
Ibaraki	1.1	-	-	-	-	-	1.7	0.6	1.7	4.1	4.5	1.2	-
Ishikawa	1.0	1.2	-	-	-	-	-	-	-	11.3	-	-	-
Iwate	0.2	-	-	-	-	-	-	-	1.8	-	-	-	-
Kagawa	1.6	-	-	-	-	-	-	-	-	15.3	3.7	-	-
Kagoshima	0.8	-	-	0.7	-	-	-	0.7	-	5.4	2.6	0.7	-
Kanagawa	1.9	-	-	-	-	-	-	-	4.0	12.8	5.9	-	-
Kochi	0.1	-	-	-	-	-	-	-	-	-	1.3	-	-

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

JAPANESE "B" ENCEPHALITIS (37b)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	4.4	-	-	-	-	0.6	-	1.3	0.6	45.2	4.5	0.7	-
Kyoto	1.0	0.6	-	-	-	-	-	-	-	10.0	0.6	0.7	-
Mie	1.7	-	-	-	-	-	-	0.8	6.3	13.1	0.8	-	-
Miyagi	0.4	-	-	-	-	-	-	1.4	1.4	0.7	0.7	-	-
Miyazaki	3.2	-	-	1.1	-	-	-	1.1	1.1	23.7	8.7	3.4	-
Nagano	1.0	-	-	-	-	-	-	0.6	1.7	8.6	1.7	-	-
Nagasaki	0.4	-	-	-	-	-	-	0.7	-	3.8	0.7	-	-
Nara	1.9	-	-	-	-	-	1.0	0.5	7.4	13.7	1.5	-	-
Niigata	0.4	-	-	-	-	-	-	-	-	2.4	1.4	-	-
Oita	0.6	-	-	-	-	-	-	-	0.9	3.8	2.8	-	-
Okayama	2.1	-	-	-	-	-	-	0.7	2.8	15.8	4.2	1.4	-
Osaka	1.4	-	-	-	-	-	-	0.7	2.3	12.8	1.6	-	-
Saga	0.8	-	-	-	-	-	0.6	-	-	6.4	3.7	-	-
Saitama	1.8	-	-	-	-	-	-	-	2.2	13.9	4.9	-	0.5
Shiga	3.4	-	-	-	-	-	-	1.3	2.6	29.9	6.6	-	-
Shimane	1.8	-	-	-	-	-	-	-	-	14.5	6.4	1.3	-
Shizuoka	2.6	-	0.5	0.5	-	-	0.5	-	11.9	15.8	1.4	0.5	-
Tochigi	0.4	-	-	-	-	-	-	-	-	3.0	2.2	-	-
Tokushima	3.1	-	-	-	-	-	-	-	9.3	24.6	2.6	1.4	-
Tokyo	1.5	-	0.5	0.6	0.2	-	0.2	-	2.3	13.1	1.7	-	-
Tottori	0.7	-	-	-	-	-	-	-	3.9	2.0	1.9	-	-
Toyama	4.3	-	-	-	1.2	-	-	-	3.5	39.2	6.9	1.2	-
Wakayama	2.9	-	-	-	-	-	-	1.2	3.5	27.9	2.3	-	-
Yamagata	0.1	-	0.9	-	-	-	-	-	-	0.9	-	-	-
Yamaguchi	3.0	-	-	-	-	-	-	-	0.8	75.2	9.2	0.8	-
Yamanashi	1.4	-	-	-	-	4.2	2.9	-	2.8	4.4	2.8	-	-

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

RABIES (38b)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1
All "Shi"	0.1	0.0	0.0	0.0	0.1	0.1	-	0.1	0.2	0.3	0.3	0.1	0.1
All "Gun"	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	0.9	-	0.6	-	1.1	1.1	1.7	1.1	1.6	1.7	-	1.1	0.5
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	0.4	-	-	-	-	-	-	0.7	1.4	0.7	-	0.7	1.4
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Iyogo	0.0	-	0.4	-	-	-	-	-	-	-	-	-	-
Ibaraki	0.1	-	-	-	0.6	-	-	0.6	0.6	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	0.3	-	-	0.5	-	-	-	-	-	2.0	1.0	0.5	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

RABIES (38b)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	0.1	-	-	-	-	-	-	-	-	-	0.7	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	0.6	-	0.6	0.5	1.1	0.5	0.6	-	1.6	-	0.5	0.6	1.6
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	0.1	-	-	-	-	-	0.8	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	0.4	0.4	0.2	0.2	0.2	0.6	-	0.4	0.6	0.4	1.3	0.2	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

TYPHUS FEVER AND TYPHUS-LIKE DISEASES (39)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
All "Shi"	0.1	0.0	0.1	0.1	0.0	0.1	0.2	0.0	0.2	0.1	0.0	0.0	-
All "Gun"	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
Aichi	0.0	-	-	-	0.4	-	-	-	-	-	-	-	-
Akita	0.1	-	-	-	-	-	-	-	-	0.9	-	-	-
Aomori	0.2	-	1.0	0.9	-	-	1.0	-	-	-	-	-	-
Chiba	0.1	-	0.6	-	-	-	0.6	-	-	0.6	-	-	-
Ehime	0.4	-	2.6	-	-	-	0.8	-	0.8	-	0.8	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.1	-	-	-	-	-	-	-	-	-	0.3	-	0.3
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	0.1	-	0.6	-	-	0.6	0.6	-	-	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibigo	0.1	-	0.4	0.4	-	-	0.4	-	0	-	-	0.4	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

TYPHUS FEVER AND TYPHUS-LIKE DISEASES (30)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	0.2	0.6	-	-	0.7	-	-	-	0.6	-	-	-	-
Kyoto	0.2	1.3	-	-	-	-	0.7	-	-	-	-	-	-
Mie	0.1	-	0.9	-	-	-	-	-	-	-	-	-	-
Niigagi	0.2	-	-	-	0.7	0.7	-	-	1.4	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Nigata	0.1	-	-	-	-	-	-	0.5	0.9	-	-	-	-
Oita	0.3	-	-	0.5	-	1.8	-	-	-	1.0	-	-	-
Okayama	0.7	-	-	0.7	-	1.4	0.7	0.7	1.4	1.4	-	0.7	0.7
Osaka	0.1	-	-	-	-	-	0.3	0.3	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	0.0	-	-	0.5	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	0.1	-	-	-	-	-	-	-	-	1.3	-	-	-
Shizuoka	0.1	-	-	-	0.5	-	0.5	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	0.1	-	-	0.2	0.2	-	0.2	-	0.2	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	0.4	-	-	-	-	-	-	-	-	2.4	1.2	-	-
Yamagata	-	-	-	1.2	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	0.1	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	0.1	1.4	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

CANCER AND OTHER MALIGNANT TUMORS (45-55)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	71.6	67.9	67.2	67.9	68.8	70.3	71.6	73.6	76.2	76.3	73.4	72.8	73.4
All "Shi"	78.7	75.8	74.2	75.7	74.3	74.0	78.3	79.4	84.4	84.3	81.9	81.0	80.8
All "Gun"	67.9	63.7	63.6	63.7	65.9	68.4	68.0	70.5	71.8	72.1	68.9	68.4	69.6
Aichi	71.6	71.9	59.1	67.3	67.7	71.2	62.2	76.9	71.6	75.1	79.1	81.7	74.4
Akita	57.4	52.8	63.4	41.2	54.6	58.2	61.0	49.2	48.2	66.6	60.0	73.1	60.9
Aomori	53.2	47.2	40.7	50.9	53.6	44.3	56.5	50.9	50.0	62.4	51.9	62.4	67.0
Chiba	82.2	71.9	68.3	83.7	84.3	77.8	87.1	86.4	88.0	80.4	88.0	84.3	84.3
Ehime	73.1	70.9	67.9	76.8	66.5	72.9	73.0	73.7	81.5	81.0	65.9	78.6	59.7
Fukui	73.7	61.1	81.5	56.4	71.2	72.1	74.5	73.6	76.8	64.8	86.2	61.5	105.0
Fukuoka	77.8	70.4	76.4	77.7	72.4	69.7	70.6	79.8	92.3	77.1	82.6	82.1	82.6
Fukushima	64.2	52.2	55.9	69.7	55.1	65.8	56.2	73.1	72.6	69.1	60.7	69.7	69.7
Gifu	67.0	58.8	66.7	64.1	64.6	68.6	64.6	75.4	77.6	64.6	75.4	60.0	63.3
Gumma	71.6	51.4	59.3	66.4	70.8	65.0	78.2	87.1	67.1	91.5	65.0	73.1	83.6
Hiroshima	74.3	73.0	79.0	70.8	67.3	68.5	80.7	69.6	74.7	81.2	70.8	81.8	74.7
Hokkaido	59.3	55.4	55.4	56.3	62.3	52.3	60.2	57.4	66.0	68.5	57.7	60.5	60.0
Iyogo	70.2	65.2	67.3	73.5	64.7	65.9	74.8	67.7	69.9	70.7	78.3	66.6	77.2
Ibaraki	74.9	78.1	80.3	71.4	74.3	67.4	73.2	84.9	81.5	70.3	71.9	72.6	73.6
Ishikawa	83.4	78.1	97.3	93.9	73.1	70.8	81.9	83.0	87.8	89.5	86.6	66.8	92.7
Iwate	47.9	49.7	41.3	45.3	60.5	39.1	51.4	47.9	52.4	49.5	50.6	43.1	43.5
Kagawa	80.3	84.9	83.1	62.7	89.0	91.0	86.4	81.2	76.3	80.1	80.0	86.4	64.0
Kagoshima	55.1	59.2	56.2	43.6	50.4	56.6	60.5	62.4	50.7	65.9	55.3	47.0	53.3
Kagawa	66.8	64.9	64.2	61.0	66.6	66.9	67.6	65.9	66.4	75.3	61.5	75.8	65.4
Kochi	68.7	59.7	71.9	55.7	67.2	71.6	64.4	82.2	66.3	76.7	74.3	54.8	75.6

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

CANCER AND OTHER MALIGNANT TUMORS (45-55)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	66.8	68.2	43.4	60.5	55.8	70.1	59.2	69.5	70.8	74.5	71.4	79.8	72.7
Kyoto	77.6	66.3	69.9	78.5	73.2	68.2	77.2	79.2	86.9	95.1	74.7	81.2	81.1
Mie	73.8	80.0	75.4	72.8	56.5	73.6	57.3	73.6	86.3	83.5	78.4	73.6	72.8
Niigata	73.7	63.3	81.3	66.9	82.6	79.2	69.5	72.0	84.2	70.7	60.5	73.6	80.6
Niigata	61.0	61.1	64.1	44.4	51.9	51.3	63.2	66.6	67.7	72.2	53.5	60.9	55.7
Nagano	80.0	75.7	69.1	73.5	85.1	74.0	79.9	80.1	86.7	85.6	91.2	75.4	82.3
Nagasaki	65.4	60.9	67.4	51.4	58.4	46.8	76.6	63.1	76.3	68.3	66.1	71.3	59.4
Nara	99.4	95.9	99.7	95.9	105.2	100.3	91.5	104.8	171.0	85.4	93.0	91.5	107.7
Niigata	83.1	85.4	65.3	80.2	84.3	82.6	79.5	86.3	87.8	91.2	85.4	80.4	87.8
Oita	69.3	66.4	71.5	70.1	56.2	84.9	61.0	70.1	68.3	52.4	73.8	92.5	64.6
Okayama	77.3	80.8	67.8	68.6	62.6	83.5	73.4	85.6	92.6	81.3	78.7	79.9	71.0
Osaka	76.9	71.3	83.6	72.2	47.6	75.5	75.3	86.0	79.8	71.9	92.5	75.7	71.9
Saga	79.0	90.1	80.6	79.0	82.9	76.5	88.0	72.8	66.6	82.9	77.7	80.3	71.6
Saitama	75.6	62.0	59.7	71.1	75.7	82.5	77.4	77.1	84.1	84.6	85.1	67.9	78.7
Shiga	75.9	75.0	71.4	82.9	78.9	82.9	84.3	65.8	75.0	62.6	86.9	66.7	77.7
Shimane	76.5	61.0	80.3	66.1	67.0	94.1	77.5	71.2	100.5	77.5	78.8	72.3	71.2
Shizuoka	57.5	60.6	48.1	54.9	58.2	60.1	58.7	64.4	61.1	59.7	48.7	56.7	56.8
Tochigi	74.5	67.9	64.5	68.6	83.1	72.3	75.5	72.2	75.2	83.8	67.9	67.1	86.3
Tokushima	72.5	74.0	68.8	62.1	68.3	56.8	77.9	68.7	66.1	77.9	62.1	112.0	76.7
Tokyo	71.7	69.6	68.6	67.4	66.0	71.5	69.9	72.7	77.0	77.1	75.3	67.9	76.8
Tottori	83.1	77.5	57.9	83.4	90.1	83.3	92.1	81.4	83.3	82.1	69.8	94.1	102.7
Toyama	81.8	72.5	59.9	80.6	73.7	92.1	90.4	81.7	84.0	94.0	82.9	84.4	84.0
Wakayama	85.5	76.2	94.8	82.1	76.3	72.7	54.5	78.6	89.1	100.6	96.1	89.7	77.4
Yamagata	77.9	44.9	64.2	65.7	75.8	80.2	27.3	65.7	81.1	101.4	87.9	82.0	78.5
Yamaguchi	70.1	73.3	67.6	64.1	63.1	73.3	71.8	70.2	77.1	84.4	64.9	59.9	71.0
Yamaguchi	73.8	69.0	67.1	62.0	81.5	69.0	74.3	81.7	76.1	75.7	78.9	72.8	77.5

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

DIABETES MELLITUS (61)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	2.3	2.9	2.8	2.9	2.6	2.2	1.9	2.0	1.8	1.9	2.2	2.1	2.3
All "Shi"	1.8	2.1	1.9	2.5	2.0	1.7	1.3	1.6	1.5	1.6	1.6	1.8	2.2
All "Gun"	2.5	3.3	3.3	3.1	2.9	2.4	2.2	2.2	2.0	2.1	2.5	2.3	2.3
Aichi	2.7	3.9	3.9	1.8	4.0	2.1	1.8	1.8	2.5	2.2	1.4	1.5	5.0
Akita	1.4	-	3.0	1.8	1.8	2.7	1.8	-	-	0.9	1.8	2.8	-
Aomori	1.2	0.9	1.0	0.9	1.0	0.9	1.9	0.9	-	1.0	2.8	1.9	0.9
Chiba	2.3	1.6	3.6	5.4	4.4	1.6	1.1	1.1	1.1	1.1	2.1	1.7	3.2
Ehime	2.4	7.8	0.9	3.1	1.6	0.8	2.4	2.3	2.3	3.2	1.6	2.4	0.8
Fukui	3.6	3.1	3.5	4.7	1.6	4.3	3.2	1.6	1.6	4.9	4.7	-	7.8
Fukuoka	2.4	3.8	1.5	3.5	3.6	1.4	3.2	1.7	3.1	1.8	0.7	2.9	1.0
Fukushima	1.4	1.1	1.9	1.1	1.8	2.3	2.9	1.7	2.3	0.6	1.7	-	-
Gifu	2.4	4.5	1.7	3.0	3.1	1.5	2.3	0.8	0.8	3.1	3.8	2.3	1.5
Gumma	1.8	0.7	4.0	3.6	0.7	0.7	-	1.4	0.7	2.2	1.4	2.2	3.6
Hiroshima	3.9	5.1	4.4	7.3	2.3	4.5	4.1	5.1	2.2	3.5	2.8	4.6	0.6
Hokkaido	2.1	1.7	2.2	2.6	3.2	1.4	1.8	2.0	2.0	2.1	1.7	2.1	2.0
Hyogo	2.1	1.8	2.4	1.8	4.1	2.5	1.9	2.5	0.7	0.8	1.8	1.5	3.3
Ibaraki	2.1	1.7	1.9	2.2	3.5	1.1	0.6	0.6	2.8	0.6	4.5	2.3	2.8
Ishikawa	4.7	8.5	4.1	9.8	1.3	6.1	5.0	2.4	4.9	6.3	4.9	1.3	1.2
Iwate	1.6	0.9	2.0	-	1.8	4.4	0.9	1.8	0.9	0.9	1.8	1.8	1.8
Kagawa	4.0	2.5	8.2	1.2	8.9	1.2	2.5	7.4	3.7	3.8	1.2	2.5	4.9
Kagoshima	2.0	5.9	4.3	3.3	0.7	2.0	-	1.3	2.0	-	3.3	1.3	0.7
Kanagawa	1.6	2.0	2.2	-	2.0	3.0	-	1.0	3.0	1.0	0.5	2.6	2.0
Kochi	6.0	14.6	7.3	4.0	5.5	6.6	2.7	5.3	5.3	-	1.3	6.9	11.9

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)
DIABETES MELLITUS (61)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	2.2	3.9	3.6	1.3	2.0	1.3	4.7	2.6	0.6	2.7	0.6	2.7	0.6
Kyoto	2.4	3.2	2.9	3.2	1.3	6.4	0.7	1.9	1.3	2.7	3.2	1.3	-
Mie	2.3	0.8	1.8	2.4	3.3	2.4	1.6	2.4	4.0	3.3	2.5	1.5	-
Niigata	1.5	2.2	0.8	2.9	2.2	0.7	-	1.4	1.4	2.2	0.7	1.5	1.4
Miyazaki	2.0	2.2	4.8	-	3.4	1.1	1.1	2.2	-	1.1	3.3	1.1	4.4
Nagano	2.1	3.3	3.7	1.7	3.4	0.6	2.3	2.8	1.7	0.6	1.7	1.1	2.2
Nagasaki	2.8	4.4	3.3	2.9	2.3	1.5	0.8	3.7	1.5	3.0	2.2	3.8	4.4
Nara	2.1	1.5	1.6	4.4	1.5	1.5	4.6	1.5	1.5	1.5	1.5	1.5	3.0
Niigata	2.9	2.4	3.7	4.7	2.9	3.3	2.4	2.8	0.9	2.0	3.8	2.4	3.3
Oita	2.7	4.6	7.1	4.4	-	2.8	-	3.7	2.8	1.9	1.8	1.0	2.8
Okayama	3.4	2.1	3.9	2.8	4.3	4.9	2.9	0.7	3.5	2.9	5.6	4.3	3.5
Osaka	1.4	2.3	0.4	3.3	1.7	0.3	2.0	1.3	2.0	1.0	0.3	0.3	2.3
Saga	2.6	7.4	6.8	3.7	2.5	-	1.3	1.2	-	1.3	2.5	2.5	2.5
Saitama	1.8	2.2	1.8	0.5	1.1	2.7	2.2	1.1	1.6	2.8	1.6	2.2	2.2
Shiga	2.7	3.9	2.9	2.6	2.7	-	2.7	1.3	2.6	2.7	5.3	1.4	3.9
Shimane	4.3	2.5	1.4	6.4	7.9	5.1	6.6	1.3	1.3	3.9	3.8	5.3	6.4
Shizuoka	1.9	2.4	1.6	1.9	2.5	1.9	3.0	3.8	0.5	0.5	2.9	2.0	0.5
Tochigi	1.4	0.7	4.1	1.5	-	2.2	1.5	0.7	1.5	0.8	1.5	2.3	-
Tokushima	2.7	6.6	4.4	4.0	1.4	1.3	2.7	2.6	1.3	-	1.3	4.1	2.6
Tokyo	1.4	1.7	2.1	2.8	0.7	0.8	0.9	1.5	1.3	1.1	0.6	0.7	2.1
Tottori	4.3	1.9	2.1	3.9	6.0	5.8	6.0	5.8	3.9	6.0	3.9	6.0	-
Toysama	3.3	3.5	3.8	5.8	1.2	3.5	-	1.2	1.2	3.6	8.1	2.4	5.8
Wakayama	3.5	2.3	3.0	4.7	4.8	3.5	3.6	4.7	1.2	6.1	3.5	3.6	-
Yamagata	2.0	0.9	1.9	5.1	3.5	-	1.8	1.7	1.7	2.6	2.6	1.8	0.9
Yamaguchi	2.6	3.8	5.1	2.3	3.2	2.3	-	-	2.3	3.2	2.3	3.2	3.8
Yamanashi	2.0	1.4	-	2.8	2.9	4.2	1.5	1.4	4.2	1.5	2.8	1.5	-

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

BERIBERI (68)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	6.8	8.6	8.5	8.6	8.2	6.8	6.1	5.3	5.9	5.3	5.5	5.8	7.1
All "Shi"	6.4	7.8	7.8	8.7	7.5	6.0	5.8	5.9	6.2	4.4	5.8	5.1	6.2
All "Guns"	7.0	8.9	9.0	8.6	8.5	7.2	6.2	5.0	5.7	5.9	5.3	6.2	7.5
Aichi	6.7	10.7	9.5	9.3	7.4	5.7	9.2	4.6	5.7	3.3	7.1	2.9	5.3
Akita	10.3	9.8	10.9	10.7	15.7	10.7	6.5	7.2	9.0	12.0	10.7	10.2	9.8
Aomori	16.6	20.7	14.6	23.6	26.3	18.9	4.9	11.3	12.3	11.7	16.0	24.4	14.1
Chiba	5.2	5.4	8.3	5.4	8.3	2.7	8.9	2.7	4.8	2.8	5.4	2.2	5.4
Ehime	3.0	3.1	3.4	4.7	2.4	4.7	2.4	3.1	2.3	4.0	2.3	2.1	1.6
Fukui	7.3	4.7	10.4	9.4	11.3	11.0	8.1	11.0	3.1	6.5	4.7	4.5	3.1
Fukuoka	6.4	10.4	6.6	8.3	7.9	5.5	4.3	5.5	4.5	5.4	5.9	5.0	4.2
Fukushima	5.7	5.7	8.2	9.1	6.4	5.1	5.9	1.7	6.2	3.5	3.4	5.9	7.9
Gifu	5.5	3.0	6.7	7.5	7.0	7.5	4.7	5.3	2.3	7.0	6.0	2.3	6.8
Gunma	4.2	7.9	6.3	2.9	5.2	5.0	6.6	0.7	1.4	3.0	2.1	5.2	5.0
Hiroshima	6.1	10.1	9.3	7.9	6.4	6.2	3.5	3.4	7.9	3.5	3.9	4.1	7.3
Hokkaido	8.4	7.7	8.9	14.0	11.5	8.6	8.3	5.7	9.1	4.4	3.7	7.4	11.7
Hyogo	6.6	8.7	6.9	8.3	10.9	6.9	7.1	5.5	5.1	3.4	4.7	7.5	4.4
Ibaraki	6.4	7.3	11.2	11.8	5.2	8.4	5.8	6.7	5.6	5.8	2.2	2.9	4.5
Ishikawa	11.7	17.1	9.5	11.0	20.2	14.6	15.1	8.5	9.8	7.6	6.1	5.0	15.9
Iwate	14.1	12.4	17.7	20.4	20.2	20.4	9.2	7.1	7.1	7.3	8.0	14.7	24.9
Kagawa	1.9	1.2	2.7	-	1.3	1.2	2.5	3.7	4.9	1.3	1.2	2.5	-
Kagoshima	5.7	9.8	8.6	7.8	4.7	3.9	2.7	4.6	4.6	4.0	7.8	4.0	6.5
Kanagawa	4.8	5.5	4.9	5.9	6.7	5.0	4.1	3.5	4.0	5.1	5.0	3.1	4.5
Kochi	7.5	18.6	10.3	11.9	8.2	8.0	5.5	6.6	2.7	5.5	6.6	2.7	4.0

TABLE 72. - DEATH FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

BERIBERI (68)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	5.2	7.1	4.3	5.1	6.0	3.9	2.7	3.2	4.5	6.6	5.8	6.0	7.7
Kyoto	8.0	10.3	5.0	13.5	9.3	6.4	8.0	8.4	9.0	6.0	9.0	5.3	5.2
Mie	7.4	7.1	14.9	15.0	7.4	7.9	5.7	5.5	5.5	4.1	4.0	4.1	7.9
Miyagi	8.9	13.0	10.4	13.0	13.4	12.2	11.2	2.9	5.8	3.7	5.8	7.4	7.9
Miyazaki	5.4	7.6	2.4	5.5	4.5	6.6	7.9	-	3.3	7.9	7.6	6.8	4.4
Nagano	3.6	3.9	4.3	5.0	3.4	2.2	3.4	2.8	5.5	3.4	3.3	2.9	3.3
Nagasaki	5.7	11.0	7.3	10.3	3.8	2.9	2.3	4.4	5.9	3.0	3.7	6.1	7.3
Nara	7.3	4.4	3.3	11.8	9.1	3.0	3.0	8.9	14.8	7.6	7.4	4.6	8.9
Niigata	8.7	3.8	10.4	9.4	11.2	13.2	10.2	7.1	7.1	5.4	9.4	6.3	10.4
Oita	6.4	5.5	13.3	3.7	6.7	0.9	5.7	12.0	5.5	10.5	2.8	6.7	4.6
Okayama	6.6	5.6	6.9	4.9	10.8	5.6	5.0	11.1	5.6	6.5	6.3	7.2	3.5
Osaka	10.7	14.7	13.8	11.1	10.5	10.1	10.8	9.5	11.4	11.5	9.5	7.4	8.8
Saga	11.5	24.7	23.2	8.6	12.7	6.2	11.5	7.4	11.1	7.6	3.7	10.2	12.3
Saitama	4.7	4.3	6.0	7.0	5.6	5.4	1.7	3.2	4.9	3.9	3.8	7.2	3.8
Shiga	8.2	17.1	5.8	66.6	6.8	3.9	5.4	1.3	13.2	10.9	5.3	9.5	11.8
Shimane	5.5	6.4	7.0	5.1	6.6	6.4	3.9	2.5	2.5	2.6	7.6	6.6	8.9
Shizuoka	5.4	8.6	5.8	4.3	4.9	7.6	3.0	5.3	4.3	3.9	4.3	6.9	6.2
Tochigi	5.0	5.9	9.8	5.2	5.3	3.0	5.3	4.4	3.7	1.5	3.7	4.6	8.1
Tokushima	3.4	4.0	1.5	1.3	4.1	-	2.7	4.0	5.3	4.1	5.3	4.1	4.0
Tokyo	5.4	7.2	8.0	7.4	6.8	5.3	5.9	3.8	4.2	3.7	4.5	3.5	5.1
Tottori	8.6	3.9	12.9	7.8	10.0	7.8	10.0	7.8	5.8	10.0	3.9	12.0	11.6
Toyama	11.0	13.8	10.2	10.4	14.3	10.4	7.1	9.2	9.2	15.5	4.6	8.3	19.6
Wakayama	3.5	7.0	2.6	4.7	1.2	1.2	6.2	2.3	1.2	3.6	3.5	7.3	3.5
Yamagata	8.7	14.5	13.2	10.2	8.8	8.5	6.2	4.3	4.3	6.2	10.2	7.9	10.2
Yamaguchi	6.6	6.9	9.3	5.3	8.7	10.7	4.7	9.9	5.3	4.7	2.3	5.5	6.1
Yamanashi	1.7	4.2	1.6	1.4	2.9	-	-	4.2	-	1.5	-	-	4.2

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1945 - Cont'd
(Rates per 100,000 population per annum)

SIMPLE MENINGITIS (21a)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	11.1	11.0	11.2	12.5	13.6	12.7	11.2	10.9	11.0	11.1	9.2	9.1	9.4
All "Shik"	10.3	10.4	10.9	12.1	12.9	11.8	9.7	9.7	10.3	8.7	9.6	8.0	8.6
All "Kans"	11.5	11.3	11.4	12.7	14.0	13.2	12.0	11.5	11.4	12.4	9.1	9.7	9.3
Aichi	13.5	13.2	13.0	15.7	17.7	17.1	15.1	16.0	17.1	8.5	8.2	9.2	10.7
Akita	16.2	23.3	17.8	26.0	12.9	21.5	25.9	7.2	11.6	10.2	11.6	9.2	17.0
Aomori	10.4	8.5	10.4	16.0	15.5	11.3	13.6	1.9	14.1	7.8	8.5	4.9	8.5
Chiba	13.2	11.8	14.9	12.3	13.3	15.6	10.0	22.5	17.2	15.5	9.1	7.8	8.6
Enme	13.1	11.6	13.7	11.6	10.4	27.9	10.4	10.1	12.4	7.2	13.2	13.6	14.7
Fukui	13.7	11.0	10.4	11.0	17.8	15.7	21.0	12.5	21.9	11.3	4.7	14.6	12.5
Fukuoka	9.5	7.6	8.1	8.3	10.8	8.0	10.8	8.3	12.8	7.5	9.0	14.0	8.7
Fukushima	12.5	11.9	10.7	10.8	15.2	17.0	12.9	13.0	14.2	12.9	7.4	8.8	15.3
Gifu	17.1	15.1	15.0	18.1	20.2	15.8	13.2	27.1	21.9	24.1	12.1	13.2	8.3
Gumma	9.4	10.0	8.7	10.0	11.1	9.3	4.4	13.6	8.6	9.6	11.4	8.9	7.1
Hiroshima	11.2	11.8	8.1	16.3	15.7	20.2	13.3	9.0	9.5	10.4	6.2	7.5	5.6
Hokkaido	14.4	13.4	13.3	22.9	19.5	17.4	18.6	12.0	8.3	11.8	12.6	11.8	11.1
Hyogo	11.2	10.9	14.1	10.6	10.5	11.3	12.0	10.2	13.1	12.8	9.5	8.7	11.3
Ibaraki	8.6	10.1	8.3	4.5	11.0	8.4	8.1	10.7	6.7	6.3	8.4	10.5	6.2
Ishikawa	16.5	18.3	13.5	25.6	29.0	12.2	11.3	11.0	17.1	8.8	14.6	21.4	14.6
Iwate	13.3	16.0	17.7	15.1	19.3	17.8	17.4	4.4	10.7	11.9	8.9	10.1	11.5
Kagawa	13.2	11.1	13.6	13.5	21.6	7.4	16.5	11.1	8.6	15.3	14.8	11.4	13.5
Kagoshima	11.0	11.1	8.6	10.4	13.4	12.4	8.7	8.5	6.5	14.8	9.8	16.1	11.7
Kanagawa	8.8	8.4	7.7	8.4	11.3	9.4	8.2	10.4	6.4	8.7	9.4	5.6	11.9
Kochi	11.7	13.3	11.7	18.6	9.6	6.6	15.1	13.3	13.3	16.4	10.6	8.2	4.0

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

SIMPLE MENINGITIS (81a)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	9.2	8.4	7.1	9.0	10.6	10.9	7.3	10.9	14.2	12.0	6.4	6.6	7.1
Kyoto	10.2	15.5	10.0	7.7	13.3	10.3	10.6	10.9	8.4	11.3	4.5	7.3	12.2
Mie	13.9	18.2	14.0	11.1	14.7	15.8	13.9	18.2	18.2	13.1	9.5	8.2	11.9
Miyagi	8.8	6.5	10.4	9.4	18.6	14.4	6.7	5.8	6.5	4.5	9.4	6.7	7.2
Miyazaki	13.3	16.4	14.5	12.0	13.5	15.3	10.2	13.1	10.9	20.3	10.9	7.9	14.2
Nagano	7.1	7.7	8.6	6.6	10.3	9.9	4.6	7.2	4.4	11.4	5.5	4.6	5.0
Nagasaki	13.0	11.0	11.4	12.5	13.7	18.3	7.6	17.6	11.7	17.4	10.3	14.4	9.5
Nara	11.5	10.3	9.8	14.8	16.8	11.8	10.7	8.9	16.2	10.7	10.3	10.7	7.4
Niigata	12.4	9.0	11.0	18.9	13.2	20.3	13.2	9.0	10.9	15.6	12.7	9.3	6.1
Oita	14.6	11.1	17.4	13.8	18.1	16.6	14.3	16.6	15.7	16.2	13.8	14.3	7.4
Okayama	11.9	9.7	13.1	8.4	10.8	15.3	15.8	10.4	10.4	17.3	8.4	10.1	13.9
Osaka	9.1	6.5	10.5	11.4	12.2	8.2	10.1	10.5	9.2	7.8	8.2	8.4	6.5
Saga	11.5	6.2	10.9	14.8	8.9	9.9	22.9	6.2	9.9	7.6	14.8	14.0	12.3
Saitama	9.9	11.3	7.8	11.9	14.5	3.8	10.0	8.1	12.9	16.1	10.2	5.0	7.0
Shiga	8.9	9.2	7.3	5.3	16.3	7.9	5.4	7.9	11.8	5.4	11.8	9.5	9.2
Shimane	10.2	10.2	7.0	12.7	7.9	11.4	10.5	10.2	12.7	10.5	8.9	10.5	8.9
Shizuoka	11.5	11.5	13.7	13.4	14.3	12.4	8.4	11.0	10.0	14.3	9.1	11.3	8.6
Tochigi	8.2	12.5	6.5	15.5	8.4	6.6	8.4	3.7	2.2	9.9	6.6	8.4	9.6
Tokushima	14.0	15.9	22.0	15.9	16.4	11.9	6.8	14.5	19.8	13.7	9.3	10.9	11.9
Tokyo	5.9	7.0	7.3	7.8	7.9	5.5	6.1	6.2	5.5	2.2	5.3	4.4	5.7
Tottori	8.6	5.8	12.9	7.8	16.0	9.7	10.0	7.8	11.6	4.0	3.9	6.0	7.8
Toyama	15.0	19.6	7.6	11.5	21.4	26.5	13.1	10.4	13.8	20.2	15.0	11.9	8.1
Wakayama	8.6	7.0	10.4	12.9	9.7	8.2	9.7	11.7	7.0	12.1	5.9	2.4	5.9
Yamagata	11.7	16.2	14.2	17.1	8.8	17.1	15.0	5.1	11.9	10.6	11.1	5.3	8.5
Yamaguchi	11.5	9.9	14.4	10.7	14.2	13.7	7.1	18.3	12.2	11.0	8.4	5.5	13.0
Yamanashi	4.5	2.8	10.9	7.8	8.7	2.8	5.8	12.7	7.0	5.8	9.9	1.5	7.0

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

INTRACRANIAL LESIONS OF VASCULAR ORIGIN (83)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	122.4	137.2	133.9	140.5	133.3	113.8	108.9	102.2	96.3	114.2	122.0	129.6	138.4
All "Shi"	96.9	113.3	111.3	115.5	112.5	94.3	87.8	83.7	78.6	97.4	96.0	103.3	110.1
All "Gun"	134.4	149.9	145.9	153.7	144.3	124.2	120.1	113.0	105.7	134.1	135.7	143.4	153.3
Aichi	118.2	141.8	137.2	140.0	140.6	111.5	106.7	89.8	85.8	97.4	119.3	122.6	127.9
Akita	188.2	202.3	202.2	249.7	227.5	188.9	180.4	138.7	115.0	152.6	185.3	203.5	210.3
Aomori	137.1	156.4	170.2	146.2	147.2	126.4	145.2	122.6	110.3	108.2	125.4	139.4	148.1
Chiba	152.3	165.9	167.6	168.6	143.7	135.8	137.6	126.7	109.5	132.6	158.9	182.5	186.2
Chime	106.3	138.1	128.0	124.9	106.7	94.6	76.2	83.8	82.2	105.8	98.5	114.6	104.7
Fukui	120.0	111.2	128.4	142.8	136.2	111.2	95.5	97.1	79.9	127.9	137.9	124.7	136.4
Fukuoka	106.9	118.3	115.2	113.8	115.1	94.3	88.9	81.5	83.2	105.7	122.1	114.7	118.6
Fukushima	145.4	165.6	147.5	158.6	133.5	141.7	136.4	125.9	117.6	113.0	146.1	165.2	163.9
Gifu	122.8	126.6	126.0	128.9	147.2	116.0	112.9	110.3	112.3	110.6	116.8	118.4	142.4
Gumma	133.5	155.0	135.2	147.8	134.3	112.1	122.5	144.3	104.3	113.6	123.5	146.9	162.1
Hiroshima	115.2	130.3	108.8	119.6	121.9	118.5	98.1	96.4	87.7	134.1	114.6	116.6	131.4
Hokkaido	80.1	88.9	94.0	110.3	96.3	83.4	87.7	81.2	72.0	78.0	83.2	94.8	99.7
Hyogo	96.2	95.7	103.6	107.7	98.5	92.8	89.9	79.7	81.5	117.8	91.4	100.4	101.5
Ibaraki	150.8	175.9	177.9	196.1	167.2	138.2	139.4	144.4	122.5	127.8	153.4	182.3	193.3
Ishikawa	128.0	133.0	144.5	145.2	136.2	129.3	116.0	91.5	102.5	127.3	141.5	134.9	135.4
Iwate	181.5	196.2	199.5	214.9	216.5	179.3	177.1	155.4	150.9	166.1	155.4	185.3	183.8
Kagawa	116.6	147.6	132.1	121.8	132.2	105.8	89.0	87.3	95.6	116.9	116.9	125.8	125.5
Kagoshima	128.4	158.1	139.7	143.7	125.7	111.2	88.7	105.4	106.0	118.3	134.6	147.2	162.0
Kanagawa	105.9	121.0	114.7	113.0	113.2	104.6	94.3	76.8	87.8	107.1	107.1	111.2	120.5
Kochi	144.6	188.9	185.0	167.1	141.2	118.0	106.9	114.1	116.7	147.5	147.2	149.4	151.2

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

INTRACRANIAL LESIONS OF VASCULAR ORIGIN (83)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	123.4	138.3	138.2	146.3	131.0	106.1	89.7	90.7	113.2	120.0	122.9	110.7	144.1
Kyoto	94.7	106.9	104.8	111.4	106.4	83.0	92.5	69.5	64.4	101.8	90.1	95.8	111.4
Mie	120.2	143.3	128.9	161.5	121.9	103.7	106.4	91.8	111.6	90.0	126.7	133.4	123.5
Miyagi	139.6	167.0	158.6	173.5	171.1	131.0	145.0	109.4	84.3	106.3	126.0	134.6	152.6
Miyazaki	118.6	140.8	140.2	129.9	133.1	88.4	83.5	91.7	86.2	127.5	128.8	115.1	159.4
Nagano	151.2	146.4	151.7	168.5	168.4	149.7	136.4	130.8	109.9	143.9	144.6	154.1	181.2
Nagasaki	103.5	108.6	124.3	107.2	101.6	93.0	96.3	89.5	74.1	92.5	111.6	118.3	128.4
Nara	120.3	124.0	116.0	106.2	105.8	119.5	102.2	122.5	97.4	122.0	146.1	149.4	125.4
Nilgata	155.7	157.6	164.0	168.6	200.4	166.1	151.6	124.8	130.7	136.9	155.2	176.5	153.3
Oita	132.9	158.6	166.5	142.0	125.8	110.7	125.8	112.5	103.3	135.3	131.0	143.9	143.0
Okayama	122.8	149.7	146.5	120.5	128.1	119.8	110.1	100.3	67.5	123.0	130.2	120.9	120.5
Osaka	84.3	91.2	94.5	100.3	91.9	79.4	77.7	77.8	62.4	75.0	85.6	80.7	91.5
Saga	127.5	149.3	133.9	127.1	128.8	123.4	110.9	86.2	104.9	133.9	138.2	122.4	161.6
Saitama	137.5	146.0	160.5	165.4	114.2	134.7	133.6	125.6	109.4	121.4	116.6	137.0	154.1
Shiga	121.1	158.0	129.7	125.1	137.0	102.7	84.3	102.7	119.8	110.2	117.2	123.8	147.4
Shimane	142.6	145.0	157.7	143.7	168.2	124.6	131.4	131.0	145.0	172.1	146.2	157.7	162.8
Shizuoka	116.9	146.1	131.1	143.7	115.5	111.7	97.2	94.5	87.4	100.1	107.4	123.8	147.5
Tochigi	142.3	173.3	151.1	177.7	163.9	128.3	110.5	115.1	105.5	127.3	124.6	147.7	150.3
Tokushima	108.0	134.8	125.8	122.9	106.5	93.8	91.5	83.3	65.0	92.9	89.9	112.0	148.0
Tokyo	94.4	109.0	103.3	115.6	105.2	86.3	74.2	84.6	66.6	82.0	86.5	98.8	11.3
Tottori	133.8	153.1	148.1	133.7	164.2	136.5	110.2	87.4	124.0	140.2	145.4	142.2	126.0
Toysama	127.8	139.3	110.9	136.3	165.3	124.3	123.7	117.4	86.3	132.0	123.2	123.7	147.3
Wakayama	116.8	148.6	115.5	113.7	118.7	93.8	77.5	93.8	107.9	138.1	136.0	123.6	133.7
Yamagata	172.6	175.8	183.3	209.9	201.0	176.6	162.2	134.0	136.5	155.2	176.2	179.0	180.1
Yamaguchi	118.3	136.6	130.1	125.9	125.4	100.7	112.0	89.3	95.4	126.2	147.0	130.7	116.8
Yamanashi	122.9	128.2	140.4	146.5	123.8	111.3	116.5	104.3	102.9	94.6	126.8	136.3	142.3

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

DISEASES OF THE HEART (90-95)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	64.3	73.2	77.5	74.0	77.2	60.0	58.5	55.3	52.7	54.1	60.5	65.2	72.6
All "Shi"	52.9	70.7	69.6	69.1	65.6	55.1	52.0	49.5	45.4	47.7	53.6	61.5	67.4
All "Gun"	67.1	74.5	74.0	78.0	75.7	62.5	61.9	58.5	56.5	57.5	64.1	67.2	75.4
Aichi	66.5	72.3	73.7	86.0	81.7	63.4	54.8	54.8	46.3	48.2	66.6	76.2	73.4
Akita	69.3	74.3	80.3	97.6	90.6	67.7	49.9	52.8	51.0	77.7	51.0	65.7	78.8
Aomori	53.0	53.8	44.9	53.8	71.1	62.2	50.7	44.3	50.0	52.6	48.1	50.7	53.2
Chiba	74.9	74.1	89.7	92.2	87.1	72.5	66.6	68.7	54.0	56.6	70.9	76.0	84.8
Ehime	63.8	93.9	68.7	58.2	65.7	63.6	55.3	52.8	55.1	53.7	63.6	67.3	68.3
Fukui	69.2	87.7	62.4	72.1	80.9	72.1	61.5	62.7	50.1	59.9	75.2	69.6	75.2
Fukuoka	54.4	64.5	62.2	55.5	54.1	50.6	49.8	48.9	47.5	55.6	56.5	50.5	57.6
Fukushima	64.4	65.8	66.5	80.5	80.3	64.6	62.1	57.8	53.3	53.3	60.1	60.9	67.5
Gifu	67.3	69.3	83.4	68.6	85.7	58.0	59.2	52.7	57.3	58.4	66.3	67.7	82.1
Gunma	75.0	99.3	96.5	90.0	71.6	63.6	79.7	62.8	70.7	54.6	64.3	72.3	75.7
Hiroshima	63.1	83.7	81.5	64.6	76.6	59.5	43.5	58.4	52.8	47.6	48.9	62.1	78.6
Hokkaido	54.6	56.9	58.8	61.7	60.2	55.1	46.1	50.6	46.3	52.9	52.9	55.2	58.9
Ibigo	57.5	73.2	62.5	73.2	64.3	54.2	47.4	55.7	47.3	48.1	51.7	60.9	51.7
Ibaraki	77.8	77.0	77.2	98.3	90.0	65.8	79.6	80.4	66.3	61.0	64.1	92.9	80.9
Ishikawa	73.7	68.3	90.5	86.6	98.3	68.3	71.9	61.0	68.3	60.5	62.2	79.4	70.8
Iwate	65.2	57.7	66.8	81.7	67.9	63.9	67.0	63.9	54.2	56.0	60.4	64.2	79.0
Kagawa	65.2	91.0	83.1	77.6	66.1	56.6	64.8	45.5	48.0	57.2	61.5	66.1	71.3
Kagoshima	62.0	70.2	62.7	56.8	57.1	44.9	67.2	61.1	61.1	62.5	61.8	61.8	72.2
Kanagawa	53.2	61.0	54.9	64.0	57.4	48.1	43.5	36.7	43.1	48.2	53.5	54.8	71.9
Kochi	51.4	50.4	69.0	61.5	50.7	47.7	38.4	45.1	43.8	42.5	37.1	69.9	57.0

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

DISEASES OF THE HEART (90-95)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	67.7	77.2	66.2	62.4	76.4	57.9	67.1	54.7	56.6	63.2	64.3	78.4	88.1
Kyoto	57.6	68.2	71.3	62.4	59.9	44.4	58.5	41.2	46.4	53.2	61.8	59.2	46.3
Mie	49.8	74.4	75.4	77.6	77.7	64.1	63.0	57.8	58.6	51.5	83.1	62.2	91.8
Miyagi	66.4	70.5	81.3	98.6	61.0	61.2	58.8	56.9	54.7	49.1	55.4	66.2	80.6
Miyazaki	71.3	85.2	74.1	64.4	75.6	72.1	54.1	67.7	76.4	67.7	77.5	55.3	93.9
Nagano	75.3	92.3	85.0	85.6	92.5	72.4	67.4	56.9	63.5	50.8	77.3	70.8	89.0
Nagasaki	62.0	66.1	67.4	67.5	69.8	58.0	64.5	63.1	42.6	50.1	68.3	61.4	66.1
Nara	65.2	75.3	89.9	79.7	73.2	72.3	61.0	64.9	56.1	44.2	51.6	47.3	47.9
Niigata	66.2	62.7	73.6	77.8	85.3	68.9	64.4	55.7	52.8	64.4	55.7	69.2	64.6
Osaka	71.3	78.4	69.4	95.9	80.1	52.6	78.2	52.6	65.5	66.6	68.3	79.1	66.4
Okayama	63.7	62.7	80.9	74.5	67.6	59.2	62.6	50.1	51.5	58.3	58.5	67.6	72.4
Oosaka	59.6	71.9	69.5	71.3	65.2	50.3	55.4	51.0	50.0	43.9	57.5	54.7	74.5
Saga	64.5	82.7	64.2	81.4	75.2	55.5	53.5	54.3	60.5	53.7	53.0	63.7	66.6
Saitama	73.6	85.1	78.8	80.8	81.3	73.8	68.5	60.4	58.2	61.3	68.4	75.2	91.1
Shiga	73.5	89.5	72.9	90.8	74.8	75.0	69.4	63.2	57.9	69.4	71.1	72.1	75.0
Shimane	80.2	103.0	90.1	104.3	82.8	67.4	67.0	59.8	58.5	84.1	66.1	93.3	87.7
Shizuoka	59.9	73.0	63.4	61.1	63.6	55.8	55.2	49.6	60.1	42.4	61.6	63.6	68.7
Tochigi	68.0	64.9	87.4	88.5	66.3	53.1	63.3	64.2	56.1	54.1	69.3	71.6	78.2
Tokushima	76.6	113.7	96.6	113.7	64.2	67.4	66.9	48.9	66.1	61.5	75.3	68.3	76.7
Tokyo	56.4	68.5	76.5	67.4	58.5	52.4	50.0	51.3	39.0	44.0	47.9	54.6	47.9
Tottori	62.7	79.5	57.9	77.5	60.1	83.3	62.1	56.2	36.8	58.1	43.3	48.1	75.5
Toyama	66.4	78.3	72.6	55.2	88.0	69.1	65.4	64.5	55.2	55.9	74.8	66.6	76.0
Wakayama	59.5	63.3	66.2	71.5	76.3	66.8	54.5	51.6	37.5	44.8	62.1	59.9	68.0
Yamagata	72.1	79.4	73.7	66.3	104.9	72.5	67.9	58.9	59.7	46.7	57.2	92.6	84.5
Yamaguchi	63.1	80.9	74.4	70.2	60.3	60.3	42.6	51.9	41.2	54.4	68.7	70.2	71.7
Yamanashi	73.8	73.3	74.9	107.1	81.5	63.4	75.7	53.5	64.8	61.2	71.9	66.9	88.8

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

BRONCHITIS (106)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	31.3	44.5	48.5	48.3	42.1	30.8	25.0	19.9	16.3	16.9	21.1	25.9	37.0
All "Shi"	21.4	34.1	33.8	31.8	27.3	19.5	16.1	12.7	11.5	11.9	14.2	18.3	16.0
All "Gun"	36.5	50.1	56.3	57.0	49.9	36.8	28.7	23.7	18.8	19.5	24.7	28.9	42.8
Aichi	32.0	47.0	52.4	54.5	48.6	28.8	34.6	18.5	16.0	17.3	17.5	22.8	27.8
Akita	37.1	51.0	32.7	53.7	51.8	57.3	29.6	20.6	12.5	14.8	34.9	37.0	48.3
Aomori	42.0	57.5	56.4	57.5	63.3	51.9	36.1	33.0	18.9	22.4	24.5	30.2	52.8
Chiba	30.0	34.4	58.8	59.0	41.0	24.7	18.3	15.0	17.7	20.0	19.3	23.3	30.1
Ehime	35.9	53.5	60.1	55.1	41.7	31.0	27.3	25.6	23.3	18.4	32.6	33.7	30.3
Fukui	38.5	64.2	71.1	54.8	51.8	40.7	32.4	9.4	26.6	22.7	25.1	32.4	32.9
Fukuoka	25.6	35.0	31.5	47.0	33.7	23.2	17.2	17.7	16.3	15.8	23.2	23.3	28.4
Fukushima	31.8	39.7	43.3	51.0	40.4	30.1	30.5	19.8	14.7	22.3	18.1	31.1	41.4
Gifu	39.4	56.5	62.6	60.3	60.0	42.2	35.8	24.9	23.4	13.2	24.1	33.7	39.2
Gunma	26.8	33.6	49.8	44.3	42.8	26.4	22.1	15.0	10.0	16.2	16.4	20.7	26.4
Hiroshima	30.2	39.9	47.9	42.7	42.9	32.0	21.5	19.1	16.3	13.9	16.8	26.7	44.4
Hokkaido	30.5	49.1	47.5	50.6	43.4	32.9	23.6	21.4	13.4	15.1	17.4	23.0	28.4
Hyogo	27.4	37.9	40.3	44.4	31.6	22.2	20.7	16.4	13.8	15.4	20.7	29.0	36.8
Ibaraki	38.1	49.5	62.8	74.2	49.4	37.7	30.2	23.6	20.8	18.0	21.4	26.1	45.0
Ishikawa	44.0	70.8	62.1	64.7	64.3	57.3	28.0	23.2	19.5	16.4	24.4	37.8	59.8
Iwate	45.2	55.9	59.0	80.8	68.8	57.7	49.5	21.3	26.6	17.4	24.9	33.0	47.9
Kagawa	28.7	45.5	58.6	52.9	28.7	28.3	22.9	23.4	17.2	8.9	18.5	14.0	28.5
Kagoshima	31.9	52.7	46.8	34.5	35.6	35.1	28.2	26.7	18.9	24.2	19.5	24.9	37.1
Kanagawa	16.5	24.8	31.8	24.3	26.1	10.9	11.3	7.4	8.4	7.2	7.4	13.3	26.3
Kochi	29.5	29.8	55.8	46.4	35.6	29.2	21.9	13.3	14.6	12.3	27.9	27.4	31.8

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

BRONCHITIS (106)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	32.7	39.2	42.7	39.9	37.9	31.5	21.3	21.9	22.5	21.9	36.7	39.9	38.0
Kyoto	19.8	28.3	31.4	26.4	26.6	19.3	15.3	13.5	8.4	14.0	11.6	16.6	27.0
Mie	43.7	72.8	87.7	78.4	63.0	35.6	27.0	23.0	20.6	22.9	23.0	32.7	41.2
Miyagi	23.4	38.1	36.7	41.7	20.0	19.4	20.1	19.4	8.6	11.9	10.8	15.6	30.2
Miyazaki	33.8	41.5	31.4	44.8	37.2	26.2	18.0	34.9	15.3	28.2	27.3	32.7	66.6
Nagano	29.3	39.2	47.1	41.4	50.2	28.7	23.4	19.3	14.9	10.8	17.7	23.4	37.0
Nagasaki	40.1	63.1	66.6	48.4	37.2	43.3	35.6	27.2	22.8	25.8	33.8	33.4	46.2
Nara	29.7	57.6	32.7	44.3	41.2	19.2	22.9	19.2	16.2	16.8	14.8	29.0	42.8
Niigata	46.5	61.8	51.2	71.2	72.6	58.5	38.0	27.8	23.1	18.5	35.4	37.5	12.3
Oita	45.0	59.0	61.3	66.4	61.0	38.7	41.0	22.1	32.3	33.4	42.4	35.3	48.9
Okayama	32.6	49.4	64.0	43.9	41.0	36.9	23.0	31.3	13.9	13.0	21.6	23.7	31.3
Osaka	19.5	28.1	28.2	26.1	29.0	17.7	15.9	8.2	11.4	10.5	13.7	15.5	30.1
Saga	35.6	54.3	56.0	43.2	43.3	30.8	21.7	20.4	23.4	20.4	27.1	33.1	44.4
Saitama	42.0	56.6	65.0	65.7	46.8	36.1	36.8	28.6	20.5	22.3	29.6	39.0	58.2
Shiga	34.4	36.9	62.7	57.9	44.9	40.8	28.9	19.7	11.8	31.3	21.1	23.1	35.5
Shimane	38.1	54.7	67.6	57.2	67.0	49.6	35.5	19.1	7.6	22.3	20.3	30.2	29.2
Shizuoka	26.1	29.6	44.4	39.1	38.0	25.8	19.2	16.7	17.2	12.3	14.8	21.7	35.8
Tochigi	35.1	50.9	72.7	66.4	36.6	33.9	31.2	24.3	12.5	14.5	19.9	25.9	35.4
Tokushima	36.6	63.4	60.0	62.1	49.2	27.8	31.4	19.8	27.8	26.0	30.4	19.1	47.6
Tokyo	15.3	29.1	25.6	21.0	19.9	11.0	12.1	10.0	7.2	7.9	9.1	13.1	18.2
Tottori	31.8	31.0	53.6	42.6	40.1	42.6	26.0	23.3	21.3	22.0	21.3	22.0	36.8
Toyama	49.3	72.5	65.0	67.9	66.6	71.4	40.4	28.8	21.9	20.2	31.1	33.3	72.5
Wakayama	26.8	34.0	42.8	37.5	41.2	19.9	13.3	15.2	14.1	26.7	21.1	20.6	36.3
Yamagata	42.5	61.4	59.5	77.7	59.1	33.3	32.6	26.5	23.0	22.9	24.7	45.0	46.1
Yamaguchi	27.0	35.9	42.2	33.6	26.8	22.9	22.1	19.8	18.3	18.1	25.2	21.3	38.9
Yamanashi	36.4	55.0	67.1	64.8	53.9	25.4	23.3	31.0	14.1	20.4	24.0	34.9	25.4

See footnote at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

PNEUMONIA (ALL FORMS) (107-109)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	68.9	107.8	108.1	104.2	94.4	70.4	51.1	40.5	28.0	33.3	38.6	59.8	92.1
All "Shi"	68.4	117.2	104.6	96.7	89.8	66.3	48.0	38.8	30.1	35.8	35.9	61.0	101.4
All "Gun"	69.2	102.9	109.9	108.2	96.8	72.6	52.7	41.4	28.4	33.6	40.0	59.2	87.1
Aichi	68.3	111.8	118.7	98.7	100.5	86.2	58.9	38.8	24.2	29.8	26.7	47.5	81.6
Akita	63.3	88.6	86.2	87.7	90.6	65.3	43.5	28.6	31.3	34.2	44.8	70.3	89.5
Aomori	92.0	139.6	92.9	148.1	159.8	114.1	64.3	65.1	40.6	38.0	43.4	79.9	117.9
Chiba	71.5	105.7	124.8	128.3	99.8	58.5	51.0	41.9	35.4	32.2	38.6	52.1	92.9
Ehime	71.3	123.4	143.4	105.5	96.2	59.7	51.3	38.8	28.7	31.3	41.9	66.1	80.7
Fukui	65.2	98.7	59.0	84.6	90.7	76.8	37.2	47.0	34.5	27.5	43.9	69.6	111.2
Fukuoka	73.9	96.4	106.4	108.6	97.5	72.8	58.8	44.4	34.3	44.1	53.8	87.5	85.0
Fukushima	86.3	106.6	128.1	149.1	113.7	89.6	64.4	47.6	32.9	36.3	51.0	81.4	137.2
Gifu	62.8	87.4	111.8	86.7	101.2	78.4	50.6	37.7	21.9	31.9	33.9	39.7	76.1
Gumma	81.4	133.5	166.0	142.1	100.4	79.3	52.4	42.8	26.4	41.3	42.8	62.0	93.6
Hiroshima	55.0	79.2	70.9	72.4	70.2	61.8	38.9	41.6	22.5	33.7	35.9	45.8	88.2
Hokkaido	79.5	146.9	127.5	126.0	121.7	80.9	70.6	44.9	36.3	29.2	33.7	58.8	81.2
Hyogo	55.6	91.0	79.4	75.3	60.9	47.3	39.1	31.7	25.5	32.0	28.0	61.3	96.8
Ibaraki	62.4	89.4	115.7	116.9	64.8	54.5	52.8	38.2	29.2	29.0	29.2	35.9	84.9
Ishikawa	77.4	106.1	117.5	102.5	113.5	113.5	63.0	45.1	25.6	42.9	52.5	70.6	79.3
Iwate	103.1	145.6	149.4	148.3	179.8	136.7	92.7	56.8	19.5	43.1	54.2	78.0	136.7
Kagawa	61.6	111.9	117.1	100.9	68.6	52.9	50.8	30.8	28.3	29.2	30.8	44.5	77.5
Kagoshima	69.9	95.5	99.9	81.7	75.3	74.8	55.8	55.9	32.5	49.1	56.6	70.6	88.5
Kanagawa	69.4	134.9	139.4	108.1	75.3	56.0	45.6	32.7	34.7	32.8	32.2	52.3	92.7
Kochi	54.3	87.5	102.8	94.2	79.5	33.2	27.4	15.9	30.5	31.5	26.5	54.8	71.6

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

PNEUMONIA (ALL FORMS) (107-109)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	68.8	88.1	94.7	95.2	101.0	61.8	43.2	57.9	27.0	41.2	49.5	81.8	86.2
Kyoto	54.1	74.7	69.9	81.2	74.5	60.5	35.3	31.5	16.7	35.3	39.3	63.2	68.2
Mie	59.7	76.8	110.5	110.1	87.5	79.2	31.9	38.8	25.3	21.3	28.5	40.9	68.9
Miyagi	76.4	104.4	106.0	111.6	114.5	89.3	64.0	54.7	33.8	35.0	42.5	60.2	102.9
Miyazaki	62.9	117.9	76.1	81.9	79.0	57.9	46.3	46.9	25.1	29.3	41.5	66.6	86.2
Nagano	59.7	79.6	118.7	98.3	91.3	65.2	43.4	28.7	23.8	24.5	30.9	49.1	67.4
Nagasaki	78.9	110.8	100.8	85.1	114.5	80.7	70.5	57.2	28.6	38.7	60.2	73.6	127.0
Nara	61.3	98.9	83.3	85.6	88.4	69.4	41.2	44.3	25.1	38.1	33.9	48.8	79.7
Niigata	75.3	97.7	91.9	114.2	119.0	95.8	62.4	45.3	34.0	42.4	36.3	71.2	95.3
Oita	73.3	93.2	110.3	112.5	106.8	83.0	50.5	47.0	30.4	30.5	60.9	55.3	101.5
Okayama	51.8	90.5	85.6	74.5	79.9	53.6	40.3	26.5	27.8	24.5	35.5	35.3	50.1
Osaka	75.8	125.8	68.9	106.9	98.0	76.2	54.4	35.6	37.6	35.1	41.8	70.9	132.1
Saga	58.9	83.5	60.1	51.3	79.0	70.3	39.5	39.5	25.9	25.5	45.6	72.7	72.8
Saitama	71.9	123.9	139.0	97.5	90.8	56.6	41.8	46.9	32.9	30.1	43.7	52.9	110.5
Shiga	52.4	80.3	87.4	81.6	57.1	68.5	66.7	38.2	26.3	29.9	31.6	47.6	86.9
Shimane	62.3	82.7	112.6	110.6	85.4	80.1	44.7	39.2	17.8	25.0	31.8	46.0	85.2
Shizuoka	61.5	70.2	113.1	116.0	84.3	57.8	43.4	40.1	32.5	31.6	29.1	57.3	72.6
Tochigi	70.0	106.2	148.6	122.4	94.5	55.7	46.5	34.7	34.7	41.2	36.9	42.7	78.2
Tokushima	69.6	132.2	120.0	89.9	103.8	64.8	30.0	43.6	21.1	32.8	37.0	64.2	99.1
Tokyo	65.9	153.1	107.3	94.6	75.6	47.9	40.8	33.9	20.8	29.1	28.6	55.7	105.0
Tottori	50.5	69.2	73.0	54.3	72.1	56.2	38.1	38.8	21.3	16.0	32.9	60.1	75.6
Toyama	79.6	104.7	91.7	102.4	126.1	88.6	70.2	41.4	35.7	46.4	47.2	79.7	122.0
Nakayama	56.0	93.8	85.7	100.8	77.5	48.1	36.3	25.8	25.8	29.1	23.4	48.5	78.6
Yamagata	77.4	113.5	103.9	122.0	109.3	88.7	73.2	51.2	32.4	35.3	54.6	64.4	81.9
Yamaguchi	68.5	121.4	114.9	95.2	97.8	80.1	51.3	33.6	30.5	26.0	27.5	57.6	84.7
Yamanashi	64.1	83.1	113.9	121.2	94.6	64.8	37.9	33.8	24.0	26.2	45.1	45.1	83.1

See footnote at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

PLEURISY (NOT SPECIFIED AS TUBERCULOSIS) (110)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	7.3	7.4	8.0	8.8	8.1	7.7	7.7	7.7	7.2	6.8	6.7	6.2	5.7
All "Shi"	6.8	7.2	7.8	8.1	7.6	6.8	7.6	6.3	6.3	6.5	6.6	5.9	5.7
All "Gun"	7.6	7.5	8.1	9.1	8.4	8.1	7.7	8.5	7.8	7.0	6.8	6.4	5.7
Aichi	6.7	8.9	9.9	9.3	5.5	8.9	5.2	5.7	5.7	7.4	4.3	5.2	4.6
Akita	7.5	9.8	3.0	10.7	5.5	10.7	8.3	9.0	7.2	5.5	5.4	8.3	5.4
Aomori	7.9	8.5	8.4	11.3	12.7	7.5	4.9	9.4	9.4	7.8	6.6	2.9	4.7
Chiba	8.3	10.2	13.1	12.3	11.1	5.9	5.5	9.1	7.5	5.0	9.1	5.5	5.4
Ehime	6.8	6.2	7.7	7.8	9.6	6.2	7.2	7.0	7.0	2.4	7.8	6.4	6.2
Fukui	8.0	6.3	8.7	11.0	6.5	6.3	11.3	4.7	14.1	4.9	7.8	4.9	9.4
Fukuoka	7.7	7.6	4.2	6.6	10.4	5.5	9.0	8.3	10.4	8.6	10.1	6.5	5.5
Fukushima	8.4	7.9	10.7	10.8	9.4	12.5	10.0	7.9	7.4	8.2	3.4	4.1	9.1
Gifu	7.9	10.5	9.2	1.5	7.8	6.8	11.7	9.0	9.8	7.8	4.5	7.8	8.3
Gunma	5.2	3.6	4.0	8.6	8.9	5.7	5.2	5.7	3.6	4.4	5.0	4.4	2.9
Hiroshima	6.6	7.3	5.6	7.9	8.1	7.9	4.1	4.5	7.9	9.9	6.2	2.9	6.7
Hokkaido	7.4	4.9	11.1	10.0	10.0	7.1	9.4	8.3	6.3	6.8	7.7	5.3	2.3
Ihyogo	7.2	7.6	8.1	9.5	7.9	6.2	7.1	9.1	6.6	5.6	6.6	7.5	4.7
Ibaraki	8.2	12.9	6.2	11.8	5.8	10.1	6.4	8.4	7.3	6.4	9.0	5.2	7.9
Ishikawa	6.3	4.9	8.1	7.3	8.8	7.3	2.5	6.1	6.1	7.6	4.9	5.0	7.3
Iwate	6.8	6.2	5.9	8.0	12.8	7.1	9.2	4.4	3.6	14.7	2.7	0.9	6.2
Kagawa	6.4	4.9	8.2	9.8	10.2	4.9	3.8	6.2	8.6	3.8	8.6	3.8	3.7
Kagoshima	9.2	7.8	5.8	8.5	7.4	6.5	10.1	15.0	8.5	8.1	11.1	10.1	11.1
Kanagawa	5.9	3.5	4.9	8.9	5.6	5.0	9.7	4.0	7.4	6.1	5.5	6.7	3.0
Kochi	8.7	11.9	7.3	4.0	11.0	10.6	11.0	5.3	6.6	6.9	13.3	6.9	9.3

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

PLEURISY (NOT SPECIFIED AS TUBERCULOSIS) (110)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	10.8	10.9	18.5	10.3	10.0	9.0	6.0	15.4	11.6	10.6	10.9	8.6	7.7
Kyoto	6.0	9.0	5.0	7.1	4.7	9.0	6.7	5.8	3.9	5.3	5.2	2.7	7.7
Mie	6.8	0.5	8.8	6.3	12.3	2.4	3.3	7.1	10.3	2.5	6.3	6.5	6.3
Miyagi	5.9	4.3	9.6	11.5	8.2	3.6	4.5	5.8	7.9	3.7	4.3	6.7	1.4
Miyazaki	9.5	9.8	12.1	9.8	10.2	7.6	14.7	7.6	10.9	4.5	12.0	12.4	2.2
Nagano	5.7	5.5	8.0	7.2	5.1	6.1	8.0	5.0	6.6	4.0	3.9	4.6	4.4
Nagasaki	9.8	8.8	11.4	8.1	0.1	15.4	10.6	13.2	5.9	4.6	13.2	9.9	8.1
Nara	5.8	1.5	4.9	-	6.1	8.9	3.0	7.4	13.2	12.2	4.4	3.0	4.4
Niigata	8.1	8.0	5.7	11.8	6.3	9.4	12.7	8.5	5.7	7.3	8.0	6.3	6.6
Oita	10.2	9.2	13.3	14.8	7.6	14.8	14.3	11.1	5.5	12.4	5.5	6.7	7.4
Okayama	8.7	10.4	10.8	8.4	7.2	7.7	8.6	9.1	8.4	10.1	9.1	8.6	6.3
Osaka	5.7	4.2	4.0	9.5	7.1	7.8	7.1	5.6	6.2	5.4	3.6	4.4	3.3
Saga	7.4	12.3	8.2	7.4	6.4	4.9	6.4	4.3	7.4	6.4	8.6	8.9	3.7
Saitama	7.2	5.4	10.1	7.5	10.6	7.7	6.7	4.3	5.9	9.5	8.6	6.7	4.9
Shiga	7.0	5.3	10.2	5.3	5.4	2.6	5.4	6.6	14.5	8.2	7.9	8.2	5.3
Shimane	9.0	12.7	8.4	8.9	13.1	6.4	6.6	11.4	3.8	13.1	6.4	10.5	6.4
Shizuoka	5.3	7.6	3.2	9.5	6.4	3.3	3.9	6.7	3.8	4.9	4.8	3.0	6.2
Tochigi	6.5	3.0	5.7	4.4	6.9	6.6	9.9	6.6	11.1	7.6	5.2	9.1	2.2
Tokushima	8.1	5.3	8.8	13.2	6.8	9.3	8.2	11.9	4.0	2.7	5.3	10.9	10.6
Tokyo	6.3	6.8	6.8	6.6	6.6	7.2	6.8	7.0	5.9	4.6	6.6	5.0	6.2
Tottori	8.9	9.7	6.4	11.6	6.0	11.6	8.0	5.8	7.8	8.0	1.9	22.0	7.8
Toyama	7.4	2.3	10.2	8.1	4.8	20.7	4.8	9.2	9.2	4.8	5.8	3.6	5.8
Wakayama	6.6	2.3	7.8	14.1	12.1	5.9	4.8	7.0	4.7	2.4	7.0	6.1	4.7
Yamagata	8.6	14.5	10.4	11.1	7.9	7.7	7.9	11.1	4.3	8.8	2.6	7.1	9.4
Yamaguchi	9.7	8.4	10.1	9.2	6.3	13.0	7.9	10.7	11.4	10.3	8.4	10.3	9.9
Yamanashi	8.3	5.6	7.8	4.2	14.6	8.5	17.5	4.2	8.5	13.1	4.2	8.7	2.8

See footnotes at end of table.

TABLE 72. - DEATH FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

ULCER OF THE STOMACH OR DUODENUM (117)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	23.7	26.3	25.2	26.3	25.0	23.3	21.8	21.0	19.4	19.9	23.1	26.0	27.6
All "Shi"	22.7	25.4	25.5	24.5	25.1	21.0	20.0	18.9	17.9	19.2	22.4	25.4	26.8
All "Gin"	24.3	26.7	25.1	27.2	25.0	24.5	22.8	22.2	20.3	20.2	23.4	26.4	28.0
Aichi	20.0	24.6	23.7	26.0	18.0	18.5	14.4	17.1	15.0	15.5	22.1	24.7	20.7
Akita	18.2	18.8	20.8	22.4	19.4	22.4	16.6	12.5	9.0	14.8	16.1	28.7	17.9
Aomori	17.5	11.3	19.8	24.4	24.4	10.4	17.5	16.0	11.3	13.8	9.4	24.4	22.6
Chiba	29.0	26.0	33.9	33.3	33.8	29.5	32.2	23.6	26.3	25.5	27.4	25.0	29.5
Ehime	19.7	17.8	23.2	22.5	13.6	19.4	24.9	17.1	14.7	20.8	22.5	23.2	17.1
Fuku	24.5	17.2	26.0	31.3	25.8	23.5	25.9	20.4	25.1	16.2	28.2	32.4	21.9
Fukuoka	25.3	30.9	29.6	28.1	28.3	20.8	19.4	22.9	21.5	18.6	27.1	28.7	28.4
Fukushima	22.9	31.2	23.2	18.7	25.8	23.2	21.1	14.7	22.1	19.3	23.8	27.0	24.9
Gifu	21.6	26.4	22.5	27.1	22.6	21.1	16.4	17.3	16.6	20.2	26.4	15.6	26.4
Gumma	24.1	25.0	22.1	24.3	24.4	25.7	25.1	27.1	25.7	22.1	20.0	21.4	25.7
Hiroshima	28.0	26.4	31.1	33.1	31.9	27.5	26.1	20.2	20.8	25.5	32.6	29.0	32.6
Hokkaido	14.6	15.4	12.0	18.6	16.2	14.0	13.9	11.7	10.0	10.9	14.9	17.7	19.1
Hyogo	21.9	23.7	20.6	19.3	21.8	25.1	17.7	17.1	18.2	17.7	25.1	26.3	30.6
Ibaraki	28.4	27.5	26.1	37.7	29.0	25.9	27.3	32.6	21.4	19.2	24.2	29.0	39.9
Ishikawa	30.5	39.0	27.0	40.3	27.7	34.2	31.5	23.2	17.1	18.9	26.8	36.6	47.6
Iwate	22.8	24.9	20.6	24.9	24.8	25.7	23.9	22.2	13.3	23.9	24.9	25.7	18.6
Kagawa	26.4	25.8	25.9	29.5	30.5	30.8	28.2	22.1	20.9	19.1	20.9	17.8	44.3
Kagoshima	28.0	28.6	34.6	28.0	37.9	21.5	28.2	24.7	16.9	30.9	31.2	30.2	29.3
Kanagawa	23.0	26.8	26.3	26.3	22.5	19.3	17.9	22.8	19.8	23.6	23.3	21.0	26.8
Kochi	21.9	23.9	22.0	25.2	20.6	18.6	11.0	21.2	14.6	13.7	19.9	28.8	38.5

TABLE 72. - DEATH FOR SELECTED CAUSES BY MONTH BY PREFECTURE JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

ULCER OF THE STOMACH OR DUODENUM (117)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	29.2	28.9	41.3	36.0	36.6	28.3	23.3	29.6	23.8	16.0	23.2	29.2	35.4
Kyoto	23.5	27.0	27.8	27.0	28.6	27.0	17.3	21.9	19.3	16.6	21.9	28.6	18.7
Mie	27.5	22.2	35.9	42.0	29.5	28.5	17.2	19.0	23.0	22.9	25.3	29.5	35.6
Miyagi	18.6	18.0	27.1	15.1	13.4	16.6	21.6	11.5	18.0	20.8	20.9	24.5	16.6
Miyazaki	26.9	38.2	29.0	41.5	27.1	33.8	31.6	19.7	13.1	21.4	22.9	18.0	26.2
Nagano	25.0	32.0	21.4	21.0	27.4	19.9	21.1	30.9	18.2	21.1	30.4	26.8	29.3
Nagasaki	24.2	30.1	24.4	25.0	27.3	22.8	20.5	18.3	25.0	17.4	25.7	22.0	31.6
Nara	27.7	25.1	34.3	22.1	27.4	25.1	24.4	33.9	32.1	21.3	23.6	30.5	42.8
Niigata	22.2	24.1	27.7	24.1	20.5	23.1	21.9	21.7	20.8	16.1	20.3	24.4	27.6
Oita	33.8	40.6	31.7	36.9	32.4	41.5	37.2	28.6	24.9	38.1	37.3	24.8	36.0
Okayama	26.4	36.2	24.7	25.1	24.5	26.5	29.5	19.5	23.0	22.3	20.9	28.1	36.9
Osaka	22.4	25.2	22.4	25.2	29.0	20.9	20.9	19.9	17.0	16.9	15.4	31.1	24.8
Saga	27.6	22.2	36.9	25.9	22.9	30.8	28.0	28.4	23.4	20.4	21.0	39.5	32.1
Saitama	23.0	31.3	20.9	28.0	20.0	25.3	17.8	17.2	23.2	16.7	19.9	28.4	26.4
Shiga	27.3	17.1	37.9	27.6	23.1	30.3	31.3	18.4	22.4	23.1	39.5	25.8	31.6
Shimane	32.5	29.2	36.6	28.0	35.5	30.5	31.5	35.6	28.0	27.6	36.9	39.4	31.8
Shizuoka	21.9	35.3	22.2	22.0	21.7	24.8	17.3	18.1	19.1	23.7	15.3	18.3	24.3
Tochigi	25.6	30.2	26.9	25.8	25.2	22.9	23.6	18.4	17.0	31.2	26.6	29.0	30.2
Tokushima	24.2	35.7	32.2	31.7	13.7	26.4	20.5	21.1	22.5	23.2	15.9	23.2	25.1
Tokyo	20.3	23.1	18.8	23.1	23.2	17.0	19.9	16.3	18.9	14.9	19.7	22.6	26.3
Tottori	29.6	36.8	32.2	23.3	34.0	23.3	40.1	19.4	27.1	28.0	21.3	38.1	32.9
Toyama	26.0	32.2	24.2	24.2	36.9	32.2	19.0	24.2	23.0	15.5	23.0	29.7	27.6
Wakayama	23.3	18.8	22.1	17.6	35.1	23.4	19.4	23.4	28.1	20.6	22.3	26.7	22.3
Yamagata	23.3	18.8	19.8	26.5	24.7	17.9	19.4	34.1	16.2	23.8	28.2	23.9	26.5
Yamaguchi	30.3	29.0	27.0	30.5	30.0	30.5	34.7	33.6	22.1	25.2	31.3	34.7	35.1
Yamanashi	24.4	25.4	26.5	21.1	21.8	25.4	11.6	25.4	28.2	23.3	26.8	30.6	26.8

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

DIARRHEA, ENTERITIS AND ULCERATION OF THE INTESTINES (ALL AGES) (119-120)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	87.8	69.1	64.2	68.1	71.9	77.0	100.2	133.6	137.6	109.9	76.3	74.7	69.3
All "Shi"	67.4	53.9	40.5	53.8	59.8	61.6	84.9	102.6	95.7	76.0	55.3	59.9	51.0
All "Gun"	98.6	77.1	71.4	75.7	78.2	85.1	107.2	150.0	159.7	127.8	87.4	82.5	78.9
Aichi	71.9	57.7	52.0	59.5	65.9	58.1	83.9	123.9	107.9	88.3	54.1	51.2	58.1
Akita	125.8	91.3	82.3	87.7	107.3	109.2	132.3	157.5	225.6	190.5	127.1	112.8	83.2
Aomori	144.0	84.9	68.9	98.1	92.6	123.6	144.2	195.2	292.4	252.4	144.3	116.0	106.4
Chiba	64.8	54.8	59.4	61.2	51.6	57.4	70.4	89.1	84.3	69.3	61.7	56.4	58.0
Ehime	76.3	45.8	66.1	74.5	63.3	63.6	95.4	113.3	122.6	98.6	72.1	77.8	57.4
Fukuji	144.6	134.7	104.1	112.8	95.5	98.7	118.2	264.8	233.4	239.6	108.1	113.3	108.1
Fukuoka	85.3	70.8	56.1	72.8	74.6	85.0	125.8	132.8	114.1	90.3	73.5	73.1	53.1
Fukushima	84.6	61.8	55.2	62.9	77.3	83.9	96.7	132.1	132.7	99.6	73.7	70.3	66.3
Gifu	101.4	81.4	62.6	66.3	66.2	79.1	119.1	171.8	183.1	133.9	78.4	89.5	82.1
Gumma	75.6	67.8	59.3	52.8	50.9	61.4	70.1	135.0	122.8	93.0	58.6	65.7	67.1
Hiroshima	79.4	64.6	52.9	68.5	77.8	59.5	91.7	106.1	123.6	95.8	72.4	67.3	66.8
Hokkaido	106.4	74.0	79.7	83.4	87.4	90.6	91.5	119.7	157.7	184.8	95.7	82.1	87.7
Hyogo	90.9	63.3	65.3	71.7	73.3	77.9	107.2	159.8	146.3	121.5	79.0	69.6	54.2
Ibaraki	80.2	68.0	70.9	65.8	69.1	63.5	84.2	130.4	119.1	86.5	66.3	69.7	67.4
Ishikawa	120.9	89.1	75.6	80.5	95.8	125.7	137.4	203.7	186.7	139.9	135.4	97.1	76.3
Iwate	119.3	75.5	61.9	103.0	107.3	118.1	118.3	128.7	196.2	205.5	99.4	111.9	102.1
Kagawa	73.5	75.0	51.8	57.8	49.6	67.7	68.6	103.3	113.2	81.3	73.8	62.3	75.0
Kagoshima	100.3	100.2	80.7	60.5	71.9	75.5	133.1	128.1	174.3	106.2	85.9	88.7	96.3
Kanagawa	46.1	48.6	34.6	37.7	44.1	36.7	54.8	77.5	60.0	51.7	38.7	41.0	46.6
Kochi	72.0	74.3	63.1	63.7	54.8	66.3	63.0	74.3	115.4	111.0	61.0	53.4	62.3

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

DIARRHEA, ENTERITIS AND ULCERATION OF THE INTESTINES (ALL AGES) (119-120)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	92.0	68.8	72.7	72.1	65.1	92.6	122.3	122.9	118.4	97.7	72.1	105.0	93.3
Kyoto	70.1	50.2	61.3	61.2	61.9	63.1	67.9	108.8	108.2	85.5	69.5	55.2	46.4
Mie	97.5	77.6	83.3	75.2	74.4	74.4	110.5	171.8	160.7	120.3	76.8	76.1	70.5
Miyagi	76.2	70.5	75.7	66.9	80.3	73.4	95.2	96.5	95.0	71.4	54.7	72.1	63.3
Miyazaki	93.6	103.7	82.2	75.3	69.9	88.4	88.0	127.7	133.2	108.4	86.2	67.7	89.5
Nagano	65.8	56.9	45.3	56.9	58.8	54.7	71.4	86.2	109.4	74.8	52.5	59.9	61.3
Nagasaki	88.4	78.5	55.3	64.6	60.7	102.0	126.6	115.2	120.4	85.7	85.1	86.5	77.1
Nara	101.8	94.4	49.0	70.8	100.3	115.9	115.9	208.1	178.6	93.0	76.7	85.4	66.4
Niigata	112.3	73.6	57.5	69.4	95.6	99.1	131.1	196.7	176.0	161.4	114.2	95.6	73.6
Oita	103.7	96.7	79.7	76.6	85.8	84.9	109.6	160.5	146.4	123.0	93.2	92.5	90.4
Okayama	87.2	64.1	69.4	59.9	69.8	65.4	73.4	116.3	142.7	137.4	98.2	77.7	70.3
Oosaka	81.5	54.3	47.9	63.4	71.3	77.8	120.2	165.1	116.0	78.4	56.9	68.2	53.3
Saga	97.9	88.8	95.7	91.3	86.7	93.8	112.2	130.8	119.7	103.3	71.6	80.3	96.2
Saitama	90.5	76.0	77.4	81.9	71.8	72.8	100.2	156.8	104.5	90.8	80.8	79.1	90.5
Shiga	134.6	92.2	83.1	93.5	104.7	105.3	161.9	285.7	263.3	140.1	107.9	93.9	77.7
Shimane	101.4	80.1	78.8	101.7	85.4	83.9	95.9	92.8	176.8	138.0	100.5	80.2	96.6
Shizuoka	74.2	64.0	55.0	50.1	57.2	60.6	96.2	120.3	110.7	78.4	68.7	64.6	62.5
Tochigi	101.9	75.2	84.1	70.1	80.0	87.8	101.4	161.5	175.5	134.1	82.6	89.2	78.9
Tokushima	95.8	63.4	81.9	71.4	68.3	70.1	103.8	152.0	153.5	146.1	81.9	75.1	80.6
Tokyo	40.4	36.7	34.0	38.2	41.6	39.7	59.4	51.1	45.8	36.6	32.4	38.1	31.2
Tottori	100.1	79.5	70.8	67.8	84.1	79.5	88.1	143.4	201.6	126.2	93.0	88.1	75.6
Toyama	171.7	112.8	91.7	125.5	146.3	174.9	199.8	292.3	234.8	224.8	172.6	167.7	111.6
Wakayama	98.4	71.5	63.0	75.0	81.2	96.1	143.0	167.7	178.2	121.2	64.5	46.0	71.5
Yamagata	125.2	91.3	101.1	79.4	97.0	102.4	118.2	214.2	230.4	171.9	93.9	112.9	87.9
Yamaguchi	75.3	61.1	73.5	61.1	62.3	77.1	86.0	109.9	131.3	90.7	64.9	68.6	64.9
Yamanashi	88.1	73.3	76.4	59.2	53.9	62.0	110.7	160.6	150.8	96.1	78.9	65.5	67.6

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

DIARRHEA, ENTERITIS AND ULCERATION OF THE INTESTINES (UNDER 2 YEARS OF AGE) (119)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	50.9	40.5	36.4	38.6	41.8	46.7	65.5	81.3	76.9	55.3	37.7	45.4	43.2
All "Shi"	42.2	32.7	30.2	33.2	38.7	41.0	63.4	68.9	58.2	40.1	38.4	38.4	32.7
All "Gun"	55.4	44.5	39.6	41.5	43.4	49.8	66.6	87.9	56.8	63.3	45.6	49.1	48.7
Aichi	40.6	36.3	34.7	35.6	41.6	37.0	55.2	72.7	51.3	36.4	24.9	58.3	37.4
Akita	89.0	60.0	50.5	57.3	62.0	77.9	97.1	110.1	175.4	137.8	92.2	86.9	58.2
Aomori	114.2	59.4	49.1	71.7	67.2	97.1	113.1	172.6	242.4	198.8	116.9	93.6	83.0
Chiba	34.2	32.2	29.1	37.0	27.7	36.5	44.9	42.4	33.8	28.8	26.8	33.3	37.0
Ehime	39.1	25.6	31.8	30.3	28.9	35.7	58.5	65.2	52.8	30.5	31.8	49.7	28.7
Fukui	74.5	59.5	53.8	48.6	51.8	43.9	82.6	159.8	126.9	93.9	40.7	66.4	64.2
Fukuoka	58.2	45.8	34.6	51.0	50.9	63.8	97.8	95.4	70.8	51.5	44.7	50.5	37.5
Fukushima	53.5	36.3	32.6	39.7	49.8	54.4	65.0	88.5	79.4	56.2	45.4	46.9	46.5
Gifu	57.8	49.0	42.5	36.2	38.2	44.5	79.4	108.5	90.5	56.1	37.7	50.6	49.7
Gunma	32.9	35.0	30.0	20.7	20.7	27.9	31.7	55.7	49.3	35.4	20.0	28.8	39.3
Hiroshima	39.1	34.8	26.1	31.5	36.0	35.4	51.6	55.6	56.7	45.3	30.9	34.8	29.2
Hokkaido	78.4	54.6	55.0	59.7	64.1	66.6	65.3	88.9	147.7	134.3	70.0	65.3	67.7
Hyogo	49.2	34.9	35.9	40.8	41.4	45.9	65.8	95.4	80.8	43.3	34.2	41.7	29.1
Ibaraki	44.0	43.3	38.6	35.4	47.6	36.5	42.4	73.1	51.1	43.0	32.6	40.7	43.3
Ishikawa	82.2	53.7	51.3	52.5	66.8	100.0	95.8	154.9	109.8	98.3	74.4	64.3	61.0
Iwate	90.5	55.9	44.2	73.7	78.0	86.1	95.4	97.7	136.7	164.2	85.2	85.3	80.8
Kagawa	34.8	39.4	24.5	35.7	25.4	29.5	39.4	57.8	43.1	15.3	28.3	28.0	49.2
Kagoshima	59.2	63.1	41.0	37.7	41.7	42.3	92.1	83.9	98.2	53.1	44.2	49.1	62.4
Kanagawa	26.6	24.8	21.4	21.3	29.2	20.3	35.9	37.2	33.7	24.6	17.4	22.0	30.7
Kochi	28.6	42.4	19.1	33.2	24.7	21.2	32.9	26.5	39.8	35.6	21.7	20.6	25.2

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

DIARRHEA, ENTERITIS AND ULCERATION OF THE INTESTINES (UNDER 2 YEARS OF AGE) (119)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	46.4	38.0	33.5	34.7	34.6	52.1	75.1	62.4	52.8	35.2	30.2	53.2	54.0
Kyoto	37.5	25.8	36.4	36.7	29.3	34.8	43.9	64.4	57.3	33.3	27.7	29.9	29.6
Mie	52.1	45.1	52.6	40.4	40.9	47.5	67.9	94.2	83.1	49.9	33.1	42.5	34.0
Miyagi	54.0	51.8	51.8	44.6	54.3	59.0	66.9	72.7	68.4	46.1	26.9	54.3	45.3
Miyazaki	52.1	63.3	50.8	42.6	40.6	56.8	42.9	77.5	62.2	54.1	41.5	32.7	59.0
Nagano	28.6	24.3	22.0	23.8	27.4	24.9	35.4	37.0	40.9	32.0	13.3	30.3	32.0
Nagasaki	59.7	50.6	36.6	42.3	41.0	72.7	100.1	77.1	75.6	50.1	49.2	62.9	55.8
Nara	56.4	54.6	31.0	31.0	44.2	63.5	73.2	126.9	88.5	42.7	28.0	48.8	41.3
Niigata	57.7	27.4	32.9	34.0	45.8	51.9	80.0	116.5	93.9	77.0	49.1	47.8	34.4
Osaka	54.9	62.7	37.8	38.7	47.7	48.9	71.5	93.2	69.2	54.3	36.0	47.7	49.8
Okayama	32.9	29.9	27.0	25.1	24.5	21.6	33.8	44.6	57.1	35.3	28.5	36.0	31.3
Oeoka	49.0	32.7	28.6	37.3	44.6	49.4	87.8	107.9	65.0	35.5	27.1	38.5	32.0
Saga	67.6	55.5	64.2	70.3	57.4	69.1	93.1	96.2	77.7	52.3	35.8	62.5	76.5
Saitama	42.5	41.0	41.2	33.4	32.3	36.1	50.7	76.0	38.3	31.7	29.6	41.2	57.7
Shiga	67.5	48.7	46.6	35.5	58.5	47.4	87.1	165.9	129.0	59.9	40.8	53.1	35.5
Shimane	50.4	42.0	40.8	43.2	31.5	26.7	64.4	58.5	92.8	65.7	34.3	39.4	64.9
Shizuoka	40.7	40.1	37.8	27.2	31.6	31.0	60.7	66.4	56.8	39.5	30.6	36.5	34.4
Tochigi	44.9	33.9	36.7	33.9	28.2	34.7	42.7	68.6	78.9	47.3	35.4	45.7	51.6
Tokushima	40.9	27.8	26.3	25.1	35.5	38.3	56.0	70.1	58.2	47.8	23.8	32.8	57.7
Tokyo	27.7	26.7	22.8	26.5	30.0	29.3	46.7	33.1	28.6	20.6	17.6	27.4	23.3
Tottori	52.5	31.0	25.7	25.1	48.1	23.3	56.1	91.1	126.0	70.1	36.8	50.1	40.7
Toyama	100.5	65.6	47.1	71.4	97.6	110.5	134.4	165.7	139.3	111.8	85.2	115.4	64.5
Wakayama	54.8	38.7	23.4	43.4	42.4	58.6	106.6	107.9	106.7	41.2	21.1	26.7	37.5
Yamagata	78.5	47.9	64.2	34.1	45.0	57.2	75.0	154.5	166.4	101.4	56.3	84.6	54.6
Yamaguchi	46.4	35.9	42.2	36.6	37.1	47.3	56.0	67.2	75.6	45.0	38.5	41.8	41.2
Yamanashi	47.6	38.0	32.8	32.4	33.5	42.3	67.0	93.0	80.3	45.1	31.0	40.8	33.8

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

LIARUEA, ENTERITIS AND VICEITON OF THE INTESTINES (2 YEARS OF AGE AND OVER) (120)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	34.9	28.6	27.8	25.5	30.1	30.3	34.7	52.3	60.6	54.6	38.6	29.2	26.1
All "shi"	25.1	21.1	20.3	20.6	21.2	20.6	23.5	33.7	37.5	35.9	26.9	21.5	18.2
All "gun"	43.2	32.6	31.7	34.2	34.8	35.3	40.6	62.2	72.8	64.5	44.8	33.3	30.2
Aichi	31.3	21.4	17.3	23.9	24.3	21.0	28.7	51.3	56.6	51.9	25.2	22.8	25.6
Akita	36.8	31.3	31.7	30.4	45.3	31.3	35.1	47.4	50.1	52.7	34.9	25.9	25.1
Aomori	29.8	25.5	19.8	26.4	25.3	26.4	31.2	22.6	50.0	53.6	27.4	22.4	26.4
Chiba	30.6	22.5	30.3	24.2	23.9	20.9	25.5	46.7	50.5	40.5	34.9	26.1	20.9
Ehime	40.1	20.2	34.4	44.2	34.5	27.9	36.9	48.1	69.8	68.1	40.3	28.1	28.7
Fukui	70.1	75.2	50.3	44.2	43.7	54.8	35.6	105.0	106.5	145.7	67.4	47.0	43.9
Fukuoka	27.1	25.0	21.5	21.9	23.7	21.2	28.0	37.5	43.4	35.8	28.8	22.6	15.6
Fukushima	31.1	25.5	22.6	23.2	27.5	29.5	31.6	43.7	53.3	43.4	28.3	23.4	19.8
Gifu	43.6	32.4	20.0	36.1	28.0	34.7	39.7	63.3	23.6	77.9	40.7	38.9	32.4
Gumma	42.6	32.9	29.3	32.1	30.3	33.6	38.4	79.3	73.6	57.6	38.6	36.9	27.9
Hiroshima	40.4	29.8	26.7	37.1	41.8	24.1	40.0	50.5	66.8	54.6	41.6	32.5	37.6
Hokkaido	28.0	19.4	24.7	23.7	23.3	24.0	26.3	30.9	50.0	50.5	25.7	16.8	20.0
Hyogo	41.7	28.4	29.4	30.9	32.0	32.0	41.4	64.4	65.5	78.2	44.8	27.8	25.1
Ibaraki	36.2	24.7	32.4	30.3	21.5	27.0	41.8	57.3	68.0	43.6	33.7	29.0	24.2
Ishikawa	38.8	35.4	24.3	28.1	29.0	25.6	41.6	48.8	76.9	41.6	61.0	32.8	18.3
Iwate	28.8	19.5	17.7	29.3	29.4	32.0	22.9	31.1	59.5	41.3	14.2	26.6	21.3
Kagawa	38.8	35.7	27.2	22.1	24.2	38.1	29.2	45.5	70.1	66.1	45.5	34.3	25.8
Kagoshima	41.0	37.1	39.6	22.8	30.2	33.2	41.0	44.2	76.1	53.1	41.6	39.7	33.8
Kanagawa	19.5	23.8	13.2	14.4	14.9	16.4	19.0	20.3	26.3	27.2	21.3	19.0	15.9
Kochi	43.4	31.8	44.0	30.5	30.1	45.1	30.1	47.7	75.6	75.4	39.8	32.9	37.1

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd

(Rates per 100,000 population per annum)

SIARRHEA, ENTERITIS AND ULCERATION OF THE INTESTINES (2 YEARS OF AGE AND OVER) (120)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	45.6	30.9	39.2	373.3	30.6	40.5	47.2	60.5	65.6	62.5	41.8	51.9	39.2
Kyoto	32.6	24.5	24.9	24.5	30.6	28.3	23.9	44.4	50.9	53.2	41.8	25.3	16.7
Mie	45.4	32.5	30.7	34.8	30.3	26.9	42.5	77.6	77.6	70.4	49.9	33.5	36.4
Miyagi	22.2	18.7	23.9	22.3	26.0	14.4	28.3	23.8	26.6	25.3	21.6	17.9	18.0
Miyazaki	41.5	40.4	31.4	32.8	29.3	31.7	45.1	50.2	71.0	55.3	44.8	35.0	30.6
Nagano	37.2	32.6	23.2	33.1	31.4	29.8	36.0	49.2	68.5	42.8	39.2	29.7	29.3
Nagasaki	28.7	27.9	18.7	21.3	19.7	29.4	26.5	38.2	44.8	35.6	36.0	23.5	21.3
Nara	45.4	39.8	18.0	39.8	32.0	36.9	42.7	81.2	90.0	50.3	48.7	36.6	25.1
Niigata	54.6	46.2	24.5	35.4	49.7	47.2	51.2	80.2	82.1	84.3	65.1	47.8	39.2
Osaka	48.8	34.1	41.9	37.8	38.1	36.0	38.1	67.3	80.2	68.6	57.2	44.8	40.6
Okayama	54.2	34.1	42.4	34.8	45.3	43.9	39.6	71.7	85.6	102.2	69.6	41.7	39.0
Osaka	32.5	21.6	21.4	26.1	26.7	28.4	32.4	57.2	51.0	42.9	29.7	29.7	21.2
Saga	30.3	33.3	35.5	21.0	29.3	24.7	19.1	34.5	41.9	51.0	35.8	17.8	19.7
Saitama	48.1	35.0	38.2	48.5	39.5	36.6	49.6	80.8	66.3	59.0	51.2	37.9	32.9
Shiga	67.1	43.4	36.4	57.9	46.3	57.9	74.8	119.8	134.3	80.3	67.1	40.8	42.1
Shimane	51.0	38.1	38.0	58.5	53.9	57.2	35.5	34.3	83.9	72.3	66.1	40.7	31.8
Shizuoka	33.5	23.9	22.2	22.9	25.6	29.6	35.5	53.9	53.9	39.0	38.2	28.1	28.2
Tochigi	56.9	41.3	47.4	36.1	51.8	53.1	58.7	92.9	96.6	86.9	47.2	43.4	27.3
Tokushima	54.9	35.7	55.6	46.3	32.8	31.7	47.8	81.9	95.2	98.3	58.2	42.3	33.0
Tokyo	12.7	10.0	11.3	11.7	11.6	10.4	12.7	18.0	17.2	16.0	14.8	10.7	7.8
Tottori	47.6	48.5	45.1	38.8	36.0	56.2	32.0	52.3	75.6	56.1	56.2	38.1	34.9
Toyama	71.3	47.2	44.6	54.1	54.7	64.5	65.4	126.6	95.5	113.0	87.5	52.3	47.2
Wakayama	43.6	32.8	37.6	31.7	38.8	37.5	36.3	59.8	71.5	80.0	43.4	19.4	34.0
Yamagata	46.7	44.4	36.8	45.2	52.0	45.2	43.2	59.7	64.0	70.5	37.5	28.2	33.3
Yamaguchi	32.9	25.2	31.3	24.4	25.2	29.8	30.0	42.7	55.7	45.7	34.3	26.8	23.7
Yamanashi	40.4	35.2	43.7	26.8	20.4	15.7	43.7	67.6	70.5	51.0	47.9	24.8	33.8

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

APPENDICITIS (121)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	4.0	3.8	3.7	4.1	4.0	4.2	3.8	4.8	5.0	4.5	3.4	3.4	3.1
All "Shi"	5.5	4.9	4.9	5.0	5.5	5.6	5.2	7.1	6.9	6.5	4.5	4.8	4.7
All "Gun"	3.2	3.2	3.0	3.7	3.2	3.4	3.0	3.6	4.0	3.5	2.8	2.6	2.2
Aichi	3.6	5.0	3.5	2.8	3.7	2.5	2.2	5.0	5.0	4.0	2.8	3.7	2.5
Akita	4.1	2.7	2.0	5.4	5.5	4.5	5.5	0.9	5.4	6.5	4.5	2.8	3.6
Aomori	4.2	5.7	7.3	4.7	7.8	6.6	3.9	-	5.7	1.0	0.9	6.8	0.9
Chiba	4.4	2.1	4.8	4.3	5.0	6.4	3.9	6.4	5.4	5.0	2.1	5.0	2.7
Ehime	3.1	5.4	1.7	2.3	3.2	0.8	4.0	2.3	6.2	2.4	3.9	2.4	2.3
Fukui	4.1	1.6	1.7	7.8	3.2	1.6	6.5	-	6.3	3.2	6.3	6.5	4.7
Fukuoka	3.9	3.1	3.8	5.2	4.7	3.8	4.7	4.5	4.9	2.9	4.2	1.8	3.5
Fukushima	4.0	4.5	2.5	5.1	4.7	4.5	1.8	5.7	7.4	3.5	2.3	2.3	4.0
Gifu	3.3	5.3	4.2	0.8	3.1	0.8	3.1	2.3	3.0	7.0	2.5	5.5	3.0
Gumma	3.1	1.4	3.2	2.9	5.2	2.9	1.5	5.7	3.6	0.7	1.4	3.7	5.0
Hiroshima	4.0	2.8	5.0	6.2	2.9	3.9	3.5	5.1	5.6	1.7	2.8	6.4	1.7
Hokkaido	4.5	4.0	7.0	2.3	4.4	5.1	5.0	4.3	5.1	5.9	4.0	3.5	3.1
Hyogo	4.0	2.5	3.6	5.8	4.9	3.6	4.1	4.4	2.9	4.5	2.9	4.1	4.0
Ibaraki	3.8	2.8	3.7	2.8	7.5	3.9	4.6	3.9	3.9	1.7	5.1	2.3	3.4
Ishikawa	4.7	1.2	5.4	1.2	5.0	4.9	7.6	8.5	4.9	6.3	3.7	3.8	3.7
Iwate	4.8	6.2	4.9	1.8	4.6	4.4	2.8	5.3	6.2	8.3	6.2	3.7	2.7
Kagawa	3.9	2.5	2.7	4.9	1.3	4.9	5.1	2.5	2.5	5.1	6.2	5.1	3.7
Kagoshima	2.5	4.6	1.4	3.9	-	2.0	2.0	3.9	2.3	6.7	1.3	1.3	1.3
Kanagawa	3.6	1.0	3.3	4.5	5.1	5.0	1.5	5.5	5.0	1.5	5.0	2.0	4.0
Kochi	2.3	4.0	-	4.0	-	4.0	-	1.3	6.6	1.4	1.3	1.4	2.7

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

APENDICITIS (121)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	3.3	3.2	2.1	2.6	4.7	4.5	2.7	4.5	4.5	3.3	1.3	2.7	3.9
Kyoto	4.9	5.2	5.7	7.7	3.3	2.6	2.7	7.1	9.0	6.0	3.9	2.7	2.6
Mie	3.0	4.8	2.6	4.8	4.1	1.6	-	4.0	5.5	2.5	2.4	1.6	1.6
Miyagi	4.5	3.6	4.0	7.2	3.7	5.0	4.5	4.3	6.5	3.7	5.0	4.5	2.2
Miyazaki	3.7	1.1	3.6	8.7	2.3	5.5	4.5	1.1	5.5	3.4	3.3	2.3	3.3
Nagano	3.8	3.3	3.1	5.0	5.7	4.4	1.7	7.2	5.0	3.4	4.4	1.1	1.7
Nagasaki	2.6	4.4	3.3	2.2	3.8	2.2	4.6	3.7	2.2	1.5	1.5	-	2.2
Nara	3.9	8.9	1.6	-	4.6	7.4	3.0	5.9	4.4	6.1	-	1.5	3.0
Niigata	5.8	7.1	4.2	7.1	3.4	5.7	4.4	5.7	6.1	10.2	5.7	5.4	4.2
Oita	4.8	6.5	3.1	1.8	2.9	4.6	6.7	11.1	8.3	3.8	0.9	1.9	5.5
Okayama	4.1	4.9	2.3	4.9	2.2	2.1	2.9	4.2	5.6	6.5	2.1	5.8	5.6
Osaka	5.0	5.9	5.1	5.9	4.4	3.3	4.7	7.5	5.9	4.7	3.6	5.7	2.9
Saga	4.7	4.9	6.8	7.4	3.8	3.7	5.1	6.2	4.9	5.1	2.5	3.8	2.5
Saitama	3.2	2.2	2.4	2.7	1.7	4.3	3.9	4.3	3.8	6.1	2.7	1.7	2.7
Shiga	4.8	5.3	5.8	-	4.1	5.3	4.1	6.6	10.5	6.8	6.6	1.4	1.3
Shimane	4.4	3.8	1.4	2.5	5.3	6.4	6.6	6.4	2.5	5.3	7.6	2.6	2.5
Shizuoka	2.8	1.9	1.6	2.9	1.5	3.8	5.4	1.9	2.9	3.9	3.3	2.5	1.4
Tochigi	3.6	5.9	3.3	2.2	3.0	5.2	2.3	5.2	4.4	5.3	3.0	1.5	2.2
Tokushima	2.5	4.0	1.5	-	-	4.0	2.7	2.6	4.0	2.7	4.0	1.4	2.6
Tokyo	4.6	3.8	4.0	4.0	4.8	5.3	4.8	6.2	6.4	4.8	4.7	3.5	3.4
Tottori	4.1	1.9	8.6	5.8	4.0	5.8	6.0	1.9	3.9	8.0	-	4.0	-
Toyama	4.5	1.2	2.5	2.3	5.9	4.6	4.8	8.1	4.6	7.1	2.3	7.1	3.5
Wakayama	3.8	1.2	3.9	1.2	10.9	5.9	-	5.9	-	9.7	2.3	1.2	3.5
Yamagata	4.4	7.7	2.8	4.3	2.6	5.1	4.4	2.6	6.8	4.4	3.4	4.4	4.3
Yamaguchi	3.5	0.8	2.5	5.3	1.6	6.1	3.9	4.6	2.3	3.2	3.8	3.9	3.8
Yamanashi	3.8	1.4	1.6	8.5	2.9	2.8	4.4	2.8	4.2	4.4	2.8	4.4	5.6

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

NEPHRITIS (ALL FORMS) (130-132)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	41.2	46.8	46.1	47.7	42.7	37.1	35.8	36.0	35.4	38.4	41.3	43.3	44.0
All "Shin"	37.1	42.0	43.9	46.2	42.0	34.0	33.6	32.7	30.1	32.0	34.7	35.7	38.8
All "Guns"	43.3	49.3	47.3	48.5	43.1	38.7	37.0	37.7	38.2	41.7	44.8	47.3	46.7
Aichi	30.6	31.3	42.2	36.7	32.4	24.9	30.5	27.1	25.6	27.6	31.7	32.8	24.9
Akita	51.2	63.6	40.6	59.1	54.6	59.1	36.1	59.1	40.3	45.3	56.4	47.2	51.9
Aomori	30.7	24.5	25.1	35.8	33.1	24.5	38.0	32.1	34.9	27.3	32.0	24.4	34.9
Chiba	49.1	56.4	45.2	54.8	49.9	40.3	41.0	49.4	18.8	48.3	45.1	58.8	58.5
Ehime	37.0	47.3	42.1	43.4	50.5	33.4	33.7	36.5	20.2	22.4	34.1	33.7	47.3
Fukui	36.7	50.1	36.4	43.9	43.7	31.3	32.4	26.6	28.2	38.9	31.3	43.7	34.5
Fukuoka	43.5	48.6	43.0	51.0	43.4	35.0	32.3	39.9	37.5	42.7	47.5	52.7	48.9
Fukushima	35.5	37.4	37.0	43.1	42.8	34.6	32.8	27.2	27.8	28.1	32.9	38.7	43.7
Gifu	33.3	35.4	31.7	44.5	45.9	30.9	31.1	24.9	33.2	26.5	27.9	30.4	37.7
Gunma	41.5	52.1	36.4	49.3	45.8	31.4	48.0	39.3	33.6	34.7	38.6	42.8	46.4
Hiroshima	38.7	50.0	41.7	40.4	34.8	32.0	30.2	32.6	33.1	34.8	44.4	44.1	46.1
Hokkaido	27.1	30.9	32.6	29.4	35.4	25.7	18.6	33.7	23.4	16.8	24.9	24.8	25.7
Hyogo	35.8	41.1	38.7	34.6	42.9	31.3	33.8	33.8	29.8	33.1	37.9	36.9	36.0
Ibaraki	51.3	59.6	63.5	65.8	54.6	39.9	44.7	45.5	50.0	37.7	48.3	46.5	60.1
Ishikawa	38.2	46.4	51.3	37.8	40.3	31.7	37.8	25.6	24.4	50.4	29.3	32.8	52.5
Iwate	38.1	40.8	41.3	47.1	37.6	36.4	38.5	33.7	28.3	30.3	33.7	43.1	45.3
Kagawa	43.8	51.7	35.4	44.3	43.2	50.4	35.6	35.4	45.2	44.5	44.3	43.2	43.1
Kagoshima	57.8	75.5	69.9	67.6	47.7	32.5	43.0	46.2	61.1	61.8	64.4	65.9	58.5
Kanagawa	32.5	31.2	41.7	43.4	32.3	28.3	27.2	30.7	34.7	24.6	30.2	32.3	33.7
Kochi	48.0	44.4	70.5	62.3	45.2	57.0	35.6	34.5	39.8	46.6	39.8	45.3	50.4

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

NEPHRITIS (ALL FORMS) (130-132)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	47.6	54.7	55.6	44.4	44.5	43.8	32.6	42.5	39.2	55.2	59.8	59.2	42.5
Kyoto	30.8	36.7	31.4	40.6	37.9	30.9	29.3	25.1	19.3	29.9	27.7	39.9	21.2
Mie	41.5	39.6	45.6	48.3	38.5	42.0	38.5	38.0	38.0	37.6	42.0	45.0	45.1
Miyagi	37.8	34.5	43.8	54.7	40.2	33.8	33.5	31.7	38.9	25.3	33.8	43.1	41.0
Miyazaki	57.7	67.7	58.0	63.3	56.4	31.7	50.8	45.9	49.1	81.2	57.9	71.1	60.0
Nagano	44.4	43.1	53.2	53.6	41.7	43.6	41.1	36.5	29.8	42.2	51.9	44.5	52.5
Nagasaki	43.4	58.7	34.1	44.0	45.5	33.0	44.0	44.8	39.6	47.8	42.6	38.7	47.7
Nara	49.4	63.5	50.6	62.0	44.2	50.2	47.3	38.4	42.8	59.5	33.9	54.9	45.7
Niigata	46.3	49.5	55.9	53.8	51.2	46.7	40.0	41.0	31.6	37.5	51.4	51.2	46.2
Oita	51.8	57.2	85.8	50.7	39.1	53.5	44.8	38.7	47.0	46.7	50.7	54.3	55.3
Okayama	39.0	41.8	39.3	46.6	37.4	34.8	41.0	29.2	41.1	40.3	38.3	41.0	36.9
Osaka	43.9	47.7	49.9	57.9	44.6	41.2	38.8	36.0	37.6	45.6	40.5	39.5	48.0
Saga	60.7	70.3	66.6	61.7	57.4	62.9	58.6	50.6	37.0	63.7	67.9	59.9	72.8
Saitama	46.5	50.1	44.7	48.5	44.0	42.6	34.5	40.4	50.7	47.3	48.5	51.8	54.4
Shiga	47.5	52.7	64.1	65.8	51.7	35.5	38.1	34.2	51.3	36.7	46.1	63.9	31.6
Shimane	46.9	62.3	38.0	49.6	53.9	36.9	28.9	50.9	35.6	46.0	47.1	49.9	62.3
Shizuoka	35.6	43.4	37.5	41.1	35.0	33.4	33.5	31.0	31.5	30.1	35.3	40.0	35.3
Tochigi	42.3	53.8	49.8	50.9	41.2	30.2	30.5	36.1	43.5	35.1	47.2	46.5	43.5
Tokushima	44.6	44.9	55.6	44.9	51.9	46.3	43.7	38.3	37.0	45.1	44.9	41.0	42.3
Tokyo	37.2	47.7	44.5	44.7	40.3	37.5	38.1	32.4	24.6	27.8	31.2	37.0	39.7
Tottori	61.6	64.0	70.8	75.9	58.1	40.7	38.1	44.6	46.5	66.1	81.4	76.1	87.2
Toyama	49.9	51.8	43.3	62.2	53.5	49.5	35.7	35.7	51.8	54.7	61.0	51.1	47.2
Wakayama	26.6	30.5	32.5	30.5	18.2	23.4	21.8	18.8	24.6	38.8	34.0	13.3	32.8
Yamagata	48.3	48.5	76.5	51.2	50.3	52.9	46.7	36.7	41.0	41.4	43.5	45.9	46.9
Yamaguchi	44.0	42.0	55.8	45.0	37.9	38.2	33.1	35.9	43.5	45.0	53.4	47.3	51.9
Yamanashi	48.3	63.4	37.4	55.0	55.3	56.4	32.0	28.2	42.3	55.3	46.5	55.3	52.1

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949. - Cont'd
(Rates per 100,000 population per annum)

DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (140-150)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	5.5	5.8	5.5	5.8	6.1	5.3	5.1	4.9	5.5	5.3	5.3	5.2	5.3
All "Shi"	5.7	5.6	5.1	5.7	6.2	5.7	5.1	5.6	6.2	5.3	5.7	5.9	5.7
All "Gun"	5.4	5.9	5.7	5.9	6.1	5.1	5.0	4.6	5.8	5.4	5.1	4.9	5.0
Aichi	4.4	3.6	1.6	6.1	5.2	4.6	3.7	4.3	6.1	2.9	3.9	5.2	5.3
Akita	9.2	6.3	11.9	11.6	9.2	9.8	8.3	10.7	10.7	9.2	8.1	9.2	5.4
Aomori	7.4	4.7	6.3	7.5	9.7	6.6	7.8	7.5	8.5	9.7	7.5	7.8	5.7
Chiba	5.6	6.4	7.1	5.9	3.3	6.4	5.0	5.4	4.8	5.0	6.4	5.0	6.4
Ehime	5.1	5.4	8.6	5.4	6.4	5.4	2.4	1.6	3.1	8.0	3.9	4.0	7.0
Fukui	6.0	1.6	-	4.7	9.7	6.3	3.2	4.7	11.0	3.2	12.5	4.9	9.4
Fukuoka	5.2	6.6	5.0	5.5	6.1	4.2	4.7	3.8	6.2	4.3	4.5	5.0	5.9
Fukushima	6.3	5.1	7.5	6.8	4.1	7.9	6.4	7.4	6.2	5.9	5.1	7.6	5.1
Gifu	4.8	4.5	6.7	5.3	4.7	3.0	9.3	3.0	4.5	2.3	6.8	3.1	4.5
Gunma	5.0	6.4	6.3	4.3	6.6	7.9	5.2	5.7	4.3	5.9	2.1	3.7	1.4
Hiroshima	4.9	2.8	5.0	7.3	7.0	4.5	2.9	6.2	4.5	3.5	4.5	4.6	5.6
Hokkaido	7.1	5.4	7.3	8.6	9.2	8.3	5.6	7.4	7.4	7.4	7.4	5.0	5.7
Hyogo	5.6	6.9	4.8	6.2	5.3	4.7	5.6	3.6	7.3	7.5	5.5	2.6	6.6
Ibaraki	5.7	8.4	2.5	5.1	6.4	4.5	9.3	4.5	5.6	6.4	6.2	4.6	4.5
Ishikawa	5.2	4.9	6.8	7.3	5.0	3.7	5.0	3.7	7.3	8.8	1.2	5.0	3.7
Iwate	8.0	8.0	4.9	11.5	9.2	9.8	11.9	7.1	4.4	10.1	2.7	8.3	8.0
Kagawa	4.6	8.6	5.4	1.2	2.5	7.4	1.3	3.7	6.2	2.5	3.7	10.2	2.5
Kagoshima	8.2	12.4	11.5	5.2	8.7	8.5	6.7	4.6	13.0	11.4	4.6	6.7	5.2
Kanagawa	4.6	5.9	1.6	4.5	4.1	6.9	5.1	3.5	5.9	4.6	2.5	5.1	5.5
Kochi	6.1	5.3	7.3	4.0	8.2	-	9.6	8.0	5.3	4.1	6.6	4.1	10.6

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

DISEASES OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (140-150)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	6.8	9.6	6.4	5.1	6.0	8.4	4.0	9.0	5.8	8.0	8.4	4.0	6.4
Kyoto	4.5	4.5	8.6	5.8	1.3	3.2	5.3	4.5	3.9	2.7	3.9	4.7	5.8
Mie	5.1	5.5	5.3	5.5	6.5	3.4	4.9	2.4	6.3	4.1	9.5	5.7	3.2
Miyagi	5.1	2.2	6.4	6.5	7.4	5.8	2.2	4.3	7.9	4.5	2.2	3.0	8.6
Miyazaki	8.1	8.7	9.7	3.3	10.2	6.6	6.8	2.2	10.9	12.4	8.7	9.0	8.7
Nagano	4.8	3.9	7.3	7.7	5.1	2.2	5.7	5.0	3.3	6.9	3.3	4.6	2.8
Nagasaki	5.1	6.6	5.7	7.3	9.9	3.7	2.3	7.3	8.1	8.3	6.6	4.6	2.9
Nara	3.8	7.4	6.5	3.0	3.0	1.5	1.5	5.9	3.0	4.6	4.4	-	4.4
Niigata	5.1	6.1	2.6	6.1	4.9	6.1	3.9	6.1	3.8	3.9	5.2	8.3	4.2
Oita	5.8	6.5	5.1	4.6	10.5	6.5	2.9	4.6	5.5	6.7	2.8	4.8	9.2
Okayama	4.7	7.7	3.1	2.8	8.6	3.5	7.2	1.4	4.9	2.9	5.6	4.3	4.2
Osaka	5.2	4.2	4.3	5.2	5.1	3.9	6.1	8.8	3.9	4.7	4.6	6.1	4.9
Saga	5.0	6.2	5.5	4.9	5.1	3.7	10.2	1.2	6.2	5.1	4.9	2.5	4.9
Saitama	6.1	6.5	6.6	5.9	7.8	5.9	4.5	4.3	6.5	2.8	9.2	7.2	5.9
Shiga	3.1	2.6	2.0	2.6	9.5	1.3	4.1	2.6	1.3	2.7	2.6	1.4	3.9
Shimane	5.4	10.2	4.2	10.2	2.6	7.6	-	2.5	10.2	5.3	3.8	3.9	3.8
Shizuoka	4.4	4.8	4.8	4.8	3.9	4.3	3.9	3.8	6.2	2.0	4.3	7.4	2.9
Tohigi	5.4	8.9	4.1	5.2	5.2	5.2	3.0	5.2	5.2	5.3	5.9	6.1	5.2
Tokushima	4.3	5.3	7.3	1.3	2.7	6.6	-	-	6.6	4.1	5.3	2.7	9.3
Tokyo	4.8	4.9	5.6	5.5	5.9	3.8	3.7	3.8	5.1	3.5	5.5	5.7	4.5
Tottori	6.1	9.7	8.6	11.6	4.0	5.8	4.0	3.9	5.8	6.0	5.8	2.0	5.8
Toyama	5.3	4.6	3.8	3.5	8.3	2.3	9.5	5.8	12.7	3.6	-	4.8	4.6
Wakayama	3.7	7.0	2.6	3.5	7.3	-	3.6	3.5	3.5	3.6	3.5	3.6	2.3
Yamagata	5.0	4.3	3.8	3.4	5.3	9.4	3.5	6.0	3.5	4.4	10.2	4.4	3.4
Yamaguchi	5.1	3.1	5.9	7.6	3.2	6.1	6.3	3.8	5.3	6.3	5.3	5.5	3.1
Yamanashi	5.0	1.4	1.6	2.8	4.4	9.9	4.4	4.2	4.2	5.8	5.6	4.4	11.3

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

CONGENITAL MALFORMATIONS (157)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	8.0	9.2	9.1	9.7	8.3	7.1	6.9	6.6	5.9	7.3	7.7	9.0	9.2
All "Shi"	8.0	9.5	8.3	9.7	7.8	6.7	6.9	6.4	6.3	7.4	7.8	9.2	9.7
All "Gun"	8.0	9.0	9.5	9.7	8.6	7.3	6.8	6.7	5.7	7.3	7.6	8.8	9.0
Aichi	7.7	7.5	9.1	8.5	7.7	4.3	8.5	7.8	5.0	7.7	6.4	11.8	8.2
Akita	7.5	11.6	5.0	5.4	4.6	9.0	7.4	5.4	3.6	10.2	7.2	12.0	9.0
Aomori	10.0	8.5	8.4	8.5	14.6	11.3	5.8	4.7	11.3	6.8	16.0	9.7	14.1
Chiba	7.9	11.3	11.9	11.3	6.1	7.0	3.9	4.3	7.5	6.7	6.4	8.3	10.7
Ehime	8.6	9.3	7.7	10.1	8.8	9.3	8.0	7.8	6.2	12.0	6.2	15.0	5.4
Fukui	7.6	7.8	20.8	7.8	8.1	3.1	6.5	9.4	3.1	6.5	6.3	4.9	7.8
Fukuoka	7.3	10.8	8.4	9.7	7.5	6.2	4.3	6.2	3.5	5.7	8.3	9.0	8.3
Fukushima	10.1	10.8	8.2	13.6	11.1	6.2	8.2	7.4	7.9	8.8	10.2	14.1	14.2
Gifu	7.7	6.8	9.2	14.3	10.1	6.8	3.1	7.5	6.0	5.5	9.0	7.8	6.8
Gumma	10.4	13.6	18.2	10.0	8.9	10.0	6.6	8.6	4.3	5.2	11.4	15.5	12.9
Hiroshima	7.9	10.1	8.1	10.7	5.2	9.0	7.0	4.5	7.9	6.4	11.2	6.4	8.4
Hokkaido	8.9	10.3	13.0	7.4	9.2	10.9	8.0	6.3	8.0	9.2	11.4	6.8	6.9
Iyogo	6.5	8.0	4.0	8.7	5.6	5.8	9.4	6.6	4.7	3.4	6.2	7.9	7.6
Ibaraki	9.3	7.3	9.3	11.2	9.3	7.3	8.1	10.7	7.3	8.7	7.9	9.9	14.6
Ishikawa	9.3	8.5	9.5	11.0	11.3	9.8	2.5	4.9	7.3	11.3	12.2	8.8	14.6
Iwate	8.8	12.4	8.8	17.8	7.3	8.9	6.4	7.1	4.4	11.0	6.2	5.5	9.8
Kagawa	7.6	16.0	9.5	8.6	7.6	7.4	3.8	2.5	4.9	5.1	4.9	11.4	9.8
Kagoshima	6.8	9.8	7.9	7.2	6.0	5.2	5.4	3.9	3.3	7.4	6.5	10.1	9.1
Kanagawa	6.7	6.9	7.7	6.9	6.7	6.9	3.1	5.0	6.4	5.1	9.9	8.2	7.4
Kochi	6.5	11.9	5.9	5.3	2.7	2.7	12.3	4.0	6.6	9.6	1.3	2.7	13.3

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

CONGENITAL MALFORMATIONS (157)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	7.0	9.6	2.1	7.1	4.0	10.3	7.3	7.7	5.1	10.0	3.9	10.6	6.4
Kyoto	7.4	9.7	8.6	10.9	10.6	7.1	4.0	4.5	4.5	4.0	6.4	8.6	9.7
Mie	7.6	5.5	11.4	8.7	9.0	9.5	3.3	7.1	7.9	4.9	6.3	8.2	9.5
Miyagi	10.5	9.4	12.0	18.7	13.4	10.1	12.6	7.2	7.2	12.6	2.9	9.7	10.1
Miyazaki	8.4	12.0	13.3	12.0	6.8	1.1	10.2	2.2	9.8	10.2	6.6	11.3	6.6
Nagano	6.7	7.2	9.2	7.2	2.9	6.1	5.1	7.7	3.9	5.7	9.4	8.0	8.3
Nagasaki	8.4	9.5	7.3	13.2	6.8	8.1	6.1	7.3	5.1	8.3	11.0	6.8	11.0
Nara	6.3	17.7	8.2	4.4	9.1	5.9	-	4.4	1.5	6.1	3.0	6.1	8.9
Niigata	7.9	9.0	9.9	9.4	7.8	6.6	7.8	5.7	4.7	7.8	8.0	10.2	7.5
Osaka	7.2	10.1	7.1	9.2	7.6	7.4	8.6	4.6	0.9	7.6	2.8	17.2	3.7
Okayama	7.6	8.4	7.7	9.1	11.5	7.0	5.8	6.3	5.6	5.8	9.7	7.2	7.0
Osaka	7.4	7.5	11.9	7.5	7.1	3.9	5.7	9.2	7.8	6.8	6.5	7.1	8.2
Saga	9.4	9.9	8.2	12.3	12.7	4.9	8.9	9.9	11.1	6.4	7.4	10.2	11.1
Saitama	9.1	7.5	10.7	9.2	7.2	11.9	8.4	10.2	4.9	10.6	7.0	10.0	11.3
Shiga	6.0	5.3	4.4	3.9	9.5	7.9	4.1	6.6	3.9	2.7	6.6	6.8	10.5
Shimane	6.4	8.9	5.6	10.2	10.5	5.1	9.2	6.4	3.8	3.9	6.4	3.9	2.5
Shizuoka	8.1	5.3	10.6	8.6	8.4	7.2	7.4	4.8	3.8	9.4	9.5	12.3	10.5
Tochigi	9.8	8.9	13.1	11.8	10.7	9.6	11.4	8.9	11.8	4.6	5.9	13.0	8.1
Tokushima	8.1	10.6	11.7	6.6	10.9	1.3	10.9	5.3	7.9	8.2	6.6	8.2	9.3
Tokyo	6.9	9.8	8.0	10.6	6.6	3.6	6.6	4.5	5.9	6.8	5.1	5.3	10.6
Tottori	10.2	11.6	15.0	15.5	12.0	3.9	8.0	5.8	5.8	8.0	11.6	16.0	9.7
Toyama	10.0	5.8	7.6	15.0	15.5	9.2	10.7	3.5	6.9	11.9	11.5	5.9	16.1
Wakayama	7.5	7.0	6.5	8.2	8.5	4.7	8.5	10.6	5.9	7.3	7.0	8.5	7.0
Yamagata	7.5	12.8	5.7	7.7	15.0	9.4	3.5	6.0	5.1	4.4	8.5	7.1	5.1
Yamaguchi	7.3	9.2	2.5	8.4	8.7	9.2	5.5	9.2	5.3	6.3	6.9	6.3	9.9
Yamanashi	10.5	4.2	12.5	14.1	14.6	8.5	11.6	14.1	2.8	10.2	9.5	13.1	11.3

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1940 - Cont'd
(Rates per 100,000 population per annum)

CONGENITAL DEBILITY (158)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	45.4	70.0	63.8	66.8	50.3	36.2	32.9	34.2	31.1	29.6	32.9	44.5	53.0
All "Shi"	35.1	55.0	48.1	47.0	37.4	29.1	25.4	28.2	26.2	23.6	24.6	34.8	41.9
All "Gin"	50.8	77.9	72.1	77.3	57.1	39.9	36.9	37.3	33.7	32.7	37.3	49.7	58.9
Aichi	50.0	76.9	69.0	79.8	63.7	44.5	34.2	40.2	36.0	34.2	27.4	44.2	51.3
Akita	86.7	105.6	131.8	132.5	114.7	59.1	57.3	63.6	52.8	78.6	61.8	84.2	102.0
Aomori	89.2	99.0	108.6	115.1	108.2	94.3	84.8	89.6	80.2	66.3	69.8	77.0	79.2
Chiba	41.1	54.2	54.7	55.8	41.6	30.6	27.2	30.6	27.4	31.6	34.4	46.6	59.0
Ehime	44.4	72.9	70.4	72.1	43.3	31.0	28.1	28.7	38.0	31.3	31.8	39.3	47.3
Fuku	65.9	112.8	109.3	95.6	68.0	48.6	34.0	62.7	40.7	47.0	36.0	64.8	73.6
Fukuoka	45.3	74.9	74.1	59.3	40.9	34.0	33.0	27.4	27.4	40.5	33.6	37.6	62.4
Fukushima	45.4	50.5	62.1	74.8	52.1	38.6	26.4	33.5	29.5	31.6	38.0	32.7	56.1
Gifu	59.0	93.4	88.4	94.9	64.6	46.0	45.2	44.5	42.2	27.3	46.0	63.9	53.5
Gumma	36.8	45.7	43.5	42.6	44.5	35.7	33.2	26.4	30.7	26.6	27.1	39.1	39.3
Hiroshima	38.4	63.5	50.4	46.1	47.6	24.7	29.0	27.5	23.6	25.0	31.5	47.0	46.6
Hokkaido	39.2	46.0	46.2	57.7	52.6	40.3	29.5	32.0	27.4	27.2	33.1	36.3	42.6
Ibago	35.9	54.6	56.8	59.5	48.1	27.3	29.0	25.5	23.7	15.4	23.3	30.1	38.9
Ibaraki	53.5	83.2	87.7	84.9	56.9	42.7	38.9	38.8	30.9	26.7	30.3	46.5	75.9
Ishikawa	50.6	67.1	67.5	81.7	64.3	47.6	32.8	36.6	31.7	36.6	47.6	52.9	41.5
Iwate	70.7	103.9	86.5	121.6	93.6	60.4	49.5	43.5	35.5	41.3	55.9	78.9	78.1
Kagawa	59.1	111.9	102.1	71.3	47.0	39.4	58.5	56.6	23.4	36.9	36.9	50.8	77.5
Kagoshima	39.1	74.8	47.5	46.2	35.0	28.0	23.5	26.0	36.4	21.5	31.2	42.3	55.9
Kanagawa	23.0	37.7	30.7	31.7	19.5	14.4	15.4	17.4	12.4	19.0	16.4	23.6	38.2
Kochi	50.8	88.9	54.3	71.6	53.4	37.1	41.1	45.1	35.8	35.6	35.8	53.4	57.0

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

CONGENITAL DEBILITY (158)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	44.1	70.8	52.7	56.6	42.5	33.5	33.9	32.8	23.8	30.6	34.1	59.2	59.2
Kyoto	36.1	64.4	47.0	54.7	38.6	36.7	25.3	32.8	20.6	25.9	20.0	33.9	33.5
Mie	46.9	80.0	68.4	76.0	43.4	34.8	31.1	44.3	24.5	36.0	29.3	44.2	52.3
Miyagi	48.8	82.1	74.9	93.6	61.7	32.4	35.7	36.0	23.8	14.1	34.5	50.6	47.5
Miyazaki	54.2	93.9	76.1	72.1	42.9	46.9	44.0	38.2	36.0	28.2	32.8	57.5	83.0
Nagano	30.1	37.6	39.1	43.1	37.7	29.8	22.8	18.8	26.0	17.1	26.5	28.0	35.4
Nagasaki	55.4	102.0	86.1	59.4	56.9	44.8	41.7	41.8	26.4	34.9	36.7	56.1	80.0
Nara	51.1	90.0	68.6	95.9	33.5	31.0	38.1	26.6	41.3	50.3	28.0	48.8	62.0
Niigata	41.9	48.1	59.5	59.4	52.7	39.6	25.8	35.9	34.4	27.8	29.3	46.3	44.8
Oita	55.4	100.5	100.1	74.7	43.8	34.1	49.6	45.2	42.4	36.2	41.5	38.1	60.9
Okayama	52.6	100.3	86.3	75.2	57.6	47.3	33.1	34.1	31.3	30.9	39.7	45.3	52.2
Osaka	38.4	63.1	5.25	54.3	40.2	28.1	28.4	38.6	30.4	21.6	28.4	38.2	38.2
Saga	70.1	143.1	94.2	86.4	62.5	55.5	51.0	35.8	45.6	38.2	75.3	61.2	92.5
Saitama	52.0	79.2	61.5	70.1	46.2	36.6	46.2	38.3	47.4	25.6	36.6	59.0	77.6
Shiga	54.7	69.8	65.6	106.6	68.0	46.1	28.6	60.6	32.9	42.2	30.3	39.4	65.8
Shimane	49.7	71.2	59.1	80.1	52.6	40.7	38.1	39.4	40.7	39.4	45.8	39.4	49.6
Shizuoka	41.6	65.9	62.4	73.0	45.4	25.3	31.1	21.5	27.2	27.6	29.1	40.0	52.0
Tochigi	37.9	54.6	56.3	60.5	42.7	31.0	25.2	24.3	33.2	23.6	26.6	37.3	40.6
Tokushima	60.8	121.6	84.9	75.3	60.1	41.0	45.1	35.7	46.3	45.1	48.9	49.2	78.0
Tokyo	24.8	40.5	34.5	31.4	31.3	18.2	19.7	22.1	16.8	13.6	16.1	27.4	26.5
Tottori	42.2	75.6	77.2	54.3	64.1	36.8	24.0	27.1	32.9	50.1	38.8	40.1	60.1
Toyama	58.3	77.1	86.6	110.5	83.3	47.2	29.7	40.3	39.1	35.7	38.0	59.5	54.1
Wakayama	34.6	56.3	37.6	49.2	29.1	31.7	32.7	21.1	27.0	24.2	29.3	30.3	45.7
Yamagata	65.6	105.0	94.5	104.1	70.5	46.1	45.0	40.1	47.8	36.2	51.2	80.2	68.3
Yamaguchi	43.8	72.5	56.6	66.4	46.5	38.2	22.1	33.6	37.4	31.5	32.1	38.6	50.4
Yamanashi	31.7	38.0	53.0	52.1	43.7	25.4	26.2	22.5	15.5	17.5	16.9	26.2	45.1

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

PREMATURE BIRTH (199)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	16.6	21.3	20.2	19.5	16.5	14.5	14.4	14.4	14.4	14.6	13.8	16.5	19.7
All "Shi"	15.0	17.4	16.2	16.5	15.8	13.3	13.6	13.6	14.3	12.7	13.1	14.4	18.9
All "Gun"	17.5	23.3	22.3	21.1	16.8	15.2	14.8	14.8	14.4	15.7	14.2	17.7	20.2
Aichi	18.2	22.1	23.3	19.2	21.3	16.7	21.3	17.5	16.0	14.0	11.4	15.8	20.7
Akita	24.9	28.6	41.6	26.9	15.7	27.7	15.7	23.3	25.1	18.5	17.9	32.4	26.0
Aomori	20.1	18.9	20.9	25.5	28.3	25.5	23.4	22.6	15.1	17.5	10.4	20.5	13.2
Chiba	23.9	37.0	27.9	31.7	12.2	21.5	17.2	15.6	30.6	22.7	20.9	23.9	25.8
Ehime	16.6	15.5	18.9	22.5	14.4	15.5	11.2	21.7	16.3	11.2	14.0	20.0	17.8
Fuku	20.8	31.3	17.3	29.8	22.7	21.9	24.3	23.5	11.0	14.6	14.1	22.7	15.7
Fukuoka	14.3	12.2	16.1	13.5	11.5	11.8	12.2	12.5	10.8	11.1	11.8	15.8	22.9
Fukushima	18.3	17.0	23.2	24.4	15.2	14.2	14.6	19.8	35.3	16.4	19.8	15.8	23.2
Gifu	20.5	27.9	28.4	26.4	21.8	27.9	16.4	21.1	16.6	10.1	14.3	16.4	19.6
Gunma	13.8	13.6	11.1	25.7	11.1	5.0	10.3	12.1	6.4	17.0	7.9	21.4	23.6
Hiroshima	13.7	19.7	19.3	16.3	19.3	10.7	8.7	12.9	9.0	12.8	12.4	16.8	14.0
Hokkaido	12.6	14.9	16.5	12.9	14.5	10.9	13.0	14.9	10.0	9.2	10.3	12.1	12.6
Hyogo	15.6	22.6	20.1	16.7	19.2	13.1	15.0	11.6	13.1	11.7	12.7	9.4	22.6
Ibaraki	24.7	33.2	35.5	35.4	26.1	28.1	24.4	18.5	17.4	19.2	15.2	21.5	23.0
Ishikawa	21.4	24.4	27.0	32.9	35.3	20.7	10.1	23.2	13.4	16.4	15.9	17.6	20.7
Iwate	28.1	31.1	38.3	35.5	46.8	37.3	23.9	14.2	23.1	19.3	19.5	25.7	24.0
Kagawa	17.3	24.6	20.4	20.9	12.7	11.1	8.9	18.5	19.7	16.5	19.7	15.3	19.7
Kagoshima	13.6	22.1	19.4	15.6	6.7	8.5	9.4	9.1	15.0	11.4	9.8	22.2	15.0
Kanagawa	9.3	7.9	9.3	11.4	12.3	4.5	6.1	7.9	10.4	10.8	7.4	10.2	13.9
Koshi	21.5	33.2	29.4	23.9	20.6	11.9	19.2	15.9	22.5	20.6	21.2	15.1	25.2

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

PREFATURE BIRTH (1959)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	16.3	21.2	22.1	10.9	11.3	10.9	17.3	11.6	13.5	17.3	17.4	17.3	25.7
Kyoto	16.3	23.2	17.1	20.6	18.6	12.2	21.3	8.4	20.0	11.3	16.7	13.3	12.9
Mie	19.4	25.3	20.2	17.4	15.5	15.8	22.1	21.4	18.2	14.7	17.4	18.8	26.1
Miyagi	16.6	21.6	13.5	22.3	14.9	16.6	11.2	15.1	9.4	15.6	15.1	21.6	21.6
Miyazaki	15.8	30.6	20.5	15.3	6.8	13.1	9.0	8.7	21.8	16.9	10.9	21.4	14.2
Nagano	13.7	13.3	15.9	20.4	8.0	15.5	7.4	15.5	17.7	8.6	12.2	13.7	15.5
Nagasaki	14.9	21.3	10.6	12.5	19.0	16.1	9.9	8.1	15.4	12.9	14.7	19.0	19.1
Nara	16.7	23.6	24.5	23.6	21.3	7.4	7.6	8.9	13.3	18.3	16.2	22.9	13.3
Niigata	16.7	17.0	19.3	23.1	20.0	15.6	14.1	11.3	13.2	21.5	8.5	12.7	25.0
Oita	16.6	27.7	20.4	25.8	17.2	10.1	14.3	12.0	10.1	19.1	10.1	16.2	16.6
Okayama	17.0	23.0	32.4	11.8	10.8	18.1	14.4	17.4	11.1	18.7	14.6	12.2	20.9
Osaka	15.5	20.9	19.2	15.7	13.2	12.4	12.5	12.1	13.4	16.6	12.7	15.2	22.6
Saga	18.0	25.9	26.0	14.8	17.8	9.9	10.2	8.6	13.6	16.6	17.3	24.2	32.1
Saitama	18.3	21.0	22.1	21.6	20.6	15.6	14.5	12.4	17.2	16.1	14.6	18.9	25.3
Shiga	18.7	19.7	16.0	15.8	17.7	14.5	24.5	15.8	10.5	23.1	21.1	20.4	25.0
Shimane	19.5	26.7	26.8	16.5	18.4	20.3	11.8	17.8	10.2	21.0	20.3	25.0	20.3
Shizuoka	13.5	20.5	15.9	14.8	15.3	11.9	11.8	12.4	8.6	6.4	10.5	8.9	24.3
Tochigi	14.3	17.0	15.5	21.4	9.9	12.5	13.7	14.0	8.9	13.7	12.5	18.3	14.0
Tokushima	19.3	21.1	17.6	23.8	9.6	17.2	13.7	26.4	26.4	20.5	14.5	28.7	11.9
Tokyo	12.6	16.3	12.9	12.9	12.1	10.2	15.1	11.7	11.7	10.5	11.2	12.1	15.1
Tottori	15.3	23.3	19.3	13.6	12.0	11.6	12.0	9.7	5.8	20.0	25.2	16.0	15.5
Toyama	26.2	28.8	38.2	25.3	32.1	15.0	15.0	28.8	29.9	28.5	11.9	19.0	23.0
Wakayama	16.1	17.6	15.6	16.4	14.8	12.9	5.7	16.4	16.4	19.4	19.9	13.2	19.9
Yamagata	22.7	28.2	21.7	31.6	37.0	18.8	17.6	12.8	14.5	19.4	26.5	22.9	21.3
Yamaguchi	9.7	10.7	10.1	16.0	10.3	6.1	8.7	9.2	9.2	8.7	7.6	5.5	12.2
Yamanashi	11.8	15.5	17.2	19.7	8.7	15.5	13.1	5.6	7.0	7.3	5.6	8.7	18.3

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

INJURY AT BIRTH (160)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1.3	1.3	1.4	1.3	1.4	1.1	1.3	1.4	1.3	1.3	1.4	1.3	1.3
All "Shi"	1.5	1.4	1.4	1.4	1.5	1.1	1.4	1.9	1.7	1.8	1.6	1.2	1.2
All "Gun"	1.2	1.2	1.5	1.4	1.4	1.1	1.2	1.1	1.1	1.1	1.4	1.3	1.4
Aichi	1.2	1.4	1.2	0.7	1.8	1.8	1.5	0.7	1.1	0.7	0.7	0.7	2.1
Akita	1.7	-	2.0	2.7	1.8	3.6	0.9	1.8	0.9	-	1.8	0.9	3.6
Aomori	0.9	-	1.0	0.9	-	-	1.0	1.9	0.9	1.0	0.9	1.0	1.9
Chiba	1.9	2.7	2.4	1.1	1.1	1.1	3.3	1.1	1.1	1.7	4.8	-	2.7
Ehime	1.8	2.3	6.0	-	0.8	-	2.4	5.4	1.6	1.6	0.8	1.6	-
Fukui	1.2	1.6	-	1.6	-	-	1.6	1.6	1.6	-	4.7	1.6	-
Fukuoka	1.1	1.0	0.8	2.4	1.4	0.3	1.4	1.0	1.4	0.7	0.3	1.1	0.7
Fukushima	1.1	1.1	0.6	1.1	0.6	1.1	0.6	1.1	0.6	1.8	0.6	2.3	1.7
Gifu	1.2	0.8	4.2	1.5	2.3	0.8	1.6	-	1.5	0.8	0.8	-	0.8
Gumma	1.3	2.1	0.8	1.4	0.7	1.4	2.2	2.1	1.4	-	0.7	2.2	-
Hiroshima	1.4	0.6	2.5	-	1.7	-	2.3	1.7	-	2.9	2.2	1.7	1.7
Hokkaido	1.1	0.9	3.2	1.1	1.2	1.4	1.2	1.1	0.6	-	1.1	0.9	0.9
Hyoogo	1.1	0.4	0.4	0.7	1.9	1.1	0.8	0.7	1.5	1.9	1.8	1.1	0.7
Ibaraki	1.1	0.6	1.2	1.7	0.6	1.1	0.6	-	1.7	1.2	1.1	2.3	0.6
Ishikawa	1.2	3.7	2.7	1.2	-	-	-	2.4	-	1.3	1.2	2.5	-
Iwate	1.4	0.9	-	2.7	2.8	0.9	-	-	1.8	-	1.8	2.8	2.7
Kagawa	1.7	1.2	1.4	3.7	-	1.2	1.3	-	3.7	-	1.2	2.5	3.7
Agoshima	1.2	2.0	0.7	-	0.7	0.7	1.3	-	1.3	1.3	2.0	4.0	0.7
Kanagawa	1.4	1.5	2.2	1.0	1.0	1.0	1.5	1.5	0.5	2.6	1.5	1.0	2.0
Kochi	2.3	1.3	1.5	1.3	2.7	2.7	1.4	6.6	-	2.7	2.7	-	4.0

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)
INJURY AT BIRTH (160)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	1.3	-	1.4	2.6	2.0	0.6	0.7	-	1.9	2.7	0.6	0.7	1.9
Kyoto	2.0	1.9	0.7	2.6	2.0	-	1.3	3.9	2.6	2.0	2.6	1.3	3.2
Mie	1.2	-	-	0.8	2.5	1.6	0.8	1.6	0.8	-	4.0	1.6	0.8
Miyagi	2.1	2.9	2.4	2.2	2.2	4.3	1.5	-	2.2	3.0	1.4	3.0	0.7
Miyazaki	1.9	-	1.2	3.3	1.1	3.3	2.3	2.2	1.1	3.4	1.1	-	3.3
Nagano	0.8	-	1.2	0.6	1.1	-	1.7	0.6	1.1	1.1	0.6	0.6	0.6
Nagasaki	1.1	1.5	-	2.2	2.3	-	0.8	1.5	0.7	-	1.5	0.8	1.5
Nara	1.3	-	-	1.5	1.5	1.5	1.5	3.0	-	1.5	3.0	1.5	-
Niigata	1.2	0.9	0.5	1.9	1.5	1.4	1.0	2.4	1.9	0.5	0.9	0.5	0.5
Osaka	1.7	2.8	3.1	0.9	1.9	-	1.0	1.8	1.8	1.9	-	3.8	1.8
Okayama	1.4	0.7	2.3	0.7	0.7	2.1	1.4	2.8	0.7	2.9	1.4	-	1.4
Osaka	1.0	0.7	1.4	0.7	0.7	1.6	1.4	1.0	1.6	1.4	0.7	1.0	0.3
Saga	1.8	2.5	1.4	1.2	2.5	-	1.3	-	4.9	1.3	3.7	1.3	1.2
Saitama	1.1	1.1	-	3.6	1.7	-	0.6	1.1	1.6	0.6	1.6	1.1	2.2
Shiga	1.6	1.3	1.5	2.6	5.4	1.3	-	-	-	-	1.3	-	1.3
Shimane	1.1	1.3	-	2.5	-	-	2.6	2.5	-	-	-	1.3	2.5
Shizuoka	0.9	1.0	2.1	0.5	1.0	-	0.5	-	0.5	1.5	1.4	1.5	0.5
Tochigi	0.9	1.5	-	3.0	1.5	0.7	-	0.7	-	0.8	-	1.5	1.5
Tokushima	0.9	-	-	-	2.7	1.3	1.4	1.3	1.3	-	2.6	-	-
Tokyo	1.4	2.3	1.2	1.1	1.5	0.8	1.5	1.5	2.1	1.8	1.7	0.9	0.8
Tottori	1.6	3.9	-	1.9	4.0	-	-	-	-	2.0	3.9	4.0	-
Toyama	2.5	1.2	2.5	-	3.6	3.5	4.8	2.3	3.5	2.4	2.3	1.2	3.5
Wakayama	1.5	-	8.6	-	2.3	2.3	1.2	2.6	1.2	6.1	1.2	-	1.2
Yamagata	2.1	5.1	1.9	1.7	2.6	1.7	0.9	2.6	1.7	3.5	1.7	0.9	0.9
Yamaguchi	0.8	0.8	1.7	1.5	-	-	-	0.8	1.5	0.8	0.8	1.6	0.8
Yamanashi	0.7	1.4	-	-	1.5	1.4	-	2.8	-	-	-	1.5	-

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

SENILITY (162)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	81.1	95.0	93.5	97.6	87.7	68.0	63.2	65.3	68.5	71.9	79.4	86.6	97.6
All "Shi"	57.6	70.1	68.5	72.1	63.6	47.5	44.0	47.9	46.3	48.1	53.3	60.6	69.9
All "Gun"	93.6	108.2	106.6	111.1	100.5	78.8	73.3	74.5	80.2	84.5	93.2	100.4	112.2
Aichi	81.2	105.4	87.1	84.8	96.8	70.9	66.2	74.1	71.6	70.3	68.4	83.9	95.5
Akita	78.8	76.1	83.2	106.5	104.5	83.2	47.2	67.1	58.2	69.4	75.2	86.0	88.6
Aomori	77.3	82.1	67.9	94.3	95.5	75.5	59.4	70.7	76.4	68.2	65.1	78.9	92.4
Chiba	99.8	119.7	117.7	131.0	97.1	78.4	91.5	88.0	70.3	70.4	94.5	103.2	135.8
Ehime	117.0	144.3	140.0	116.4	125.9	89.2	85.0	106.3	102.4	116.2	121.0	122.7	136.5
Fukui	119.1	123.8	170.0	133.2	152.2	101.8	79.3	97.1	95.6	108.5	136.3	118.2	117.5
Fukuoka	69.2	74.6	82.2	75.6	70.6	54.1	58.4	50.3	47.2	62.7	73.5	83.2	98.9
Fukushima	77.0	79.9	91.7	102.6	86.7	74.3	74.4	60.1	67.5	51.6	69.2	83.2	83.9
Gifu	89.5	92.7	93.4	110.0	90.3	98.7	62.3	85.2	83.6	77.9	92.7	81.8	104.7
Gumma	69.1	74.3	71.2	81.4	87.1	60.0	61.3	58.6	47.1	63.5	65.7	73.8	86.4
Hiroshima	96.5	112.3	108.2	110.6	95.2	76.9	85.9	76.9	73.6	90.5	109.0	108.5	111.8
Hokkaido	55.1	62.3	61.4	74.3	60.8	56.0	44.3	38.6	45.1	43.7	41.3	57.3	72.9
Hyogo	78.3	91.4	87.8	95.4	68.5	60.4	60.2	69.2	73.5	75.6	88.1	82.4	87.4
Ibaraki	89.3	102.3	116.4	115.8	96.4	61.8	85.9	66.9	73.1	63.9	95.5	90.6	105.1
Ishikawa	111.5	111.0	100.0	149.6	141.2	126.9	99.6	89.1	83.0	93.3	104.9	119.8	98.8
Iwate	83.2	86.1	98.3	115.4	96.3	73.7	79.8	58.6	65.7	80.7	63.9	81.6	100.3
Kagawa	110.3	119.3	113.0	111.9	91.5	100.9	80.1	71.3	104.6	142.4	120.5	120.8	147.6
Kagoshima	91.9	122.3	104.4	51.7	90.1	72.2	78.6	68.9	80.7	80.7	96.9	101.5	115.8
Kanagawa	58.9	81.3	71.9	73.4	68.1	53.1	43.0	40.2	35.7	49.7	53.1	58.4	79.3
Kochi	132.8	187.0	168.9	148.5	111.0	99.5	106.9	78.2	110.1	134.3	137.9	169.1	151.2

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

SENILITY (162)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	92.5	126.1	104.7	96.5	86.4	64.3	67.1	72.5	81.7	83.8	97.8	103.7	119.7
Kyoto	77.5	97.2	85.5	86.3	80.5	63.7	61.2	66.3	69.5	66.5	73.4	87.8	92.7
Mie	84.9	106.1	80.4	103.7	94.9	72.8	62.2	65.7	81.6	72.0	80.0	95.7	94.2
Miyagi	65.4	81.3	82.9	87.8	78.8	63.3	47.6	59.0	54.0	35.0	47.5	66.9	81.3
Miyazaki	86.0	133.2	96.7	101.5	67.7	65.5	53.0	57.9	86.2	68.8	95.3	101.5	100.4
Nagano	81.2	102.8	91.1	100.6	101.6	72.9	55.4	64.1	70.7	62.8	85.1	89.6	78.5
Nagasaki	106.5	132.8	137.3	107.9	117.5	69.7	88.7	80.0	97.6	74.3	106.4	131.2	137.2
Nara	89.4	87.1	109.5	116.6	93.0	78.2	67.1	69.4	81.2	96.1	67.9	82.3	125.4
Niigata	69.3	75.5	76.8	83.0	90.7	69.4	60.5	58.0	61.8	62.4	56.1	62.4	75.5
Osaka	117.0	143.9	126.6	130.1	101.0	95.0	86.7	103.3	95.0	130.6	124.5	138.2	129.1
Okayama	116.6	117.7	124.9	129.5	133.1	91.2	84.2	84.2	112.1	138.9	130.9	126.6	126.7
Osaka	56.4	69.6	66.2	68.0	58.4	39.9	38.8	53.0	53.9	58.8	57.9	50.0	63.1
Saga	89.4	90.1	94.2	104.9	95.6	72.8	63.7	80.2	66.6	89.2	107.3	90.5	117.2
Saitama	81.0	99.7	97.8	93.8	79.6	63.6	56.8	70.6	70.1	66.8	76.0	99.1	99.2
Shiga	97.3	106.6	104.9	119.8	126.5	80.3	70.7	85.6	88.2	92.5	92.2	84.3	115.8
Shimane	104.5	95.2	130.9	127.2	111.7	86.5	76.2	82.7	85.2	95.9	105.5	130.1	122.1
Shizuoka	75.4	96.9	90.4	103.1	86.3	63.0	58.7	59.2	65.9	57.7	52.5	82.4	89.3
Todhigi	76.2	82.6	95.5	107.7	87.6	53.4	57.2	51.6	56.1	60.2	73.8	95.3	96.6
Tokushima	116.3	119.0	130.2	122.9	125.8	105.7	86.0	85.9	107.1	113.4	128.2	107.9	159.9
Tokyo	46.8	60.0	60.1	67.4	53.0	39.2	34.8	36.7	39.7	32.7	39.7	43.4	55.6
Tottori	120.2	126.0	128.7	141.5	148.2	126.0	68.1	73.6	87.2	106.1	127.9	126.2	182.2
Toyama	64.9	41.4	76.5	81.7	57.1	50.6	33.3	63.3	69.1	76.1	64.5	80.9	85.2
Wakayama	96.8	131.3	103.8	95.0	95.7	72.7	66.1	85.6	91.5	87.2	98.5	121.2	110.2
Yamagata	73.7	75.9	93.5	98.1	90.8	62.3	69.7	50.3	54.6	65.3	68.3	75.8	81.9
Yamaguchi	103.1	121.4	120.8	127.5	102.5	68.7	77.3	81.7	86.2	104.9	114.5	98.6	134.3
Yamanashi	71.7	86.0	84.2	77.5	85.9	69.0	43.7	62.0	36.6	72.8	78.9	78.6	86.0

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

SUICIDE (163-164)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	17.3	12.4	13.6	16.0	19.9	22.8	18.5	20.0	18.4	17.3	16.3	16.1	15.8
All "Shi"	18.7	14.1	15.6	16.3	19.5	22.7	20.3	22.0	19.1	18.5	18.1	18.8	19.5
All "Gun"	16.5	11.5	12.6	15.9	20.0	22.9	17.5	18.9	18.1	16.7	15.4	14.7	13.8
Aichi	16.9	8.9	12.2	15.7	17.7	17.1	17.7	28.1	21.4	15.8	12.8	16.6	18.2
Akita	15.3	10.7	8.9	13.4	26.8	23.3	15.7	8.1	20.6	18.5	9.0	15.7	12.5
Aomori	10.7	2.8	13.6	10.4	10.7	17.0	8.8	11.3	5.7	14.6	10.4	12.7	10.4
Chiba	17.2	18.3	9.5	18.8	16.6	23.6	20.5	19.9	19.9	12.2	11.8	15.0	19.3
Ehime	15.5	10.1	13.7	10.1	20.8	21.7	15.2	19.4	18.6	16.8	10.1	21.6	7.8
Fukui	20.9	9.4	17.3	25.1	32.4	29.8	17.8	17.2	21.9	19.4	14.1	19.4	26.6
Fukuoka	15.7	15.6	9.6	14.2	20.1	17.0	13.6	17.0	15.6	16.1	15.6	19.4	14.6
Fukushima	12.3	8.5	9.4	12.5	14.6	11.3	17.6	11.3	11.3	18.7	14.2	9.4	9.1
Gifu	21.8	7.5	20.0	20.3	22.6	27.9	18.7	27.9	28.6	20.2	30.1	21.0	15.8
Gumma	19.8	15.0	12.7	19.3	17.0	30.0	17.0	24.3	19.3	21.4	21.4	17.0	22.9
Hiroshima	17.7	12.4	16.2	25.3	23.2	16.3	23.2	22.5	17.4	16.8	14.0	11.6	13.5
Hokkaido	13.5	8.9	7.6	14.3	12.1	18.3	21.3	16.0	17.1	10.3	12.3	14.2	9.4
Hyogo	21.4	15.7	16.1	17.1	24.1	28.4	24.1	25.1	27.3	22.9	16.4	20.7	18.9
Ibaraki	12.4	8.4	10.0	11.2	16.3	15.7	11.6	20.8	12.4	12.2	8.6	11.6	9.0
Ishikawa	16.8	11.0	6.8	13.4	15.1	15.9	18.9	20.7	23.2	22.7	22.0	16.4	14.6
Iwate	14.9	11.5	16.7	13.3	14.7	27.5	11.9	16.0	14.2	12.8	17.8	11.9	10.7
Kagawa	14.6	6.2	15.0	14.8	14.0	33.2	16.5	11.1	17.2	7.6	17.2	7.6	14.8
Kagoshima	12.4	8.5	8.4	12.4	17.1	22.1	11.4	16.9	18.9	8.1	8.1	8.1	11.1
Kanagawa	17.5	17.8	12.1	18.3	17.4	22.8	19.0	14.9	11.9	23.1	17.4	14.3	20.3
Kochi	14.9	8.0	16.2	15.9	17.8	23.9	21.9	18.6	8.0	11.0	14.6	9.6	13.3

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

SUICIDE (163-164)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	13.0	9.0	11.4	13.5	13.3	11.6	12.6	8.4	24.4	12.0	18.7	12.0	9.0
Kyoto	26.2	18.0	27.1	21.2	33.3	36.7	25.3	23.8	29.0	27.9	24.5	27.3	20.6
Mie	16.9	10.3	14.0	24.5	21.3	19.0	17.2	18.2	2.7	17.2	21.4	11.5	15.0
Miyagi	10.5	6.5	4.8	12.2	10.4	16.6	14.1	12.2	7.9	9.7	15.1	10.4	5.8
Miyazaki	14.1	13.1	14.5	14.2	16.9	21.8	10.2	16.4	15.3	11.3	16.4	14.7	4.4
Nagano	24.2	21.0	18.4	19.3	24.5	38.1	28.5	26.5	26.8	22.8	19.3	17.1	24.3
Nagasaki	11.3	11.0	8.1	11.0	8.1	8.1	11.4	9.5	18.3	15.2	16.9	6.8	10.3
Nara	21.3	16.2	11.4	20.7	36.6	35.4	15.2	25.1	22.1	24.4	17.7	10.7	19.2
Niigata	20.2	15.1	13.6	15.8	32.6	32.6	26.3	22.6	17.5	19.0	14.6	20.5	18.4
Oita	17.3	11.1	10.2	16.6	20.0	27.7	19.1	17.5	25.8	20.0	11.1	15.3	10.9
Okayama	16.5	9.7	16.2	10.4	28.8	24.4	8.6	24.4	9.1	15.8	19.5	13.0	18.1
Osaka	19.7	13.7	14.8	18.3	18.9	24.5	21.3	27.8	15.4	19.6	19.6	23.0	19.0
Saga	13.1	7.4	10.9	16.0	12.7	18.5	12.7	12.7	17.3	12.7	12.3	11.5	11.1
Saitama	15.1	14.6	14.3	10.2	18.4	17.2	21.2	14.6	8.6	13.4	14.6	20.6	14.6
Shiga	24.7	11.8	16.0	23.7	32.6	31.6	28.6	39.5	22.4	31.3	21.1	20.4	17.1
Shimane	17.6	19.1	14.1	11.4	21.0	24.2	22.3	24.2	20.3	15.8	15.3	13.1	10.2
Shizuoka	19.3	11.9	19.6	15.3	25.2	25.8	18.7	16.2	22.0	18.3	18.1	18.3	22.4
Tokichi	16.3	11.1	12.2	11.8	24.4	22.1	16.8	15.5	18.4	11.4	19.9	17.5	14.8
Tokushima	18.5	6.6	19.0	18.5	20.5	18.5	16.4	22.5	18.5	26.0	22.5	17.8	15.9
Tokyo	20.5	13.4	16.4	16.1	19.9	30.5	20.6	23.3	22.5	21.0	17.6	19.3	24.6
Tottori	12.8	9.7	10.7	27.1	8.0	9.7	18.0	17.4	13.6	6.0	17.4	2.0	13.6
Toyama	19.6	4.6	16.6	19.6	13.1	31.1	15.5	35.7	23.0	17.8	18.4	25.0	15.0
Wakayama	26.2	36.3	23.4	19.9	44.8	24.6	37.6	21.1	19.9	21.8	24.6	27.9	12.9
Yamagata	18.0	11.1	17.0	17.9	23.8	17.9	19.4	22.2	19.6	25.6	12.8	17.3	17.1
Yamaguchi	19.3	14.5	18.6	13.7	28.4	16.0	20.5	24.4	16.8	21.3	21.4	11.0	21.4
Yamanashi	12.2	14.1	4.7	19.7	10.2	16.9	5.8	16.9	11.3	10.2	9.9	18.9	7.0

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

HOMICIDE (165-168)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	2.0	1.6	1.9	2.1	2.0	2.1	1.7	2.1	2.4	2.4	1.9	2.1	2.0
All "Shi"	2.5	1.9	2.2	2.3	2.9	2.7	1.6	2.8	2.8	3.1	2.2	3.2	2.4
All "Gun"	1.8	1.4	1.7	2.0	1.4	1.9	1.7	1.7	2.3	2.1	1.8	1.6	1.9
Aichi	1.9	0.4	0.4	2.1	1.5	1.4	2.6	1.8	4.3	1.1	3.2	1.1	2.5
Akita	1.6	1.8	1.0	0.9	1.8	4.5	-	2.7	0.9	1.8	0.9	0.9	1.8
Aomori	1.5	1.9	-	2.8	-	2.8	1.9	-	1.9	1.0	0.9	3.9	0.9
Chiba	4.0	4.3	1.8	4.3	2.8	1.6	2.8	2.1	3.8	7.2	5.4	1.7	9.7
Ehime	1.6	0.8	1.7	-	3.2	0.8	0.8	1.6	2.3	1.6	1.6	2.4	3.1
Fukui	1.3	1.6	-	-	3.2	-	-	-	-	-	1.6	3.2	6.3
Fukuoka	3.9	3.1	3.8	3.8	4.3	4.9	2.5	3.5	5.2	2.9	5.5	2.2	4.9
Fukushima	1.7	1.1	1.9	3.4	0.6	1.7	4.7	1.7	1.1	1.2	-	2.3	0.6
Gifu	1.8	-	5.0	-	1.6	4.5	0.8	1.5	3.8	1.6	2.3	-	0.8
Gumma	1.8	1.4	2.4	2.9	0.7	1.4	1.5	2.1	-	3.7	2.9	-	2.1
Hiroshima	1.7	-	-	4.5	1.2	3.9	1.7	1.1	3.4	0.6	1.7	1.2	0.6
Hokkaido	2.2	1.7	2.2	2.3	4.1	2.6	1.8	4.0	1.1	1.2	2.6	2.1	1.1
Hyogo	2.2	1.5	2.4	3.3	2.3	1.8	2.6	1.5	2.2	1.9	4.4	1.5	1.1
Ibaraki	2.6	2.2	3.7	1.1	1.7	1.7	1.3	1.1	4.5	4.6	2.2	2.9	2.2
Ishikawa	1.5	1.2	4.1	1.2	1.3	-	1.3	3.7	2.4	1.3	1.2	-	-
Iwate	1.8	-	2.9	5.3	0.9	3.6	1.8	-	1.8	-	0.9	2.8	1.8
Kagawa	2.2	2.5	1.4	3.7	2.5	1.2	5.1	2.5	1.2	1.3	2.5	1.3	1.2
Kagoshima	1.0	1.3	-	2.6	0.7	0.7	-	0.7	2.0	1.3	0.7	1.3	0.7
Kanagawa	2.4	0.5	0.5	2.5	2.0	1.5	1.5	2.0	3.5	5.1	2.0	5.6	2.0
Kochi	2.3	-	5.9	4.0	4.1	1.3	1.4	-	2.7	-	4.0	1.4	2.7

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

HOMICIDE (165-168)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	3.8	1.3	4.3	1.9	2.0	1.3	4.0	2.6	7.7	5.3	1.9	7.3	5.8
Kyoto	1.8	1.9	1.4	0.6	4.7	1.3	2.5	1.9	0.6	3.3	1.3	0.7	1.9
Mie	2.1	3.2	1.8	1.6	-	-	2.5	3.2	2.4	6.5	0.8	2.5	0.8
Miyagi	1.7	3.6	1.6	2.2	0.7	1.4	2.2	0.7	-	1.5	2.2	3.0	1.4
Miyazaki	1.3	4.4	3.6	1.1	-	1.1	1.1	1.1	1.1	-	1.1	-	1.1
Nagano	1.9	4.4	-	2.8	1.7	2.8	-	3.3	2.2	0.6	2.2	1.7	0.6
Nagasaki	1.9	0.7	1.6	1.5	3.0	0.7	2.3	3.7	4.4	2.3	-	1.5	0.7
Nara	1.3	-	-	1.5	3.0	1.5	-	4.4	-	3.0	-	-	1.5
Niigata	1.1	2.4	1.6	1.4	1.5	1.9	1.0	1.4	0.5	-	0.9	0.5	0.5
Oita	2.3	2.8	1.0	1.8	2.9	1.8	1.9	0.9	3.7	4.8	0.9	1.9	2.8
Okayama	1.2	0.7	1.5	0.7	0.7	1.4	-	2.8	4.2	1.4	-	-	1.4
Osaka	1.7	0.7	1.1	1.0	0.7	3.9	1.4	2.0	1.3	2.4	0.3	4.1	1.3
Saga	2.5	1.2	-	1.2	1.3	7.4	1.3	2.5	2.5	2.5	3.7	6.4	-
Saitama	1.9	2.2	0.6	0.5	2.2	3.8	0.6	0.5	-	3.3	2.7	4.5	2.2
Shiga	1.7	1.3	-	-	2.7	-	2.7	2.6	3.9	2.7	1.3	2.7	-
Shimane	1.6	-	-	2.5	-	2.5	5.3	1.3	-	3.9	1.3	-	2.5
Shizuoka	2.0	2.4	2.6	1.9	2.5	1.4	0.5	1.9	3.8	3.0	1.0	1.5	1.9
Tochigi	1.8	1.5	4.9	0.7	0.8	-	1.5	3.0	0.7	3.8	1.5	2.7	1.5
Tokushima	1.3	1.3	1.5	1.3	1.4	1.3	1.4	-	1.3	2.7	-	2.7	1.3
Tokyo	2.4	1.5	2.8	1.9	2.4	2.3	1.1	3.4	3.0	2.4	2.5	2.8	2.1
Tottori	2.0	-	2.1	-	-	3.9	2.0	-	1.9	4.0	-	2.0	7.8
Toyama	0.9	-	1.3	3.5	-	2.3	-	1.2	1.2	-	-	-	1.2
Wakayama	1.2	-	3.9	-	2.4	-	1.2	1.2	1.2	3.6	-	1.2	-
Yamagata	1.3	-	0.9	1.7	1.8	2.6	0.9	0.9	2.6	2.6	1.7	-	-
Yamaguchi	2.5	0.8	1.7	1.5	3.2	1.5	1.6	3.1	3.1	3.9	1.5	3.2	5.3
Yamanashi	1.7	1.4	-	5.6	-	2.8	1.5	2.8	2.8	1.5	-	-	1.4

See footnote at end of table.

TABLE 72.- DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

ACCIDENTAL DEATHS (1949-1955)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	42.0	32.3	31.5	36.1	37.6	41.1	46.3	61.9	63.9	46.9	36.2	33.2	35.7
All "Shi"	40.7	35.6	34.7	36.4	37.9	37.3	41.6	55.8	56.0	42.2	37.1	34.7	38.1
All "Gun"	42.6	30.5	29.8	36.0	37.4	43.2	48.7	65.0	68.1	45.3	35.7	32.3	34.4
Aichi	35.3	31.0	22.5	31.7	26.4	28.1	33.9	73.0	55.9	35.7	26.4	29.1	25.6
Akita	44.6	27.7	30.7	41.2	37.8	40.3	60.1	58.2	84.1	45.3	43.9	30.5	34.0
Aomori	36.3	26.4	35.5	38.7	36.0	42.4	48.7	44.3	46.2	36.0	41.5	28.3	40.6
Chiba	32.8	22.5	29.7	32.2	28.3	25.8	38.3	60.1	48.8	32.2	25.8	23.9	25.2
Ehime	50.7	29.5	25.8	31.0	32.9	47.3	159.5	61.3	64.4	44.1	49.7	32.1	30.3
Fukui	57.0	42.3	38.2	62.7	50.2	62.7	45.3	84.6	86.2	76.1	34.5	32.4	65.8
Fukuoka	57.3	42.0	51.1	46.8	48.7	56.2	78.1	70.8	68.7	58.1	52.4	49.1	65.2
Fukushima	44.9	39.7	30.8	44.8	41.0	38.6	38.7	72.0	68.6	56.2	35.2	34.0	35.2
Gifu	39.0	24.1	31.7	33.2	49.8	48.2	35.0	55.8	60.3	42.8	30.9	28.0	27.9
Gumma	38.2	30.0	22.9	32.1	32.5	40.7	41.3	62.8	46.4	76.0	27.9	27.3	17.9
Hiroshima	44.7	37.6	31.7	46.6	38.9	51.1	45.8	70.2	65.1	45.3	36.5	36.5	30.9
Hokkaido	54.2	37.4	44.3	46.3	38.7	50.0	59.3	66.0	61.4	56.3	60.3	48.4	57.1
Hyogo	42.1	34.6	36.7	38.6	38.0	41.1	40.2	57.1	61.5	44.0	45.9	29.0	37.1
Ibatsuki	34.3	35.4	26.1	32.6	30.8	38.8	26.1	61.3	56.8	35.4	29.1	16.8	30.9
Ishikawa	41.2	32.9	36.5	26.8	49.2	43.9	45.4	51.2	63.4	54.2	25.6	24.0	41.5
Iwate	55.2	50.6	37.4	44.4	45.0	63.9	54.1	61.3	85.2	66.1	57.7	49.5	45.3
Kagawa	46.1	43.1	34.0	28.3	41.9	49.2	44.5	75.0	60.3	61.0	35.7	30.4	39.4
Kagoshima	47.6	35.8	32.4	32.5	27.6	30.6	93.4	77.4	85.9	60.4	33.2	24.9	45.5
Kanagawa	45.6	35.7	39.5	36.7	46.1	43.1	48.2	66.0	63.5	47.1	41.2	39.4	44.6
Kochi	48.9	37.1	41.1	31.8	46.6	45.1	61.7	61.0	75.6	56.2	34.5	39.7	31.8

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

ACCIDENTAL DEATHS (1949-1954)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	41.6	28.3	25.6	31.5	43.9	39.2	33.9	57.3	68.2	49.9	30.9	47.2	41.8
Kyoto	31.3	36.1	22.1	27.0	29.3	29.0	37.3	44.4	44.4	39.9	16.7	25.9	23.2
Mie	35.2	25.3	29.8	30.9	27.0	26.9	38.5	61.0	50.7	42.5	38.0	23.7	26.9
Miyagi	41.8	31.0	29.5	32.4	37.2	38.9	36.4	66.9	79.2	55.4	37.4	28.3	36.7
Miyazaki	43.2	29.5	33.8	33.8	44.0	25.1	72.2	72.1	72.1	46.4	31.7	19.2	28.4
Nagano	37.1	30.4	16.6	25.4	33.7	31.7	38.8	56.9	55.8	48.0	23.8	38.8	33.7
Nagasaki	51.2	58.7	39.8	41.8	45.5	51.4	42.5	51.4	83.7	55.4	46.2	53.1	44.0
Nara	31.7	31.0	34.3	29.5	25.9	31.0	38.1	36.9	51.6	27.4	29.5	24.4	20.7
Niigata	41.5	15.6	20.9	53.8	37.5	40.6	40.5	66.0	75.0	46.8	31.6	31.7	35.9
Oita	42.9	30.4	38.8	34.1	34.3	46.1	41.9	78.4	62.7	54.3	28.6	36.2	28.6
Okayama	41.1	20.9	27.8	44.6	43.9	39.0	36.0	73.1	54.3	52.5	38.3	29.5	32.0
Osaka	35.5	25.8	30.0	31.7	29.4	39.9	38.2	50.3	50.7	34.5	36.0	26.3	31.7
Saga	55.7	29.6	34.1	34.5	45.9	40.7	48.4	88.8	167.8	58.6	45.6	31.9	39.5
Saitama	30.6	29.6	16.7	21.6	27.3	26.4	30.1	58.2	52.8	34.0	19.4	25.6	24.3
Shiga	29.4	21.1	16.0	30.3	31.3	26.3	36.7	40.8	47.4	24.5	30.3	21.8	25.0
Shimane	44.7	36.9	42.2	54.7	51.2	54.7	35.5	45.8	56.8	39.4	36.9	40.7	38.1
Shizuoka	35.9	25.3	30.1	31.5	39.5	42.0	28.6	59.2	59.2	36.0	31.0	22.2	24.8
Tochigi	35.5	31.7	21.2	21.4	29.0	36.1	37.3	56.8	59.7	39.6	33.2	30.5	27.3
Tokushima	45.9	43.6	26.3	42.3	42.3	50.2	43.7	61.2	42.3	60.1	46.3	38.2	22.5
Tokyo	34.2	31.0	30.8	33.1	31.6	33.3	30.2	41.8	48.6	32.9	29.5	29.8	37.5
Tottori	38.8	36.8	19.3	32.9	38.1	38.8	46.1	56.2	46.5	44.1	17.4	32.0	56.2
Toyama	55.7	29.9	22.9	34.5	51.1	76.0	82.1	96.7	67.9	84.4	51.8	39.2	29.9
Wakayama	33.7	24.6	22.1	32.8	36.3	23.4	27.9	53.9	63.3	31.5	32.8	32.7	21.1
Yamagata	42.2	23.9	81.2	25.6	37.9	47.8	46.7	65.7	63.1	64.4	36.7	38.2	23.9
Yamaguchi	57.6	39.7	53.2	48.1	56.8	53.4	63.1	84.0	86.2	60.7	52.7	41.3	45.0
Yamanashi	42.8	38.0	32.8	32.4	36.4	52.1	39.3	63.4	74.7	39.3	39.5	37.9	26.8

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

SUDDEN DEATH, ILL-DEFINED AND UNKNOWN CAUSES (199-200a, b, c)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	20.7	23.8	23.9	24.7	23.8	19.2	19.1	18.7	17.8	16.6	18.0	20.2	22.5
All "Shi"	20.0	23.9	23.5	23.6	23.2	18.4	18.7	17.2	16.7	15.2	18.0	18.5	23.2
All "Gun"	21.0	23.7	24.1	25.2	24.1	19.6	19.2	19.5	18.4	17.3	18.1	21.1	22.2
Aichi	16.3	16.7	14.2	18.5	19.9	15.7	17.7	17.1	12.1	13.6	16.4	15.1	18.9
Akita	22.0	23.3	27.7	24.2	25.0	17.9	22.7	17.9	14.3	21.3	17.9	24.0	28.6
Aomori	30.5	30.2	23.0	39.6	40.0	32.1	36.1	34.0	23.6	25.3	27.4	30.2	24.5
Chiba	21.1	21.5	22.6	20.9	21.6	20.4	20.0	15.6	23.6	12.2	21.5	25.5	27.4
Ehime	19.6	20.2	24.0	22.5	22.4	22.5	23.2	20.2	11.6	10.4	20.9	16.0	20.9
Fukui	32.7	31.3	26.0	47.0	43.7	28.2	22.7	34.5	31.3	37.2	26.6	30.8	32.9
Fukuoka	19.9	21.9	22.3	27.1	22.9	14.6	19.0	20.1	19.4	18.6	16.0	16.1	20.5
Fukushima	21.3	19.3	24.5	35.2	23.4	16.4	23.4	15.3	15.9	18.2	16.4	20.5	27.8
Gifu	17.3	20.3	18.4	18.8	20.2	15.8	17.9	16.6	21.9	16.4	9.8	14.0	18.1
Gumma	16.6	17.9	30.8	20.7	17.7	14.3	13.3	17.1	15.0	12.5	12.9	12.5	15.0
Hiroshima	17.4	20.2	14.9	19.7	20.9	14.6	16.8	18.5	12.4	12.2	20.2	15.1	23.0
Hokkaido	29.4	34.6	35.4	41.4	37.8	36.0	28.3	26.3	22.6	21.3	19.7	19.5	30.6
Hyogo	20.7	24.8	25.0	18.2	25.6	22.9	19.6	15.7	18.2	19.9	17.8	23.3	18.2
Ibaraki	19.7	17.4	21.2	21.9	21.5	18.0	19.7	25.9	22.5	13.9	16.3	23.2	15.7
Ishikawa	18.4	12.2	12.2	12.2	11.3	19.5	29.0	28.1	12.2	21.4	22.0	31.5	9.8
Iwate	24.1	19.5	27.5	29.3	31.2	27.5	22.9	18.6	19.5	22.9	14.2	27.5	29.3
Kagawa	31.6	44.3	25.9	38.1	39.4	22.1	19.1	27.1	28.3	30.5	28.3	36.9	38.1
Kagoshima	18.9	18.9	15.8	19.5	22.2	16.3	24.9	14.3	17.6	18.1	18.9	16.1	12.4
Kanagawa	19.5	23.3	32.9	23.8	30.7	18.3	14.3	13.9	13.4	8.7	16.4	19.0	20.3
Kochi	22.9	33.2	29.4	30.5	21.9	14.6	19.2	18.6	18.6	12.3	18.6	27.4	30.5

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

SUDDEN DEATH, ILL-DEFINED AND UNKNOWN CAUSES (199-200a, b, c)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	16.7	21.2	19.2	14.8	13.3	10.9	13.3	14.8	15.4	15.3	19.9	27.3	15.4
Kyoto	15.7	21.9	16.4	18.0	16.6	16.7	19.3	14.2	9.7	11.3	18.0	11.3	15.5
Mie	23.0	29.3	33.3	24.5	25.4	16.6	21.3	16.6	26.1	25.4	21.4	18.0	19.0
Miyagi	19.1	20.9	25.5	25.5	27.5	17.3	19.3	13.0	13.0	8.2	10.1	17.9	27.4
Miyazaki	16.1	20.7	8.5	9.8	18.0	17.5	11.3	17.5	17.5	11.3	13.1	20.3	27.3
Nagano	18.1	19.3	19.6	24.9	16.6	22.7	13.7	16.6	16.6	12.0	14.4	23.4	17.1
Nagasaki	18.5	28.6	17.1	22.0	22.8	16.9	18.2	14.7	15.4	15.2	12.5	20.5	17.6
Nara	30.5	39.8	50.6	39.8	35.1	19.2	15.2	29.5	11.8	30.5	39.8	24.4	31.0
Niigata	20.6	23.1	25.1	24.5	21.0	18.9	19.0	18.4	15.6	14.1	22.6	26.3	18.4
Oita	19.7	27.7	25.5	23.1	16.2	20.3	14.3	18.4	16.6	16.2	15.7	23.8	19.4
Okayama	18.2	21.6	15.4	19.5	26.6	17.4	14.4	13.9	20.2	16.5	18.1	17.3	17.4
Osaka	19.0	25.2	23.9	25.2	23.0	20.6	15.2	17.3	16.0	11.5	16.7	15.9	18.3
Saga	22.0	24.7	32.8	22.2	22.9	13.8	15.3	11.1	23.4	15.3	23.4	16.6	34.5
Saitama	19.7	23.2	23.9	27.5	22.8	15.6	24.5	22.1	11.3	16.1	14.0	12.3	23.7
Shiga	21.6	22.4	17.5	35.5	32.6	22.4	12.2	17.1	21.1	24.5	15.8	13.6	23.7
Shimane	16.3	20.3	15.5	19.1	14.5	12.7	14.5	5.1	16.5	21.0	15.3	21.0	20.3
Shizuoka	17.8	18.6	21.1	22.0	20.2	13.8	15.8	19.1	20.0	10.4	14.3	17.8	21.0
Tochigi	20.3	23.6	35.1	28.0	17.5	17.0	18.3	14.8	18.4	18.3	20.7	14.5	18.4
Tokushima	24.0	33.0	24.9	22.5	26.0	15.9	13.7	33.0	21.1	16.4	18.5	31.4	31.7
Tokyo	21.6	27.4	26.8	23.5	25.9	19.7	19.7	16.3	16.1	17.5	18.7	19.9	28.0
Tottori	13.7	19.4	21.5	17.4	6.0	13.6	10.0	29.1	3.9	15.0	11.6	4.0	15.5
Toyama	24.4	19.6	30.6	15.6	23.8	17.3	29.7	16.1	24.2	29.7	18.4	33.3	32.2
Wakayama	26.7	30.5	36.3	27.0	17.0	18.8	24.2	27.0	29.3	23.0	29.3	26.7	31.7
Yamagata	19.4	20.5	20.8	26.5	22.9	20.5	15.0	19.6	16.2	15.9	19.6	17.6	17.9
Yamaguchi	21.5	28.2	21.1	25.2	26.0	13.0	13.4	22.1	26.7	12.6	9.9	26.8	32.8
Yamanashi	22.6	26.8	17.2	16.9	23.3	26.8	14.6	22.5	24.0	18.9	31.0	21.8	26.8

See footnotes at end of table.

TABLE 72. - DEATH RATES FOR SELECTED CITIES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

ALL OTHER CITIES

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	152.5	171.2	170.8	177.4	168.0	141.4	136.7	145.7	145.8	144.5	139.2	139.9	150.5
All "Shi"	135.1	149.1	147.3	150.0	151.5	127.6	133.1	131.7	132.2	135.9	124.4	122.7	132.7
All "Gun"	161.7	182.8	183.8	161.8	176.6	151.3	143.9	153.1	153.0	145.1	147.0	149.0	159.9
Aichi	136.5	151.0	151.0	164.2	154.9	118.2	123.3	147.4	138.2	105.6	118.6	127.0	138.2
Akita	157.9	204.1	193.2	206.8	199.8	145.9	143.4	109.2	133.4	136.9	124.4	140.6	160.2
Aomori	172.8	200.9	163.5	217.9	202.7	190.5	170.6	159.4	171.7	153.0	136.8	150.1	154.7
Chiba	151.9	179.8	160.5	166.1	159.8	139.0	128.7	142.3	150.3	146.4	144.4	138.7	163.7
Ehime	170.6	187.0	180.4	195.5	182.8	158.3	145.9	173.8	156.7	164.3	174.6	148.3	179.2
Fukui	188.8	213.1	227.2	236.6	236.4	197.4	160.3	177.0	156.7	124.6	164.5	145.7	169.2
Fukuoka	153.3	177.9	159.0	167.9	167.0	125.2	134.1	146.0	157.8	158.4	165.8	136.2	143.9
Fukushima	141.8	150.3	153.8	174.6	168.2	134.9	128.3	125.9	122.5	135.3	110.6	162.5	136.6
Gifu	156.2	163.5	188.5	177.8	172.1	157.5	141.7	161.3	143.2	139.4	140.7	146.4	144.7
Gumma	154.7	180.0	185.8	185.0	155.7	122.1	146.9	179.3	136.4	152.0	122.1	134.3	158.5
Hiroshima	160.4	174.1	169.7	160.0	197.9	139.3	158.4	138.2	134.8	170.0	154.4	160.8	160.6
Hokkaido	140.3	165.7	166.7	163.4	166.2	137.2	174.3	118.6	133.4	132.0	122.0	115.5	140.0
Hyogo	144.6	150.7	153.9	161.6	162.9	137.9	135.4	146.3	134.3	134.6	140.1	133.1	144.9
Ibaraki	160.5	184.9	184.8	182.2	156.8	139.9	157.4	163.0	148.4	147.5	152.3	137.6	162.4
Ichikawa	210.7	237.9	233.7	264.7	248.4	215.9	161.4	180.6	194.0	176.5	195.2	221.9	198.9
Iwate	169.7	182.9	185.7	217.5	209.2	174.0	151.4	153.6	174.9	169.7	119.0	143.1	154.5
Kagawa	168.3	198.3	219.3	163.1	167.8	142.7	162.7	162.4	150.1	166.3	163.6	144.9	161.1
Kagoshima	183.8	234.8	190.1	204.2	174.1	160.0	166.7	167.8	177.6	188.2	162.0	174.1	182.1
Kanagawa	109.9	115.0	123.0	139.3	122.4	91.7	91.7	109.1	104.1	111.7	112.5	96.3	102.6
Kochi	176.2	230.8	198.2	147.0	163.1	153.8	165.8	165.8	191.0	167.2	159.1	167.2	165.8

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

ALL OTHER CAUSES

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	173.3	189.8	177.4	164.0	171.5	163.4	154.9	179.5	194.3	175.5	157.6	180.2	171.8
Kyoto	136.4	142.3	143.3	170.6	157.0	126.8	125.1	124.9	123.0	128.4	132.0	129.1	135.2
Mie	171.9	205.1	197.2	200.3	183.3	150.4	151.4	154.4	193.2	162.8	160.7	140.7	163.9
Miyagi	131.6	144.0	132.3	169.9	159.9	126.0	116.8	121.6	121.6	133.1	118.0	113.8	122.4
Miyazaki	170.0	172.5	210.3	187.8	145.4	186.1	133.1	168.1	188.9	156.8	179.0	139.9	202.0
Nagano	139.9	137.6	170.0	188.4	175.3	140.9	114.2	124.3	123.2	120.5	119.9	139.3	127.6
Nagasaki	192.4	198.9	221.8	171.1	204.8	171.0	182.0	201.8	188.6	193.4	172.5	195.7	174.5
Nara	151.9	169.7	158.5	183.0	158.6	147.6	132.7	175.6	135.8	148.4	137.2	141.8	132.8
Niigata	159.3	154.3	173.9	206.6	184.8	158.0	150.6	150.0	153.8	143.3	142.9	152.1	142.5
Oita	186.4	215.8	215.5	214.0	207.8	165.1	171.6	194.6	179.9	207.8	190.0	187.8	208.5
Okayama	167.1	199.1	198.9	190.1	161.2	167.1	133.8	160.8	166.4	155.4	151.8	146.8	174.8
Osaaka	124.0	129.8	132.1	140.6	144.6	122.9	113.8	118.7	120.0	123.3	110.8	112.8	119.6
Saga	187.4	217.1	211.7	194.9	179.7	181.4	146.6	181.4	187.5	174.6	157.9	218.0	199.9
Saitama	150.7	161.7	182.6	177.4	169.3	136.9	148.7	158.4	143.9	134.2	123.3	129.2	145.8
Shiga	190.1	193.5	227.4	137.0	258.5	196.1	155.1	173.1	179.0	164.6	169.8	151.0	180.4
Shimane	170.3	178.0	232.4	208.6	176.1	186.9	147.2	146.2	147.5	153.7	164.0	149.8	166.6
Shizuoka	145.4	180.0	153.3	175.2	157.9	127.9	132.7	151.8	142.7	131.7	130.8	129.7	146.5
Tochigi	146.7	172.6	173.1	176.3	150.9	122.4	126.5	151.2	138.7	118.1	146.0	137.2	148.2
Tokushima	185.0	185.0	186.1	214.1	164.3	174.5	144.8	145.6	173.1	180.3	174.5	185.8	199.6
Tokyo	109.6	126.6	125.9	123.9	113.2	100.5	106.7	102.2	102.0	104.5	96.7	95.5	108.2
Tottori	154.2	172.5	201.7	174.4	164.2	153.1	119.2	152.1	176.4	154.2	124.0	146.2	153.1
Toyama	187.8	200.3	203.9	198.0	229.5	183.0	161.7	207.2	172.6	197.4	146.2	182.0	173.8
Wakayama	166.6	206.4	186.5	186.3	158.7	130.1	143.6	136.5	174.7	161.4	165.3	147.8	187.6
Yamagata	152.9	162.9	150.2	185.2	183.4	136.9	137.6	129.7	134.8	129.6	132.3	131.4	131.4
Yamaguchi	151.1	187.0	174.5	181.6	164.0	137.4	121.5	151.9	142.0	158.5	145.8	134.1	151.9
Yamanashi	168.0	181.8	205.0	155.5	160.2	148.0	157.3	160.6	143.7	170.4	150.8	158.7	183.2

See footnotes on next page.

TABLE 72. - DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE- JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

FOOTNOTES:

- Data refer to deaths of Japanese nationals in Japan,
No deaths were reported during 1949 for plague, cholera, anthrax, and yellow fever.
A dash (-) indicates that no deaths were reported and the death rate was zero.
A rate of 0.0 indicates that there were some deaths but the rate was less than 0.1.

SOURCES:

- Monthly Vital Statistics Schedule Reports, Ministry of Welfare.
Rates computed by Public Health and Welfare Section, GHQ, SCAP?

TABLE 73 - MATERNAL DEATHS AND DEATH RATES
BY MONTH: JAPAN, 1949

Month	Live Births	Maternal Deaths (140-50)	Maternal Death Rates (per 1,000 live births)
Total	2,723,873	4,495	1.7
Jan	326,166	404	1.2
Feb	244,506	346	1.4
Mar	249,484	406	1.6
Apr	220,891	413	1.9
May	203,738	373	1.8
Jun	189,937	342	1.8
Jul	211,921	345	1.6
Aug	219,500	415	1.9
Sep	221,808	361	1.6
Oct	219,877	369	1.7
Nov	211,220	354	1.7
Dec	204,825	367	1.8

Data refer to vital events of Japanese nationals in Japan.

SOURCES:-

Rates were computed by Public Health and Welfare Section,
GHQ, SCAP.
Sources of original data were monthly Vital Statistics Schedule
Reports, Ministry of Welfare.

TABLE 74 - MATERNAL DEATHS AND DEATH RATES
BY PREFECTURE: JAPAN, 1949

Area	Live Births	Maternal Deaths (140-150)	Maternal Death Rates(per 1,000 live births)
All Japan	2,723,873	4,495	1.7
All "Shi"	928,949	1,605	1.7
All "Gun"	1,794,924	2,890	1.6
Aichi	107,117	145	1.4
Akita	47,736	121	2.5
Aomori	51,703	93	1.8
Chiba	68,116	123	1.8
Ehime	52,797	77	1.5
Fukui	24,925	45	1.8
Fukuoka	125,514	175	1.4
Fukushima	73,867	130	1.8
Gifu	49,989	75	1.5
Gunma	52,417	82	1.6
Hiroshima	63,039	102	1.6
Hokkaido	166,215	291	1.8
Hyogo	100,354	180	1.8
Ibaraki	67,326	119	1.8
Ishikawa	32,250	50	1.6
Iwate	49,740	106	2.1
Kagawa	31,107	44	1.4
Kago hime	64,875	148	2.3
Kanagawa	75,555	110	1.5
Kochi	26,587	54	2.0
Kumamoto	63,551	124	2.0
Kyoto	52,930	82	1.5
Mie	43,610	76	1.7
Miyagi	57,430	83	1.4
Miyazaki	40,508	87	2.1
Nagano	59,316	102	1.7
Nagasaki	61,711	98	1.6
Nara	21,946	30	1.4
Niigata	84,471	128	1.5
Oita	42,511	74	1.7
Okayama	50,235	79	1.6
Osaka	113,241	186	1.6
Sega	34,391	48	1.4
Saitama	71,855	133	1.9
Shiga	25,794	28	1.1
Shimane	29,678	50	1.7
Shizuoka	81,390	109	1.3
Tochigi	54,054	86	1.6
Tokushima	29,838	38	1.3
Tokyo	171,309	266	1.6
Tottori	18,801	37	2.0
Toyama	34,392	54	1.6
Wakayama	29,139	37	1.3
Yamagata	44,340	69	1.6
Yamaguchi	50,760	79	1.6
Yamanashi	25,443	42	1.7

FOOTNOTES:-

Data refer to vital events of Japanese nationals in Japan.

SOURCES:-

Rates were computed by Public Health and Welfare Section, GHQ, SCAP. Sources of original data were Monthly Vital Statistics Schedule Report, Ministry of Welfare.

TABLE 75. - MATERNAL DEATH RATES BY MONTH BY PREFECTURE, JAPAN 1949
(Rates per 1,000 live births each month)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1.7	1.2	1.4	1.6	1.9	1.8	1.8	1.6	1.9	1.6	1.7	1.7	1.8
All "Shis"	1.7	1.2	1.4	1.7	2.0	2.0	1.8	1.8	1.9	1.6	1.9	1.9	1.9
All "Guns"	1.6	1.2	1.4	1.6	1.8	1.7	1.8	1.6	1.9	1.6	1.6	1.6	1.7
Aichi	1.4	0.7	0.4	1.9	1.5	1.6	1.4	1.4	1.9	0.9	1.3	1.7	1.8
Akita	2.5	1.3	2.6	2.8	2.4	3.3	3.1	3.5	3.1	2.3	2.1	2.6	1.8
Aomori	1.8	0.9	1.4	1.7	2.2	1.7	2.2	2.0	2.1	2.2	1.6	2.0	1.7
Chiba	1.8	1.5	2.0	1.7	1.1	2.4	2.0	2.0	1.6	1.6	2.1	1.7	2.2
Ehime	1.5	1.1	2.1	1.5	2.0	1.8	0.8	0.5	0.9	2.3	1.2	1.2	2.2
Fukui	1.8	0.3		1.3	3.0	2.1	1.1	1.5	3.6	1.0	4.0	1.8	3.9
Fukuoka	1.4	1.2	1.2	1.4	1.8	1.4	1.5	1.1	1.7	1.1	1.3	1.5	1.8
Fukushima	1.8	1.1	1.9	1.8	1.1	2.4	2.2	2.5	1.8	1.6	1.3	2.1	1.6
Gifu	1.5	0.9	1.7	1.5	1.4	1.1	3.5	1.0	1.5	0.8	2.3	1.1	1.6
Gunma	1.6	1.4	1.7	1.3	2.1	2.6	1.9	2.0	1.5	1.9	0.7	1.2	0.5
Hiroshima	1.6	0.6	1.4	2.3	2.4	1.7	1.1	2.0	1.5	1.2	1.7	1.8	2.3
Hokkaido	1.8	1.0	1.5	1.8	2.3	2.2	1.5	2.1	2.0	1.8	1.9	1.4	1.8
Hyogo	1.8	1.6	1.3	1.8	1.8	1.7	2.0	1.6	2.4	2.6	2.1	1.0	2.5
Ibaki	1.8	2.0	0.7	1.4	1.9	1.5	3.4	1.6	1.9	2.1	2.0	1.5	1.4
Ishikawa	1.6	1.0	1.5	1.8	1.4	1.2	1.9	1.3	2.5	2.8	0.4	1.7	1.4
Iwate	2.1	1.6	1.1	2.6	2.1	2.7	3.9	2.2	1.4	3.0	0.7	2.3	2.6
Kagawa	1.4	1.6	1.4	0.3	0.9	2.8	0.5	1.2	1.9	0.8	1.3	3.7	0.9
Kagoshima	2.3	2.4	3.0	1.5	2.4	2.9	2.3	1.5	3.9	3.2	1.2	1.8	1.4
Kanagawa	1.5	1.3	0.5	1.3	1.4	2.4	1.7	1.2	2.0	1.4	0.8	1.7	1.8
Kochi	2.0	1.3	2.1	1.3	3.0	-	3.6	2.8	1.8	1.4	2.3	1.4	3.8

TABLE 75. - MATERNAL DEATH RATES BY MONTH BY PREFECTURE, JAPAN 1949 - Cont'd
(Rates per 1,000 live births each month)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	2.0	1.9	1.6	1.4	1.9	2.9	1.4	2.9	1.8	2.3	2.5	1.1	2.0
Kyoto	1.5	1.1	2.4	1.7	0.5	1.3	2.1	1.6	1.4	1.0	1.6	1.8	2.3
Mie	1.7	1.3	1.5	1.8	2.4	0.9	2.0	0.9	2.2	1.5	3.3	2.0	2.8
Miyagi	1.4	0.5	1.5	1.6	2.0	1.9	0.8	1.5	2.6	1.3	0.6	0.8	2.3
Miyazaki	2.1	1.7	2.3	0.9	2.8	1.9	2.2	0.7	3.0	3.3	2.5	2.4	
Nagano	1.7	1.0	2.2	2.5	1.8	0.8	2.4	2.1	1.4	2.5	1.2	1.8	1.2
Nagasaki	1.6	1.3	1.3	1.9	2.7	1.1	0.7	2.0	2.2	2.1	1.8	1.1	0.8
Nara	1.4	1.8	2.0	1.0	1.2	0.6	0.6	2.3	1.1	1.8	1.8	-	1.8
Niigata	1.5	1.4	0.7	1.5	1.4	2.0	1.5	2.1	1.2	1.0	1.5	2.6	1.6
Oita	1.7	1.3	1.2	1.3	3.1	2.3	1.1	1.5	1.7	2.1	0.9	1.6	3.2
Okayama	1.6	1.7	0.8	0.9	3.0	1.4	2.9	0.5	1.7	1.0	2.1	1.7	1.7
Osaka	1.6	1.0	1.2	1.6	1.8	1.4	2.0	2.7	1.2	1.6	1.6	2.1	1.8
Saga	1.4	1.1	1.3	1.3	1.6	1.2	3.8	0.4	1.8	1.4	1.4	0.7	1.4
Saitama	1.9	1.4	1.7	1.7	2.5	2.1	1.6	1.4	2.0	0.8	2.9	2.3	1.9
Shiga	1.1	0.7	0.8	0.8	3.3	0.5	1.4	1.0	0.5	1.0	1.0	0.5	1.6
Shimane	1.7	2.2	1.1	2.7	0.8	2.7	-	0.9	3.5	1.7	1.2	1.3	1.5
Shizuoka	1.3	1.0	1.3	1.5	1.2	1.5	1.4	1.3	2.0	0.6	1.3	2.3	0.9
Tochigi	1.6	1.9	1.0	1.4	1.6	1.7	1.1	1.7	1.6	1.6	1.8	1.9	1.6
Tokushima	1.3	1.0	1.8	0.4	0.9	2.3	-	-	2.2	1.3	1.7	0.9	2.9
Tokyo	1.6	1.1	1.7	1.7	2.0	1.4	1.3	1.3	1.7	1.1	1.9	1.9	1.5
Tottori	2.0	2.0	2.3	3.8	1.2	2.1	1.6	1.4	2.2	2.1	1.8	0.7	2.1
Toyama	1.6	1.0	0.9	0.9	2.3	0.7	3.5	2.0	3.9	1.0	-	1.6	1.8
Wakayama	1.3	1.7	0.8	1.1	2.7	-	1.6	1.2	1.3	1.3	1.3	1.3	0.9
Yamagata	1.6	1.0	1.1	1.0	4.7	3.3	2.1	2.1	0.6	1.3	3.1	1.4	1.3
Yamaguchi	1.6	0.6	1.5	2.2	1.0	2.2	2.3	1.2	1.6	1.9	1.8	1.9	1.1
Yamanashi	1.7	0.3	0.4	0.9	1.3	3.4	1.6	1.6	1.6	2.0	2.1	1.6	4.3

Footnotes: Base data refer to vital events of Japanese nationals in Japan.

Sources: Rates were computed by Public Health and Welfare Section, GHQ, SCAP. Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 76. - 1/ COMMUNICABLE DISEASE CASES AND DEATHS AND
COMMUNICABLE DISEASE CASE AND DEATH RATES: JAPAN, 1949
(Rates per 100,000 population per annum)

Disease and International List No.	Cases		Deaths	
	Number	Rate	Number	Rate
Typhoid fever (1)	6,489	7.9	970	1.2
Paratyphoid fever (2)	2,226	2.7	116	0.1
Plague (3)	-	-	-	-
Cholera (4)	-	-	-	-
Epidemic meningitis (6)	1,467	1.8	497	0.6
Anthrax (7)	11	0.0	-	-
Scarlet fever (8)	4,667	5.7	51	0.1
Whooping cough (9)	126,827	154.3	9,147	11.1
Diphtheria (10)	14,825	18.0	1,659	2.0
Tetanus (12)	2,199	2.7	1,964	2.4
Tuberculosis, all forms (13-22)	469,504	571.2	138,764	168.8
Leprosy (23)	782	1.0	162	0.2
Gonorrhea (25)	181,187	220.4	NA	NA
Glanders (26a)	-	-	1	0.0
Dysentery (27)	24,001	29.2	7,824	9.5
Malaria (28)	3,732	4.5	122	0.1
Syphilis (30)	188,204	229.0	5,492	6.7
Influenza (33)	2,957	3.6	502	0.6
Smallpox (34)	124	0.2	21	0.0
Measles (35)	165,308	201.1	12,440	15.1
Poliomyelitis (36)	3,140	3.8	1,024	1.2
Japanese "B" Encephalitis (37b)	1,284	1.6	1,182	1.4
Yellow fever (38a)	-	-	-	-
Rabies (38b)	76	0.1	76	0.1
Dengue fever (38f)	5	0.0	NA	NA
Typhus fever (39)	121	0.1	2/ 67	2/ 0.1
Chancroid (*44a)	22,051	26.8	NA	NA
Lymphogranuloma venereum (*44a)	644	0.8	NA	NA
Trachoma (*88)	176,279	214.5	NA	NA
Pneumonia, all forms (107-109)	139,769	170.0	56,636	68.9
3/ Infectious diarrhea (119a-120a)	770	0.9	NA	NA
Puerperal infection (140,142a,147)	966	1.2	543	0.7

* International list number includes some related diseases in addition to the one shown here.

1/ Cases are the numbers reported in weekly morbidity reports and are for 53 weeks. Deaths are the numbers reported in monthly analyses of death certificates and are for the calendar year.

2/ Death data include typhus-like diseases also.

3/ International list number includes all diarrhea, enteritis and ulceration of the intestines. Deaths from infectious diarrhea cannot be separated from others in the category.

"NA" indicates that data are not available.

A dash (-) indicates that no cases or deaths were reported and the case or death rates were zero.

TABLE 76. - 1/ COMMUNICABLE DISEASE CASES AND DEATHS AND
COMMUNICABLE DISEASE CASE AND DEATH RATES: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

A rate of 0.0 indicates that there were some cases or rates but the rate was less than 0.1.

Sources:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data are as follows:

Case data: Weekly Morbidity Reports, Ministry of Welfare.

Death data: Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 77. - COMMUNICABLE DISEASE CASES BY MONTH: JAPAN, 1949

Disease	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Typhoid fever	6,489	524	375	249	327	354	605	872	865	781	684	376	477
Paratyphoid fever	2,226	219	117	96	118	124	252	318	319	244	175	119	125
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic meningitis	1,467	112	109	159	189	122	91	126	104	187	137	57	74
Anthrax	11	1	-	-	2	-	-	5	2	-	-	-	1
Scarlet fever	4,667	518	317	316	438	480	493	426	208	191	319	394	567
Whooping cough	126,827	5,446	6,156	5,526	7,650	9,167	13,239	20,926	17,884	15,556	95,557	5,390	10,330
Diphtheria	14,825	1,849	1,597	1,468	1,568	1,066	875	875	542	591	1,273	1,324	1,797
Tetanus	2,199	167	135	128	178	184	192	241	190	209	221	173	181
Tuberculosis (all forms)	469,504	30,296	32,208	32,831	46,771	41,818	42,258	50,398	37,285	40,587	46,883	30,592	37,577
Leprosy	782	49	58	50	103	74	82	101	48	43	50	60	64
Gonorrhea	181,187	14,992	14,191	13,906	18,121	15,098	15,713	18,138	13,098	14,754	16,713	11,580	14,883
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery	24,001	168	137	218	312	549	1,286	4,883	7,055	5,371	3,000	593	429
Malaria	3,732	114	86	107	207	411	645	897	507	377	211	85	85
Syphilis	188,204	15,607	16,603	17,000	20,171	16,810	16,657	18,056	11,870	13,424	17,035	10,970	14,001
Influenza	2,957	177	214	242	580	404	60	102	47	45	43	34	1,009
Smallpox	124	2	2	12	25	56	17	6	-	-	-	3	1
Measles	165,308	6,211	9,208	16,172	28,383	35,722	31,708	20,144	6,851	2,543	2,199	2,426	3,741

TABLE 72 - COMMUNICABLE DISEASE CASES BY MONTH: JAPAN, 1949, Cont'd

Diseases	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Poliomyelitis	3,140	124	109	92	116	155	267	629	540	377	352	185	194
Japanese B's encephalitis	1,284	1	-	-	-	-	2	12	70	717	496	43	3
Yellow fever	76	4	1	5	6	8	1	11	5	9	11	7	8
Rabies	5	1	-	-	1	-	2	-	1	-	-	-	-
Dengue fever	121	31	24	9	12	6	3	7	-	2	5	5	17
Typhus fever	22,051	2,482	2,352	2,018	2,282	1,798	1,723	1,914	1,283	1,553	1,795	1,332	1,519
Chencreloid	644	63	50	53	92	48	54	63	50	39	38	41	53
Lymphogranuloma venereum	176,279	8,140	9,176	10,708	14,060	20,381	33,894	25,255	11,140	10,374	13,447	9,149	10,555
Trachoma	139,769	14,165	15,834	16,527	20,090	14,451	10,453	8,915	4,420	4,164	6,398	7,181	17,231
Pneumonia, all forms	770	9	16	35	133	205	57	248	22	7	6	6	26
Infectious diarrhea	966	105	73	74	108	75	62	67	71	75	107	58	91
Puerperal infection													

FOOTNOTES:-

*Monthly totals for January, April, July, October, and December refer to five-week periods. All other monthly data refer to four-week periods.

A dash (-) indicates that no cases were reported.

SOURCES:-

Weekly Morbidity Reports, Ministry of Welfare.

TABLE 78. - COMMUNICABLE DISEASE CASE RATES BY MONTH: JAPAN, 1949
(Rates per 100,000 population per annum)

Disease	annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Typhoid fever	7.9	6.8	6.0	4.0	4.2	5.7	9.8	11.2	13.9	12.6	8.8	6.1	6.2
Paratyphoid fever	2.7	2.8	1.9	1.5	1.5	2.0	4.1	4.1	5.1	3.9	2.3	1.9	1.6
Plague	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic meningitis	1.8	1.4	1.8	2.6	2.4	2.0	1.5	1.6	1.7	3.0	1.8	0.9	1.0
Anthrax	0.0	0.0	-	-	0.0	-	-	0.1	0.0	-	-	-	0.0
Scarlet fever	5.7	6.7	5.1	5.1	5.6	7.7	7.9	5.5	3.4	3.1	4.1	6.4	7.3
Whooping cough	154.3	70.2	90.2	89.1	98.6	147.8	213.4	269.8	288.3	250.8	123.2	86.9	133.2
Diphtheria	18.0	23.8	25.7	23.7	20.2	17.2	14.1	11.3	8.7	9.5	16.4	21.3	23.2
Tetanus	2.7	2.2	2.2	2.1	2.3	3.0	3.1	3.1	3.1	3.4	2.8	2.8	2.3
Tuberculosis (all forms)	571.2	390.7	519.2	528.2	603.1	674.1	681.2	649.9	601.0	654.2	604.6	493.1	484.6
Leprosy	1.0	0.6	0.9	0.6	1.3	1.2	1.3	1.3	0.8	0.7	0.6	1.0	0.8
Gonorrhea	220.4	193.3	228.7	224.2	233.7	243.4	253.3	233.9	211.1	237.8	215.5	186.7	191.9
Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery	29.2	2.2	2.2	3.5	4.0	8.8	20.7	63.0	113.7	86.6	38.7	9.6	5.5
Malaria	4.5	1.5	1.4	1.7	2.7	6.6	10.4	11.6	8.2	6.1	2.7	1.4	1.1
Syphilis	229.0	201.3	277.6	274.0	260.1	271.0	268.5	232.8	191.3	216.4	219.7	176.8	180.5
Influenza	3.6	2.3	3.4	3.9	7.5	6.5	1.0	1.3	0.8	0.7	0.6	0.5	13.0
Smallpox	0.2	0.0	0.0	0.2	0.3	0.9	0.3	0.1	-	-	-	0.0	0.0
Measles	201.1	80.1	148.4	260.7	366.0	575.8	511.1	258.8	110.4	41.0	28.4	39.1	48.2

TABLE 78. - COMMUNICABLE DISEASE CASE RATES BY MONTH: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Disease	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Déc
Poliomyelitis	3.8	1.6	1.8	1.5	1.5	2.5	4.3	8.1	8.7	6.1	4.5	3.0	2.5
Japanese "B" Encephalitis	1.6	0.0	-	-	-	-	0.0	0.2	1.1	11.6	5.6	0.7	0.0
Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1
Dengue fever	0.0	0.0	-	-	0.0	-	0.0	-	0.0	-	-	-	-
Typhus fever	0.1	0.4	0.4	0.1	0.2	0.1	0.0	0.1	-	0.0	0.1	0.1	0.2
Chancroid	26.8	32.0	37.9	32.5	29.4	29.0	27.8	24.7	20.7	25.0	23.1	21.5	19.6
Lymphogranuloma venereum	0.8	0.8	0.8	0.9	1.2	0.8	0.9	0.8	0.8	0.6	0.5	0.7	0.7
Trachoma	214.5	105.0	147.9	172.6	181.3	328.5	546.3	325.7	179.6	167.2	173.4	147.5	136.1
Pneumonia (all forms)	170.0	182.7	255.2	266.4	259.1	232.9	168.5	115.0	71.2	67.1	81.7	115.8	222.2
Infectious diarrhea	0.9	0.1	0.3	0.6	1.7	3.3	0.9	3.2	0.4	0.1	0.1	0.1	0.3
Puerperal infection	1.2	1.4	1.2	1.2	1.4	1.2	1.0	0.9	1.1	1.2	1.4	0.9	1.2

A dash (-) indicates that no cases were reported and the case rate was zero.

A rate of 0.0 indicates that some cases were reported but the rate was less than 0.1.

Sources:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.
Sources of original data were Weekly Morbidity Reports, Ministry of Welfare.

TABLE 79. - 1/ COMMUNICABLE DISEASE DEATHS BY MONTH: JAPAN, 1949

Disease and International List No.	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Typhoid fever (1)	970	57	57	72	54	68	82	96	147	123	90	59	65
Paratyphoid fever (2)	116	7	3	13	4	4	11	16	15	20	10	9	4
Plague (3)	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera (4)	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic meningitis (6)	497	37	35	59	44	33	48	30	46	80	38	23	24
Anthrax (7)	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever (8)	51	6	4	1	7	5	5	3	5	2	3	7	3
Whooping cough (9)	9,147	566	556	530	580	728	928	1,070	1,186	922	591	588	902
Diphtheria (10)	1,659	245	196	184	165	115	75	82	49	60	100	178	210
Tetanus (12)	1,964	136	142	136	158	156	170	188	212	217	169	145	135
Tuberculosis, all forms (13-22)	138,764	11,135	10,106	12,279	12,493	13,005	12,287	12,095	11,833	11,526	11,240	10,525	10,240
Leprosy (23)	162	17	15	12	18	14	12	12	6	9	15	19	13
Gonorrhea (25)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Glanders (26a)	1	-	-	-	-	1	-	-	-	-	-	-	-
Dysentery (27)	7,824	47	54	60	111	225	534	1,850	2,430	1,638	569	191	115
Malaria (28)	122	13	11	19	7	9	9	9	8	17	6	9	5
Syphilis (30)	5,492	518	467	518	467	397	390	404	393	399	477	515	547
Influenza (33)	502	57	78	62	53	51	25	13	16	20	19	32	76
Smallpox (34)	21	-	2	2	5	6	3	1	1	-	1	-	-
Measles (35)	12,440	575	681	1,403	1,787	2,758	2,209	1,442	679	233	169	229	275
Poliomyelitis (36)	1,024	76	60	75	67	81	89	109	81	110	113	79	84
Japanese "B" encephalitis (37b)	1,182	3	6	8	2	5	14	24	153	774	169	21	3
Yellow fever (38a)	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies (38b)	76	2	4	3	6	6	5	6	12	10	10	6	6
Dengue fever (38f)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

TABLE 79. - 1/ COMMUNICABLE DISEASE DEATHS BY MONTH: JAPAN, 1949 - Cont'd

Disease and International List No.	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Typhus fever (39)	67	4	8	7	5	6	10	3	9	8	3	2	2
Chancroid (*44a)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Lymphogranuloma venereum (*44a)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trachoma (*88)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pneumonia, all forms (107-109)	56,636	7,529	6,816	7,277	6,378	4,918	3,452	2,828	2,025	2,251	2,692	4,043	6,427
Infectious diarrhea (119a-120a)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Puerperal infection (140,142a, 147)	543	44	43	55	68	51	37	45	51	43	40	31	35

Footnotes:

* International list number includes some related diseases in addition to the one shown here.

1/ Deaths are the number reported in monthly analyses of death certificates and are for calendar periods.

"NA" indicates that data are not available.

A dash (-) indicates that no deaths were reported.

Sources:

Monthly Vital Statistics Schedule Reports, Ministry of Welfare

TABLE 80. - COMMUNICABLE DISEASE DEATH RATES BY MONTH: JAPAN, 1949
(Rates per 100,000 population per annum)

Disease and International List No.	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Typhoid fever (1)	1.2	0.8	0.9	1.0	0.8	1.0	1.2	1.4	2.1	1.8	1.3	0.9	0.9
Paratyphoid fever (2)	0.1	0.1	0.0	0.2	0.1	0.1	0.2	0.2	0.2	0.3	0.1	0.1	0.1
Plague (3)	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera (4)	-	-	-	-	-	-	-	-	-	-	-	-	-
Epidemic meningitis (6)	0.6	0.5	0.6	0.8	0.7	0.5	0.7	0.4	0.7	1.2	0.5	0.3	0.3
Anthrax (7)	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever (8)	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.0
Whooping cough (9)	11.1	8.1	8.8	7.6	8.6	10.4	13.7	15.3	17.0	13.6	8.5	8.7	12.9
Diphtheria (10)	2.0	3.5	3.1	2.6	2.4	1.6	1.1	1.2	0.7	0.9	1.4	2.6	3.0
Tetanus (12)	2.4	1.9	2.3	1.9	2.3	2.2	2.5	2.7	3.0	3.2	2.4	2.1	1.9
Tuberculosis (all forms) (13-22)	168.8	159.5	160.3	175.9	184.9	186.3	181.9	173.2	169.5	170.6	161.0	155.8	146.7
Leptosy (23)	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.1	0.1	0.2	0.3	0.2
Gonorrhea (25)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Glanders (26a)	0.0	-	-	-	-	0.0	-	-	-	-	-	-	-
Dysentery (27)	9.5	0.7	0.9	0.9	1.6	3.2	7.9	26.5	34.8	24.2	8.2	2.8	1.6
Malaria (28)	0.1	0.2	0.2	0.3	0.1	0.1	0.1	0.1	0.1	0.3	0.1	0.1	0.1
Syphilis (30)	6.7	7.4	7.4	7.4	6.9	5.7	5.8	5.8	5.6	5.9	6.8	7.6	7.8
Influenza (33)	0.6	0.8	1.2	0.9	0.8	0.7	0.4	0.2	0.2	0.3	0.3	0.5	1.1
Smallpox (34)	0.0	-	0.0	0.0	0.1	0.1	0.0	0.0	0.0	-	0.0	-	-
Measles (35)	15.1	8.2	10.8	20.1	26.4	39.5	32.7	20.7	9.7	3.4	2.4	3.4	3.9

TABLE 80. - COMMUNICABLE DISEASE DEATH RATES BY MONTH: JAPAN, 1949 - Cont'd.
(Rates per 100,000 population per annum)

Disease and International List No.	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Pollomyelitis (36)	1.2	1.1	1.0	1.1	1.0	1.2	1.3	1.6	1.2	1.6	1.6	1.2	1.2
Japanese "B" encephalitis (37b)	1.4	0.0	0.1	0.1	0.0	0.1	0.2	0.3	2.2	11.5	2.4	0.3	0.0
Yellow fever (38a)	-	-	-	-	-	-	-	-	-	-	-	-	-
Rabies (38b)	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1
Dengue fever (38f)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Typhus fever (39)	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0
Chancroid (*44a)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Lymphogranuloma Venereum (*44a)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Trachoma (*88)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Pneumonia, all forms (107-109)	68.9	107.8	108.1	104.2	94.4	70.4	51.1	40.5	29.0	33.3	38.6	59.8	92.1
Infectious Diarrhea (119a-120a)	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Puerperal Infection (140, 142a, 147)	0.7	0.6	0.7	0.8	1.0	0.7	0.5	0.6	0.7	0.6	0.6	0.5	0.5

Footnotes

* International list number includes some related diseases in addition to the one shown here.

"NA" indicates that data are not available.

A dash (-) indicates that no deaths were reported and the death rate was zero.

A rate of 0.0 indicates that some deaths were reported but the rate was less than 0.1.

Sources:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 81
COMMUNICABLE DISEASE CASES AND DEATHS AND
COMMUNICABLE DISEASE CASE AND DEATH RATES
BY PREFECTURE: JAPAN, 1949
(Rates per 100,000 population per annum)

Area	TYPHOID FEVER (1)				PARATYPHOID FEVER (2)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	6,489	7.9	970	1.2	2,226	2.7	116	0.1
Hokkaido	192	4.7	33	0.8	82	2.0	3	0.1
Aomori	87	7.0	22	1.8	40	3.2	4	0.3
Iwate	83	6.3	13	1.0	33	2.5	5	0.4
Miyagi	210	12.8	25	1.5	116	7.1	8	0.5
Akita	55	4.2	8	0.6	16	1.2	2	0.2
Yamagata	60	4.3	8	0.6	21	1.5	1	0.1
Fukushima	114	5.5	19	0.9	136	6.5	6	0.3
Ibaraki	86	4.1	15	0.7	48	2.3	2	0.1
Tochigi	67	4.2	19	1.2	23	1.4	2	0.1
Gumma	57	3.5	10	0.6	31	1.9	2	0.1
Saitama	199	9.1	31	1.4	55	2.5	5	0.2
Chiba	155	7.1	27	1.2	44	2.0	2	0.1
Tokyo	896	16.1	99	1.8	488	8.8	16	0.3
Kanagawa	272	11.5	38	1.6	68	2.9	4	0.2
Niigata	309	12.4	25	1.0	80	3.2	4	0.2
Toyama	91	8.9	17	1.7	43	4.2	2	0.2
Ishikawa	46	4.8	8	0.8	31	3.2	2	0.2
Fukui	136	18.1	11	1.5	30	4.0	1	0.1
Yamanashi	11	1.3	3	0.4	5	0.6	1	0.1
Nagano	116	5.4	17	0.8	50	2.3	1	0.0
Gifu	210	13.4	28	1.8	27	1.7	3	0.2
Shizuoka	249	10.1	25	1.0	103	4.2	6	0.2
Aichi	332	10.0	47	1.4	89	2.7	-	-
Mie	282	19.0	34	2.3	54	3.6	7	0.5
Shiga	31	3.5	7	0.8	19	2.1	3	0.3
Kyoto	164	9.0	20	1.1	58	3.2	-	-
Osaka	253	7.0	55	1.5	51	1.4	6	0.2
Hyogo	298	9.2	58	1.8	32	1.0	1	0.0
Nara	87	10.9	21	2.6	12	1.5	-	-
Wakayama	91	9.1	16	1.6	33	3.3	3	0.3
Tottori	66	10.9	4	0.7	15	2.5	-	-
Shimane	79	8.5	8	0.9	16	1.7	1	0.1
Okayama	116	6.9	45	2.7	21	1.2	2	0.1
Hiroshima	288	13.7	44	2.1	81	3.9	3	0.1
Yamaguchi	51	3.3	11	0.7	10	0.6	-	-
Tokushima	66	7.4	10	1.1	13	1.5	-	-
Kagawa	42	4.4	8	0.8	5	0.5	1	0.1
Ehime	58	3.8	7	0.5	17	1.1	1	0.1
Kochi	100	11.3	21	2.4	8	0.9	2	0.2
Fukuoka	174	5.1	23	0.7	46	1.4	2	0.1
Saga	44	4.6	6	0.6	6	0.6	-	-
Nagasaki	60	3.7	10	0.6	6	0.4	-	-
Kumamoto	26	1.4	3	0.2	33	1.8	1	0.1
Oita	33	2.6	4	0.3	10	0.8	1	0.1
Miyazaki	34	3.2	3	0.3	15	1.4	-	-
Kagoshima	13	0.7	4	0.2	6	0.3	-	-

See footnotes at end of table.

TABLE 81
COMMUNICABLE DISEASE CASES AND DEATHS AND
COMMUNICABLE DISEASE CASE AND DEATH RATES
BY PREFECTURE: JAPAN, 1949 (Cont'd)
(Rates per 100,000 population per annum)

Area	EPIDEMIC MENINGITIS (6)				ANTHRAX (7)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	1,467	1.8	497	0.6	11	0.0	-	-
Hokkaido	154	3.7	51	1.2	-	-	-	-
Aomori	36	2.9	11	0.9	-	-	-	-
Iwate	27	2.0	8	0.6	-	-	-	-
Miyagi	62	3.8	14	0.9	-	-	-	-
Akita	38	2.9	8	0.6	-	-	-	-
Yamagata	34	2.5	14	1.0	-	-	-	-
Fukushima	54	2.6	18	0.9	-	-	-	-
Ibaraki	33	1.6	10	0.5	-	-	-	-
Tochigi	11	0.7	2	0.1	-	-	-	-
Gumma	22	1.3	8	0.5	-	-	-	-
Saitama	31	1.4	11	0.5	-	-	-	-
Chiba	23	1.0	11	0.5	-	-	-	-
Tokyo	256	4.6	72	1.3	1	0.0	-	-
Kanagawa	75	3.2	23	1.0	2	0.1	-	-
Niigata	24	1.0	5	0.2	-	-	-	-
Toyama	17	1.7	2	0.2	4	0.4	-	-
Ishikawa	4	0.4	2	0.2	1	0.1	-	-
Fukui	15	2.0	1	0.1	-	-	-	-
Yamanashi	11	1.3	4	0.5	-	-	-	-
Nagano	23	1.1	8	0.4	-	-	-	-
Gifu	10	0.6	4	0.3	-	-	-	-
Shizuoka	31	1.3	11	0.4	-	-	-	-
Aichi	17	0.5	6	0.2	-	-	-	-
Mie	14	0.9	7	0.5	-	-	-	-
Shiga	12	1.3	3	0.3	-	-	-	-
Kyoto	57	3.1	22	1.2	-	-	-	-
Osaka	99	2.7	50	1.4	1	0.0	-	-
Hyogo	33	1.0	12	0.4	1	0.0	-	-
Nara	7	0.9	1	0.1	-	-	-	-
Wakayama	4	0.4	-	-	-	-	-	-
Tottori	28	4.6	10	1.6	-	-	-	-
Shimane	11	1.2	5	0.5	-	-	-	-
Okayama	8	0.5	4	0.2	-	-	-	-
Hiroshima	26	1.2	10	0.5	-	-	-	-
Yamaguchi	12	0.8	4	0.3	-	-	-	-
Tokushima	1	0.1	-	-	-	-	-	-
Kagawa	9	0.9	2	0.2	-	-	-	-
Ehime	13	0.9	4	0.3	-	-	-	-
Kochi	11	1.2	6	0.7	-	-	-	-
Fukuoka	59	1.7	21	0.6	-	-	-	-
Saga	10	1.0	4	0.4	1	0.1	-	-
Nagasaki	8	0.5	7	0.4	-	-	-	-
Kumamoto	7	0.4	5	0.3	-	-	-	-
Oita	14	1.1	6	0.5	-	-	-	-
Miyazaki	8	0.7	5	0.5	-	-	-	-
Kagoshima	8	0.4	5	0.3	-	-	-	-

See footnotes at end of table.

TABLE 81
COMMUNICABLE DISEASE CASES AND DEATHS AND
COMMUNICABLE DISEASE CASE AND DEATH RATES
BY PREFECTURE: JAPAN, 1949 (Cont'd)
(Rates per 100,000 population per annum)

Area	SCARLET FEVER (8)				WHOOPING COUGH (9)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	4,667	5.7	51	0.1	126,827	154.3	9,147	11.1
Hokkaido	413	10.0	5	0.1	9,848	239.0	634	15.4
Aomori	36	2.9	1	0.1	1,847	147.9	236	18.9
Iwate	58	4.4	1	0.1	1,792	135.1	183	13.8
Miyagi	68	4.2	1	0.1	2,683	164.0	290	17.7
Akita	47	3.6	1	0.1	1,779	135.2	164	12.5
Yamagata	63	4.6	1	0.1	1,973	143.0	296	21.5
Fukushima	66	3.2	1	0.0	1,871	90.1	302	14.5
Ibaraki	62	3.0	-	-	2,079	99.2	124	5.9
Tochigi	58	3.6	2	0.1	1,529	95.8	177	11.1
Gumma	81	4.9	-	-	2,985	181.1	297	18.0
Saitama	200	9.2	3	0.1	5,219	238.9	344	15.7
Chiba	147	6.7	3	0.1	1,365	62.2	227	10.3
Tokyo	1,080	19.5	7	0.1	10,914	196.6	574	10.3
Kanagawa	250	10.5	2	0.1	4,730	199.2	271	11.4
Niigata	52	2.1	1	0.0	2,827	113.3	259	10.4
Toyama	11	1.1	-	-	3,361	328.5	151	14.8
Ishikawa	8	0.8	-	-	1,966	203.7	131	13.6
Fukui	10	1.3	-	-	1,520	202.3	66	8.8
Yamanashi	47	5.6	-	-	611	73.1	51	6.1
Nagano	381	17.9	1	0.0	3,934	184.6	241	11.3
Gifu	55	3.5	3	0.2	2,162	138.4	176	11.3
Shizuoka	66	2.7	1	0.0	3,546	143.8	302	12.2
Aichi	182	5.5	-	-	5,550	167.9	402	12.2
Mie	55	3.7	-	-	1,741	117.1	113	7.6
Shiga	110	12.3	-	-	3,011	336.7	121	13.5
Kyoto	262	14.3	1	0.1	3,484	190.5	162	8.9
Osaka	189	5.2	4	0.1	4,813	133.6	433	12.0
Hyogo	87	2.7	3	0.1	5,074	156.9	340	10.5
Nara	31	3.9	1	0.1	527	66.0	76	9.5
Wakayama	26	2.6	1	0.1	651	64.8	31	3.1
Tottori	18	3.0	1	0.2	989	162.8	57	9.4
Shimane	60	6.5	1	0.1	1,101	118.9	53	5.7
Okayama	111	6.6	1	0.1	2,130	126.0	96	5.7
Hiroshima	79	3.8	-	-	4,147	197.8	175	8.3
Yamaguchi	50	3.2	-	-	1,393	90.3	166	10.8
Tokushima	11	1.2	-	-	659	74.0	40	4.5
Kagawa	22	2.3	-	-	2,500	261.2	91	9.5
Ehime	24	1.6	-	-	4,362	287.4	233	15.4
Kochi	11	1.2	-	-	365	41.1	32	3.6
Fukuoka	37	1.1	1	0.0	6,943	204.5	484	14.3
Saga	5	0.5	-	-	1,617	169.4	92	9.6
Nagasaki	17	1.1	1	0.1	1,539	95.9	109	6.8
Kumamoto	3	0.2	1	0.1	1,235	67.5	99	5.4
Oita	8	0.6	-	-	805	63.1	97	7.6
Miyazaki	6	0.6	1	0.1	683	63.3	46	4.3
Kagoshima	4	0.2	-	-	967	53.4	103	5.7

See footnotes at end of table.

TABLE 81
COMMUNICABLE DISEASE CASES AND DEATHS AND
COMMUNICABLE DISEASE CASE AND DEATH RATES
BY PREFECTURE: JAPAN, 1949 (Cont'd)
(Rates per 100,000 population per annum)

Area	DIPHTHERIA (10)				TETANUS (12)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	14,825	18.0	1,659	2.0	2,199	2.7	1,964	2.4
Hokkaido	871	21.1	142	3.4	41	1.0	50	1.2
Aomori	263	21.1	49	3.9	22	1.8	26	2.1
Iwate	334	25.2	43	3.2	22	1.7	15	1.1
Miyagi	435	26.6	29	1.8	29	1.8	28	1.7
Akita	383	29.1	31	2.4	20	1.5	20	1.5
Yamagata	210	15.2	21	1.5	20	1.4	20	1.4
Fukushima	278	13.4	40	1.9	39	1.9	37	1.8
Ibaraki	265	12.6	25	1.2	155	7.4	103	4.9
Tochigi	225	14.1	27	1.7	41	2.6	48	3.0
Gumma	213	12.9	32	1.9	73	4.4	66	4.0
Saitama	339	15.5	18	0.8	69	3.2	58	2.7
Chiba	223	10.2	31	1.4	106	4.8	118	5.4
Tokyo	1,048	18.9	127	2.3	118	2.1	99	1.8
Kanagawa	395	16.6	45	1.9	60	2.5	51	2.1
Niigata	595	23.8	56	2.2	40	1.6	41	1.6
Toyama	251	24.5	28	2.7	13	1.3	11	1.1
Ishikawa	250	25.9	20	2.1	40	4.1	25	2.6
Fukui	169	22.5	16	2.1	14	1.9	11	1.5
Yamanashi	67	8.0	11	1.3	20	2.4	29	3.5
Nagano	300	14.1	22	1.0	76	3.6	50	2.3
Gifu	167	10.7	27	1.7	38	2.4	30	1.9
Shizuoka	285	11.6	37	1.5	75	3.0	67	2.7
Aichi	374	11.3	28	0.8	75	2.3	72	2.2
Mie	204	13.7	17	1.1	46	3.1	33	2.2
Shiga	106	11.9	9	1.0	10	1.1	7	0.8
Kyoto	202	11.0	13	0.7	38	2.1	19	1.0
Osaka	361	10.0	45	1.2	43	1.2	42	1.2
Hyogo	458	14.2	63	1.9	46	1.4	40	1.2
Nara	99	12.4	17	2.1	15	1.9	16	2.0
Wakayama	101	10.1	5	0.5	22	2.2	18	1.8
Tottori	86	14.2	13	2.1	10	1.6	7	1.2
Shimane	276	29.8	18	1.9	22	2.4	14	1.5
Okayama	189	11.2	27	1.6	51	3.0	36	2.1
Hiroshima	420	20.0	36	1.7	43	2.1	47	2.2
Yamaguchi	372	24.1	39	2.5	38	2.5	46	3.0
Tokushima	124	13.9	15	1.7	22	2.5	32	3.6
Kagawa	120	12.5	17	1.8	44	4.6	40	4.2
Ehime	217	14.3	24	1.6	73	4.8	62	4.1
Kochi	136	15.3	11	1.2	34	3.8	32	3.6
Fukuoka	944	27.8	86	2.5	93	2.7	74	2.2
Saga	428	44.8	39	4.1	38	4.0	41	4.3
Nagasaki	441	27.5	61	3.8	49	3.1	48	3.0
Kumamoto	253	13.8	39	2.1	59	3.2	42	2.3
Oita	383	30.0	42	3.3	40	3.1	34	2.7
Miyazaki	526	48.8	55	5.1	58	5.4	60	5.6
Kagoshima	439	24.3	63	3.5	99	5.5	99	5.5

See footnotes at end of table.

TABLE 81
COMMUNICABLE DISEASE CASES AND DEATHS AND
COMMUNICABLE DISEASE CASE AND DEATH RATES
BY PREFECTURE: JAPAN, 1949 (Cont'd)
(Rates per 100,000 population per annum)

Area	TUBERCULOSIS, ALL FORMS (13-22)				LEPROSY (23)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	469,504	571.2	138,764	168.8	782	1.0	162	0.2
Hokkaido	35,369	858.4	10,284	249.6	10	0.2	2	0.0
Aomori	7,832	627.4	2,710	217.1	18	1.4	1	0.1
Iwate	8,909	671.8	2,737	206.4	19	1.4	2	0.2
Miyagi	10,270	627.8	2,690	164.4	8	0.5	9	0.6
Akita	6,507	494.7	2,120	161.2	16	1.2	3	0.2
Yamagata	6,397	463.6	2,048	148.4	5	0.4	2	0.1
Fukushima	7,533	362.8	2,997	144.3	6	0.3	2	0.1
Ibaraki	6,257	298.6	2,315	110.5	9	0.4	1	0.0
Tochigi	4,464	279.6	1,852	116.0	10	0.6	1	0.1
Gumma	6,247	378.9	2,007	121.7	153	9.3	12	0.7
Saitama	10,253	469.3	2,918	133.6	12	0.5	3	0.1
Chiba	8,235	375.4	2,961	135.0	2	0.1	1	0.0
Tokyo	55,373	997.4	11,632	209.5	50	0.9	4	0.1
Kanagawa	14,607	615.1	4,240	178.5	18	0.8	-	-
Niigata	11,296	452.6	4,237	169.8	7	0.3	2	0.1
Toyama	10,403	1,016.9	1,906	186.3	1	0.1	-	-
Ishikawa	6,878	712.7	1,631	169.0	6	0.6	1	0.1
Fukui	4,603	612.5	1,166	155.2	6	0.8	2	0.3
Yamanashi	2,326	278.4	769	92.0	3	0.4	2	0.2
Nagano	11,491	539.2	2,620	122.9	16	0.8	-	-
Gifu	7,704	493.1	2,575	164.8	9	0.6	-	-
Shizuoka	9,066	367.6	3,204	129.9	20	0.8	2	0.1
Aichi	20,576	622.4	5,383	162.8	26	0.8	7	0.2
Mie	8,151	548.2	2,239	150.6	16	1.1	4	0.3
Shiga	3,937	440.2	1,350	150.9	12	1.3	2	0.2
Kyoto	15,065	823.7	3,915	214.1	46	2.5	-	-
Osaka	23,474	651.7	7,259	201.5	7	0.2	1	0.0
Hyogo	16,872	521.6	5,478	169.3	27	0.8	3	0.1
Nara	2,728	341.9	1,232	154.4	4	0.5	-	-
Wakayama	4,283	426.5	1,422	141.6	7	0.7	1	0.1
Tottori	3,494	575.1	1,013	166.7	8	1.3	3	0.5
Shimane	6,536	705.9	1,772	191.4	5	0.5	-	-
Okayama	10,502	621.0	2,443	144.5	14	0.8	-	-
Hiroshima	15,606	744.4	3,324	158.5	3	0.1	1	0.0
Yamaguchi	9,289	602.1	2,915	189.0	11	0.7	-	-
Tokushima	3,292	369.6	1,533	172.1	10	1.1	2	0.2
Kagawa	5,291	552.8	1,398	146.1	5	0.5	1	0.1
Ehime	7,331	483.0	2,268	149.4	16	1.1	3	0.2
Kochi	3,109	350.2	1,358	153.0	7	0.8	3	0.3
Fukuoka	19,869	585.3	6,918	203.8	48	1.4	1	0.0
Saga	4,663	488.6	1,643	172.2	6	0.6	-	-
Nagasaki	9,164	571.2	2,717	169.4	27	1.7	6	0.4
Kumamoto	6,238	340.8	2,736	149.5	35	1.9	56	3.1
Oita	5,078	397.8	2,248	176.1	15	1.2	4	0.3
Miyasaki	6,650	616.6	1,810	167.8	11	1.0	3	0.3
Kagoshima	6,286	347.3	2,771	153.1	12	0.7	9	0.5

See footnotes at end of table.

TABLE 81
COMMUNICABLE DISEASE CASES AND DEATHS AND
COMMUNICABLE DISEASE CASE AND DEATH RATES
BY PREFECTURE: JAPAN, 1949 (Cont'd)
(Rates per 100,000 population per annum)

Area	GONORRHEA (25)				DYSENTERY (27)			
	<u>Cases</u>		<u>Deaths</u>		<u>Cases</u>		<u>Deaths</u>	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	181,187	220.4	NA	NA	24,001	29.2	7,824	9.5
Hokkaido	8,715	211.5	NA	NA	483	11.7	96	2.3
Aomori	1,890	151.4	NA	NA	136	10.9	49	3.9
Iwate	916	69.1	NA	NA	631	47.6	118	8.9
Miyagi	2,124	129.8	NA	NA	305	18.6	53	3.2
Akita	1,145	87.0	NA	NA	232	17.6	54	4.1
Yamagata	1,293	93.7	NA	NA	434	31.5	69	5.0
Fukushima	2,459	118.4	NA	NA	454	21.9	213	10.3
Ibaraki	1,620	77.3	NA	NA	1,067	50.9	552	26.3
Tochigi	2,382	149.2	NA	NA	608	38.1	307	19.2
Guma	2,109	127.9	NA	NA	1,499	90.9	401	24.3
Saitama	1,875	85.8	NA	NA	1,793	82.1	575	26.3
Chiba	2,215	101.0	NA	NA	862	39.3	310	14.1
Tokyo	16,480	296.8	NA	NA	3,372	60.7	835	15.0
Kanagawa	17,599	741.1	NA	NA	983	41.4	240	10.1
Niigata	1,455	58.3	NA	NA	1,657	66.4	372	14.9
Toyama	2,397	234.3	NA	NA	140	13.7	68	6.6
Ishikawa	2,278	236.0	NA	NA	175	18.1	50	5.2
Fukui	1,260	167.7	NA	NA	114	15.2	34	4.5
Yamanashi	1,003	120.0	NA	NA	154	18.4	60	7.2
Nagano	2,488	116.7	NA	NA	528	24.8	92	4.3
Gifu	3,605	230.7	NA	NA	474	30.3	226	14.5
Shizuoka	3,536	143.4	NA	NA	1,072	43.5	355	14.4
Aichi	8,506	257.3	NA	NA	1,163	35.2	464	14.0
Mie	1,891	127.2	NA	NA	293	19.7	76	5.1
Shiga	1,370	153.2	NA	NA	76	8.5	18	2.0
Kyoto	5,418	296.2	NA	NA	388	31.2	88	4.8
Osaka	9,960	276.5	NA	NA	596	16.5	153	4.2
Hyogo	8,842	273.3	NA	NA	331	10.2	149	4.6
Nara	2,131	267.1	NA	NA	48	6.0	25	3.1
Wakeyama	3,468	345.3	NA	NA	112	11.2	42	4.2
Tottori	1,504	247.6	NA	NA	77	12.7	34	5.6
Shimane	757	81.8	NA	NA	312	33.7	124	13.4
Okayama	3,577	211.5	NA	NA	173	10.2	123	7.3
Hiroshima	7,907	377.2	NA	NA	423	20.2	209	10.0
Yamaguchi	6,167	399.8	NA	NA	254	16.5	127	8.2
Tokushima	826	92.7	NA	NA	171	19.2	71	8.0
Kagawa	1,191	124.4	NA	NA	243	25.4	102	10.7
Ehime	1,719	113.3	NA	NA	311	20.5	101	6.7
Kochi	1,650	185.9	NA	NA	122	13.7	55	6.2
Fukuoka	16,976	500.1	NA	NA	445	13.1	144	4.2
Saga	2,466	258.4	NA	NA	117	12.3	52	5.4
Nagasaki	4,949	308.5	NA	NA	214	13.3	87	5.4
Kumamoto	2,393	130.8	NA	NA	209	11.4	110	6.0
Oita	2,691	210.8	NA	NA	188	14.7	105	8.2
Miyazaki	1,570	145.6	NA	NA	396	36.7	138	12.8
Kagoshima	2,414	133.4	NA	NA	166	9.2	98	5.4

See footnotes at end of table.

TABLE 81
COMMUNICABLE DISEASE CASES AND DEATHS AND
COMMUNICABLE DISEASE CASE AND DEATH RATES
BY PREFECTURE, JAPAN, 1949
(Rates per 100,000 population per annum)

Area	MALARIA (28)				SYPHILIS (30)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	3,732	4.5	122	0.1	188,204	229.0	5,492	6.7
Hokkaido	48	1.2	3	0.1	7,847	190.4	331	8.0
Aomori	54	4.3	-	-	2,055	164.6	83	6.6
Iwate	17	1.3	-	-	1,760	132.7	76	5.7
Miyagi	15	0.9	2	0.1	2,688	164.3	117	7.2
Akita	16	1.2	4	0.3	1,814	137.9	77	5.9
Yamagata	31	2.2	1	0.1	2,415	175.0	63	4.6
Fukushima	25	1.2	3	0.1	3,144	151.4	117	5.6
Ibaraki	38	1.8	1	0.0	2,352	112.3	128	6.1
Tochigi	20	1.3	4	0.3	2,976	186.4	124	7.8
Gumma	11	0.7	2	0.1	2,786	169.0	109	6.6
Saitama	34	1.6	2	0.1	2,683	122.8	123	5.6
Chiba	41	1.9	3	0.1	3,311	151.0	179	8.2
Tokyo	131	2.4	4	0.1	12,959	233.4	511	9.2
Kanagawa	39	1.6	2	0.1	11,229	472.8	197	8.3
Niigata	46	1.8	3	0.1	2,779	111.4	104	4.2
Toyama	23	2.2	1	0.1	2,265	221.4	45	4.4
Ishikawa	18	1.9	1	0.1	2,053	212.7	55	5.7
Fukui	32	4.3	2	0.3	1,367	181.9	32	4.3
Yamanashi	14	1.7	2	0.2	1,137	136.1	30	3.6
Nagano	24	1.1	4	0.2	2,623	123.1	112	5.3
Gifu	26	1.7	3	0.2	1,813	116.0	85	5.4
Shizuoka	24	1.0	1	0.0	3,789	153.6	147	6.0
Aichi	68	2.1	4	0.1	8,083	244.5	199	6.0
Mie	32	2.2	5	0.3	2,658	178.7	89	6.0
Shiga	2,200	246.0	6	0.7	1,593	178.1	43	4.8
Kyoto	132	7.2	-	-	6,999	382.7	165	9.0
Osaka	25	0.7	4	0.1	14,830	411.7	300	8.3
Hyogo	56	1.7	7	0.2	11,528	356.4	177	5.5
Nara	14	1.8	2	0.3	1,997	250.3	62	7.8
Wakayama	11	1.1	3	0.3	3,221	320.8	49	4.9
Tottori	26	4.3	2	0.3	1,625	267.5	34	5.6
Shimane	15	1.6	4	0.4	950	102.6	61	6.6
Okayama	30	1.8	1	0.1	3,904	230.9	86	5.1
Hiroshima	47	2.2	3	0.1	6,131	292.4	93	4.4
Yamaguchi	31	2.0	6	0.4	4,325	280.4	85	5.5
Tokushima	10	1.1	6	0.7	1,427	160.2	58	6.5
Kagawa	27	2.8	-	-	2,291	239.3	54	5.6
Ehime	33	2.2	1	0.1	2,312	152.3	67	4.4
Kochi	16	1.8	2	0.2	1,512	170.3	57	6.4
Fukuoka	68	2.0	5	0.1	15,251	449.3	330	9.7
Saga	16	1.7	1	0.1	2,712	284.2	84	8.8
Nagasaki	40	2.5	4	0.2	7,133	444.6	145	9.0
Kumamoto	34	1.9	2	0.1	3,352	183.1	107	5.8
Oita	20	1.6	1	0.1	2,583	202.4	82	6.4
Miyazaki	24	2.2	-	-	1,737	161.1	81	7.5
Kagoshima	30	1.7	5	0.3	2,205	121.8	139	7.7

See footnotes at end of table.

TABLE 81
COMMUNICABLE DISEASE CASES AND DEATHS AND
COMMUNICABLE DISEASE CASE AND DEATH RATES
BY PREFECTURE: JAPAN, 1949 (Cont'd)
(Rates per 100,000 population per annum)

Area	INFLUENZA (33)				SMALLPOX (34)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	2,957	3.6	502	0.6	124	0.2	21	0.0
Hokkaido	81	2.0	17	0.4	-	-	2	0.0
Aomori	32	2.6	24	1.9	-	-	-	-
Iwate	-	-	8	0.6	-	-	-	-
Miyagi	34	2.1	2	0.1	-	-	2	0.1
Akita	-	-	8	0.6	1	0.1	-	-
Yamagata	1	0.1	4	0.3	-	-	-	-
Fukushima	9	0.4	7	0.3	-	-	-	-
Ibaraki	4	0.2	1	0.0	-	-	-	-
Tochigi	6	0.4	7	0.4	-	-	1	0.1
Gunma	76	4.6	8	0.5	-	-	-	-
Saitama	63	2.9	3	0.1	-	-	-	-
Chiba	4	0.2	13	0.6	-	-	1	0.0
Tokyo	95	1.7	27	0.5	3	0.1	2	0.0
Kanagawa	20	0.8	13	0.5	2	0.1	-	-
Niigata	182	7.3	19	0.8	1	0.0	-	-
Toyama	41	4.0	12	1.2	-	-	-	-
Ishikawa	58	6.0	6	0.6	-	-	-	-
Fukui	125	16.6	7	0.9	-	-	-	-
Yamanashi	15	1.8	4	0.5	-	-	-	-
Nagano	82	3.8	6	0.3	-	-	-	-
Gifu	36	2.3	9	0.6	-	-	-	-
Shizuoka	43	1.7	19	0.8	-	-	1	0.0
Aichi	71	2.1	16	0.5	-	-	-	-
Mie	73	4.9	12	0.8	2	0.1	-	-
Shiga	35	3.9	3	0.3	-	-	-	-
Kyoto	21	1.1	9	0.5	-	-	-	-
Osaka	237	6.6	22	0.6	62	1.7	7	0.2
Hyogo	103	3.2	15	0.5	-	-	2	0.1
Nara	13	1.6	4	0.5	1	0.1	-	-
Wakayama	71	7.1	7	0.7	9	0.9	1	0.1
Tottori	16	2.6	1	0.2	3	0.5	-	-
Shimane	68	7.3	10	1.1	-	-	-	-
Okayama	217	12.8	7	0.4	-	-	-	-
Hiroshima	101	4.8	20	1.0	-	-	-	-
Yamaguchi	167	10.8	12	0.8	12	0.8	1	0.1
Tokushima	56	6.3	6	0.7	-	-	-	-
Kagawa	159	16.6	11	1.1	-	-	-	-
Ehime	133	8.8	23	1.5	4	0.3	1	0.1
Kochi	8	0.9	4	0.5	-	-	-	-
Fukuoka	40	1.2	27	0.8	21	0.6	-	-
Saga	17	1.8	14	1.5	-	-	-	-
Nagasaki	54	3.4	9	0.6	1	0.1	-	-
Kumamoto	32	1.7	16	0.9	-	-	-	-
Oita	204	16.0	12	0.9	2	0.2	-	-
Miyazaki	54	5.0	7	0.6	-	-	-	-
Kagoshima	-	-	11	0.6	-	-	-	-

See footnotes at end of table.

TABLE 81
COMMUNICABLE DISEASE CASES AND DEATHS AND
COMMUNICABLE DISEASE CASE AND DEATH RATES
BY PREFECTURE: JAPAN, 1949 (Cont'd)
(Rates per 100,000 population per annum)

Area	MEASLES (35)				POLIOMYELITIS (36)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	165,308	201.1	12,440	15.1	3,140	3.8	1,024	1.2
Hokkaido	10,924	265.1	1,156	28.1	501	12.2	59	1.4
Aomori	1,290	103.3	239	19.1	187	15.0	23	1.8
Iwate	1,072	80.8	216	16.3	70	5.3	20	1.5
Miyagi	1,668	102.0	240	14.7	167	10.2	25	1.5
Akita	1,450	110.2	238	18.1	75	5.7	18	1.4
Yamagata	1,423	103.1	195	14.1	103	7.5	11	0.8
Fukushima	2,269	109.3	378	18.2	47	2.3	25	1.2
Ibaraki	2,935	140.1	262	12.5	38	1.8	23	1.1
Tochigi	878	55.0	98	6.1	14	0.9	19	1.2
Gumma	2,959	179.5	283	17.2	50	3.0	26	1.6
Saitama	4,058	185.7	271	12.4	60	2.7	17	0.8
Chiba	1,817	82.8	274	12.5	21	1.0	27	1.2
Tokyo	11,724	211.2	605	10.9	285	5.1	43	0.8
Kanagawa	3,458	145.6	279	11.7	101	4.3	28	1.2
Niigata	5,578	223.5	575	23.0	41	1.6	24	1.0
Toyama	5,919	578.6	211	20.6	48	3.7	11	1.1
Ishikawa	2,931	303.7	180	18.7	66	6.8	9	0.9
Fukui	2,168	288.5	78	10.4	55	7.3	6	0.8
Yamanashi	1,844	220.7	132	15.8	6	0.7	6	0.7
Nagano	3,673	172.4	173	8.1	97	4.6	25	1.2
Gifu	2,544	162.8	160	10.2	35	2.2	18	1.2
Shizuoka	3,449	139.8	264	10.7	82	3.3	38	1.5
Aichi	7,553	228.5	557	16.8	116	3.5	56	1.7
Mie	4,652	312.8	257	17.3	44	3.0	13	0.9
Shiga	5,452	609.6	188	21.0	7	0.8	8	0.9
Kyoto	6,298	344.4	358	19.6	41	2.2	10	0.5
Osaka	5,909	164.0	878	24.4	41	1.1	45	1.2
Hyogo	4,738	146.5	393	12.1	99	3.1	38	1.2
Nara	1,363	170.8	198	24.8	13	1.6	12	1.5
Wakayama	1,830	182.2	169	16.8	11	1.1	11	1.1
Tottori	873	143.7	30	4.9	14	2.3	2	0.3
Shimane	5,806	627.1	145	15.7	15	1.6	11	1.2
Okayama	1,208	71.4	54	3.2	63	3.7	21	1.2
Hiroshima	5,122	244.3	164	7.8	13	0.6	31	1.5
Yamaguchi	2,923	189.5	231	15.0	18	1.2	18	1.2
Tokushima	690	77.5	47	5.3	35	3.9	8	0.9
Kagawa	789	82.4	27	2.8	20	2.1	14	1.5
Ehime	1,620	106.7	137	9.0	58	3.8	21	1.4
Kochi	423	47.6	21	2.4	12	1.4	10	1.1
Fukuoka	14,700	433.1	820	24.2	113	3.3	46	1.4
Saga	3,652	382.6	154	16.1	41	4.3	13	1.4
Nagasaki	3,948	246.1	311	19.4	32	2.0	21	1.3
Kumamoto	4,195	229.2	225	12.3	28	1.5	24	1.3
Oita	2,306	180.7	244	19.1	79	6.2	39	3.1
Miyazaki	1,696	157.3	97	9.0	71	6.6	17	1.6
Kagoshima	1,531	84.6	228	12.6	17	0.9	34	1.9

See footnotes at end of table.

TABLE 81
COMMUNICABLE DISEASE CASES AND DEATHS AND
COMMUNICABLE DISEASE CASE AND DEATH RATES
BY PREFECTURE: JAPAN, 1949 (Cont'd)
(Rates per 100,000 population per annum)

Area	JAPANESE "B" ENCEPHALITIS (37b)				RABIES (38b)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	1,284	1.6	1,182	1.4	76	0.1	76	0.1
Hokkaido	1	0.0	2	0.0	-	-	-	-
Aomori	-	-	9	0.7	-	-	-	-
Iwate	-	-	2	0.2	-	-	-	-
Miyagi	3	0.2	6	0.4	-	-	-	-
Akita	-	-	7	0.5	-	-	-	-
Yamagata	1	0.1	2	0.1	-	-	-	-
Fukushima	-	-	1	0.0	-	-	-	-
Ibaraki	31	1.5	24	1.1	3	0.1	3	0.1
Tochigi	2	0.1	7	0.4	1	0.1	1	0.1
Gumma	22	1.3	6	0.4	6	0.4	7	0.4
Saitama	15	0.7	40	1.8	14	0.6	14	0.6
Chiba	6	0.3	21	1.0	23	1.0	19	0.9
Tokyo	215	3.9	86	1.5	18	0.3	22	0.4
Kanagawa	115	4.8	45	1.9	9	0.4	8	0.3
Niigata	9	0.4	11	0.4	1	0.0	-	-
Toyama	24	2.3	44	4.3	-	-	-	-
Ishikawa	21	2.2	10	1.0	-	-	-	-
Fukui	-	-	26	3.5	-	-	-	-
Yamanashi	2	0.2	12	1.4	-	-	-	-
Nagano	29	1.4	22	1.0	-	-	-	-
Gifu	7	0.4	23	1.5	-	-	-	-
Shizuoka	49	2.0	64	2.6	-	-	-	-
Aichi	75	2.3	72	2.2	-	-	-	-
Mie	36	2.4	26	1.7	-	-	-	-
Shiga	6	0.7	30	3.4	-	-	-	-
Kyoto	25	1.4	18	1.0	-	-	-	-
Osaka	105	2.9	52	1.4	-	-	-	-
Hyogo	12	0.4	71	2.2	-	-	1	0.0
Nara	23	2.9	15	1.9	-	-	-	-
Wakayama	-	-	29	2.9	-	-	-	-
Tottori	2	0.3	4	0.7	-	-	-	-
Shimane	-	-	17	1.8	-	-	-	-
Okayama	42	2.5	35	2.1	-	-	-	-
Hiroshima	84	4.0	51	2.4	-	-	-	-
Yamaguchi	76	4.9	46	3.0	-	-	-	-
Tokushima	9	1.0	28	3.1	-	-	-	-
Kagawa	12	1.3	15	1.6	-	-	-	-
Ehime	17	1.1	18	1.2	-	-	-	-
Kochi	10	1.1	1	0.1	-	-	-	-
Fukuoka	15	0.4	31	0.9	1	0.0	-	-
Saga	19	2.0	8	0.8	-	-	-	-
Nagasaki	4	0.2	7	0.4	-	-	1	0.1
Fukuoka	86	4.7	80	4.4	-	-	-	-
Oita	11	0.9	8	0.6	-	-	-	-
Miyazaki	26	2.4	35	3.2	-	-	-	-
Kagoshima	37	2.0	15	0.8	-	-	-	-

See footnotes at end of table.

TABLE 81
COMMUNICABLE DISEASE CASES AND DEATHS AND
COMMUNICABLE DISEASE CASE AND DEATH RATES
BY PREFECTURE: JAPAN, 1949 (Cont'd)
(Rates per 100,000 population per annum)

Area	DENGUE FEVER (38e)				TYPHUS FEVER (39)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	5	0.0	NA	NA	121	0.1	67	0.1
Hokkaido	-	-	NA	NA	1	0.0	-	-
Aomori	-	-	NA	NA	-	-	3	0.2
Iwate	-	-	NA	NA	-	-	-	-
Miyagi	-	-	NA	NA	13	0.8	4	0.2
Akita	-	-	NA	NA	-	-	1	0.1
Yamagata	-	-	NA	NA	1	0.1	-	-
Fukushima	-	-	NA	NA	11	0.5	-	-
Ibaraki	-	-	NA	NA	-	-	-	-
Tochigi	-	-	NA	NA	-	-	-	-
Gumma	-	-	NA	NA	-	-	-	-
Saitama	-	-	NA	NA	2	0.1	1	0.0
Chiba	-	-	NA	NA	1	0.0	3	0.1
Tokyo	-	-	NA	NA	23	0.4	4	0.1
Kanagawa	-	-	NA	NA	11	0.5	-	-
Niigata	-	-	NA	NA	-	-	3	0.1
Toyama	-	-	NA	NA	-	-	-	-
Ishikawa	-	-	NA	NA	-	-	-	-
Fukui	-	-	NA	NA	-	-	-	-
Yamanashi	-	-	NA	NA	-	-	1	0.1
Nagano	-	-	NA	NA	-	-	-	-
Gifu	-	-	NA	NA	-	-	-	-
Shizuoka	-	-	NA	NA	-	-	2	0.1
Aichi	-	-	NA	NA	-	-	1	0.0
Mie	-	-	NA	NA	2	0.1	1	0.1
Shiga	-	-	NA	NA	-	-	-	-
Kyoto	-	-	NA	NA	-	-	3	0.2
Osaka	1	0.0	NA	NA	27	0.7	2	0.1
Hyogo	-	-	NA	NA	1	0.0	4	0.1
Nara	-	-	NA	NA	-	-	-	-
Wakayama	-	-	NA	NA	4	0.4	4	0.4
Tottori	-	-	NA	NA	-	-	-	-
Shimane	-	-	NA	NA	10	1.1	1	0.1
Okayama	-	-	NA	NA	-	-	11	0.7
Hiroshima	-	-	NA	NA	1	0.0	3	0.1
Yamaguchi	-	-	NA	NA	-	-	-	-
Tokushima	-	-	NA	NA	-	-	-	-
Kagawa	-	-	NA	NA	-	-	-	-
Ehime	-	-	NA	NA	-	-	6	0.4
Kochi	-	-	NA	NA	-	-	-	-
Fukuoka	2	0.1	NA	NA	1	0.0	2	0.1
Saga	-	-	NA	NA	-	-	-	-
Nagasaki	-	-	NA	NA	11	0.7	-	-
Kumamoto	2	0.1	NA	NA	1	0.1	3	0.2
Oita	-	-	NA	NA	-	-	4	0.3
Miyazaki	-	-	NA	NA	-	-	-	-
Kagoshima	-	-	NA	NA	-	-	-	-

See footnotes at end of table.

TABLE 81
COMMUNICABLE DISEASE CASES AND DEATHS AND
COMMUNICABLE DISEASE CASE AND DEATH RATES
BY PREFECTURE: JAPAN, 1949 (Cont'd)
(Rates per 100,000 population per annum)

Area	CHANCROID (*44a)				LYMPHOGRANULOMA VENEREUM (*44a)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	2,205	26.8	NA	NA	644	0.8	NA	NA
Hokkaido	746	18.1	NA	NA	34	0.8	NA	NA
Aomori	145	11.6	NA	NA	2	0.2	NA	NA
Iwate	71	5.4	NA	NA	4	0.3	NA	NA
Miyagi	171	10.5	NA	NA	-	-	NA	NA
Akita	92	7.0	NA	NA	3	0.2	NA	NA
Yamagata	51	3.7	NA	NA	2	0.1	NA	NA
Fukushima	248	11.9	NA	NA	3	0.1	NA	NA
Ibaraki	281	13.4	NA	NA	4	0.2	NA	NA
Tochigi	199	12.5	NA	NA	2	0.1	NA	NA
Gumma	254	15.4	NA	NA	7	0.4	NA	NA
Saitama	146	6.7	NA	NA	4	0.2	NA	NA
Chiba	305	13.9	NA	NA	7	0.3	NA	NA
Tokyo	1,864	33.6	NA	NA	52	0.9	NA	NA
Kanagawa	2,084	87.8	NA	NA	51	2.1	NA	NA
Niigata	88	3.5	NA	NA	5	0.2	NA	NA
Toyama	176	17.2	NA	NA	4	0.4	NA	NA
Ishikawa	191	19.8	NA	NA	11	1.1	NA	NA
Fukui	182	24.2	NA	NA	3	0.4	NA	NA
Yamanashi	161	19.3	NA	NA	3	0.4	NA	NA
Nagano	146	6.9	NA	NA	-	-	NA	NA
Gifu	360	23.0	NA	NA	7	0.4	NA	NA
Shizuoka	265	10.7	NA	NA	7	0.3	NA	NA
Aichi	1,264	38.2	NA	NA	6	0.2	NA	NA
Mie	312	21.0	NA	NA	10	0.7	NA	NA
Shiga	324	36.2	NA	NA	3	0.3	NA	NA
Kyoto	1,467	80.2	NA	NA	70	3.8	NA	NA
Osaka	2,057	57.1	NA	NA	96	2.7	NA	NA
Hyogo	1,433	44.3	NA	NA	56	1.7	NA	NA
Nara	448	56.1	NA	NA	14	1.8	NA	NA
Wakayama	547	54.5	NA	NA	14	1.4	NA	NA
Tottori	179	29.5	NA	NA	4	0.7	NA	NA
Shimane	51	5.5	NA	NA	1	0.1	NA	NA
Okayama	708	41.9	NA	NA	8	0.5	NA	NA
Hiroshima	993	47.4	NA	NA	39	1.9	NA	NA
Yamaguchi	398	25.8	NA	NA	19	1.2	NA	NA
Tokushima	92	10.3	NA	NA	3	0.3	NA	NA
Kagawa	118	12.3	NA	NA	3	0.3	NA	NA
Ehime	192	12.7	NA	NA	3	0.2	NA	NA
Kochi	129	14.5	NA	NA	3	0.3	NA	NA
Fukuoka	1,892	55.7	NA	NA	33	1.0	NA	NA
Saga	139	14.6	NA	NA	4	0.4	NA	NA
Nagasaki	539	33.6	NA	NA	19	1.2	NA	NA
Kumamoto	104	5.7	NA	NA	2	0.1	NA	NA
Oita	175	13.7	NA	NA	5	0.4	NA	NA
Miyazaki	66	6.1	NA	NA	5	0.5	NA	NA
Kagoshima	198	10.9	NA	NA	9	0.5	NA	NA

See footnotes at end of table.

TABLE 81
COMMUNICABLE DISEASE CASES AND DEATHS AND
COMMUNICABLE DISEASE CASE AND DEATH RATES
BY PREFECTURE: JAPAN, 1949 (Cont'd)
(Rates per 100,000 population per annum)

Area	TRACHOMA (*88)				PNEUMONIA, ALL FORMS (107-109)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	176,279	214.5	NA	NA	139,769	170.0	56,636	68.9
Hokkaido	11,194	271.7	NA	NA	10,272	249.3	3,276	79.5
Aomori	8,997	720.7	NA	NA	2,408	192.9	1,149	92.0
Iwate	4,078	307.5	NA	NA	2,916	219.9	1,367	103.1
Miyagi	6,258	382.6	NA	NA	3,549	217.0	1,250	76.4
Akita	4,598	349.6	NA	NA	2,334	177.4	832	63.3
Yamagata	2,477	179.5	NA	NA	2,760	200.0	1,068	77.4
Fukushima	3,287	158.3	NA	NA	3,882	186.9	1,792	86.3
Ibaraki	4,426	211.3	NA	NA	4,273	204.0	1,308	62.4
Tochigi	2,229	139.6	NA	NA	2,310	144.7	1,118	70.0
Gumma	10,559	640.4	NA	NA	4,113	249.5	1,342	81.4
Saitama	5,848	267.7	NA	NA	5,181	237.1	1,570	71.9
Chiba	2,671	121.8	NA	NA	1,760	80.2	1,568	71.5
Tokyo	6,939	125.0	NA	NA	8,597	154.9	3,657	65.9
Kanagawa	3,862	162.6	NA	NA	4,201	176.9	1,647	69.4
Niigata	2,326	93.2	NA	NA	5,223	209.3	1,880	75.3
Toyama	2,768	270.6	NA	NA	4,906	479.6	814	79.6
Ishikawa	923	95.6	NA	NA	1,901	197.0	747	77.4
Fukui	1,249	166.2	NA	NA	1,386	184.4	490	65.2
Yamanashi	1,021	122.2	NA	NA	1,271	152.1	536	64.1
Nagano	1,999	93.8	NA	NA	4,537	212.9	1,272	59.7
Gifu	2,492	159.5	NA	NA	2,909	186.2	981	62.8
Shizuoka	4,616	187.1	NA	NA	3,415	138.4	1,517	61.5
Aichi	12,790	386.9	NA	NA	4,731	143.1	2,258	68.3
Mie	1,889	127.0	NA	NA	2,703	181.8	888	59.7
Shiga	850	95.0	NA	NA	2,215	247.7	522	58.4
Kyoto	2,209	120.8	NA	NA	2,576	140.8	990	54.1
Osaka	9,184	255.0	NA	NA	3,146	87.3	2,731	75.8
Hyogo	6,112	188.9	NA	NA	4,007	123.9	1,798	55.6
Nara	832	104.3	NA	NA	714	89.5	489	61.3
Wakayama	2,861	284.9	NA	NA	1,315	131.0	562	56.0
Tottori	1,016	167.2	NA	NA	925	152.3	307	50.5
Shimane	1,003	108.3	NA	NA	1,729	186.7	577	62.3
Okayama	3,707	219.2	NA	NA	2,672	158.0	876	51.8
Hiroshima	5,626	268.4	NA	NA	3,047	145.3	1,154	55.0
Yamaguchi	1,021	66.2	NA	NA	1,848	119.8	1,056	68.5
Tokushima	3,124	350.7	NA	NA	1,223	137.3	620	69.6
Kagawa	3,463	361.8	NA	NA	1,452	151.7	590	61.6
Ehime	2,335	153.9	NA	NA	3,936	259.3	1,082	71.3
Kochi	1,431	161.2	NA	NA	948	106.8	482	54.3
Fukuoka	8,170	240.7	NA	NA	5,249	154.6	2,508	73.9
Saga	718	75.2	NA	NA	1,817	190.4	562	58.9
Nagasaki	2,444	152.3	NA	NA	2,090	130.3	1,265	78.9
Kumamoto	2,697	147.4	NA	NA	2,718	148.5	1,259	68.8
Oita	1,580	123.8	NA	NA	1,094	85.7	936	73.3
Miyazaki	3,929	364.3	NA	NA	1,919	177.9	678	62.9
Kagoshima	2,471	136.5	NA	NA	1,591	87.9	1,265	69.9

See footnotes at end of table.

TABLE 81
COMMUNICABLE DISEASE CASES AND DEATHS AND
COMMUNICABLE DISEASE CASE AND DEATH RATES
BY PREFECTURE, JAPAN, 1949 (Cont'd)
(Rates per 100,000 population per annum)

Area	INFECTIOUS DIARRHEA (119a-120a)				PUERPERAL INFECTION (140, 142A, 147)			
	Cases		Deaths		Cases		Deaths	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Japan	770	0.9	NA	NA	966	1.2	543	0.7
Hokkaido	-	-	NA	NA	107	2.6	35	0.8
Aomori	-	-	NA	NA	31	2.5	21	1.7
Iwate	5	0.4	NA	NA	14	1.1	14	1.1
Miyagi	-	-	NA	NA	17	1.0	10	0.6
Akita	-	-	NA	NA	25	1.9	13	1.0
Yamagata	-	-	NA	NA	22	1.6	6	0.4
Fukushima	-	-	NA	NA	21	1.0	14	0.7
Ibaraki	22	1.1	NA	NA	23	1.1	17	0.8
Tochigi	16	1.0	NA	NA	13	0.8	10	0.6
Gumma	20	1.2	NA	NA	20	1.2	8	0.5
Saitama	-	-	NA	NA	47	2.2	13	0.6
Chiba	-	-	NA	NA	9	0.4	20	0.9
Tokyo	6	0.1	NA	NA	19	0.3	31	0.6
Kanagawa	-	-	NA	NA	18	0.8	4	0.2
Niigata	17	0.7	NA	NA	26	1.0	16	0.6
Toyama	8	0.8	NA	NA	41	4.0	4	0.4
Ishikawa	1	0.1	NA	NA	14	1.5	6	0.6
Fukui	17	2.3	NA	NA	19	2.5	4	0.5
Yamanashi	-	-	NA	NA	10	1.2	6	0.7
Nagano	21	1.0	NA	NA	42	2.0	9	0.4
Gifu	151	9.7	NA	NA	14	0.9	12	0.8
Shizuoka	-	-	NA	NA	21	0.9	15	0.6
Aichi	5	0.2	NA	NA	23	0.7	16	0.5
Mie	-	-	NA	NA	8	0.5	2	0.1
Shiga	-	-	NA	NA	18	2.0	3	0.3
Kyoto	-	-	NA	NA	24	1.3	8	0.4
Osaka	-	-	NA	NA	7	0.2	24	0.7
Hyogo	19	0.6	NA	NA	39	1.2	17	0.5
Nara	-	-	NA	NA	-	-	4	0.5
Wakayama	5	0.5	NA	NA	11	1.1	5	0.5
Tottori	-	-	NA	NA	4	0.7	5	0.8
Shimane	57	6.2	NA	NA	27	2.9	6	0.6
Okayama	1	0.1	NA	NA	20	1.2	10	0.6
Hiroshima	210	10.0	NA	NA	31	1.5	14	0.7
Yamaguchi	154	10.0	NA	NA	3	0.2	10	0.6
Tokushima	-	-	NA	NA	17	1.9	4	0.4
Kagawa	-	-	NA	NA	8	0.8	6	0.6
Ehime	-	-	NA	NA	27	1.8	14	0.9
Kochi	13	1.5	NA	NA	5	0.6	5	0.6
Fukuoka	12	0.4	NA	NA	20	0.6	21	0.6
Saga	-	-	NA	NA	6	0.6	6	0.6
Nagasaki	3	0.2	NA	NA	11	0.7	6	0.4
Kumamoto	1	0.1	NA	NA	19	1.0	16	0.9
Oita	-	-	NA	NA	11	0.9	13	1.0
Miyazaki	6	0.6	NA	NA	31	2.9	13	1.2
Kagoshima	-	-	NA	NA	23	1.3	27	1.5

See footnotes at end of table.

TABLE 81
COMMUNICABLE DISEASE CASES AND DEATHS AND
COMMUNICABLE DISEASE CASE AND DEATH RATES
IN JAPAN, BY PREFECTURE, 1949 (Cont'd)
(Rates are 100,000 population per annum)

Footnotes:

- * International list number includes some related diseases in addition to the one shown here.

1/ Death data include typhus-like diseases also. Case data are for the 53- week period ended 31 December 1949. Death data are for the calendar year.

There were no cases or deaths from plague, cholera, or yellow fever. There were also no cases reported for glanders, but a report of one death was received in May.

"NA" indicates that data are not available.

A dash (-) indicates that no cases or deaths were reported and the case or death rate was zero.

A rate of 0.0 indicates that there were some cases or deaths but the case or death rate was less than 0.1.

Sources:-

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Case data: Weekly Morbidity Reports, Ministry of Welfare.

Death data: Monthly Vital Statistics Schedule Report, Ministry of Welfare.

TABLE 82. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949
TYPHOID FEVER

Disease & Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
Japan	6,489	524	375	249	327	354	605	872	865	781	684	376	477
Hokkaido	192	16	10	14	5	9	7	20	17	22	42	18	12
Aomori	87	3	3	3	6	1	6	9	6	17	17	10	6
Iwate	83	6	1	5	2	2	8	12	12	14	15	-	4
Miyagi	210	28	9	6	23	6	29	24	20	23	19	8	15
Akita	55	4	-	5	2	3	4	8	5	5	7	7	5
Yamagata	60	2	4	1	5	3	7	7	3	2	6	2	18
Fukushima	114	8	7	3	3	5	7	18	13	15	21	4	5
Ibaraki	86	4	1	-	6	6	7	16	11	12	11	4	8
Tochigi	67	2	6	2	3	3	15	9	7	7	8	2	3
Gunma	57	3	2	2	4	4	8	8	4	4	6	6	6
Saitama	199	12	10	12	9	9	18	26	31	23	18	14	17
Chiba	155	11	13	12	2	6	12	26	17	14	10	14	18
Tokyo	896	108	70	51	51	57	66	95	94	73	88	58	85
Kanagawa	272	23	11	5	15	20	28	30	41	26	32	18	23
Niigata	309	13	13	7	8	14	57	37	33	30	43	29	25
Toyama	91	2	6	3	2	3	7	7	25	18	12	1	5
Ishikawa	46	3	3	1	1	3	6	6	6	8	7	1	1
Fukui	136	9	4	4	2	6	8	42	19	17	8	9	8
Yamanashi	11	1	-	2	1	2	1	1	2	-	-	-	1
Nagano	116	5	5	4	7	5	10	23	21	10	11	7	8
Gifu	210	16	21	3	13	9	8	37	25	31	17	12	16
Shizuoka	249	21	17	5	4	12	21	34	58	30	24	16	7
Aichi	332	36	16	9	12	28	24	50	55	40	29	18	15
Mie	282	18	8	19	19	13	28	52	38	34	23	11	19
Shiga	31	-	2	-	1	-	4	6	5	4	3	1	5

TABLE 82. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949
TYPHOID FEVER - Cont'd

Disease & Area	Total	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
Kyoto	164	17	8	4	6	13	23	12	26	25	6	11	13
Osaka	253	22	18	8	8	15	15	43	34	28	28	12	24
Hyogo	298	11	15	8	25	22	29	30	50	56	26	14	12
Nara	87	6	6	2	6	3	9	10	17	13	10	4	1
Wakayama	91	-	-	4	-	2	6	15	17	12	16	8	11
Tottori	66	8	4	2	3	4	8	10	8	9	5	1	4
Shimane	79	10	5	3	2	2	4	12	11	13	5	5	7
Okayama	116	3	2	2	3	8	12	15	14	28	18	7	4
Hiroshima	288	36	27	9	16	6	20	49	41	23	27	18	16
Yamaguchi	51	2	1	-	4	2	3	8	14	4	6	2	5
Tokushima	66	6	-	1	4	5	8	10	10	10	10	1	1
Kagawa	42	-	-	3	3	4	5	1	7	12	2	4	1
Ehime	58	9	2	2	2	5	19	6	6	1	4	2	-
Kochi	100	4	6	4	10	12	14	6	7	19	7	4	7
Fukuoka	174	24	20	10	16	7	10	25	6	21	16	9	10
Saga	44	5	4	4	5	4	11	3	4	2	1	1	-
Nagasaki	60	3	6	3	-	2	3	5	6	12	9	4	7
Kumamoto	26	2	1	-	1	1	6	4	5	2	-	2	2
Oita	33	1	3	2	1	6	1	2	7	3	1	2	4
Miyazaki	34	-	-	-	2	2	2	2	1	10	10	3	2
Kagoshima	13	1	5	-	2	-	1	1	1	1	-	1	-

See footnotes at end of table.

TABLE 82. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 Cont'd
PARATYPHOID FEVER

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
Japan	2,226	219	117	96	118	124	252	318	319	244	175	119	125
Hokkaido	82	2	2	3	2	3	8	12	12	13	14	6	5
Aomori	40	3	2	2	-	2	2	4	3	4	8	6	4
Iwate	33	5	1	1	1	1	3	4	5	9	1	1	1
Miyagi	116	17	7	4	8	5	9	12	21	15	8	2	8
Akita	16	-	-	-	1	-	-	6	-	6	-	2	1
Yamagata	21	1	-	1	3	1	-	1	2	5	1	2	4
Fukushima	136	1	2	2	3	1	75	16	11	13	9	1	2
Ibaraki	48	3	-	1	4	-	5	7	12	1	7	3	5
Tochigi	23	-	-	1	-	1	3	4	7	3	2	2	-
Gunma	31	1	1	2	1	-	5	6	4	3	4	4	-
Saitama	55	4	-	1	4	4	6	6	10	12	2	1	5
Chiba	44	3	-	8	1	-	3	13	6	2	3	2	3
Tokyo	488	80	43	32	33	49	34	56	34	33	47	20	27
Kanagawa	68	4	3	5	2	6	9	10	13	3	4	4	5
Niigata	80	3	2	4	2	3	14	13	16	7	10	3	3
Toyama	43	1	5	-	2	3	4	3	12	8	1	2	2
Ishikawa	31	6	4	-	-	1	1	6	4	4	2	1	2
Fukui	30	-	1	2	1	-	4	9	4	2	1	2	4
Yamanashi	5	-	-	-	2	1	-	-	2	-	-	-	-
Nagano	56	1	-	2	2	7	9	12	6	5	1	3	2

TABLE 82. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, Japan, 1949 Cont'd
PARATYPHOID FEVER - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	27	1	-	1	1	2	2	5	1	3	4	4	3
Shizuoka	103	26	10	6	9	8	8	5	17	4	2	4	4
Aichi	89	8	5	3	2	9	8	21	16	10	2	4	1
Mie	54	6	7	1	8	-	7	7	9	4	2	4	1
Shiga	19	-	2	2	1	-	1	2	4	2	1	-	4
Kyoto	58	1	3	1	1	1	2	28	12	7	-	2	-
Osaka	51	2	2	2	3	2	3	9	11	5	4	6	2
Hyogo	32	1	1	-	2	1	2	5	6	3	4	5	2
Nara	12	2	-	-	1	1	-	3	-	1	2	2	-
Wakayama	33	3	2	1	4	-	-	4	4	5	5	3	2
Tottori	15	1	1	-	-	-	2	1	1	8	1	-	-
Shimane	16	1	1	1	-	-	3	2	4	-	-	2	2
Okayama	21	3	-	1	1	1	-	1	3	7	3	1	-
Hiroshima	81	9	3	3	-	2	7	12	15	8	5	4	13
Yamaguchi	10	3	-	-	2	-	-	2	2	-	-	-	1
Tokushima	13	1	-	-	-	1	1	3	2	3	1	1	-
Kagawa	5	-	2	1	-	1	1	-	-	-	-	-	-
Ehime	17	-	-	-	-	4	4	2	2	2	2	-	1
Kochi	8	-	-	-	2	-	1	2	-	-	-	3	-
Fukuoka	46	8	3	1	6	1	1	3	4	9	6	2	2
Saga	6	2	-	-	-	-	2	-	2	-	-	-	-
Nagasaki	6	2	1	-	-	-	1	-	-	-	-	2	-
Kumamoto	33	3	1	-	-	1	-	1	16	7	2	2	-
Oita	10	-	-	-	2	1	1	-	2	4	-	-	-
Miyazaki	15	1	-	1	1	-	-	-	2	-	-	4	2
Kagoshima	6	-	-	-	-	-	1	-	-	4	-	1	-

See footnotes at end of table.

TABLE 82. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1949 - Cont'd
EPIDEMIC MENINGITIS

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	1,467	112	109	159	189	122	91	126	104	187	137	57	74
Hokkaido	154	20	13	30	15	10	12	5	11	12	18	3	5
Aomori	36	1	5	1	6	5	3	3	4	1	5	1	1
Iwate	27	1	1	6	4	1	5	1	2	1	3	1	1
Miyagi	62	12	3	6	14	5	3	5	2	1	5	3	3
Akita	38	2	-	5	6	5	2	5	1	4	2	2	4
Yamagata	34	-	2	5	5	4	3	4	1	3	-	2	5
Fukushima	54	3	7	8	11	4	4	5	4	1	3	2	2
Ibaraki	33	4	5	5	7	2	-	4	2	-	2	1	1
Tochigi	11	1	-	2	3	1	1	-	1	-	-	1	1
Gunma	22	3	1	4	-	1	2	4	3	2	1	1	-
Saitama	32	2	5	2	7	1	2	2	3	4	2	-	1
Chiba	23	3	1	2	-	4	1	6	1	1	2	-	2
Tokyo	256	16	19	24	30	20	8	24	29	47	20	9	10
Kanagawa	75	5	8	8	17	8	3	5	3	5	4	3	6
Niigata	24	2	2	2	1	3	3	4	1	2	2	1	1
Toyama	17	1	2	-	4	4	-	-	-	3	1	1	1
Ishikawa	4	-	-	-	1	-	-	1	-	1	-	-	1
Fukui	15	-	-	-	1	3	1	1	1	3	1	1	3
Yamanashi	11	3	-	1	-	-	2	-	-	1	-	4	-
Nagano	23	3	1	3	-	3	-	2	2	-	4	2	3

TABLE 82. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 Cont'd
EPIDEMIC MENINGITIS - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	10	-	2	-	-	-	2	1	1	4	-	-	-
Shizuoka	31	2	1	2	8	2	2	3	1	3	6	-	1
Aichi	17	-	1	-	2	1	1	2	3	5	1	1	-
Mie	14	2	1	-	2	-	1	3	1	3	-	-	1
Shiga	12	-	-	-	2	1	2	-	-	4	-	-	3
Kyoto	57	2	5	5	5	2	1	2	3	23	7	-	2
Osaka	99	11	8	6	14	8	3	7	8	13	13	7	1
Hyoogo	93	2	3	1	4	3	6	2	3	5	2	-	2
Nara	7	-	-	3	-	-	-	4	-	-	-	-	-
Wakayama	4	-	-	-	-	1	-	-	-	-	-	1	2
Tottori	28	-	3	6	3	4	1	2	-	5	3	-	1
Shimane	11	1	-	-	-	1	1	-	2	4	1	-	1
Okayama	8	-	-	-	1	2	1	-	-	1	-	1	2
Hiroshima	26	-	1	6	3	-	1	-	3	7	3	1	1
Yamaguchi	12	2	-	-	1	-	4	2	1	1	1	-	-
Tokushima	1	-	-	-	1	-	-	-	-	-	-	-	-
Kagawa	9	-	-	2	1	-	3	-	1	-	1	-	1
Chima	13	1	-	2	1	2	1	3	1	1	1	-	-
Koohi	11	-	-	2	-	-	-	1	1	4	3	-	-
Fukuoka	59	4	6	6	7	4	4	4	3	4	9	4	4
Saga	10	1	1	-	1	-	1	1	-	3	2	-	-
Nagasaki	8	-	1	1	-	-	-	-	-	1	3	2	-
Kumamoto	7	-	1	1	1	3	-	1	-	-	-	-	-
Oita	14	-	1	2	-	3	1	3	1	3	1	-	-
Miyazaki	8	1	-	-	-	-	-	1	-	1	4	1	1
Kagoshima	8	1	-	-	-	1	-	3	-	-	1	1	1

See footnotes at end of table.

TABLE 82. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE; JAPAN, 1949 - Cont'd

ANTRAX

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	11	1	-	-	2	-	-	5	2	-	-	-	1
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	1	-	-	-	-	-	-	1	-	-	-	-	-
Kanagawa	2	-	-	-	2	-	-	-	-	-	-	-	-
Miigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	4	-	-	-	-	-	-	3	1	-	-	-	-
Ishikawa	1	-	-	-	-	-	-	1	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 82. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 Cont'd
ANTHRAX - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	1	-	-	-	-	-	-	-	1	-	-	-	-
Hyogo	1	-	-	-	-	-	-	-	-	-	-	-	1
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	1	1	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 82. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
SCARLET FEVER

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	Dec
Japan	4,667	518	317	316	438	480	493	426	208	191	319	394	567
Hokkaido	413	63	48	42	53	32	28	46	17	11	22	16	35
Aomori	36	3	-	2	4	1	5	2	2	2	2	10	3
Iwate	58	5	2	1	9	6	8	9	-	2	4	3	9
Miyagi	68	10	1	5	6	4	4	3	2	8	2	10	13
Akita	47	4	4	6	2	5	1	3	5	2	5	8	2
Yamagata	63	4	1	4	1	3	15	9	1	1	9	7	8
Fukushima	66	8	5	4	6	12	2	6	2	4	5	5	7
Ibaraki	62	7	2	3	5	4	7	7	4	5	6	9	3
Tochigi	58	7	4	-	3	6	8	10	4	4	7	2	3
Gunma	81	7	4	2	4	4	39	1	2	1	5	4	8
Saitama	200	7	10	12	30	23	25	31	9	8	19	11	15
Chiba	147	6	6	12	12	11	10	15	11	9	8	31	16
Tokyo	1,080	135	116	82	81	85	66	100	53	50	69	95	148
Kanagawa	250	27	8	21	24	15	20	21	15	9	23	22	45
Miyagi	52	6	7	5	6	3	3	2	4	4	5	3	4
Toyama	11	-	2	-	1	4	-	-	-	-	1	1	2
Ishikawa	8	1	1	1	-	1	-	-	-	1	3	-	-
Fukui	10	-	-	3	1	1	-	1	-	-	1	2	1
Yamanashi	47	5	3	-	3	9	7	2	3	3	6	5	1
Nagano	381	25	13	14	32	46	35	47	23	21	46	25	54

TABLE 82. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949, Cont'd
SCARLET FEVER - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	55	15	3	1	5	2	9	4	1	1	6	4	4
Shizuoka	66	6	2	2	10	5	8	7	2	5	4	3	12
Aichi	182	20	13	6	29	16	18	9	11	7	7	13	33
Mie	55	9	3	4	6	9	2	6	-	-	2	3	11
Shiga	110	36	7	9	8	10	3	3	2	4	4	12	12
Kyoto	262	32	11	16	28	15	75	20	4	11	12	12	26
Osaka	189	22	8	13	22	21	19	25	8	4	8	13	26
Hyogo	87	13	4	3	9	11	8	11	7	4	3	7	7
Nara	31	-	1	17	-	3	-	2	-	-	1	1	6
Wakayama	26	1	2	-	13	2	4	1	1	-	1	-	1
Tottori	18	1	2	1	-	2	6	3	-	1	1	-	1
Shimane	60	2	1	4	3	10	26	-	3	2	-	2	7
Okayama	111	6	3	3	6	65	7	6	3	2	2	1	7
Hiroshima	79	3	1	4	2	1	3	4	1	-	2	44	7
Yamaguchi	50	3	2	3	1	21	9	1	1	-	2	2	14
Tokushima	11	2	2	3	-	2	-	-	-	-	-	-	5
Kagawa	22	4	-	-	1	1	3	1	2	2	2	-	2
Ekimi	24	4	7	-	2	3	3	-	-	-	3	3	3
Kochi	11	-	-	1	1	-	1	2	-	-	3	1	1
Fukuoka	37	3	4	3	3	3	1	3	3	2	5	-	5
Saga	5	-	-	-	-	1	1	1	1	-	1	-	-
Nagasaki	17	2	3	1	3	-	3	1	-	-	2	-	2
Kumamoto	3	-	-	-	2	-	1	-	-	-	-	-	-
Oita	8	3	-	2	1	1	1	-	-	1	-	-	1
Miyazaki	6	-	-	1	1	1	1	-	-	-	1	-	1
Kagoshima	4	1	1	-	-	-	-	1	1	-	-	-	-

see footnotes at end of table

TABLE 82. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 Cont'd
WHOOPIING COUGH

Area	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	126,827	5,446	6,156	5,526	7,650	9,167	13,239	20,926	17,884	15,556	9,557	5,390	10,930
Hokkaido	9,848	734	692	675	691	696	1,033	1,437	1,238	1,172	775	341	364
Aomori	1,847	77	80	83	73	129	207	363	207	217	140	103	162
Iwate	1,792	103	90	40	66	67	140	244	196	331	174	89	250
Miyagi	2,683	113	109	118	283	281	308	481	347	253	182	68	160
Akita	1,779	152	103	69	86	99	145	289	236	232	167	69	132
Yamagata	1,973	141	184	161	141	169	245	298	152	194	107	53	126
Fukushima	1,871	73	52	54	99	129	150	204	205	215	155	133	322
Ibaraki	2,079	72	75	66	97	98	123	250	323	336	178	132	329
Tochigi	1,529	121	106	72	58	73	111	229	308	228	73	48	102
Gunma	2,985	200	270	176	184	206	279	396	341	224	243	147	319
Saitama	5,219	106	253	176	253	361	377	854	800	676	393	224	664
Chiba	1,365	36	31	35	40	71	96	312	232	161	96	94	159
Tokyo	10,914	391	413	402	516	714	1,014	1,906	1,939	1,182	841	547	1,049
Kanagawa	4,730	93	85	117	233	311	505	866	821	658	362	303	374
Niigata	2,827	206	193	134	191	243	328	437	334	279	111	128	243
Toyama	3,361	173	194	160	229	307	370	314	474	332	277	217	314
Ishikawa	1,966	109	125	96	154	172	212	258	213	202	153	83	189
Fukui	1,520	40	38	22	61	40	99	234	293	248	207	68	170
Yamanashi	611	23	18	33	34	37	33	78	70	51	41	44	149
Nagano	3,934	295	294	270	299	218	359	658	532	290	248	164	307

TABLE 82. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 Cont'd
WHOOPING COUGH - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	2,162	215	222	107	174	186	268	355	224	212	91	48	60
Shizuoka	3,546	79	169	150	225	198	342	726	558	412	185	196	366
Aichi	5,550	176	287	271	965	436	816	1,046	763	697	260	154	279
Mie	1,741	88	117	109	148	154	171	285	230	151	89	75	124
Shiga	3,011	192	154	91	206	223	309	514	984	492	208	72	166
Kyoto	3,484	88	86	129	190	250	334	542	583	555	299	145	283
Osaka	4,813	101	200	141	247	326	448	922	881	716	430	142	259
Hyoogo	5,074	149	213	243	342	376	538	885	731	681	380	217	319
Nara	527	5	5	24	18	36	62	95	67	87	42	43	43
Wakayama	651	8	16	2	6	18	98	110	130	105	55	94	129
Tottori	989	7	9	7	16	51	81	220	168	155	98	74	103
Shimane	1,101	117	77	83	72	49	101	115	107	112	99	48	121
Okayama	2,130	73	88	66	108	217	260	329	285	390	155	60	99
Hiroshima	4,147	99	113	168	251	360	438	720	566	499	382	198	353
Yamaguchi	1,393	61	32	48	61	100	247	271	171	119	198	37	48
Tokushima	659	1	1	3	22	34	61	169	77	60	40	46	115
Kagawa	2,500	8	34	38	76	231	347	520	395	412	160	124	155
Ehime	4,362	96	158	195	365	464	772	731	597	590	288	109	197
Kochi	365	23	16	22	23	15	19	49	46	68	29	22	96
Fukuoka	6,943	274	334	391	610	587	959	1,150	741	720	482	289	406
Saga	1,617	30	151	70	89	120	130	301	209	252	138	34	93
Nagasaki	1,539	42	85	38	89	114	147	214	156	232	141	80	201
Kumamoto	1,235	43	69	46	60	49	49	137	220	201	151	53	157
Oita	805	27	28	99	44	35	60	77	114	105	79	55	142
Miyazaki	683	19	36	21	31	66	60	117	95	120	71	16	31
Kagoshima	967	85	51	65	39	51	48	196	123	134	82	24	129

See footnotes at end of table.

TABLE 82. - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1949 Cont'd
DIPHTHERIA

Area	Total Cases	*Jan	*Feb	*Mar	*Apr	*May	*Jun	*Jul	*Aug	*Sep	*Oct	*Nov	*Dec
Japan	14,825	1,849	1,597	1,468	1,568	1,066	875	875	542	591	1,273	1,324	1,797
Hokkaido	871	161	99	102	96	67	49	49	23	24	59	68	84
Aomori	263	26	25	35	25	19	12	15	8	5	26	27	40
Iwate	334	98	13	35	69	27	19	28	6	12	17	24	52
Miyagi	435	41	51	46	72	34	34	14	22	15	37	27	42
Akita	383	45	35	28	31	30	32	22	20	14	49	34	43
Yamagata	210	24	21	26	16	15	14	7	8	14	26	21	18
Fukushima	278	25	25	26	25	24	12	16	8	9	23	31	54
Ibaraki	265	20	24	15	32	21	16	28	17	7	25	25	35
Tochigi	225	27	17	16	30	29	10	14	10	10	11	17	34
Gunma	213	30	20	22	17	10	10	2	14	12	26	19	31
Saitama	339	29	32	32	34	27	23	29	10	22	30	37	34
Chiba	223	36	35	25	19	9	5	20	6	7	15	22	24
Tokyo	1,048	133	128	107	142	67	63	65	40	98	71	67	127
Kanagawa	395	51	60	40	43	26	20-	20	13	14	27	34	47
Niigata	595	86	55	62	80	38	36	28	24	32	50	50	52
Toyama	251	18	49	21	29	18	12	7	2	5	29	26	35
Ishikawa	250	34	38	26	23	7	18	13	8	12	24	19	28
Fukui	169	13	18	9	11	19	8	7	10	15	23	11	25
Yamanashi	67	10	5	9	9	4	1	3	2	2	7	8	7
Nagano	300	40	40	30	39	15	20	18	6	8	23	36	25

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1949 Cont'd
DIPHTHERIA - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	167	33	16	12	13	16	8	9	3	4	11	21	21
Shizuoka	285	33	42	26	25	19	24	20	13	12	41	13	17
Aichi	374	44	32	38	43	23	21	29	19	24	49	32	20
Mie	204	39	27	28	18	13	13	13	8	8	14	10	13
Shiga	106	13	15	11	8	8	8	6	2	2	5	5	23
Kyoto	202	18	14	19	14	21	10	17	10	12	12	22	33
Osaka	361	35	27	33	57	35	27	16	14	15	31	37	34
Hyogo	458	60	54	46	34	25	49	26	12	9	32	53	58
Nara	99	23	11	3	8	8	6	6	1	5	9	8	11
Nakayama	101	16	10	8	10	4	8	5	4	4	6	9	17
Tottori	86	9	10	9	8	7	3	4	3	-	9	13	11
Shimane	276	23	23	36	31	21	17	15	13	13	19	29	36
Okayama	189	21	10	18	17	21	8	14	10	9	10	24	27
Hiroshima	420	53	36	35	37	23	37	28	18	21	49	26	47
Yamaguchi	372	37	27	21	44	24	20	23	13	15	38	43	67
Tokushima	124	16	9	8	15	7	6	5	4	11	16	13	14
Kagawa	120	12	16	18	15	11	10	9	6	5	7	6	5
Ehime	217	18	20	18	23	15	12	14	13	9	20	26	29
Kochi	136	13	19	17	10	12	12	11	7	7	7	12	9
Fukuoka	944	146	107	76	72	71	53	51	28	43	77	94	124
Saga	428	43	74	66	43	10	27	32	7	17	26	47	36
Nagasaki	441	44	41	48	35	31	14	13	13	17	34	55	96
Imamuroto	253	30	35	25	20	23	10	9	12	4	22	22	41
Oita	383	62	43	30	43	19	35	36	11	19	39	22	44
Miyazaki	526	63	61	49	40	37	30	32	27	17	49	47	74
Kagoshima	439	58	38	56	43	46	17	27	14	12	43	32	53

See footnotes at end of table.

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1949 - Cont'd
TETANUS

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	2,199	167	135	128	178	184	192	241	190	209	221	173	181
Hokkaido	41	-	5	1	1	-	5	3	11	6	2	3	4
Aomori	22	-	1	2	3	2	3	1	1	1	3	2	3
Iwate	22	-	1	-	2	1	8	5	1	-	1	2	1
Miyagi	29	1	1	-	4	3	1	3	4	-	4	5	3
Akita	20	3	1	1	1	2	1	1	1	2	2	1	4
Yamagata	20	1	-	1	2	-	4	2	3	2	1	1	3
Fukushima	39	3	6	4	5	-	5	1	5	1	1	4	4
Ibaraki	155	14	10	9	13	15	14	26	9	15	6	13	11
Tochigi	41	4	5	-	3	4	1	6	4	3	3	5	3
Gunma	73	2	4	6	11	9	6	6	6	9	8	6	6
Saitama	69	4	2	1	-	9	7	6	4	9	14	9	4
Chiba	106	2	7	11	8	13	6	9	4	11	9	5	8
Tokyo	118	11	9	6	10	10	10	16	7	11	10	5	12
Kanagawa	60	4	4	1	6	4	4	13	9	1	6	4	4
Niigata	40	1	1	3	-	4	3	3	7	6	6	4	2
Toyama	13	1	-	-	-	2	1	1	5	1	-	1	1
Ishikawa	40	4	2	1	5	8	4	3	1	5	1	-	6
Fukui	14	1	2	-	1	-	1	2	3	1	-	2	1
Yamanashi	20	-	1	1	2	1	-	3	3	8	1	-	-
Nagano	76	7	4	7	1	6	10	13	6	8	4	7	3

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1949 - Cont'd
TETANUS - Cont'd

Area	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	38	5	3	2	4	2	4	3	2	5	2	3	3
Shizuoka	75	3	4	2	9	9	8	11	10	9	5	7	6
Aichi	75	2	4	8	4	4	3	10	5	8	14	4	4
Mie	46	3	1	5	2	3	3	4	5	4	7	6	3
Shiga	10	-	-	1	1	1	-	-	-	2	2	2	1
Kyoto	38		3	3	3	2	4	2	5	3	5	2	2
Osaka	43	4	3	7	3	3	4	5	1	1	3	3	2
Hyogo	46	1	1	1	4	3	6	7	2	5	2	7	7
Nara	15	1	-	1	-	3	-	2	1	5	2	-	-
Wakayama	22	-	2	2	-	4	5	-	2	2	3	-	2
Tottori	10	1	-	1	1	1	1	1	2	-	1	-	1
Shimane	22	-	-	-	1	3	2	2	3	3	6	-	2
Okayama	51	13	2	2	6	5	2	5	4	1	4	4	3
Hiroshima	43	6	3	3	3	3	2	3	1	3	4	8	4
Yamaguchi	38	4	2	-	2	1	1	5	2	2	9	5	5
Tokushima	22	1	2	1	2	2	3	3	2	3	-	2	1
Kagawa	44	-	2	3	5	3	7	4	6	3	4	3	4
Ehime	73	3	6	4	7	8	7	6	8	10	7	2	5
Kochi	34	-	1	1	3	4	3	4	3	2	6	2	5
Fukuoka	93	9	7	2	10	4	11	9	6	8	10	6	11
Saga	38	6	6	1	4	3	4	4	2	5	2	1	-
Nagasaki	49	13	1	7	2	5	2	4	2	6	5	-	2
Kumamoto	59	6	5	3	5	4	2	4	2	5	6	7	10
Oita	40	6	5	6	3	3	1	1	1	5	6	-	3
Miyazaki	58	2	3	5	3	5	4	11	4	1	12	3	3
Kagoshima	99	10	3	2	8	9	6	8	11	14	12	7	3

See footnotes at end of table.

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE; JAPAN, 1949 - Cont'd
TUBERCULOSIS

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	469,504	30,296	32,208	32,831	46,771	41,818	42,258	50,398	37,285	40,587	46,883	30,592	37,577
Hokkaido	35,369	2,171	2,214	2,929	3,617	3,609	3,003	3,361	2,724	2,906	3,319	2,449	2,867
Aomori	7,832	550	437	454	763	674	797	964	553	750	610	585	695
Iwate	8,909	702	591	481	882	844	805	1,058	579	873	874	498	722
Miyagi	10,270	757	835	706	1,154	995	985	1,027	646	817	971	610	767
Akita	6,507	437	472	492	663	491	557	709	493	645	684	323	547
Yamagata	6,397	405	446	435	625	547	608	712	490	579	641	327	582
Fukushima	7,533	414	538	579	737	777	694	940	532	687	685	459	491
Ibaraki	6,257	518	282	465	671	709	573	619	475	446	511	415	573
Tochigi	4,464	406	317	333	404	503	412	483	271	463	381	202	289
Gunma	6,247	349	481	373	599	508	515	598	599	469	829	482	445
Saitama	10,253	487	545	590	1,079	825	913	1,060	868	899	1,172	627	1,248
Chiba	8,235	370	397	446	815	728	689	927	641	715	968	814	725
Tokyo	55,373	3,553	4,072	4,010	5,948	4,850	4,949	5,971	4,882	4,050	5,405	3,382	4,301
Kanagawa	14,607	874	1,133	947	1,100	1,228	1,122	1,611	1,206	1,249	1,772	1,122	1,243
Niigata	11,296	920	902	877	1,203	1,007	1,132	1,354	577	888	921	698	871
Toyama	10,403	471	832	735	1,064	1,154	1,095	1,099	904	811	880	644	714
Ishikawa	6,878	477	463	590	740	556	567	761	459	669	632	510	454
Fukui	4,603	158	282	332	304	497	394	452	373	427	452	271	341
Yamanashi	2,326	106	132	153	270	224	210	215	182	235	244	158	197
Nagano	11,491	749	765	812	1,161	1,058	1,168	1,254	1,074	848	1,062	611	929

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
TUBERCULOSIS - Cont'd

Area	Total Cases	*Jan	*Feb	*Mar	*Apr	*May	*Jun	*Jul	*Aug	*Sep	*Oct	*Nov	*Dec
Gifu	7,704	596	574	514	733	597	698	831	670	705	745	471	570
Shizuoka	9,066	676	761	672	1,048	796	858	874	759	759	802	484	577
Aichi	20,576	820	1,074	1,120	1,816	1,459	1,726	2,496	2,051	2,406	2,313	1,618	1,677
Mie	8,151	612	504	458	769	735	697	834	655	773	820	607	687
Shiga	3,937	313	266	302	495	344	336	405	310	342	306	210	308
Kyoto	15,065	1,207	1,084	1,207	1,597	1,275	1,374	1,491	1,309	1,201	1,357	787	1,176
Osaka	23,474	1,753	1,841	1,515	2,545	1,820	2,032	2,249	1,719	2,091	2,486	1,623	1,800
Hyogo	16,872	1,111	1,232	1,235	1,606	1,336	1,384	1,829	1,379	1,438	1,699	1,267	1,306
Nara	2,728	143	177	155	198	257	250	266	266	318	299	180	219
Wakayama	4,283	238	276	231	294	507	532	473	321	398	458	239	316
Tottori	3,494	258	270	265	370	339	310	325	290	281	287	205	294
Shimane	6,536	399	472	611	739	542	618	638	430	535	571	335	586
Okayama	10,502	786	597	854	1,091	942	858	1,275	749	872	886	623	969
Hiroshima	15,606	1,123	1,057	1,075	1,539	1,458	1,435	1,706	1,285	1,266	1,669	842	1,151
Yamaguchi	9,289	621	611	628	843	693	798	870	790	837	1,123	606	869
Tokushima	3,202	197	268	261	270	349	352	331	241	290	261	201	271
Kagawa	5,291	145	322	235	357	470	729	892	562	500	421	285	213
Ehime	7,331	620	560	614	868	621	659	789	488	562	674	434	482
Kochi	3,109	200	208	182	319	347	228	431	275	282	247	139	201
Fukuoka	19,869	1,203	1,338	1,487	1,951	1,836	1,817	2,133	1,389	1,776	2,048	1,216	1,575
Saga	4,663	278	349	320	532	407	428	492	311	423	393	255	475
Nagasaki	9,164	584	491	528	755	768	820	911	632	971	906	964	894
Kumamoto	6,238	372	333	407	529	504	469	788	465	460	673	548	690
Oita	5,078	358	346	380	565	464	410	512	379	437	412	410	405
Yamagaki	6,650	447	553	436	489	621	743	743	456	626	719	474	388
Kagoshima	6,286	362	508	370	568	547	524	645	576	522	785	342	537

See footnotes at end of table.

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd

LEPROSY

Area	Total Cases	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	782	49	58	50	103	74	82	101	48	43	50	60	64
Hokkaido	10	-	2	-	-	-	1	1	-	-	5	-	1
Aomori	18	2	-	1	3	-	1	2	1	-	-	7	1
Iwate	19	3	1	2	-	4	-	1	1	1	2	-	1
Miyagi	8	1	1	-	4	-	1	1	-	-	1	-	4
Akita	16	2	1	-	6	2	-	2	-	1	-	-	1
Yamagata	5	-	-	-	1	1	1	1	-	-	1	-	2
Fukushima	6	-	1	-	-	1	-	2	-	-	-	-	-
Ibaraki	9	-	6	1	-	-	-	1	-	-	-	-	2
Tochigi	10	2	1	-	-	1	1	1	1	1	1	1	1
Gumma	153	8	9	-	14	13	15	18	13	8	11	27	17
Saitama	12	-	1	-	-	-	2	1	-	-	7	-	1
Chiba	2	-	1	-	-	-	-	-	-	-	-	-	1
Tokyo	50	-	2	2	4	2	6	11	8	7	4	3	1
Kanagawa	18	-	-	-	4	3	1	7	1	-	-	2	-
Niigata	7	-	1	1	2	1	1	1	-	-	-	-	-
Toyama	1	-	-	-	-	-	-	-	-	1	-	-	-
Ishikawa	6	1	-	2	1	-	-	-	-	-	-	1	-
Fukui	6	-	-	1	-	1	1	1	-	1	1	-	-
Yamanashi	3	-	2	-	-	-	-	1	-	-	-	-	-
Nagano	16	2	-	1	2	1	2	-	-	2	2	4	-

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
LEPROSY - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	9	-	2	1	2	2	-	-	-	-	-	1	1
Shizuoka	20	2	7	3	1	-	1	2	2	2	-	-	-
Aichi	26	2	1	2	3	6	4	3	3	-	1	1	-
Mie	16	1	2	2	3	3	1	1	1	-	1	-	2
Shiga	12	4	2	1	1	1	-	1	1	-	-	1	-
Kyoto	46	5	2	4	9	4	6	6	2	5	2	-	1
Osaka	7	1	1	-	3	3	1	-	1	-	-	1	2
Hyogo	27	1	-	1	7	3	5	3	1	3	-	1	1
Nara	4	-	-	2	-	-	1	-	-	-	-	-	1
Wakayama	7	-	-	-	2	2	2	-	-	-	-	-	1
Tottori	8	2	-	1	1	-	-	1	1	2	-	-	-
Shimane	5	1	-	-	-	1	1	-	2	1	1	-	-
Okayama	14	1	-	1	4	-	2	1	2	-	3	-	-
Hiroshima	3	-	-	-	-	-	-	3	-	-	-	-	-
Yamaguchi	11	-	-	1	1	3	1	1	-	-	-	4	-
Tokushima	10	1	1	2	-	2	-	1	2	-	1	-	-
Kagawa	5	-	-	1	-	-	-	2	1	-	-	-	1
Ehime	16	4	-	-	3	3	1	1	1	-	2	-	1
Kochi	7	-	1	1	2	1	1	2	-	-	-	-	-
Fukuoka	48	2	5	1	9	8	7	5	3	2	-	4	2
Saga	6	1	1	1	2	-	1	-	-	-	2	-	-
Nagasaki	27	-	-	10	5	-	4	3	-	-	2	-	3
Kumamoto	35	-	1	2	2	1	5	5	2	2	2	1	12
Oita	15	-	3	3	1	2	3	3	-	-	-	-	-
Miyazaki	11	-	1	-	-	-	1	2	2	2	-	-	3
Kagoshima	12	-	-	-	1	2	1	3	-	2	-	1	2

See footnotes at end of table.

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PRECINCTURE: JAPAN, 1949 - Cont'd
GONORRHEA

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	181,187	14,992	14,191	13,906	18,121	15,098	15,713	18,138	13,098	14,754	16,713	11,580	14,889
Hokkaido	8,715	740	580	708	786	665	705	962	689	702	798	596	844
Aomori	1,890	129	177	180	181	127	179	169	181	160	152	110	145
Iwate	916	49	82	51	112	71	79	108	60	95	82	48	79
Miyagi	2,124	115	119	253	148	105	145	237	172	190	195	174	271
Akita	1,145	112	94	111	137	97	96	111	59	88	82	63	95
Yamagata	1,293	119	139	87	87	92	79	119	80	89	189	107	106
Fukushima	2,459	198	176	217	226	203	148	304	163	196	238	143	247
Ibaraki	1,620	171	113	115	176	130	169	136	131	136	126	78	139
Tochigi	2,382	194	181	224	193	235	177	259	150	237	199	198	195
Guma	2,109	178	171	152	203	162	160	215	153	176	239	159	141
Saitama	1,875	111	138	102	143	158	152	205	133	156	200	141	236
Chiba	2,215	147	171	193	262	233	152	175	123	153	240	161	205
Tokyo	16,480	1,340	1,460	1,385	1,551	1,398	1,234	1,474	1,258	1,290	1,428	1,011	1,651
Kanagawa	17,599	747	941	1,118	1,921	1,592	1,520	1,988	1,527	1,469	1,857	1,327	1,592
Niigata	1,455	90	107	131	146	107	112	114	93	177	153	86	139
Toyama	2,397	143	208	169	252	200	216	245	185	214	239	175	151
Isikawa	2,278	187	230	212	304	194	236	221	120	123	163	121	167
Fukui	1,260	102	97	62	110	92	111	147	104	104	126	103	102
Yamanashi	1,003	82	53	100	138	69	82	108	58	114	82	52	65
Nagano	2,488	185	187	186	245	205	236	274	184	220	245	132	189

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
CONTOUR - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	3,605	239	326	279	331	335	255	358	219	346	389	293	295
Shizuoka	3,536	317	324	280	444	259	332	242	242	277	344	204	271
Aichi	8,506	1,426	1,009	623	1,024	612	666	698	465	594	560	433	396
Mie	1,891	200	164	121	176	164	166	151	128	150	194	113	135
Shiga	1,370	130	113	121	110	83	116	126	100	112	140	105	114
Kyoto	5,418	471	374	508	494	485	457	627	387	418	412	285	500
Osaka	9,960	995	1,036	779	1,041	927	898	931	701	701	785	570	596
Hongo	8,842	818	772	821	924	786	735	870	663	683	708	523	539
Nara	2,131	180	248	163	249	158	213	213	126	126	159	134	126
Wakayama	3,468	215	270	224	468	302	407	372	226	260	300	192	232
Tottori	1,504	134	82	95	135	190	147	164	116	102	146	90	103
Shimane	757	43	55	62	84	69	60	71	80	71	64	39	59
Okayama	3,577	347	248	282	400	310	385	334	233	294	297	178	269
Hiroshima	7,907	689	616	548	596	680	647	862	619	743	759	536	612
Yamaguchi	6,167	669	425	356	544	316	643	530	481	631	564	429	579
Tokushima	826	47	70	97	83	66	82	122	57	63	40	51	48
Kagawa	1,191	102	66	70	50	139	144	174	98	130	99	43	76
Ehime	1,719	167	163	142	207	126	177	198	106	108	133	93	102
Kochi	1,650	83	110	111	178	168	174	224	112	140	172	89	86
Fukuoka	16,976	1,135	974	1,114	1,463	1,499	1,368	1,724	1,118	1,481	1,929	1,373	1,808
Saga	2,466	247	232	223	285	239	205	213	156	154	161	143	208
Nagasaki	4,949	455	364	352	553	427	420	475	402	419	377	307	398
Kumamoto	2,393	232	263	202	249	195	215	214	113	192	240	103	145
Oita	2,691	237	137	261	254	82	415	280	183	214	239	174	215
Miyazaki	1,570	117	114	91	119	159	157	198	100	85	237	91	102
Kagoshima	2,444	158	213	225	339	187	205	206	224	171	232	154	110

See footnotes at end of table.

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
DYSENTERY

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	24,001	168	137	218	312	549	1,286	4,883	7,055	5,371	3,000	593	429
Hokkaido	483	18	12	12	12	19	30	50	103	130	68	19	10
Aomori	136	1	1	1	5	9	10	14	29	51	12	2	1
Iwate	631	1	4	5	4	10	24	72	202	229	72	5	3
Miyagi	305	5	5	19	2	7	14	27	58	101	50	2	15
Akita	232	6	4	6	10	9	14	23	45	80	30	3	2
Yamagata	434	3	1	6	13	11	15	76	97	135	65	5	7
Fukushima	454	-	2	9	5	8	11	99	146	111	56	2	5
Ibaraki	1,067	6	3	1	10	26	86	221	328	227	115	27	17
Tochigi	608	3	-	2	5	10	38	136	188	122	73	21	10
Gumma	1,499	3	6	1	6	43	140	423	518	204	126	13	16
Saitama	1,793	3	1	8	7	18	85	546	538	380	146	29	32
Chiba	862	7	7	6	1	9	13	153	268	240	100	32	26
Tokyo	3,372	25	27	46	57	85	158	610	898	806	512	115	93
Kanagawa	983	10	3	9	13	25	35	121	349	217	166	19	16
Niigata	1,657	3	4	3	14	17	44	303	628	363	209	30	39
Toyama	140	1	-	-	2	2	10	43	39	26	16	1	-
Ishikawa	175	-	1	-	4	5	4	13	29	78	34	4	3
Fukui	114	3	-	3	1	3	10	37	25	20	10	2	-
Yamanashi	154	-	1	-	-	5	7	20	58	32	21	10	-
Nagano	528	3	1	1	7	10	11	65	266	113	39	7	5

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 Cont'd
DYSENTERY - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	474	3	-	-	2	11	21	112	145	124	47	7	2
Shizuoka	1,072	3	3	-	13	23	97	245	332	197	91	41	27
Aichi	1,163	6	7	12	13	26	78	292	400	189	111	16	13
Mie	293	2	1	3	4	1	16	55	62	39	103	5	2
Shiga	76	-	1	1	1	4	3	29	16	16	4	1	-
Kyoto	388	4	2	8	9	14	23	64	116	81	42	14	11
Osaka	596	7	10	16	23	23	66	146	109	110	61	18	7
Hyogo	331	2	4	4	10	15	23	55	74	83	42	10	9
Nara	48	-	-	-	-	2	3	14	7	15	6	1	-
Nakayama	112	-	-	2	2	7	4	32	32	18	7	3	5
Tottori	77	-	2	1	-	-	2	9	23	22	16	2	-
Shimane	312	11	1	4	1	6	7	39	97	97	36	10	3
Okayama	173	2	-	3	3	3	9	27	33	32	50	8	3
Hiroshima	423	1	1	4	12	7	20	55	147	108	53	10	5
Yamaguchi	254	1	3	-	3	5	4	54	61	42	37	40	4
Tokushima	171	-	1	-	1	-	11	34	59	44	16	3	2
Kagawa	243	-	-	1	-	7	5	41	60	68	52	8	1
Ehime	311	2	-	5	7	18	18	56	60	45	93	5	2
Kochi	122	4	-	1	3	4	10	17	33	27	22	1	-
Fukuoka	445	5	3	3	5	8	20	109	82	106	76	19	9
Saga	117	3	2	3	4	1	4	46	27	11	11	4	1
Nagasaki	214	5	1	2	3	7	9	70	44	45	21	4	3
Kumamoto	209	1	2	-	5	8	13	51	57	51	12	1	8
Oita	188	4	1	3	1	5	12	50	54	36	14	4	4
Miyazaki	396	1	5	4	6	13	41	93	125	66	31	8	3
Kagoshima	166	-	4	-	3	-	8	36	48	34	26	2	5

See footnotes at end of table.

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
MALARIA

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	3,732	114	86	107	207	411	645	897	507	377	211	85	85
Hokkaido	48	7	4	2	4	9	2	6	3	6	3	1	1
Aomori	54	1	2	3	1	2	1	20	5	7	4	4	4
Iwate	17	1	-	1	-	3	1	3	1	4	-	1	2
Miyagi	15	-	-	-	1	1	4	3	1	3	2	-	-
Akita	16	1	-	2	-	3	-	-	3	2	1	-	4
Yamagata	31	1	1	4	3	3	2	4	3	4	4	2	-
Fukushima	25	2	1	-	2	3	4	5	4	1	1	1	1
Ibaraki	38	1	3	-	3	2	5	7	6	2	4	2	2
Tochigi	20	-	2	-	4	3	-	2	-	1	1	-	-
Gumma	11	2	-	-	1	1	-	2	-	1	1	1	2
Saitama	34	-	1	1	2	2	5	3	5	5	5	1	4
Chiba	41	2	2	1	6	4	1	7	2	7	5	1	3
Tokyo	131	10	7	9	11	10	23	6	23	16	7	4	5
Kanagawa	39	1	1	7	3	2	5	8	2	4	3	2	1
Niigata	46	4	4	13	3	-	2	4	1	4	6	2	3
Toyama	23	1	-	-	2	2	3	1	7	3	2	1	1
Ishikawa	18	1	-	1	2	3	2	1	2	1	4	1	-
Fukui	32	-	-	1	3	2	5	8	5	4	3	1	-
Yamanashi	14	2	1	2	1	-	-	2	2	1	2	-	1
Nagano	24	1	3	-	1	1	2	2	3	6	2	2	1

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
MALARIA - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	26	3	2	2	5	3	2	1	2	3	1	1	1
Shizuoka	24	2	1	2	3	2	4	3	1	3	2	-	1
Aichi	68	1	1	3	2	4	8	21	5	8	10	5	-
Mie	32	3	-	-	2	-	7	5	5	3	1	-	6
Shiga	2,200	4	9	18	97	290	489	659	338	191	67	21	17
Kyoto	132	19	2	-	3	3	7	11	39	32	12	4	-
Osaka	25	3	1	1	-	3	4	7	3	3	-	-	-
Hyogo	56	3	7	5	3	6	4	8	3	3	8	3	2
Nara	14	1	1	2	3	2	2	1	1	-	-	-	1
Wakayama	11	-	1	2	1	2	1	2	-	1	1	-	-
Tottori	26	2	1	-	-	-	2	10	2	2	1	4	2
Shimane	15	4	1	-	1	2	1	1	-	2	1	-	2
Okayama	30	2	-	2	1	1	4	8	2	5	1	2	2
Hiroshima	47	3	3	2	2	8	8	7	1	4	5	1	3
Yamaguchi	31	3	2	2	-	2	-	7	1	8	2	-	4
Tokushima	10	-	1	-	-	1	1	3	1	1	2	-	-
Kagawa	27	-	1	1	-	-	7	6	4	3	3	2	-
Ehime	33	2	2	-	2	4	3	8	1	2	8	1	-
Kochi	16	-	-	2	2	-	3	-	2	1	3	1	2
Fukuoka	68	10	6	7	10	3	3	6	4	6	5	4	4
Saga	16	-	1	3	3	-	-	3	1	1	2	1	1
Nagasaki	40	4	1	2	9	4	4	8	2	-	4	1	1
Kumamoto	34	4	3	4	2	3	5	3	3	5	2	2	-
Oita	20	1	-	-	1	4	-	3	1	4	4	1	1
Miyazaki	24	1	4	-	2	3	1	5	3	2	1	2	-
Kagosima	30	1	3	-	-	5	7	5	2	1	4	2	-

See footnotes at end of table.

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
SYNOPSIS

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	188,204	15,607	16,603	17,000	20,171	16,810	16,657	18,056	11,870	13,424	17,035	10,970	14,001
Hokkaido	7,847	656	593	840	1,036	687	667	663	483	496	635	452	639
Aomori	2,055	155	219	210	186	180	196	187	122	177	174	129	120
Iwate	1,760	129	155	125	202	140	178	171	123	128	161	105	143
Miyagi	2,688	268	211	239	208	149	212	235	154	166	299	195	352
Akita	1,844	129	140	171	181	245	150	179	117	97	164	97	144
Yamagata	2,415	182	227	192	212	168	169	283	195	171	262	153	201
Fukushima	3,144	293	260	292	299	403	169	420	160	215	275	148	210
Ibaraki	2,352	207	180	169	259	199	249	183	174	140	253	193	184
Tochigi	2,976	234	242	343	288	303	207	320	188	237	237	193	184
Guma	2,786	192	236	235	277	241	217	274	210	183	320	177	224
Saitama	2,683	152	247	161	241	268	265	303	138	186	268	153	301
Chiba	3,311	249	270	361	387	310	211	276	215	238	299	202	293
Tokyo	12,959	997	1,510	1,079	1,336	1,302	1,088	1,108	825	831	1,110	796	977
Kanagawa	11,229	600	707	802	1,317	1,107	1,129	1,209	756	850	1,145	755	852
Niigata	2,779	232	272	316	302	218	213	224	154	203	244	161	240
Toyama	2,265	162	266	190	209	178	196	205	91	190	230	153	175
Ishikawa	2,053	157	192	226	235	157	209	176	136	151	170	103	141
Fukui	1,367	116	139	100	155	105	130	129	89	96	137	78	93
Yamanashi	1,137	91	78	123	171	71	92	91	79	84	113	54	90
Nagano	2,623	204	223	179	245	216	271	301	175	183	266	154	206

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
SYPHILIS - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	1,813	150	188	183	170	128	107	181	98	118	199	108	153
Shizuoka	3,789	357	391	421	449	270	345	334	257	250	260	189	266
Aichi	8,083	1,260	874	651	925	668	658	621	449	613	563	404	397
Mie	2,658	277	245	228	310	277	256	172	143	151	240	174	187
Shiga	1,593	119	169	196	150	135	158	129	102	131	110	80	114
Kyoto	6,999	648	614	892	895	730	577	620	357	426	478	299	463
Osaka	14,830	1,082	1,249	1,243	1,713	1,342	1,279	1,558	1,160	1,049	1,410	766	978
Hyogo	11,528	971	1,123	1,322	1,322	950	927	1,128	777	822	824	677	685
Nara	1,997	149	234	183	219	183	220	212	123	117	149	109	99
Wakayama	3,221	186	267	247	438	315	391	278	205	243	292	156	203
Tottori	1,625	151	124	115	134	198	148	159	111	115	129	122	119
Shimane	950	73	77	91	123	82	83	85	66	71	88	52	59
Okayama	3,904	352	372	391	420	385	418	308	198	244	344	193	279
Hiroshima	6,131	696	653	529	556	560	515	552	376	475	528	307	384
Yamaguchi	4,325	501	326	252	419	217	391	405	227	420	470	308	389
Tokushima	1,427	96	110	132	186	160	151	146	98	102	106	69	71
Kagawa	2,291	224	215	283	202	244	282	285	136	143	127	77	103
Ehime	2,312	244	225	218	250	130	245	217	115	147	209	153	159
Kochi	1,512	96	133	109	182	196	148	159	100	115	117	72	85
Fukuoka	15,251	969	958	1,174	1,515	1,409	1,449	1,742	348	1,245	1,690	979	1,273
Saga	2,712	258	261	228	262	242	252	272	197	165	196	175	214
Nagasaki	7,133	498	456	527	577	590	495	631	504	562	875	557	861
Kumamoto	3,352	357	397	305	320	312	228	308	224	295	247	147	223
Oita	2,583	190	193	343	292	127	327	212	145	198	188	112	256
Miyazaki	1,737	109	142	143	143	159	202	277	117	77	203	63	102
Kagoshima	2,205	189	220	243	253	183	187	128	161	139	183	208	111

See footnotes at end of table

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
INFLUENZA

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	2,957	177	214	242	580	404	60	102	47	45	43	34	1,009
Hokkaido	81	3	7	22	14	17	2	7	2	2	2	-	3
Aomori	32	-	-	4	10	-	2	-	2	-	14	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	34	1	1	-	11	-	-	-	-	13	6	2	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	1	-	-	-	-	1	-	-	-	-	-	-	-
Fukushima	9	1	2	2	-	-	-	-	-	2	-	-	2
Ibarak	4	1	1	-	-	-	-	-	-	-	-	-	2
Tochigi	6	-	3	-	-	-	3	-	-	-	-	-	-
Gunma	76	1	14	24	31	1	-	-	-	1	-	-	4
Seitama	63	1	-	7	37	11	-	-	-	1	1	-	5
Chiba	4	1	-	2	-	-	1	-	-	-	-	-	-
Tokyo	95	13	21	35	9	4	3	2	3	-	-	1	4
Kanagawa	20	-	2	3	7	1	-	-	-	-	-	2	5
Miigata	182	3	1	1	65	101	-	5	1	-	5	-	-
Toyama	41	17	1	2	7	4	-	1	-	2	-	2	5
Ishikawa	58	5	12	3	5	17	10	1	-	-	1	-	4
Fukui	125	7	6	15	16	15	2	2	2	-	-	8	52
Yamanashi	15	-	5	2	-	7	-	-	-	-	-	-	1
Nagano	82	5	5	11	53	6	2	-	-	-	-	-	-

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
INFLUENZA - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	36	4	6	3	6	11	1	3	2	-	-	-	-
Shizuoka	43	10	6	6	4	-	2	-	8	-	-	1	6
Aichi	71	4	9	8	-	17	2	2	-	10	2	2	15
Mie	73	15	12	8	-	15	1	1	13	5	-	1	2
Shiga	35	17	4	1	7	4	1	1	-	-	-	-	-
Kyoto	21	2	10	3	-	3	1	1	-	1	-	-	-
Osaka	237	15	49	21	115	3	2	1	1	-	1	1	28
Hyogo	103	7	8	19	29	12	4	3	1	-	2	1	17
Nara	13	3	-	1	2	5	-	-	-	-	-	-	2
Wakayama	71	1	-	2	-	-	3	-	1	-	2	2	60
Tottori	16	-	-	-	-	-	-	-	-	-	-	-	16
Shimane	68	7	-	2	-	-	-	2	-	-	1	2	54
Okayama	217	4	-	1	6	3	-	1	-	-	-	2	200
Hiroshima	101	6	-	-	54	28	-	5	-	2	-	-	6
Yamaguchi	167	1	2	3	4	26	2	2	-	1	-	-	126
Tokushima	56	1	4	5	14	18	-	1	-	-	-	-	13
Kagawa	159	1	-	-	4	3	1	49	1	3	1	-	96
Ehime	133	16	-	8	18	3	2	1	-	-	-	-	85
Kochi	8	-	1	-	-	-	2	-	-	2	-	-	5
Fukuoka	40	3	7	7	3	2	2	1	-	-	3	3	9
Saga	17	-	-	-	5	7	1	3	-	-	1	-	-
Nagasaki	54	-	-	3	3	40	2	1	1	-	-	2	2
Kumamoto	32	-	3	2	20	1	-	-	4	-	-	-	2
Oita	204	-	1	5	2	6	8	6	5	-	1	-	170
Miyazaki	54	1	11	1	19	12	-	-	-	-	-	2	8
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
SMALLPOX

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	124	2	2	12	25	56	17	6	-	-	-	3	1
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	1	-	-	-	-	-	-	1	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	3	1	2	-	-	-	-	-	-	-	-	-	-
Kanagawa	2	-	-	1	1	-	-	-	-	-	-	-	-
Niigata	1	-	-	-	-	-	-	1	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE; JAPAN, 1949 - Cont'd
SMALLPOX - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	2	-	-	-	-	1	1	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	62	-	-	-	11	42	9	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	1	-	-	-	-	1	-	-	-	-	-	-	-
Wakayama	9	-	-	-	-	-	5	4	-	-	-	-	-
Tottori	3	1	-	-	1	1	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	12	-	-	8	4	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Khime	4	-	-	2	1	1	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	21	-	-	-	7	8	2	-	-	-	-	3	1
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	1	-	-	-	-	1	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	2	-	-	1	-	1	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
MEASLES

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	165,308	6,211	9,208	16,172	28,383	35,722	31,708	20,144	6,851	2,543	2,109	2,426	3,741
Hokkaido	10,924	1,251	993	1,199	1,492	1,508	1,499	1,531	717	404	157	83	90
Aomori	1,290	147	47	82	167	120	188	198	124	58	63	52	44
Iwate	1,072	39	24	56	52	184	213	213	47	45	64	54	81
Miyagi	1,668	27	49	81	200	303	354	311	116	34	58	50	85
Akita	1,450	45	33	38	167	210	336	334	97	58	33	32	67
Yamagata	1,423	146	72	85	82	126	192	349	115	55	77	41	83
Fukushima	2,269	92	54	200	390	445	376	371	112	30	63	40	96
Ibaraki	2,935	38	74	268	534	652	593	407	116	23	8	22	100
Tochigi	878	11	16	42	58	120	150	216	97	17	29	42	80
Gunma	2,959	51	130	157	204	566	608	363	106	37	175	214	348
Saitama	4,058	25	63	129	396	718	911	718	336	106	146	162	348
Chiba	1,817	11	32	90	296	598	327	272	78	38	12	35	28
Tokyo	11,724	315	748	1,509	2,763	3,077	1,871	1,056	243	53	29	20	40
Kanagawa	3,458	32	63	203	560	838	773	561	172	58	40	103	55
Niigata	5,578	198	308	583	720	1,360	1,062	685	204	90	87	117	164
Toyama	5,919	101	146	204	573	1,623	1,866	772	391	103	58	16	66
Ishikawa	2,931	96	121	255	475	695	697	355	101	71	27	29	9
Fukui	2,168	41	66	91	202	373	403	388	83	30	159	156	176
Yamanashi	1,844	1	102	39	111	289	718	368	86	28	20	44	38
Nagano	3,673	45	65	88	245	549	679	731	272	91	215	313	380

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
MEASLES - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	2,544	43	60	90	158	483	778	444	191	73	38	70	116
Shizuoka	3,449	21	47	140	302	828	914	682	215	54	43	63	140
Aichi	7,553	51	129	252	881	1,286	1,839	1,578	674	302	107	183	271
Mie	4,652	204	246	637	1,094	1,031	724	446	110	41	32	25	62
Shiga	5,452	36	59	221	902	1,894	1,507	473	142	62	52	56	48
Kyoto	6,298	214	471	1,034	1,795	1,757	732	233	32	7	6	2	15
Osaka	5,909	132	365	753	1,735	1,673	993	200	37	15	1	1	4
Hyogo	4,738	42	143	445	893	1,181	1,037	602	163	61	27	66	78
Nara	1,363	3	7	111	238	513	316	144	13	5	13	-	-
Nakayama	1,830	141	251	334	349	300	272	167	12	1	3	-	-
Tottori	873	1	11	41	83	206	258	196	40	14	13	8	2
Shimane	5,806	354	680	781	1,400	1,242	751	347	99	24	21	6	-
Okayama	1,208	20	14	56	159	236	477	161	45	15	8	5	12
Hiroshima	5,122	176	217	618	1,217	1,204	850	438	152	41	46	53	110
Yamaguchi	2,923	79	227	443	654	773	482	176	48	5	8	14	14
Tokushima	690	5	7	2	29	57	204	227	50	22	22	28	37
Kagawa	789	1	4	6	21	55	170	184	168	52	23	46	59
Ehime	1,620	101	73	122	257	297	315	191	78	24	23	28	101
Kochi	423	35	101	56	32	21	58	57	34	2	7	4	16
Fukuoka	14,700	1,964	1,674	2,296	2,873	2,875	2,178	925	243	89	74	36	73
Saga	3,652	14	271	571	805	804	802	270	69	27	4	8	7
Nagasaki	3,948	202	254	491	639	683	605	643	184	83	39	31	44
Kumamoto	4,195	147	429	562	976	745	567	504	187	16	3	20	39
Oita	2,306	61	197	437	817	407	261	68	39	2	1	9	7
Miyazaki	1,696	7	23	79	178	406	497	337	78	23	13	20	35
Kagoshima	1,531	45	42	95	159	310	305	252	135	54	42	19	73

See footnotes at end of table.

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
POLIOMYELITIS

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	3,140	124	109	92	116	155	267	629	540	377	352	185	194
Hokkaido	501	5	2	3	5	16	30	140	161	86	41	7	5
Aomori	187	-	1	-	-	2	62	86	24	4	3	2	3
Iwate	70	-	-	1	1	1	1	24	20	17	1	3	1
Miyagi	167	16	12	7	5	10	15	20	24	13	22	12	11
Akita	75	2	2	3	1	5	4	18	14	9	7	2	8
Yamagata	103	6	5	4	6	3	7	36	16	10	3	5	2
Fukushima	47	-	-	-	1	1	3	7	8	8	7	5	7
Ibaraki	38	3	2	1	2	6	2	6	1	4	5	2	4
Tochigi	14	-	-	-	-	-	-	8	-	-	5	-	1
Gunma	50	1	1	1	-	-	-	6	14	7	8	5	7
Saitama	60	-	5	-	1	6	2	8	12	8	12	2	4
Chiba	21	1	-	1	-	2	-	8	-	1	4	3	1
Tokyo	285	13	4	8	10	12	21	45	55	30	44	25	18
Kanagawa	101	-	5	5	-	4	4	20	14	8	28	6	7
Niigata	41	3	1	2	1	3	2	5	4	3	10	7	-
Toyama	38	3	1	-	4	3	9	5	4	4	2	1	2
Ishikawa	66	7	3	5	5	6	4	15	7	4	7	2	1
Fukui	555	1	2	1	2	4	6	15	11	2	9	3	-
Yamanashi	6	2	1	1	-	-	-	2	-	-	-	-	-
Nagano	97	-	1	1	2	2	1	4	35	20	19	5	7

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE, JAPAN, 1949 Cont'd
FOLIO MYELITIS - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	35	1	-	1	2	1	4	11	5	7	1	1	1
Shizuoka	82	7	-	-	3	3	8	16	7	13	21	6	8
Aichi	116	-	11	15	19	8	12	13	11	11	8	4	4
Mie	44	4	1	-	-	2	2	3	10	10	6	4	2
Shiga	7	-	-	-	-	-	-	1	4	2	-	-	-
Kyoto	41	3	3	1	4	3	7	10	3	1	3	2	1
Osaka	41	11	5	3	2	6	6	3	-	3	1	1	-
Ryogo	99	5	8	5	11	5	5	6	13	10	13	7	11
Nara	13	-	-	-	2	1	-	2	2	-	3	-	3
Wakayama	11	-	-	-	-	1	1	4	3	-	1	1	-
Tottori	14	3	-	2	-	1	-	-	-	3	-	-	5
Shimane	15	1	2	1	1	-	-	-	2	2	5	-	1
Okayama	63	5	4	3	5	8	3	8	4	9	4	5	5
Hiroshima	13	1	3	-	1	-	-	2	3	1	2	-	-
Yamaguchi	18	1	1	-	-	2	3	5	1	-	3	2	-
Tokushima	35	-	4	3	3	3	4	5	5	3	1	-	4
Kagawa	20	-	1	-	1	-	3	6	4	3	1	1	-
Ehime	58	4	3	1	-	11	7	10	4	2	7	5	4
Kochi	12	-	1	1	-	-	2	3	-	1	-	4	-
Fukuoka	113	3	7	5	7	3	8	17	13	26	7	9	8
Saga	41	1	-	-	1	2	4	10	6	8	7	1	1
Nagasaki	32	1	2	-	-	-	5	7	3	6	2	4	2
Kumamoto	28	5	1	2	1	1	1	4	2	4	4	1	2
Oita	79	4	2	3	5	5	7	14	3	11	10	13	2
Miyazaki	71	-	-	3	1	-	-	-	4	2	4	17	40
Kagoshima	17	1	2	-	1	3	2	1	4	1	1	-	1

See footnotes at end of table.

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
JAPANESE "B" ENCEPHALITIS

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	1,284	1	-	-	-	-	2	12	70	717	436	43	3
Hokkaido	1	-	-	-	-	-	-	-	-	1	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	3	-	-	-	-	-	-	1	-	-	2	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	1	-	-	-	-	-	-	-	1	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	31	-	-	-	-	-	2	1	3	4	20	1	-
Tochigi	2	-	-	-	-	-	-	-	-	2	-	-	-
Gumma	22	-	-	-	-	-	-	1	3	14	4	-	-
Saitama	15	-	-	-	-	-	-	-	-	10	5	-	-
Chiba	6	-	-	-	-	-	-	-	1	-	3	-	2
Tokyo	215	-	-	-	-	-	-	1	16	145	53	-	-
Kanagawa	115	-	-	-	-	-	-	2	14	67	32	-	-
Niigata	9	-	-	-	-	-	-	-	-	7	2	-	-
Toyama	24	-	-	-	-	-	-	-	-	22	2	-	-
Ishikawa	21	-	-	-	-	-	-	-	-	16	5	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	2	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	29	1	-	-	-	-	-	-	-	1	24	3	-

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE; JAPAN, 1949 - Cont'd
JAPANESE "B" ENCEPHALITIS - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	7	-	-	-	-	-	-	-	1	4	2	-	-
Shizuoka	49	-	-	-	-	-	-	-	4	41	3	1	-
Aichi	75	-	-	-	-	-	-	-	5	25	49	1	-
Mie	36	-	-	-	-	-	-	-	5	29	2	-	-
Shiga	6	-	-	-	-	-	-	-	-	6	-	-	-
Kyoto	25	-	-	-	-	-	-	-	-	-	24	-	1
Osaka	105	-	-	-	-	-	-	4	11	78	12	-	-
Hyogo	12	-	-	-	-	-	-	1	-	1	10	-	-
Nara	23	-	-	-	-	-	-	-	6	6	11	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	2	-	-	-	-	-	-	-	2	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	42	-	-	-	-	-	-	-	-	34	8	-	-
Hiroshima	84	-	-	-	-	-	-	-	-	27	38	19	-
Yamaguchi	76	-	-	-	-	-	-	-	1	49	23	2	-
Tokushima	9	-	-	-	-	-	-	-	2	7	-	-	-
Kagawa	12	-	-	-	-	-	-	-	-	2	-	10	-
Ehime	17	-	-	-	-	-	-	-	-	6	11	-	-
Kochi	10	-	-	-	-	-	-	-	-	7	2	1	-
Fukuoka	15	-	-	-	-	-	-	-	-	4	10	1	-
Saga	19	-	-	-	-	-	-	-	-	13	6	-	-
Nagasaki	4	-	-	-	-	-	-	-	-	1	3	-	-
Kumamoto	86	-	-	-	-	-	-	-	-	56	30	-	-
Oita	11	-	-	-	-	-	-	-	-	6	5	-	-
Miyazaki	26	-	-	-	-	-	-	-	-	18	8	-	-
Kagoshima	37	-	-	-	-	-	-	1	-	8	24	4	-

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd

RABIES

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	76	4	1	5	6	8	1	11	5	9	11	7	8
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	3	-	-	-	1	-	-	1	1	-	-	-	-
Tochigi	1	-	-	-	-	-	-	1	-	1	1	1	2
Gunma	6	-	-	-	-	-	-	1	-	1	-	-	-
Saitama	14	-	-	1	1	1	1	-	2	1	1	3	3
Chiba	23	3	-	3	4	2	-	6	-	3	1	-	1
Tokyo	18	1	1	-	-	4	-	2	2	3	4	1	-
Kanagawa	9	-	-	-	-	-	-	-	-	1	4	2	2
Niigata	1	-	-	1	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
RABIES - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	1	-	-	-	-	1	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
DENGUE FEVER

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	5	1	-	-	1	-	2	-	1	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
DENGUE FEVER - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	1	-	-	-	-	-	-	-	1	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	1	-	-	-	-	-	-	-	-
Fukuoka	2	1	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	2	-	-	-	-	-	2	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 82 - COMMUNICABLE DISEASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
TYPHUS FEVER

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	121	31	24	9	12	6	3	7	-	2	5	5	17
Hokkaido	1	-	1	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	13	-	-	-	7	1	1	3	-	1	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	1	1	-	-	-	-	-	-	-	-	-	-	-
Fukushima	11	11	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	2	-	-	-	-	-	-	-	-	-	-	-	2
Chiba	1	-	1	-	-	-	-	-	-	-	-	-	-
Tokyo	23	5	2	3	-	2	-	-	-	1	2	3	5
Kanagawa	11	1	4	1	3	-	-	-	-	-	-	1	1
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE; JAPAN, 1949 - Cont'd
TYPHUS FEVER - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	2	-	2	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	27	4	7	-	1	3	2	4	-	-	3	1	2
Hyogo	1	-	1	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	4	3	-	1	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	10	1	2	-	-	-	-	-	-	-	-	-	7
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	1	-	1	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	1	-	-	1	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	11	5	2	3	1	-	-	-	-	-	-	-	-
Kumamoto	1	-	1	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
CHANCEROID

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	22,051	2,482	2,352	2,018	2,282	1,798	1,723	1,914	1,283	1,553	1,795	1,332	1,519
Hokkaido	746	76	48	58	75	70	57	66	58	46	65	53	74
Aomori	145	8	25	22	21	8	10	9	5	10	16	5	6
Iwate	71	6	7	8	5	6	10	11	5	6	3	1	3
Miyagi	171	10	16	20	12	6	6	22	11	19	6	16	27
Akita	92	16	4	11	11	12	6	6	3	5	8	4	6
Yamagata	51	5	6	5	1	3	2	3	8	7	7	1	3
Fukushima	248	30	39	33	23	18	13	25	12	13	16	13	13
Ibaraki	281	26	18	28	29	25	34	26	19	15	27	16	18
Tochigi	199	21	18	18	22	18	11	27	12	19	19	11	13
Gunma	254	10	16	29	24	30	27	20	15	17	27	15	24
Saitama	146	9	24	8	11	18	10	12	7	11	16	7	13
Chiba	305	29	33	36	40	27	15	31	15	16	19	19	25
Tokyo	1,864	223	226	177	182	166	127	165	96	199	140	99	124
Kanagawa	2,084	177	191	186	199	176	164	212	150	141	230	157	161
Niigata	83	8	12	18	11	4	4	5	1	5	12	-	8
Toyama	176	13	19	7	28	8	18	17	10	9	21	12	14
Ishikawa	191	20	19	24	15	12	17	16	8	11	20	12	17
Fukui	182	10	26	9	14	14	14	17	15	23	22	13	5
Yamanashi	161	15	12	13	24	14	6	19	10	11	13	9	15
Nagano	146	22	7	13	7	16	14	12	16	11	17	4	7

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
CHANGROID - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	360	36	41	36	42	18	26	36	22	23	27	33	20
Shizuoka	265	31	33	35	33	15	15	33	9	12	22	14	13
Aichi	1,264	411	354	103	84	50	35	46	32	39	36	29	45
Mie	312	51	40	25	47	18	26	18	18	20	22	13	14
Shiga	324	27	26	43	43	17	33	18	21	26	28	17	25
Kyoto	1,467	121	116	142	138	138	130	155	82	113	120	100	112
Osaka	2,057	210	230	151	233	157	158	157	131	157	181	157	158
Hyogo	1,433	154	126	116	143	133	137	137	75	111	112	85	104
Nara	448	45	54	33	53	45	55	22	28	34	31	23	25
Wakayama	547	20	49	32	91	65	55	59	32	43	53	21	27
Tottori	179	28	23	14	11	24	17	13	4	10	17	12	6
Shimane	51	8	9	5	8	4	3	1	6	1	1	4	1
Okayama	708	87	74	68	67	71	62	48	25	42	54	36	54
Hiroshima	993	102	108	100	95	85	101	76	65	57	70	76	58
Yamaguchi	398	56	44	34	59	24	42	33	26	24	15	19	22
Tokushima	92	9	9	18	4	5	9	8	6	4	6	7	7
Kagawa	118	12	11	17	5	17	11	18	3	7	6	3	8
Ehime	192	24	25	21	19	9	22	13	13	16	16	3	11
Kochi	129	10	9	12	14	10	10	7	10	15	12	8	12
Fukuoka	1,892	163	149	199	177	150	129	192	105	182	169	137	140
Saga	139	13	10	11	10	14	8	14	4	13	11	20	11
Nagasaki	539	70	56	31	66	45	27	47	59	39	42	34	23
Kumamoto	104	16	15	10	10	8	2	6	5	6	3	4	19
Oita	175	15	8	20	19	6	20	22	6	11	20	13	15
Miyazaki	66	11	7	5	5	2	7	8	5	4	3	6	3
Kagoshima	198	18	20	14	32	17	18	6	15	20	14	14	10

See footnotes at end of table.

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
LYMPHOGRAPHIC VENEREUM

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	644	63	50	53	92	48	54	63	50	39	38	41	53
Hokkaido	34	7	5	4	12	1	1	-	2	-	-	-	2
Aomori	2	-	-	1	-	-	-	-	-	-	1	-	-
Iwate	4	-	2	-	-	1	-	-	1	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	3	-	1	-	1	-	1	-	-	-	-	-	-
Yamagata	2	-	-	-	-	-	-	-	2	-	-	-	-
Fukushima	3	-	-	1	1	-	-	-	-	-	-	-	1
Ibaraki	4	1	-	-	-	-	1	-	-	1	-	-	1
Tochigi	2	-	-	-	1	-	-	-	-	-	-	-	1
Gunma	7	-	-	-	-	3	-	-	-	2	2	-	-
Saitama	4	-	1	2	-	-	-	-	-	-	-	1	-
Chiba	7	-	-	1	1	-	-	2	1	1	1	-	-
Tokyo	52	6	6	4	4	8	2	6	4	3	4	1	4
Kanagawa	51	5	1	4	6	2	7	8	6	2	1	4	5
Niigata	5	-	1	-	1	1	-	-	-	-	-	1	1
Toyama	4	2	1	-	-	-	-	-	1	-	-	-	-
Ishikawa	11	-	1	3	1	1	-	-	1	-	2	1	1
Fukui	3	-	-	-	-	-	-	-	-	2	-	1	-
Yamanashi	3	2	-	1	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 Cont'd
LYMPHOGRANULOMA VENEREUM - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	7	1	-	-	-	-	-	2	1	-	-	1	2
Shizuoka	7	-	-	-	1	-	2	1	2	-	-	1	-
Aichi	6	-	-	-	-	-	1	1	1	-	2	-	2
Mie	10	-	-	1	3	-	2	1	-	1	2	-	-
Shiga	3	-	-	1	2	-	-	-	-	-	-	-	-
Kyoto	70	6	5	3	15	5	5	7	2	5	3	7	7
Osaka	96	9	8	9	13	9	11	8	4	5	5	7	8
Hyogo	56	5	1	2	9	1	3	5	8	3	6	7	6
Nara	14	3	4	1	3	1	2	-	-	-	-	1	-
Wakayama	14	2	-	-	-	-	1	3	2	3	2	-	-
Tottori	4	2	-	1	-	-	-	1	-	-	-	-	-
Shimane	1	1	-	-	-	-	-	-	-	-	-	-	-
Okayama	8	-	-	1	2	2	1	1	1	-	-	-	-
Hiroshima	39	4	3	2	3	2	7	4	3	4	2	2	3
Yamaguchi	19	-	2	2	1	3	1	4	-	2	1	1	2
Tokushima	3	-	-	-	-	-	-	1	-	1	-	-	1
Kagawa	3	1	-	-	-	-	-	1	1	-	-	-	-
Khime	3	-	1	-	2	-	-	-	-	-	-	-	-
Kochi	3	-	-	-	-	-	1	1	-	-	-	-	1
Fukuoka	33	3	2	2	3	5	2	1	6	2	2	3	2
Sega	4	-	-	-	-	1	-	3	-	-	-	-	-
Nagasaki	19	3	2	1	3	2	1	3	-	-	-	1	3
Kumamoto	2	-	-	1	1	-	-	-	-	-	-	-	-
Oita	5	-	-	-	2	-	1	-	-	1	-	1	-
Miyazaki	5	-	2	2	-	-	1	-	-	-	-	-	-
Kagoshima	9	-	1	3	1	-	-	-	1	1	2	-	-

See footnotes at end of table.

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
TRACHOMA

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	176,279	8,140	9,176	10,708	14,060	20,381	33,894	25,255	11,140	10,374	13,447	9,149	10,555
Hokkaido	11,194	745	652	1,070	1,222	796	978	959	770	637	1,316	1,278	771
Aomori	8,997	187	236	215	458	590	4,109	1,542	532	240	282	300	306
Iwate	4,078	237	212	214	264	280	712	518	252	290	325	300	474
Miyagi	6,258	404	376	381	633	747	749	1,033	540	346	449	219	379
Akita	4,598	454	227	207	205	531	1,275	613	224	114	389	162	197
Yamagata	2,477	69	114	79	87	60	593	474	118	296	243	117	227
Fukushima	3,287	186	147	180	288	867	332	312	162	221	262	160	170
Ibaraki	4,426	256	175	357	406	578	644	547	368	291	317	200	287
Tochigi	2,229	47	68	59	88	259	759	504	218	48	69	26	84
Gumma	10,559	144	160	529	469	1,853	3,463	1,668	204	391	874	176	628
Saitama	5,848	104	110	161	190	865	1,605	635	396	325	602	389	466
Chiba	2,671	96	93	193	150	298	360	319	105	115	714	88	110
Tokyo	6,939	382	478	526	794	1,082	1,286	733	382	337	350	263	326
Kanagawa	3,862	177	131	167	248	367	449	794	325	373	336	197	298
Niigata	2,326	140	128	179	181	205	457	384	93	168	153	120	118
Toyama	2,768	48	113	147	170	223	376	618	180	107	327	252	207
Isikawa	923	46	66	92	114	105	87	85	58	49	78	87	56
Fukui	1,249	30	74	88	89	159	202	255	63	77	109	40	63
Yamanashi	1,021	41	52	114	94	108	98	112	100	62	89	69	82
Nagano	1,999	77	53	64	103	181	510	289	244	112	61	59	246

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
TRACHOMA - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	2,492	218	213	300	241	146	340	294	127	155	222	63	173
Shizuoka	4,616	368	751	266	272	727	733	297	172	198	340	164	328
Aichi	12,790	187	390	445	1,801	2,112	2,937	1,923	611	421	528	994	501
Mie	1,889	119	148	88	173	336	267	143	163	98	154	106	94
Shiga	850	37	59	129	54	105	124	51	41	46	44	46	114
Kyoto	2,209	142	111	375	116	149	233	235	174	173	241	108	152
Osaka	9,184	479	630	751	799	677	1,126	904	627	1,130	634	451	976
Hvogo	6,112	377	412	494	557	684	751	880	397	318	368	375	499
Nara	832	29	58	60	62	58	71	52	116	117	82	71	56
Wakayama	2,861	60	133	198	123	222	278	871	152	154	259	182	229
Tottori	1,016	47	117	55	53	52	50	62	41	47	417	33	42
Shimane	1,003	74	30	41	72	145	171	126	41	82	72	106	43
Okayama	3,707	191	125	239	268	372	545	371	292	563	223	261	257
Hiroshima	5,626	223	275	448	746	867	1,149	570	378	251	402	132	185
Yamaguchi	1,021	48	61	61	128	67	103	75	259	70	105	20	24
Tokushima	3,124	56	84	128	312	579	1,197	362	137	110	16	71	72
Kagawa	3,463	39	68	97	98	470	1,030	887	250	247	84	110	83
Ehime	2,335	122	71	120	162	590	1,144	169	115	114	126	110	122
Kochi	1,431	65	41	68	60	117	559	259	85	35	85	27	30
Fukuoka	8,170	533	186	673	794	697	870	1,182	608	731	586	472	538
Saga	718	50	71	63	90	61	109	39	64	42	64	24	41
Nagasaki	2,444	95	96	130	198	189	201	131	124	254	336	496	194
Kumamoto	2,697	79	109	99	240	295	618	570	167	169	115	91	145
Oita	1,580	98	77	90	118	115	210	290	129	61	328	30	36
Miyazaki	3,929	173	672	175	152	193	324	1,610	180	155	112	83	100
Kagoshima	2,471	361	221	93	118	202	340	508	356	34	131	81	26

See footnotes at end of page.

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
PNEUMONIA

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	139,769	14,165	15,834	16,527	20,090	14,451	10,453	8,915	4,420	4,164	6,338	7,181	17,231
Hokkaido	10,272	1,465	1,190	1,420	1,600	1,118	663	644	276	271	304	376	945
Aomori	2,408	253	182	291	421	288	246	181	81	51	74	92	248
Iwate	2,916	288	263	328	417	368	206	224	66	91	125	111	429
Miyagi	3,549	386	311	318	497	272	230	249	154	158	306	239	429
Akita	2,334	284	149	243	249	226	171	141	78	59	130	131	473
Yamagata	2,760	258	273	253	360	246	194	206	114	101	217	153	385
Fukushima	3,882	379	308	545	561	428	237	246	142	118	200	215	503
Ibaraki	4,273	380	626	667	611	422	268	212	118	108	133	162	566
Tochigi	2,310	256	426	346	297	231	136	128	54	61	60	67	248
Gunma	4,113	451	580	459	480	314	256	227	108	149	247	257	585
Saitama	5,181	343	586	416	440	419	385	408	201	203	341	357	1,082
Chiba	1,760	101	224	286	231	164	124	120	53	41	89	105	222
Tokyo	8,597	1,710	1,334	973	1,060	606	441	379	268	169	207	364	1,086
Kanagawa	4,201	386	545	430	513	439	247	230	113	175	197	257	669
Niigata	5,223	632	488	645	957	671	447	296	98	132	194	203	460
Toyama	4,906	344	415	454	696	599	410	272	136	104	244	352	880
Ishikawa	1,901	185	179	178	289	218	148	120	52	79	140	116	197
Fukui	1,386	93	123	133	193	187	111	101	46	39	59	81	220
Yamanashi	1,271	60	125	201	261	179	84	118	29	34	53	57	70
Nagano	4,537	297	554	654	735	480	386	302	154	189	189	168	489

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
PNEUMONIA - Cont'd

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	2,909	285	452	398	515	320	205	123	71	102	126	97	215
Shizuoka	3,415	220	522	561	554	337	228	281	139	88	144	87	254
Aichi	4,731	374	640	576	695	529	457	339	183	153	177	223	385
Mie	2,703	286	383	353	429	357	166	133	95	81	91	103	228
Shiga	2,215	207	221	200	336	286	225	157	51	58	76	80	318
Kyoto	2,576	291	245	305	402	273	169	119	57	76	96	185	358
Osaka	3,116	313	266	320	423	356	247	139	81	88	94	155	664
Hyoogo	4,007	365	395	463	650	353	317	256	126	118	177	259	528
Nara	714	44	61	76	94	108	76	66	18	21	40	34	76
Wakayama	1,315	94	115	170	204	165	127	79	44	41	77	60	139
Tottori	925	82	80	85	115	104	58	78	32	29	55	57	150
Shimane	1,729	154	211	264	314	223	162	86	29	32	47	60	147
Okayama	2,672	331	309	354	389	314	190	183	72	80	94	100	256
Hiroshima	3,047	281	267	362	489	369	281	200	117	73	140	122	346
Yamaguchi	1,818	255	270	446	364	170	117	111	59	30	88	67	171
Tokushima	1,223	104	112	119	123	144	106	95	55	46	56	85	178
Kagawa	1,452	70	127	163	162	132	235	178	90	72	51	56	116
Ehime	3,936	553	585	559	517	362	331	217	137	85	145	151	294
Kochi	948	127	147	158	130	84	51	53	29	27	40	37	65
Fukuoka	5,249	468	542	620	777	454	311	230	137	211	386	479	634
Saga	1,817	147	159	184	260	201	187	149	44	47	66	159	214
Nagasaki	2,090	169	150	185	317	236	180	165	71	65	115	130	307
Kumamoto	2,718	146	252	291	385	200	164	261	148	114	196	181	380
Oita	1,094	78	151	131	159	102	59	53	25	27	60	84	165
Miyazaki	1,919	69	155	117	209	223	268	210	69	62	91	181	255
Kagoshima	1,591	101	136	127	210	164	146	150	100	66	101	86	204

See footnotes at end of table.

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
INFECTIOUS DIARRHEA

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	770	9	16	35	133	205	57	248	22	7	6	6	26
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	5	-	-	-	-	-	-	-	5	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	22	-	-	-	22	-	-	-	-	-	-	-	-
Tochigi	16	-	-	-	13	1	2	-	-	-	-	-	-
Gunma	20	-	-	-	-	-	1	9	-	-	-	-	10
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	6	-	-	-	-	-	-	-	-	-	-	6	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	17	-	6	2	1	6	-	-	2	-	-	-	-
Toyama	8	5	-	-	1	-	-	-	2	-	-	-	-
Ishikawa	1	-	-	-	-	1	-	-	-	-	-	-	-
Fukui	17	1	-	-	-	16	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	21	2	2	-	10	-	1	-	-	-	6	-	-

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
INFECTIOUS DIARRHEA - Cont'd.

Area	Total Cases	*Jan	*Feb	*Mar	*Apr	*May	*Jun	*Jul	*Aug	*Sep	*Oct	*Nov	*Dec
Gifu	151	-	-	-	-	103	29	12	3	4	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	5	-	-	-	-	-	-	3	-	2	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	19	-	7	4	1	-	-	-	-	-	-	-	7
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	5	-	-	-	-	3	-	1	-	1	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	57	-	-	28	8	12	7	-	-	-	-	-	2
Okayama	1	1	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	210	-	-	-	-	-	-	210	-	-	-	-	-
Yamaguchi	154	-	-	-	77	61	16	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	13	-	-	-	-	-	-	7	6	-	-	-	-
Fukuoka	12	-	-	-	-	-	-	6	4	-	-	-	2
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	3	-	1	-	-	2	-	-	-	-	-	-	-
Kumamoto	1	-	-	-	-	-	1	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	6	-	-	1	-	-	-	-	-	-	-	-	5
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at the end of table

TABLE 82 - COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
FURBERAL INFECTION

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Japan	966	105	73	74	108	75	62	67	71	75	107	58	91
Hokkaido	107	9	14	12	13	12	5	7	10	8	6	5	6
Aomori	31	1	2	1	-	3	2	2	3	8	3	2	4
Iwate	14	2	1	2	2	1	-	1	1	1	4	-	1
Miyagi	17	2	-	-	3	-	1	1	-	1	4	2	4
Akita	25	9	2	-	2	1	-	1	1	5	3	-	1
Yamagata	22	2	1	2	3	1	2	1	2	1	4	-	3
Fukushima a	21	2	-	4	3	3	-	-	1	2	2	2	2
Ibaraki	23	3	2	-	3	1	2	2	2	2	1	1	4
Tochigi	13	1	-	1	-	3	-	3	1	2	2	-	-
Gunma	20	1	2	-	6	-	1	-	3	1	2	2	2
Saitama	47	4	4	1	2	5	1	6	5	3	10	3	3
Chiba	9	-	-	1	2	1	2	-	1	-	1	-	1
Tokyo	19	2	2	-	-	1	3	1	4	3	-	2	1
Kanagawa	18	3	1	3	-	1	1	1	2	1	-	1	4
Niigata	26	4	3	-	4	2	2	3	-	1	4	-	3
Toyama	41	2	3	8	5	3	3	1	1	2	5	3	5
Ishikawa	14	-	1	3	3	1	1	2	2	-	-	-	1
Fukui	19	-	1	-	1	-	2	1	-	3	5	-	6
Yamanashi	10	1	-	-	1	3	2	-	1	-	1	1	-
Nagano	42	4	-	4	6	4	2	2	2	-	5	4	5

TABLE 82 -- COMMUNICABLE DISEASE CASES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
FUEFERAL INFECTION - Cont'd.

Area	Total Cases	*Jan	Feb	Mar	*Apr	May	Jun	*Jul	Aug	Sep	*Oct	Nov	*Dec
Gifu	14	2	2	3	-	-	2	1	-	1	1	-	2
Shizuoka	21	1	3	2	2	1	-	3	1	1	3	2	2
Aichi	23	-	3	-	3	4	-	2	2	3	1	2	3
Mie	8	-	1	-	-	-	-	2	1	1	1	2	-
Shiga	18	1	2	3	2	2	2	2	-	1	1	-	2
Kyoto	24	1	1	1	4	2	2	4	1	3	2	2	1
Osaka	7	-	-	1	1	-	2	-	-	-	1	1	1
Hyogo	99	10	3	5	2	2	-	4	6	1	4	1	1
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	11	-	-	-	4	-	-	2	-	1	2	1	1
Tottori	4	-	-	1	-	-	-	1	-	-	2	-	-
Shimane	27	5	3	5	2	1	-	-	1	1	2	3	4
Okayama	20	2	1	1	4	3	3	-	1	1	2	2	2
Hiroshima	31	7	2	2	6	1	4	1	3	2	-	1	-
Yamaguchi	3	1	-	-	-	1	-	-	-	-	1	-	-
Tokushima	17	1	-	1	2	2	3	-	-	-	5	1	2
Kagawa	8	1	-	-	1	-	2	1	-	1	1	1	-
Ehime	27	3	4	2	3	4	1	-	1	2	2	3	-
Kochi	5	-	-	2	1	1	-	-	-	-	-	-	-
Fukuoka	20	-	1	1	4	1	2	6	-	2	3	-	-
Saga	6	1	-	1	-	1	2	-	-	-	1	-	-
Nagasaki	11	2	-	-	3	-	1	-	1	-	3	-	1
Kumamoto	19	1	1	-	2	-	-	1	1	1	1	4	4
Oita	11	1	1	1	1	-	-	-	1	-	2	2	1
Miyazaki	31	5	4	1	2	2	3	2	3	2	2	1	4
Kagoshima	23	8	2	1	-	-	1	-	3	4	1	2	1

FOOTNOTES:-

* Monthly totals for January, April, July, October, and December refer to five-week periods. All other monthly data refer to four-week periods.

There were no cases of cholera, plague, yellow fever, or glanders reported during 1949.

A dash (-) indicates that no cases were reported.

SOURCES: Weekly Morbidity Reports, Ministry of Welfare.

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949
(Rates per 100,000 population per annum)

Typhoid Fever

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	7.9	6.8	6.0	4.0	4.2	5.7	9.8	11.2	13.9	12.6	8.8	6.1	6.2
Hokkaido	4.7	4.1	3.2	4.5	1.3	2.9	2.3	5.1	5.5	7.1	10.8	5.8	3.1
Aomori	7.0	2.5	3.2	3.2	5.1	1.1	6.4	7.6	6.4	18.0	14.4	10.6	5.1
Iwate	6.3	4.8	1.0	5.0	3.2	2.0	8.0	9.6	12.0	14.0	12.0	-	3.2
Miyagi	12.8	18.1	7.3	4.9	14.9	4.9	23.5	15.6	16.2	18.6	12.3	6.5	9.7
Akita	4.2	3.2	-	5.0	1.6	3.0	4.0	6.4	5.0	5.0	5.6	7.1	4.0
Yamagata	4.3	1.5	3.8	1.0	3.8	2.9	6.7	5.4	2.9	1.9	4.6	1.9	13.8
Fukushima	5.5	4.1	4.5	1.9	1.5	3.2	4.5	9.2	11.5	9.6	10.7	2.6	2.6
Ibaraki	4.1	2.0	0.6	-	3.0	3.8	4.4	8.1	7.0	7.6	5.6	2.5	4.0
Tochigi	4.2	1.3	5.0	1.7	2.0	2.5	12.4	6.0	5.8	5.8	5.3	1.7	2.0
Gunma	3.5	1.9	1.6	1.6	2.6	3.2	6.4	5.1	3.2	3.2	3.9	4.8	3.9
Seitama	9.1	5.8	6.1	7.3	4.4	5.5	10.9	12.6	18.8	13.9	8.7	8.5	8.2
Chiba	7.1	5.3	7.9	7.2	1.0	3.6	7.2	12.6	10.3	8.5	4.8	8.5	8.7
Tokyo	16.1	20.6	16.7	12.2	9.7	13.6	15.8	18.1	22.4	17.4	16.8	13.8	16.2
Kenagawa	11.5	10.3	6.1	2.8	6.7	11.2	15.6	13.4	22.9	14.5	14.3	10.0	10.3
Niigata	12.4	5.5	6.9	3.7	3.4	7.4	30.3	15.7	17.5	15.9	13.3	15.4	10.6
Toyama	8.9	2.1	7.8	3.9	2.1	3.9	9.1	7.3	32.4	23.3	12.4	1.3	5.2
Isikawa	4.8	3.3	4.1	1.4	1.1	4.1	8.2	6.6	8.2	11.0	7.7	1.4	1.1
Fukui	18.1	12.7	7.1	7.1	2.8	10.6	14.1	59.2	33.5	30.0	11.3	15.9	11.3
Yamenshi	1.3	1.3	-	3.2	1.3	3.2	1.6	1.3	3.2	-	-	-	1.3
Nagano	5.4	2.5	3.1	2.5	3.5	3.1	6.2	11.4	13.1	6.2	5.5	4.4	4.0

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949
(Rates per 100,000 population per annum)

Typhoid Fever

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	13.4	10.9	17.8	2.5	8.8	7.6	6.8	25.1	21.2	26.3	11.5	10.2	12.2
Shizuoka	10.1	9.0	9.1	2.7	1.7	6.4	11.3	14.6	31.2	16.1	10.3	3.8	6.9
Aichi	10.0	11.5	6.4	3.6	3.8	11.2	9.6	16.0	22.0	16.0	9.3	7.2	4.8
Mie	19.0	12.8	7.1	16.9	13.5	11.6	24.9	37.1	33.9	30.3	16.4	9.8	13.5
Shiga	3.5	-	3.0	-	1.2	-	5.9	7.1	7.4	5.9	3.6	1.5	5.9
Kyoto	9.0	9.9	5.8	2.9	3.5	9.4	16.7	7.0	18.8	18.1	3.5	8.0	7.5
Osaka	7.0	6.5	6.6	2.9	2.4	5.5	5.5	12.7	12.5	9.6	8.2	4.4	7.1
Hyoogo	9.2	3.6	6.1	3.3	8.2	9.0	11.9	9.8	20.5	22.9	8.5	5.7	3.9
Nara	10.9	8.0	10.0	3.3	8.0	5.0	14.9	13.3	21.6	21.6	13.3	6.6	1.3
Wakayama	9.1	-	-	5.3	-	2.6	7.9	15.8	22.4	15.8	16.9	10.6	11.6
Tottori	10.9	14.0	8.7	4.4	5.2	8.7	17.4	17.4	17.4	19.6	8.7	2.2	7.0
Shimane	8.5	11.4	7.2	4.3	2.3	2.9	5.7	13.7	15.7	18.6	5.7	7.2	8.0
Okayama	6.9	1.9	1.6	1.6	1.9	6.3	9.4	9.4	11.0	21.9	11.3	5.5	2.5
Hiroshima	13.7	18.2	17.1	5.7	8.1	3.8	12.6	24.8	25.9	14.5	13.7	11.4	8.1
Yamaguchi	3.3	1.4	0.9	-	2.7	1.7	2.6	5.5	12.0	3.4	4.1	1.7	3.4
Tokushima	7.4	7.1	-	1.5	4.8	7.4	11.9	11.9	14.9	14.9	11.9	1.5	1.2
Kagawa	4.4	-	-	4.2	3.3	5.5	6.9	1.1	9.7	16.6	2.2	5.5	1.1
Ehime	3.8	6.3	1.7	1.7	1.4	4.4	16.6	4.2	5.2	0.9	2.8	1.7	-
Kochi	11.3	4.8	9.0	6.0	11.9	17.9	20.9	7.2	10.4	28.4	8.4	6.0	8.4
Fukuoka	5.1	7.5	7.8	3.9	5.0	2.7	3.9	7.8	2.3	8.2	5.0	3.5	3.1
Sega	4.6	5.6	5.6	5.6	5.6	5.6	15.3	3.3	5.6	2.8	1.1	1.4	-
Nagasaki	3.7	2.0	5.0	2.5	-	1.7	2.5	3.3	5.0	9.9	5.9	3.3	4.6
Kumamoto	1.4	1.2	0.7	-	0.6	0.7	4.3	2.3	3.6	1.4	-	1.4	1.2
Oita	2.6	0.8	3.1	2.1	0.8	6.2	1.0	1.7	7.3	3.1	0.8	2.1	3.3
Miyazaki	3.2	-	-	-	2.0	2.5	2.5	2.0	1.2	12.3	9.8	3.7	2.0
Kagoshima	0.7	0.6	3.7	-	1.2	-	0.7	0.6	0.7	0.7	-	0.7	-

See footnotes at end of table.

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Paratyphoid Fever

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	2.7	2.8	1.9	1.5	1.5	2.0	4.1	4.1	5.1	3.9	2.3	1.9	1.6
Hokkaido	2.0	0.5	0.6	1.0	0.5	1.0	2.6	3.1	3.9	4.2	3.6	1.9	1.3
Aomori	3.2	2.5	2.1	2.1	-	2.1	2.1	3.4	3.2	4.2	6.8	6.4	3.4
Iwate	2.5	4.0	1.0	1.0	0.8	1.0	3.0	3.2	5.0	9.0	0.8	1.0	0.8
Miyagi	7.1	11.0	5.7	3.2	5.2	4.1	7.3	7.8	17.0	12.2	5.2	1.6	5.2
Akita	1.2	-	-	-	0.8	-	-	4.8	-	6.0	-	2.0	1.8
Yamagata	1.5	0.8	-	1.0	2.3	1.0	-	0.8	1.9	4.8	0.8	1.9	3.1
Fukushima	6.5	0.5	1.3	1.3	1.5	0.6	47.9	8.2	7.0	8.3	4.6	0.6	1.0
Ibaraki	2.3	1.5	-	0.6	2.0	-	3.2	3.5	7.6	0.6	3.5	1.9	2.5
Tochigi	1.4	-	-	0.8	-	0.8	2.5	2.7	5.8	2.5	1.3	1.7	-
Gunma	1.9	0.6	0.8	1.6	0.6	-	4.0	3.9	3.2	2.4	2.6	3.2	-
Saitama	2.5	1.9	-	0.6	1.9	2.4	3.6	2.9	6.1	7.3	1.0	0.6	2.4
Chiba	2.0	1.4	-	4.8	0.5	-	1.8	6.3	3.6	1.2	1.4	1.2	1.4
Tokyo	8.8	15.3	10.3	7.6	6.3	11.7	8.1	10.7	8.1	7.9	9.0	4.8	5.2
Kanagawa	2.9	1.8	1.7	2.8	0.9	3.3	5.0	4.5	7.3	1.7	1.8	2.2	2.2
Niigata	3.2	1.3	1.1	2.1	0.8	1.6	7.4	5.5	8.5	3.7	4.2	1.6	1.3
Toyama	4.2	1.0	6.5	-	2.1	3.9	5.2	3.1	15.5	10.4	1.0	2.6	2.1
Ishikawa	3.2	6.6	5.5	-	-	1.4	1.4	6.6	5.5	5.5	2.2	1.4	2.2
Fukui	4.0	-	1.8	3.5	1.4	-	7.1	12.7	7.1	3.5	1.4	3.5	5.6
Yamanashi	0.6	-	-	-	2.5	1.6	-	-	3.2	-	-	-	-
Nagano	2.3	0.5	-	1.2	1.0	4.4	5.6	6.0	3.7	3.1	0.5	1.9	1.0

TABLE.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Paratyphoid Fever

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	1.7	0.7	-	0.8	0.7	1.7	1.7	3.4	0.8	2.5	2.7	3.4	2.0
Shizuoka	4.2	11.2	5.4	3.2	3.9	4.3	4.3	2.1	9.1	2.1	0.9	2.1	1.7
Aichi	2.7	2.6	2.0	1.2	0.6	3.6	6.2	6.7	6.4	4.0	1.4	1.6	0.3
Mie	3.6	4.3	6.2	0.9	5.7	-	6.2	5.0	8.0	3.6	1.4	1.8	0.7
Shiga	2.1	-	3.0	3.0	1.2	-	1.5	2.4	5.9	3.0	1.2	-	4.7
Kyoto	3.2	0.6	2.2	0.7	0.6	0.7	1.4	16.2	8.7	5.1	-	1.4	-
Osaka	1.4	0.6	0.7	0.7	0.9	0.7	1.1	2.6	4.0	1.8	1.2	2.2	0.6
Hyogo	1.0	0.3	0.4	-	0.7	0.4	0.8	1.6	2.5	1.2	1.3	2.0	0.7
Nara	1.5	2.7	2.6	-	1.3	1.7	-	4.0	-	1.7	2.7	3.3	-
Wakayama	3.3	3.2	2.6	1.3	4.2	-	-	4.2	5.3	6.6	5.3	4.0	2.1
Tottori	2.5	1.7	2.2	-	-	-	4.4	1.7	2.2	17.4	1.7	-	-
Shimane	1.7	1.1	1.4	1.4	-	-	4.3	2.3	5.7	-	-	2.9	2.3
Okayama	1.2	1.9	0.6	0.8	0.6	0.8	-	0.6	2.4	5.5	1.9	0.8	-
Hiroshima	3.9	4.6	1.9	1.9	-	1.3	4.4	6.1	9.5	5.1	2.5	2.5	6.6
Yamaguchi	0.6	2.1	-	-	1.4	-	-	1.4	1.7	-	-	-	0.7
Tokushima	1.5	1.2	-	-	-	1.5	1.5	3.6	3.0	4.5	1.2	1.5	-
Kagawa	0.5	-	2.8	1.4	-	1.4	1.4	-	-	-	-	-	-
Exims	1.1	-	-	-	-	3.5	3.5	1.4	1.7	1.7	1.4	-	0.7
Kochi	0.9	-	-	-	2.4	0.4	1.5	2.4	1.6	3.5	1.9	4.5	0.6
Fukuoka	1.4	2.5	1.2	0.4	1.9	-	0.4	0.9	1.6	-	-	0.8	-
Saga	0.6	2.2	-	-	-	-	2.8	-	2.8	-	-	-	-
Nagasaki	0.4	1.3	0.8	-	-	-	0.8	-	-	-	-	-	1.3
Kumamoto	1.8	1.7	0.7	-	-	0.7	-	0.6	11.6	5.1	1.2	1.4	-
Oita	0.8	-	-	-	1.7	1.0	1.0	-	2.1	4.2	-	-	-
Miyazaki	1.4	1.0	-	1.2	1.0	-	-	-	2.5	-	3.9	4.9	2.0
Kagoshima	0.3	-	-	-	-	-	0.7	-	-	2.9	-	0.7	-

See footnotes at end of table.

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Epidemic Meningitis

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	1.8	1.4	1.8	2.6	2.4	2.0	1.5	1.6	1.7	3.0	1.8	0.9	1.0
Hokkaido	3.7	5.1	4.2	9.6	3.9	3.2	3.9	1.3	3.5	3.9	4.6	1.0	1.3
Aomori	2.9	0.8	5.3	1.1	5.1	5.3	3.2	2.5	4.2	1.1	4.2	1.1	0.8
Iwate	2.0	0.8	1.0	6.0	3.2	1.0	5.0	0.8	2.0	1.0	2.4	1.0	0.8
Miyagi	3.8	7.8	2.4	4.9	9.1	4.1	2.4	3.2	1.6	0.8	3.2	2.4	1.9
Akita	2.9	1.6	-	5.0	4.8	5.0	2.0	4.0	1.0	4.0	1.6	2.0	3.2
Yamagata	2.5	-	1.9	4.8	3.8	3.8	2.9	3.1	1.0	2.9	-	1.9	3.8
Fukushima	2.6	1.5	4.5	5.1	5.6	2.6	2.6	2.6	2.6	0.6	1.5	1.3	1.0
Ibaraki	1.6	2.0	3.2	3.2	3.5	1.3	-	2.0	1.3	-	1.0	0.6	0.5
Tochigi	0.7	0.7	-	1.7	2.0	0.8	0.8	-	0.8	-	-	0.8	0.7
Gunma	1.3	1.9	0.8	3.2	-	0.8	1.6	2.6	2.4	1.6	0.6	0.8	-
Seitama	1.4	1.0	3.0	1.2	3.4	0.6	1.2	1.0	1.8	2.4	1.0	-	0.5
Chiba	1.0	1.4	0.6	1.2	-	2.4	0.6	2.9	0.6	0.6	1.0	-	1.0
Tokyo	4.6	3.1	4.5	5.7	5.7	4.8	1.9	4.6	6.9	11.2	3.8	2.1	1.9
Kenagawa	3.2	2.2	4.5	4.5	7.6	4.5	1.7	2.2	1.7	2.8	1.8	1.7	2.7
Miigata	1.0	0.8	1.1	1.1	0.4	1.5	1.6	1.7	0.5	1.1	0.8	0.5	0.4
Toyama	1.7	1.0	2.6	-	4.1	5.2	-	-	-	3.9	1.0	1.3	1.0
Ishikawa	0.4	-	-	-	1.1	-	-	1.1	-	1.4	-	-	1.1
Fukui	2.0	-	-	-	1.4	5.3	1.8	1.4	1.8	5.3	1.4	1.8	4.2
Yamanashi	1.3	3.8	-	1.6	-	-	3.2	-	-	1.6	-	6.3	-
Nagano	1.1	1.5	0.6	1.9	-	1.9	-	1.0	1.2	-	2.0	1.2	1.5

TABLE 83.-- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Epidemic Meningitis

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	0.6	-	1.7	-	-	-	1.7	0.7	0.8	3.4	-	-	-
Shizuoka	1.3	0.9	0.5	1.1	3.4	1.1	1.1	1.3	0.5	1.6	2.6	-	-
Aichi	0.5	-	0.4	-	0.6	0.4	0.4	0.6	1.2	2.0	0.3	0.4	0.4
Mie	0.9	1.4	0.9	-	1.4	-	0.9	2.1	0.9	2.7	-	0.4	0.7
Shiga	1.3	-	-	-	2.4	1.5	3.0	-	-	5.9	-	-	3.6
Kyoto	3.1	1.2	3.6	3.6	2.9	1.4	0.7	1.2	2.2	16.7	4.1	-	1.2
Osaka	2.7	3.2	2.9	2.2	4.1	2.9	1.1	2.1	2.9	4.8	3.8	2.6	0.3
Hyogo	1.0	0.7	1.2	0.4	1.3	1.2	2.5	0.7	1.2	2.0	0.7	-	0.7
Nara	0.9	-	-	5.0	-	-	-	5.3	-	-	-	-	-
Wakayama	0.4	-	-	-	-	1.3	-	-	-	-	-	1.3	2.1
Tottori	4.6	-	6.5	13.1	5.2	8.7	2.2	3.5	-	10.9	5.2	-	1.7
Shimane	1.2	1.1	-	-	-	1.4	1.4	-	2.9	5.7	1.1	-	1.1
Okeyama	0.5	-	-	-	0.6	1.6	0.8	-	-	0.8	-	0.8	1.3
Hiroshima	1.2	-	0.6	3.8	1.5	-	0.6	-	1.9	4.4	1.5	0.6	0.5
Yamaguchi	0.8	1.4	-	-	0.7	-	3.4	1.4	0.9	0.9	0.7	-	-
Tokushima	0.1	-	-	-	1.2	-	-	-	-	-	-	-	-
Kagawa	0.9	-	-	2.8	1.1	-	4.2	-	1.4	-	1.1	-	1.1
Khime	0.9	0.7	-	1.7	0.7	1.7	0.9	2.1	0.9	0.9	0.7	-	-
Kochi	1.2	-	-	3.0	-	-	-	1.2	1.5	6.0	3.6	-	-
Fukuoka	1.7	1.2	2.3	2.3	2.2	1.6	1.6	1.2	1.2	1.6	2.8	1.6	1.2
Saga	1.0	1.1	1.4	-	1.1	-	1.4	1.1	-	4.2	2.2	-	-
Nagasaki	0.5	-	0.8	0.8	-	-	-	-	-	0.8	2.0	1.7	-
Kumamoto	0.4	-	0.7	0.7	0.6	2.2	-	0.6	-	-	-	-	-
O ita	1.1	-	-	2.1	-	3.1	1.0	2.5	1.0	3.1	0.8	-	-
Miyazaki	0.7	1.0	-	-	-	-	-	1.0	-	1.2	3.9	1.2	-
Kagoshima	0.4	0.6	-	-	-	0.7	-	1.8	-	-	0.6	0.7	0.6

See footnotes at end of table.

TABLE 83.-- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURES: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Anthrax

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	0.0	0.0	-	-	0.0	-	-	0.1	0.0	-	-	-	0.0
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	0.0	-	-	-	-	-	-	0.2	-	-	-	-	-
Kanagawa	0.1	-	-	0.9	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	0.4	-	-	-	-	-	-	3.1	1.3	-	-	-	-
Ishikawa	0.1	-	-	-	-	-	-	1.1	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Anthrax

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	0.0	-	-	-	-	-	-	-	0.4	-	-	-	-
Hyogo	0.0	-	-	-	-	-	-	-	-	-	-	-	0.3
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	0.1	1.1	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Scarlet Fever

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	5.7	6.7	5.1	5.1	5.6	7.7	7.9	5.5	3.4	3.1	4.1	6.4	7.3
Hokkaido	10.0	16.2	15.4	13.5	13.6	10.3	9.0	11.8	5.5	3.5	5.7	5.1	9.0
Aomori	2.9	2.5	-	2.1	3.4	1.1	5.3	1.7	2.1	2.1	1.7	10.6	2.5
Iwate	4.4	4.0	2.0	1.0	7.2	6.0	8.0	7.2	-	2.0	3.2	3.0	7.2
Miyagi	4.2	6.5	0.8	4.1	3.9	3.2	3.2	1.9	1.6	6.5	1.3	8.1	8.4
Akita	3.6	3.2	4.0	6.0	1.6	5.0	1.0	2.4	5.0	2.0	4.0	8.1	1.6
Yamagata	4.6	3.1	1.0	3.8	0.8	2.9	14.4	6.9	1.0	1.0	6.9	6.7	6.1
Fukushima	3.2	4.1	3.2	2.6	3.1	7.7	1.3	3.1	1.3	2.6	2.6	3.2	3.6
Ibarak	3.0	3.5	1.3	1.9	2.5	2.5	4.4	3.5	2.5	3.2	3.0	5.7	1.5
Tochigi	3.6	4.6	3.3	-	2.0	5.0	6.6	6.6	3.3	3.3	4.6	1.7	2.0
Gunma	4.9	4.5	3.2	1.6	2.6	3.2	31.3	0.6	1.6	0.8	3.2	3.2	5.1
Seitama	9.2	3.4	6.1	7.3	14.6	13.9	15.2	15.0	5.5	4.9	9.2	6.7	7.3
Chiba	6.7	2.9	3.6	7.2	5.8	6.6	6.0	7.2	6.6	5.4	3.9	18.7	7.7
Tokyo	19.5	25.8	27.7	19.6	15.5	20.3	15.8	19.1	12.6	11.9	13.2	22.7	28.3
Kanagawa	10.5	12.1	4.5	11.7	10.7	8.4	11.2	9.4	8.4	5.0	10.3	12.3	20.1
Niigata	2.1	2.5	3.7	2.7	2.5	1.6	1.6	0.8	2.1	2.1	2.1	1.6	1.7
Toyama	1.1	-	2.6	-	1.0	5.2	-	-	-	-	1.0	1.3	2.1
Ishikawa	0.8	1.1	1.4	1.4	-	1.4	-	-	-	1.4	3.3	7.9	-
Yamaguchi	5.6	6.3	4.8	-	3.8	14.3	11.1	2.5	4.8	4.8	7.6	7.9	1.3
Fuku	1.3	-	-	5.3	1.4	1.8	-	1.4	-	-	1.4	3.5	1.4
Nagano	17.9	12.4	8.1	8.7	15.9	28.6	21.8	23.4	14.3	13.1	22.9	15.5	26.9

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Scarlet Fever

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	3.5	10.2	2.5	0.8	3.4	1.7	7.6	2.7	0.8	0.8	4.1	3.4	2.7
Shizuoka	2.7	2.6	1.1	1.1	4.3	2.7	4.3	3.0	1.1	2.7	1.7	1.6	5.2
Aichi	5.5	6.4	5.2	2.4	9.3	6.4	7.2	2.9	4.4	2.8	2.2	5.2	10.6
Mie	3.7	6.4	2.7	3.6	4.3	8.0	1.8	4.3	-	-	1.4	2.7	7.8
Shiga	12.3	42.7	10.4	13.3	9.5	14.8	4.4	3.6	3.0	5.9	4.7	17.8	14.2
Kyoto	14.3	18.5	8.0	11.6	16.2	10.9	54.3	11.6	2.9	8.0	7.0	8.7	15.1
Osaka	5.2	5.5	2.9	4.8	6.5	7.7	7.0	7.4	2.9	1.5	2.4	4.8	7.7
Hyogo	2.7	4.3	1.6	1.2	2.9	4.5	3.3	3.6	2.9	1.6	1.0	2.9	2.3
Nara	3.9	-	1.7	28.2	-	5.0	-	2.7	-	-	1.3	1.7	8.0
Wakayama	2.6	1.1	2.6	-	13.7	2.6	5.3	1.1	1.3	-	1.1	-	1.1
Tottori	3.0	1.7	4.4	2.2	-	4.4	13.1	5.2	-	2.2	1.7	-	1.7
Shimane	6.5	2.3	1.4	5.7	3.4	14.3	37.2	-	4.3	2.9	-	2.9	8.0
Okayama	6.6	3.8	2.4	2.4	3.8	50.9	5.5	3.8	2.4	1.6	1.3	0.8	4.4
Hiroshima	3.8	1.5	0.6	2.5	1.0	0.6	1.9	2.0	0.6	-	1.0	27.8	7.1
Yamaguchi	3.2	2.1	1.7	2.6	0.7	18.0	7.7	0.7	0.9	-	1.4	1.7	3.4
Tokushima	1.2	2.4	3.0	4.5	-	3.0	-	-	-	-	-	-	2.4
Kagawa	2.3	4.4	-	-	1.1	1.4	4.2	1.1	2.8	2.8	2.2	4.2	3.3
Ehime	1.6	2.8	6.1	-	1.4	2.6	2.6	-	-	-	2.1	0.9	0.7
Kochi	1.2	-	-	1.5	1.2	-	-	2.4	-	-	2.4	-	6.0
Fukuoka	1.1	0.9	1.6	1.2	0.9	1.2	0.4	0.9	1.2	0.8	1.6	1.6	0.9
Saga	0.5	-	-	-	-	1.4	1.4	1.1	1.4	-	1.1	-	-
Nagasaki	1.1	1.2	2.5	0.8	2.0	-	2.5	0.7	-	-	1.3	-	1.3
Kumamoto	0.2	-	-	-	1.2	-	0.7	-	-	-	-	-	-
Oita	0.6	2.5	-	2.1	-	1.0	-	-	-	1.0	-	-	0.8
Miyazaki	0.6	-	-	1.2	1.0	1.2	1.2	-	-	-	1.0	-	1.0
Kagoshima	0.2	0.6	0.7	-	-	-	-	0.6	0.7	-	-	-	-

See footnotes at end of table.

TABLE 83.-- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Whooping Cough

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	154.3	70.2	99.2	89.1	98.6	147.8	213.4	269.8	288.3	250.8	123.2	86.9	133.2
Hokkaido	239.0	188.8	222.5	217.1	177.8	223.8	332.2	369.7	398.1	376.9	199.4	109.7	93.6
Aomori	147.9	65.4	84.9	88.1	67.1	136.9	219.7	308.2	219.7	230.3	118.9	109.3	137.6
Iwate	135.1	82.3	89.9	40.0	52.8	66.9	139.9	195.0	197.8	330.7	199.8	88.9	199.8
Miyagi	161.0	73.2	88.3	95.6	170.4	227.6	249.5	311.7	281.1	204.9	117.9	55.1	103.7
Akita	135.2	122.5	103.8	69.5	69.3	99.7	146.1	232.9	237.7	233.7	134.6	69.5	106.4
Yamagata	143.0	108.3	176.7	154.6	108.3	162.3	235.3	228.9	146.0	186.3	82.2	50.9	98.3
Fukushima	90.1	37.3	33.2	34.5	50.5	82.3	95.7	145.0	130.8	137.2	79.1	84.9	164.4
Ibaraki	99.2	36.4	47.4	41.7	49.1	62.0	77.8	126.5	204.3	212.5	90.1	83.5	166.5
Tochigi	95.8	80.3	88.0	59.8	38.5	60.6	92.1	152.1	255.6	189.2	48.5	39.8	47.7
Gumma	181.1	128.6	217.0	141.4	118.3	165.6	224.2	254.6	274.0	180.0	156.2	118.1	205.1
Saitama	238.9	91.2	153.4	106.7	122.7	218.9	228.6	414.3	485.1	410.0	190.7	135.8	322.1
Chiba	62.2	17.4	18.7	21.1	19.3	42.9	58.0	150.8	140.1	97.3	47.4	56.8	76.8
Tokyo	196.6	71.7	98.6	95.9	98.5	170.4	242.0	363.9	462.8	282.1	140.6	130.5	200.3
Kenagawa	199.2	41.5	47.4	65.3	104.0	173.5	281.8	387.4	458.1	367.1	161.6	169.1	166.9
Niigata	115.3	87.5	102.5	71.1	81.1	129.0	174.1	185.6	177.3	148.1	47.1	68.0	103.2
Toyama	328.5	179.3	251.3	207.2	237.3	307.6	479.2	325.4	613.9	430.0	287.0	281.1	325.4
Ishikawa	203.7	119.7	171.6	131.8	169.1	236.1	291.1	283.4	292.4	277.3	168.0	114.0	207.6
Fukui	202.3	56.4	67.0	38.8	86.0	70.5	174.6	330.1	516.6	437.3	292.0	119.9	239.8
Yamanashi	73.1	29.2	28.5	52.3	43.1	58.7	52.3	98.9	111.0	80.9	52.0	69.8	189.0
Nagano	181.6	146.7	182.8	167.9	148.7	135.5	223.2	327.3	330.8	180.3	123.4	102.0	152.7

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Whooping Cough

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	138.4	115.9	188.3	90.7	118.0	157.7	227.3	240.8	190.0	179.8	61.7	40.7	40.7
Shizuoka	143.8	33.9	90.8	80.6	96.7	106.4	183.7	312.0	299.7	221.3	79.5	73.1	157.3
Aichi	167.9	56.4	115.0	108.6	117.0	174.7	327.1	335.4	305.8	279.4	83.4	61.7	89.5
Mie	117.1	62.7	104.3	97.1	105.5	137.2	152.4	203.2	204.9	134.5	63.4	66.8	88.4
Shiga	336.7	227.5	228.1	134.8	244.1	330.4	457.8	609.2	568.9	728.9	246.5	106.7	196.7
Kyoto	190.5	51.0	62.3	93.5	110.1	181.1	242.0	314.1	422.4	402.1	173.3	105.0	164.0
Osaka	133.6	29.7	73.5	51.9	72.7	119.9	164.8	271.3	324.1	263.4	126.5	52.2	76.2
Hyogo	156.9	48.8	87.2	99.5	112.1	154.0	220.4	290.0	299.4	278.9	124.5	88.9	104.5
Nara	66.0	6.6	8.3	39.9	23.9	59.8	103.0	126.2	111.3	144.5	55.8	71.4	57.1
Wekeyama	64.8	8.4	21.1	2.6	6.3	23.8	50.1	116.1	171.5	138.5	58.1	44.9	136.2
Tottori	162.8	12.2	19.6	15.3	27.9	111.2	176.7	383.9	366.4	338.1	171.0	161.4	179.7
Shimane	118.9	133.9	110.2	118.8	82.4	70.1	144.5	131.7	153.1	160.3	113.3	68.7	138.5
Okayama	126.0	45.8	68.9	51.7	67.7	170.0	203.7	206.2	223.3	305.6	97.2	47.0	62.1
Hiroshima	197.8	50.1	71.4	106.2	126.9	227.5	276.8	364.0	357.7	315.4	193.1	125.1	178.5
Yamaguchi	90.3	41.9	27.5	41.2	41.9	85.9	212.1	186.2	146.9	102.2	136.0	31.8	33.0
Tokushima	74.0	1.2	1.5	4.5	26.2	50.6	90.7	201.1	114.5	89.2	47.6	68.4	172.5
Kagawa	261.2	8.9	47.1	52.6	84.2	319.8	480.3	575.8	546.8	570.3	177.2	171.6	171.6
Ehime	287.4	67.0	137.9	170.2	254.9	405.1	674.0	510.5	521.2	340.5	201.1	95.2	137.6
Kochi	41.1	27.5	23.9	32.8	26.3	22.4	28.4	58.5	98.5	62.7	34.6	32.8	43.0
Fukuoka	204.5	85.6	130.4	152.6	190.5	229.1	374.3	359.1	289.2	281.0	150.5	112.8	126.8
Saga	169.4	33.3	209.6	97.2	98.8	166.6	180.5	334.3	290.2	349.9	153.3	47.2	103.3
Nagasaki	95.9	27.8	70.2	31.4	58.8	94.2	121.4	141.4	128.8	191.6	93.2	66.1	132.8
Kumamoto	67.5	24.9	50.0	33.3	34.8	35.5	35.5	79.3	159.3	145.5	87.5	38.4	90.9
Oita	63.1	22.4	29.1	40.5	36.5	36.3	63.9	63.9	118.3	109.0	65.6	57.1	117.9
Miyazaki	63.3	18.7	44.2	25.8	30.5	81.1	73.7	115.0	116.7	147.4	69.8	19.7	30.5
Kagoshima	53.4	49.8	37.3	47.6	22.8	37.3	35.1	79.6	90.0	98.1	48.0	17.6	75.5

See footnotes at end of table.

TABLE 83.-- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Diphtheria

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	18.0	23.8	25.7	23.7	20.2	17.2	14.1	11.3	8.7	9.5	16.4	21.3	23.2
Hokkaido	21.1	41.4	28.6	32.8	24.7	21.5	15.8	12.6	7.4	7.7	15.2	21.9	21.6
Aomori	21.1	22.1	26.5	37.1	21.2	20.2	12.7	12.7	8.5	5.3	22.1	28.7	34.0
Iwate	25.2	30.4	13.0	35.0	55.2	27.0	13.0	22.4	6.0	12.0	13.6	24.0	41.6
Miyagi	28.6	26.6	41.3	37.3	46.7	27.5	27.5	9.1	17.8	12.2	24.0	21.9	27.2
Akita	29.1	36.3	35.3	28.2	25.0	30.2	22.2	17.7	20.1	14.1	39.5	34.2	34.7
Yamagata	15.2	18.4	20.2	25.0	12.3	14.4	13.4	5.4	7.7	13.4	20.0	20.2	13.8
Fukushima	13.4	12.8	16.0	16.6	12.8	15.3	7.7	8.2	5.1	5.7	11.7	19.8	27.6
Ibaraki	12.6	10.1	15.2	9.5	16.2	13.3	10.1	14.2	10.8	4.4	12.6	15.8	17.7
Tochigi	14.1	17.9	14.1	13.3	19.9	24.1	8.3	9.3	8.3	8.3	7.3	14.1	22.6
Gumma	12.9	19.3	16.1	17.7	10.9	8.0	8.0	1.3	11.3	9.6	16.7	15.3	19.9
Seitama	15.5	14.1	19.4	19.4	16.5	16.4	13.9	14.1	6.1	13.3	14.6	22.4	16.5
Chiba	10.2	17.4	21.1	15.1	9.2	5.4	3.0	9.7	3.6	4.2	7.0	13.3	11.6
Tokyo	18.9	25.4	30.5	25.5	27.1	16.0	15.0	12.4	9.5	9.1	13.6	16.0	24.2
Kenagawa	16.6	22.8	33.5	22.3	19.2	14.5	11.2	8.9	7.3	7.8	12.1	19.0	21.0
Niigata	23.8	36.5	29.2	32.9	34.0	20.2	20.2	11.9	12.7	17.0	21.2	26.5	22.1
Toyama	24.5	18.7	63.5	27.2	30.0	23.3	15.5	7.3	2.6	6.5	30.0	33.7	36.2
Isikawa	25.9	37.3	52.2	35.7	25.3	9.6	24.7	14.3	11.0	16.5	26.4	26.1	30.8
Fukui	22.5	18.3	31.7	15.9	15.5	33.5	14.1	9.9	17.6	26.4	32.4	19.4	35.3
Yamanashi	8.0	12.7	7.9	14.3	11.4	6.3	1.6	3.8	3.2	3.2	8.9	12.7	8.9
Nagano	14.1	19.9	24.9	18.7	19.4	9.3	12.4	9.0	3.7	5.0	11.4	22.4	12.4

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Diphtheria

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	10.7	22.4	13.6	10.2	8.8	13.6	6.8	6.1	2.5	3.4	7.5	17.8	14.2
Shizuoka	11.6	14.2	22.6	14.0	10.7	10.2	12.9	8.6	7.0	6.4	17.6	7.0	7.3
Aichi	11.3	14.1	12.8	15.2	13.8	9.2	8.4	9.3	7.6	9.6	15.7	12.8	6.4
Mie	13.7	27.8	24.1	24.9	12.8	11.6	11.6	9.3	7.1	7.1	10.0	8.9	9.3
Shige	11.9	15.4	22.2	16.3	9.5	11.9	11.9	7.1	3.0	3.0	5.9	7.4	27.3
Kyoto	11.0	10.4	10.1	13.8	8.1	15.2	7.2	9.9	7.2	8.7	7.0	15.9	19.1
Osaka	10.0	10.3	9.9	12.1	16.8	12.9	9.9	4.7	5.1	5.5	9.1	13.6	10.0
Hyogo	14.2	19.7	22.1	18.8	11.1	10.2	20.1	8.5	4.9	3.7	10.5	21.7	19.0
Nara	12.4	20.6	18.3	5.0	10.6	13.3	10.0	8.0	1.7	8.3	12.0	13.3	14.6
Wekeyama	10.1	16.9	13.2	10.6	10.6	5.3	10.6	5.3	5.3	5.3	6.3	11.9	17.9
Tottori	14.2	15.7	21.8	19.6	14.0	15.3	6.5	7.0	6.5	-	15.7	28.4	19.2
Shimane	29.8	26.3	32.9	51.5	35.5	30.1	24.3	17.2	18.6	18.6	21.8	41.5	41.2
Okayama	11.2	13.2	7.8	14.1	10.7	16.5	6.3	8.8	7.8	7.1	6.3	18.8	16.9
Hiroshima	20.0	26.8	22.1	22.1	18.7	20.9	23.4	14.2	11.4	13.3	24.8	16.4	23.8
Yamaguchi	24.1	25.4	23.2	18.0	30.2	20.6	17.2	15.8	11.2	12.9	26.1	36.9	46.0
Tokushima	13.9	19.0	13.4	11.9	17.8	10.4	8.9	5.9	5.9	16.4	19.0	19.3	16.7
Kagawa	12.5	13.3	22.1	24.9	16.6	15.2	13.8	10.0	8.3	6.9	7.8	8.3	5.5
Ehime	14.3	12.6	17.5	15.7	16.1	13.1	10.5	9.8	11.3	7.9	14.0	22.7	20.3
Kochi	15.3	15.5	28.4	25.4	11.9	17.9	17.9	13.1	10.4	10.4	8.4	17.9	10.7
Fukuoka	27.8	45.6	41.8	30.4	22.5	27.7	20.7	15.9	10.9	16.8	24.0	36.7	38.7
Saga	44.8	47.8	102.7	91.6	47.8	13.9	37.5	35.5	9.7	23.6	28.9	65.3	40.0
Nagasaki	27.5	29.1	33.9	39.6	23.1	25.6	11.6	8.6	10.7	14.0	22.5	45.4	63.4
Kumamoto	13.8	17.4	25.3	18.1	11.6	16.7	7.2	5.2	8.7	2.9	12.7	15.9	23.7
Oita	30.0	51.5	44.6	31.1	35.7	19.7	15.6	29.9	11.4	19.7	32.4	22.8	36.5
Miyazaki	48.8	61.9	74.9	60.2	39.3	45.5	36.9	31.5	33.2	20.9	48.2	57.7	72.7
Kagoshima	21.3	34.0	27.8	41.0	25.2	33.7	12.4	15.8	10.2	8.8	25.2	23.4	31.0

See footnotes at end of table.

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Tetanus

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	2.7	2.2	2.2	2.1	2.3	3.0	3.1	3.1	3.1	3.4	2.8	2.8	2.3
Hokkaido	1.0	-	1.6	0.3	0.3	-	1.6	0.8	3.5	1.9	0.5	1.0	1.0
Aomori	1.8	-	1.1	2.1	2.5	2.1	3.2	0.8	1.1	1.1	2.5	2.1	2.5
Iwate	1.7	-	1.0	-	1.6	1.0	8.0	4.0	1.0	-	0.8	2.0	0.8
Miyagi	1.8	0.6	0.8	-	2.6	2.4	0.8	1.9	3.2	-	2.6	4.1	1.9
Akita	1.5	2.4	1.0	1.0	0.8	2.0	1.0	0.8	1.0	2.0	1.6	1.0	3.2
Yamagata	1.4	0.8	-	1.0	1.5	-	3.8	1.5	2.9	1.9	0.8	1.0	2.3
Fukushima	1.9	1.5	3.8	2.6	2.6	-	3.2	0.5	3.2	0.6	0.5	2.6	2.0
Ibakeki	7.4	7.1	6.3	5.7	6.6	9.5	8.9	13.2	5.7	9.5	3.0	8.2	5.6
Tochigi	2.6	2.7	4.1	-	2.0	3.3	0.8	4.0	3.3	2.5	2.0	4.1	2.0
Guma	4.4	1.3	3.2	4.8	7.1	2.4	4.8	3.9	4.8	7.2	5.1	4.8	3.9
Saitama	3.2	1.9	1.2	0.6	-	5.5	4.2	2.9	2.4	5.5	6.8	5.5	1.9
Chiba	4.8	1.0	4.2	6.6	3.9	7.9	3.6	4.3	4.2	6.6	4.3	9.1	3.9
Tokyo	2.1	2.1	2.1	1.4	1.9	2.4	2.4	3.1	1.9	2.6	1.9	1.2	2.3
Kanagawa	2.5	1.8	2.2	0.6	2.7	2.1	2.2	1.3	5.0	0.6	2.7	2.2	1.8
Nilgata	1.6	0.4	0.5	1.6	-	2.1	1.6	1.3	3.7	3.2	2.5	2.1	0.8
Toyama	1.3	1.0	-	-	-	2.6	1.3	1.0	6.5	1.3	-	1.3	1.0
Ishikawa	4.1	4.4	2.7	1.4	5.5	11.0	5.5	3.3	1.4	6.9	1.1	-	6.6
Fukui	1.9	1.4	3.5	1.6	1.4	-	1.8	2.8	5.3	1.8	-	3.5	1.4
Yamanashi	2.4	-	1.6	1.6	2.5	1.6	-	3.8	4.8	12.7	1.3	-	-
Nagano	3.6	3.5	2.5	4.4	0.5	3.7	6.2	6.5	3.7	5.0	2.0	4.4	1.5

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Tetanus

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	2.4	3.4	2.5	1.7	2.7	1.7	3.4	2.0	1.7	4.2	1.4	2.5	2.0
Shizuoka	3.0	1.3	2.1	1.1	3.9	4.8	3.2	4.7	5.4	1.6	2.1	3.8	2.6
Aichi	2.3	0.6	1.6	3.2	1.3	1.6	3.2	3.2	2.0	3.2	4.5	1.6	1.3
Mie	3.1	2.1	0.9	4.5	1.4	2.7	2.7	2.9	4.5	3.6	5.0	5.3	2.1
Shiga	1.1	-	-	1.5	1.2	1.5	-	-	-	3.0	2.4	3.0	1.2
Kyoto	2.1	2.3	2.2	2.2	1.7	1.4	2.9	1.2	3.6	2.2	2.9	1.4	1.2
Osaka	1.2	1.5	1.1	2.6	1.8	1.1	1.5	1.5	0.4	0.4	0.9	1.1	0.6
Hyogo	1.4	0.3	0.4	0.4	1.3	1.2	2.5	2.3	0.8	2.0	0.7	2.9	2.3
Nara	1.9	1.3	-	1.7	-	5.0	-	2.7	1.7	8.3	2.7	-	-
Wekeyama	2.2	-	2.6	2.6	-	5.3	6.6	-	2.6	2.6	3.2	-	2.1
Tottori	1.6	1.7	-	2.2	1.7	2.2	2.2	1.7	4.4	-	1.7	-	1.7
Shimane	2.4	-	-	-	1.1	4.3	2.9	2.3	4.3	4.3	6.9	-	2.3
Okayama	3.0	8.1	1.6	1.6	3.8	3.9	1.6	3.1	3.1	0.8	2.5	3.1	1.9
Hiroshima	2.1	3.0	1.9	1.9	1.5	1.9	1.3	1.5	0.6	1.9	2.0	5.1	2.0
Yamaguchi	2.5	2.7	1.7	-	1.4	0.9	0.9	3.4	1.7	1.7	6.2	4.3	3.4
Tokushima	2.5	1.2	3.0	1.5	2.4	3.0	4.5	3.6	3.0	4.5	-	3.0	1.2
Kagawa	4.6	-	2.8	4.2	5.5	4.2	9.7	4.4	8.3	4.2	4.4	4.2	4.4
Ehime	4.8	2.1	5.2	3.5	4.9	7.0	6.1	4.2	7.0	8.7	4.9	1.7	3.5
Kochi	3.8	-	1.5	1.5	3.6	6.0	4.5	4.8	4.5	3.0	7.2	3.0	6.0
Fukuoka	2.7	2.8	2.7	0.8	3.1	1.6	4.3	2.8	2.3	3.1	3.1	2.3	3.4
Saga	4.0	6.7	8.3	1.4	4.4	4.2	5.6	4.4	2.8	6.9	2.2	1.4	-
Nagasaki	3.1	8.6	0.8	5.8	1.3	4.1	1.7	2.6	1.7	5.0	3.3	-	1.3
Kumamoto	3.2	3.5	3.6	2.2	2.9	2.9	1.4	2.3	1.4	3.6	3.5	5.1	5.8
Oite	3.1	5.0	3.2	2.2	2.5	3.1	1.0	0.8	1.0	5.2	5.0	-	2.5
Miyazaki	5.4	2.0	3.7	6.1	4.9	6.1	4.9	10.8	4.9	1.2	11.8	3.7	2.9
Kagoshima	5.5	5.9	2.2	1.5	4.7	6.6	4.4	4.7	8.1	10.2	7.0	5.1	5.3

See footnotes at end of table.

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Tuberculosis

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	571.2	390.7	519.2	529.2	602.1	674.1	681.2	649.9	601.0	654.2	601.6	493.1	484.6
Hokkaido	858.4	558.5	711.9	941.9	930.5	1160.5	965.7	864.6	875.9	934.5	905.3	787.5	737.5
Aomori	627.4	467.0	462.8	481.9	647.9	715.4	814.5	818.5	586.9	796.0	517.9	620.9	590.1
Iwate	671.8	561.1	590.5	480.6	705.0	842.2	804.2	815.6	578.5	872.2	698.6	497.5	577.1
Miyagi	627.8	490.5	576.4	571.9	717.8	806.0	797.9	665.5	523.3	661.8	628.2	494.1	497.0
Akita	494.7	352.2	475.4	495.6	534.3	494.5	561.1	566.5	495.6	649.7	551.2	325.4	440.8
Yamagata	463.6	311.1	428.3	417.7	480.1	525.3	583.9	517.0	470.5	556.0	492.4	314.0	447.1
Fukushima	362.8	211.3	313.3	369.4	376.2	495.8	442.8	479.8	339.4	438.3	345.7	292.9	250.6
Ibaraki	298.6	262.1	178.3	294.1	339.5	448.4	362.4	313.2	300.4	282.1	258.5	262.5	289.9
Tochigi	279.6	269.6	263.1	276.4	268.3	417.5	342.0	320.7	224.9	384.3	253.0	167.7	191.9
Gumma	378.9	224.4	386.6	299.8	385.1	408.3	413.9	384.5	481.4	374.9	533.0	387.4	286.1
Saitama	469.3	236.3	330.5	357.8	523.5	500.3	552.7	514.3	526.4	508.8	568.6	380.2	605.5
Chiba	375.4	178.8	239.8	269.4	393.9	439.8	416.2	448.0	387.2	431.9	467.8	491.7	350.4
Tokyo	997.4	678.4	971.8	957.0	1135.6	1157.5	1181.1	1140.0	1155.1	966.6	1032.0	807.2	821.2
Kanagawa	615.1	390.1	632.1	528.4	491.0	685.2	626.0	719.1	672.9	696.9	790.9	626.0	551.8
Niigata	452.6	390.8	478.9	465.6	513.5	534.6	601.0	575.1	306.3	471.5	391.2	338.7	369.9
Toyama	1016.9	488.0	1077.6	952.0	1102.5	1494.7	1418.3	1138.7	1170.9	1050.4	911.8	834.1	739.8
Isikawa	712.7	523.9	635.7	810.0	812.8	776.3	778.4	835.8	630.2	918.5	694.1	700.2	498.6
Fukui	612.5	222.9	497.2	585.4	541.6	876.3	691.7	637.6	657.7	752.9	976.1	477.8	481.0
Yamanashi	278.4	134.5	209.3	242.6	342.5	355.2	333.0	272.7	288.6	372.6	309.5	250.5	249.9
Nagano	539.2	372.5	475.6	504.9	577.5	657.8	726.2	623.7	667.8	527.2	528.2	379.9	462.1

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Tuberculosis

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	493.1	404.3	486.8	435.9	497.3	506.3	591.9	563.8	568.2	597.8	505.4	399.4	386.7
Shizuoka	367.6	290.5	408.8	361.0	450.4	427.6	460.9	375.6	407.7	407.7	344.7	260.0	248.0
Aichi	622.4	262.9	430.5	448.9	582.3	564.8	691.8	800.3	822.0	964.3	741.6	648.5	537.7
Mie	548.2	449.1	449.1	448.1	548.2	654.9	621.1	594.5	593.6	688.8	584.5	540.9	489.7
Shiga	440.2	371.0	394.1	447.4	586.7	509.6	497.8	480.0	459.2	506.7	362.7	311.1	365.0
Kyoto	823.7	699.6	785.3	874.4	925.6	923.7	995.4	864.2	948.3	870.1	786.5	570.2	681.6
Osaka	651.7	515.9	677.2	557.3	748.9	669.5	747.5	661.8	632.3	769.2	731.6	597.0	529.7
Hyogo	521.6	364.0	504.6	505.9	526.2	547.2	566.9	599.3	564.8	609.5	556.7	519.0	427.9
Nara	341.9	190.0	293.9	257.4	263.0	426.8	415.2	353.4	441.7	528.1	397.2	298.9	290.9
Wakayama	426.5	251.2	364.2	304.8	310.3	669.0	702.0	499.3	423.5	525.1	483.4	315.4	333.6
Tottori	575.1	450.2	588.9	578.0	645.6	739.4	676.1	567.1	632.5	612.9	500.8	447.1	513.0
Shimane	705.9	456.8	675.5	917.3	846.0	775.6	927.3	730.4	615.3	765.6	653.7	479.4	670.9
Okayama	621.0	492.7	667.8	669.1	683.9	738.1	672.3	799.2	586.9	683.2	555.4	488.1	607.4
Hiroshima	744.4	567.8	668.0	679.4	778.1	921.5	906.9	862.6	812.1	800.1	843.9	532.1	582.0
Yamaguchi	602.1	466.7	524.8	539.4	579.2	595.2	685.4	597.8	678.5	718.9	771.6	520.5	597.1
Tokushima	369.6	234.4	398.6	388.2	321.3	519.1	522.6	392.9	358.5	431.4	310.6	299.0	322.5
Kagawa	552.8	160.6	445.7	325.3	395.3	650.6	1009.1	987.8	777.9	830.5	532.7	394.5	235.9
Ehime	483.0	433.0	488.9	536.0	606.2	551.1	575.3	551.1	426.0	490.5	442.8	378.9	336.5
Kochi	350.2	238.8	310.4	271.6	380.9	517.9	340.3	514.6	410.4	420.9	354.6	207.5	240.0
Fukuroke	585.3	375.7	522.3	580.4	609.2	716.7	709.2	666.1	542.2	693.2	639.5	513.7	491.8
Saga	488.6	308.8	484.5	444.3	590.9	565.0	594.2	546.4	431.8	587.3	436.5	354.0	527.6
Nagasaki	571.2	385.9	405.5	436.1	498.8	634.3	677.2	601.9	522.0	802.0	598.6	796.2	551.0
Kumamoto	340.8	215.5	241.1	294.7	307.4	364.9	339.5	456.4	336.4	333.0	389.8	396.7	399.6
Oita	397.8	297.3	359.1	394.4	469.2	481.6	425.6	425.2	393.4	453.6	342.1	425.6	336.3
Miyazaki	616.6	439.3	679.4	535.7	480.6	762.9	857.5	730.2	560.2	769.1	706.7	582.3	581.3
Kagoshima	347.3	212.0	371.8	270.8	332.6	400.4	383.5	377.7	421.6	382.1	459.7	250.3	314.5

See footnotes at end of table.

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Leprosy

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	1.0	0.6	0.9	0.8	1.3	1.2	1.3	1.3	0.8	0.7	0.6	1.0	0.8
Hokkaido	0.2	-	0.6	-	-	-	0.3	0.3	-	-	1.3	-	0.3
Aomori	1.4	1.7	-	1.1	2.5	-	1.1	1.7	1.1	-	-	7.4	0.8
Iwate	1.4	2.4	1.0	2.0	-	4.0	-	0.8	1.0	1.0	1.6	-	3.2
Miyagi	0.5	0.6	-	-	2.6	-	0.8	-	-	-	0.6	-	0.6
Akita	1.2	1.6	1.0	-	4.8	2.0	-	1.6	-	1.0	-	-	1.6
Yamagata	0.4	-	-	-	0.8	1.0	1.0	0.8	-	-	0.8	-	-
Fukushima	0.3	-	0.6	-	-	0.6	-	1.0	-	-	-	-	1.0
Ibaraki	0.4	-	3.8	0.6	-	-	-	0.5	-	-	-	-	0.5
Tochigi	0.6	1.3	0.8	-	-	0.8	0.8	0.7	0.8	0.8	0.7	0.8	-
Gumma	9.3	5.1	7.2	-	9.0	10.4	12.1	11.6	10.4	6.4	7.1	21.7	10.9
Saitama	0.5	-	0.6	-	-	-	1.2	0.5	-	-	3.4	-	0.5
Chiba	0.1	-	0.6	-	-	-	-	-	-	-	-	-	0.5
Tokyo	0.9	-	0.5	0.5	0.8	0.5	1.4	2.1	1.9	1.7	0.8	0.7	0.2
Kanagawa	0.8	-	-	-	1.8	1.7	0.6	3.1	0.6	-	-	1.1	-
Niigata	0.3	-	0.5	0.5	0.8	0.5	0.5	0.4	-	-	-	-	-
Toyama	0.1	-	-	-	-	-	-	-	-	1.3	-	-	-
Ishikawa	0.6	1.1	-	2.7	1.1	-	-	1.1	-	-	-	1.4	-
Fukui	0.8	-	-	1.8	-	1.8	1.8	1.4	-	1.8	1.4	-	-
Yamanashi	0.4	-	3.2	-	-	-	-	1.3	-	-	-	-	-
Nagano	0.8	1.0	-	0.6	1.0	0.6	1.2	-	-	1.2	1.0	2.5	-

TABLE 83.-- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Leprosy

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	0.6	-	1.7	0.8	1.4	1.7	0.5	-	-	-	-	0.8	0.7
Shizuoka	0.8	0.9	3.8	1.6	0.4	-	0.5	0.9	1.1	1.1	-	-	-
Aichi	0.8	0.6	0.4	0.8	1.0	2.4	1.6	1.0	1.2	-	0.3	0.4	-
Mie	1.1	0.7	1.8	1.8	2.1	2.7	0.9	0.7	-	-	0.7	-	1.4
Shiga	1.3	4.7	3.0	1.5	1.2	1.5	-	1.2	1.5	-	-	1.5	-
Kyoto	2.5	2.9	1.4	2.9	5.2	2.9	4.3	3.5	1.4	3.6	1.2	-	0.6
Osaka	0.2	0.3	0.4	-	0.9	-	0.4	-	0.4	1.2	-	0.4	-
Hyogo	0.8	0.3	-	0.4	2.3	1.2	2.0	1.0	0.4	-	-	0.4	0.7
Nara	0.5	-	-	3.3	-	-	1.7	-	-	-	-	-	1.3
Wakayama	0.7	-	-	-	2.1	2.6	2.6	-	-	-	-	-	1.1
Tottori	1.3	3.5	-	2.2	1.7	-	-	1.7	2.2	4.4	-	-	-
Shimane	0.5	1.1	-	-	-	1.4	1.4	0.6	1.4	1.4	1.1	-	-
Okayama	0.8	0.6	-	0.8	2.5	-	1.6	-	1.6	-	1.9	-	-
Hiroshima	0.1	-	-	-	-	-	1.5	-	-	-	-	-	-
Yamaguchi	0.7	-	-	0.9	0.7	2.6	0.9	0.7	-	-	-	3.4	-
Tokushima	1.1	1.2	1.5	3.0	-	3.0	-	1.2	3.0	-	1.2	-	-
Kagawa	0.5	-	-	1.4	-	-	-	2.2	1.4	-	-	-	1.1
Ehime	1.1	2.8	-	-	2.1	2.6	0.9	0.7	0.9	-	1.4	-	0.7
Kochi	0.8	-	1.5	-	2.4	1.5	1.5	2.4	-	-	-	-	-
Fukuoka	1.4	0.6	2.0	0.4	2.8	3.1	2.7	1.6	1.2	0.8	-	1.6	0.6
Saga	0.6	1.1	1.4	1.4	2.2	-	1.4	-	-	-	-	-	-
Nagasaki	1.7	-	-	8.3	3.3	-	3.3	2.0	-	-	1.3	-	-
Kumamoto	1.9	-	0.7	1.4	1.2	0.7	3.6	2.9	1.4	1.4	1.2	0.7	2.0
Oita	1.2	-	3.1	3.1	0.8	2.1	3.1	2.5	-	-	-	-	7.0
Miyazaki	1.0	-	1.2	-	-	-	1.2	2.0	2.5	2.5	-	-	2.9
Kagoshima	0.7	-	-	-	0.6	1.5	0.7	1.8	-	1.5	-	0.7	1.2

See footnotes at end of table.

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Gonorrhea

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	220.4	193.3	228.7	224.2	233.7	243.4	253.3	233.9	211.1	237.8	215.5	186.7	191.9
Hokkaido	211.5	190.4	186.5	227.7	202.2	213.8	226.7	247.5	221.6	225.7	205.3	172.4	217.1
Aomori	151.4	109.5	187.9	101.0	153.7	134.8	190.0	143.5	192.1	169.8	129.1	116.7	123.1
Iwate	69.1	39.2	81.9	51.0	89.5	70.9	78.9	86.3	59.9	94.9	65.5	48.0	63.1
Miyagi	129.8	74.5	96.4	204.9	95.9	85.1	117.5	153.6	139.3	153.9	126.4	140.9	175.6
Akita	87.0	90.3	94.7	111.8	110.4	97.7	96.7	89.4	59.4	88.6	66.1	63.5	76.6
Yamagata	93.7	91.4	133.5	83.5	66.8	88.3	75.9	91.4	76.8	85.5	145.2	102.8	81.4
Fukushima	118.4	101.1	112.3	138.5	115.4	129.5	94.4	155.2	104.0	125.1	121.5	91.2	126.1
Ibaraki	77.3	86.5	71.5	72.7	89.0	82.2	106.9	68.8	82.8	86.0	63.7	40.3	70.3
Tochigi	149.2	128.6	150.2	185.9	128.2	195.0	146.9	172.0	124.5	196.7	132.1	114.5	129.5
Gunma	127.9	114.4	137.4	122.2	130.5	130.2	128.6	138.2	123.0	141.4	153.7	127.8	90.7
Saitama	85.8	53.9	83.7	61.9	69.4	95.8	92.2	99.5	80.7	94.6	97.0	85.5	114.5
Chiba	101.0	71.0	103.3	116.6	126.6	140.8	91.8	84.6	74.3	92.4	116.0	97.3	99.1
Tokyo	296.8	255.8	348.4	330.5	296.1	333.6	294.5	281.4	300.2	307.9	272.6	241.3	315.2
Kanagawa	741.1	333.4	525.0	623.8	857.4	888.2	848.1	887.4	852.0	819.6	828.9	740.4	710.6
Niigata	58.3	38.2	56.8	69.5	62.0	56.8	59.5	48.4	49.4	94.0	65.0	45.7	59.0
Toyama	234.3	148.2	269.4	218.9	261.1	259.0	279.8	253.9	239.6	277.2	247.6	226.7	156.5
Ishikawa	236.0	205.4	315.8	291.1	333.9	286.3	324.0	242.7	164.7	168.9	179.0	166.1	183.4
Fukui	167.7	143.9	171.0	109.3	155.2	162.2	195.7	207.3	183.4	183.4	177.7	181.6	143.9
Yamanashi	120.0	104.0	84.0	158.6	175.1	109.4	130.4	137.0	92.0	180.8	104.0	82.5	82.5
Nagano	116.7	92.0	116.3	115.6	121.9	127.5	146.7	136.3	114.4	136.8	121.9	82.1	94.0

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE, JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Gonorrhea

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	230.7	162.1	276.4	236.6	224.6	284.1	216.2	242.9	185.7	293.4	263.9	197.6	209.1
Shizuoka	149.4	136.2	174.0	150.4	190.8	199.1	178.3	104.0	130.0	148.8	147.8	109.6	116.5
Aichi	257.3	457.2	404.4	249.7	328.3	245.3	266.9	223.8	186.4	238.1	179.6	173.5	127.0
Mie	127.2	142.6	145.2	107.8	125.5	146.1	147.9	107.6	111.1	133.7	138.3	127.4	96.2
Shiga	153.2	154.1	167.4	179.3	130.4	123.0	171.8	149.3	146.1	165.9	165.9	155.6	135.1
Kyoto	296.2	273.0	271.0	368.0	286.3	351.4	331.1	363.4	280.4	302.8	238.8	206.5	289.8
Osaka	276.5	292.8	381.1	286.5	306.3	341.0	330.3	274.0	257.9	257.9	231.0	209.7	175.4
Hyogo	273.3	268.0	316.2	336.3	302.8	321.9	301.1	285.1	271.6	279.8	232.0	214.2	176.6
Nara	267.1	259.1	411.8	270.7	330.8	262.4	413.5	283.0	209.2	209.2	211.2	222.5	167.4
Wakayama	345.3	226.9	356.3	295.6	494.0	398.5	537.0	392.7	298.2	343.1	316.7	253.3	244.9
Tottori	247.6	233.8	178.8	207.2	235.6	414.4	320.6	286.2	253.0	222.5	254.7	196.3	179.7
Shimane	81.8	49.2	78.7	88.7	96.2	98.7	35.9	81.3	114.5	101.6	73.3	55.8	67.5
Okayama	211.5	217.5	194.3	221.0	250.7	242.9	301.7	209.4	182.6	230.4	186.2	139.5	168.6
Hiroshima	377.2	348.4	389.3	346.3	301.3	429.8	408.9	435.8	391.2	469.6	388.8	338.8	309.4
Yamaguchi	399.8	459.7	365.0	305.8	373.8	271.4	552.3	364.2	413.1	542.0	387.5	368.5	397.8
Tokushima	92.7	55.9	104.1	144.3	98.8	98.2	122.0	145.2	84.8	93.7	147.6	75.9	57.1
Kagawa	124.4	113.0	91.4	96.9	55.4	192.4	199.3	192.7	135.7	180.0	109.6	59.5	84.2
Ehime	113.3	116.6	142.3	124.0	144.6	110.0	151.9	138.3	95.5	94.3	92.9	81.2	71.2
Kochi	185.9	99.1	164.2	165.7	212.5	250.7	261.2	267.4	167.2	208.9	205.4	132.8	102.7
Fukuoka	500.1	354.4	380.2	434.8	456.9	585.1	534.0	535.2	436.4	578.1	602.4	535.9	564.6
Saga	258.4	274.3	322.1	309.6	316.5	331.8	281.6	236.6	216.6	213.8	178.8	198.5	231.0
Nagasaki	308.5	300.6	300.6	290.7	365.4	352.7	346.9	313.8	332.0	346.1	249.1	253.6	265.0
Kumamoto	130.8	134.4	190.4	146.2	144.2	141.2	155.7	123.9	103.5	139.0	139.0	74.6	84.0
Oita	210.8	196.8	142.2	270.9	210.9	85.1	430.8	232.5	190.0	222.1	198.5	180.6	178.5
Miyazaki	145.6	115.0	140.1	111.8	117.0	195.3	192.9	194.6	122.9	104.4	232.9	111.8	100.3
Kagoshima	133.4	92.5	155.9	164.7	198.5	136.9	150.1	120.6	156.6	125.2	135.9	112.7	64.4

See footnotes at end of table.

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE, JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Dysentery

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Jeren	28.2	2.2	2.2	3.5	4.0	8.8	20.7	63.0	113.7	86.6	38.7	9.6	5.5
Hokkaido	11.7	4.6	3.9	3.9	3.1	6.1	9.6	12.9	33.1	41.8	17.5	6.1	2.6
Monori	10.9	0.8	1.1	1.1	4.2	9.6	10.6	11.9	30.8	54.1	10.2	2.1	0.8
Iwate	47.6	0.8	4.0	5.0	3.2	10.0	24.0	57.5	201.8	228.8	57.5	5.0	2.4
Akita	17.6	4.8	4.0	6.0	8.1	9.1	14.1	18.5	45.3	80.6	24.2	3.0	1.6
Miyagi	18.6	3.2	4.1	15.4	1.3	5.7	11.3	17.5	47.0	81.8	32.4	1.6	9.7
Yamagata	31.5	2.3	1.0	5.8	10.0	10.6	14.4	58.4	93.1	129.6	49.9	4.8	5.4
Fukushima	21.9	-	1.3	5.7	2.6	5.1	7.0	50.5	93.2	70.8	28.6	1.3	2.6
Ibaraki	50.9	3.0	1.9	0.6	5.1	16.4	54.4	111.8	207.4	143.6	58.2	17.1	8.6
Tochigi	38.1	2.0	-	1.7	3.3	8.3	31.5	90.3	156.0	101.3	48.5	17.4	6.6
Gumma	90.9	1.9	4.8	0.8	3.9	34.6	112.5	272.0	416.3	163.9	81.0	10.4	10.3
Saitama	82.1	1.5	0.6	4.9	3.4	10.9	51.5	264.9	326.3	230.4	70.8	17.6	15.5
Chiba	39.3	3.4	4.2	3.6	0.5	5.4	7.9	73.9	161.9	145.0	48.3	19.3	12.6
Tokyo	60.7	4.8	6.4	11.0	10.9	20.3	37.7	116.5	200.0	192.4	97.8	27.4	17.8
Kanagawa	41.4	4.5	1.7	5.0	5.8	13.9	19.5	54.0	194.7	121.1	74.1	10.6	7.1
Niigata	66.4	1.3	2.1	1.6	5.9	9.0	23.4	128.7	333.4	192.7	88.8	15.9	16.6
Toyama	13.7	1.0	-	-	2.1	2.6	13.0	44.6	50.5	33.7	16.6	1.3	-
Ishikawa	18.1	-	1.4	-	4.4	6.9	5.5	14.3	39.8	107.1	37.3	5.5	3.3
Fukui	15.2	4.2	-	5.3	1.4	5.3	17.6	52.2	44.1	35.3	14.1	3.5	-
Yamanashi	18.4	-	1.6	-	-	7.9	11.1	25.4	92.0	50.7	26.6	15.9	-
Nagano	24.8	1.5	0.6	0.6	3.5	6.2	6.8	32.3	165.4	70.3	19.4	4.4	2.5

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd.
(Rates per 100,000 population per annum)

Dysentery

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	30.3	2.0	-	-	1.4	9.3	17.8	76.0	123.0	105.2	31.9	5.9	1.4
Shizuoka	43.5	1.3	1.6	-	5.6	12.4	52.1	105.3	178.3	105.8	39.1	22.0	11.6
Aichi	35.2	1.9	2.8	4.8	4.2	10.4	31.3	93.6	160.3	75.8	35.6	6.4	4.2
Mie	19.7	1.4	0.9	2.7	2.9	0.9	14.3	39.2	55.2	34.8	73.4	4.5	1.4
Shiga	8.5	-	1.5	1.5	1.2	5.9	4.4	34.4	29.7	23.7	4.7	1.5	-
Kyoto	21.2	2.3	1.4	5.8	5.2	10.1	16.7	37.1	84.0	58.7	24.3	10.1	6.4
Osaka	16.5	2.1	3.7	5.9	6.8	8.5	24.3	43.0	40.1	40.5	18.0	6.6	2.1
Hyogo	10.2	0.7	1.6	1.6	3.3	6.1	9.4	18.0	30.3	34.0	13.8	4.1	2.9
Nere	6.0	-	-	-	-	3.3	5.0	18.6	11.6	24.9	8.0	1.7	-
Wakayama	11.2	-	-	2.6	2.1	9.2	5.3	33.8	42.2	23.8	7.4	4.0	5.3
Tottori	12.7	-	4.4	2.2	-	-	4.4	15.7	50.2	48.0	27.9	4.4	-
Shimane	33.7	12.6	1.4	5.7	1.1	8.6	10.0	44.6	138.8	138.8	41.2	14.3	3.4
Okayama	10.2	1.3	-	2.4	1.9	2.4	7.1	16.9	25.9	25.1	31.3	6.3	1.9
Hiroshima	20.2	0.5	0.6	2.5	6.1	4.4	12.6	27.8	92.9	68.3	26.8	6.3	2.5
Yamaguchi	16.5	0.7	2.6	-	2.1	4.3	3.4	37.1	52.4	36.1	25.4	34.4	2.7
Tokushima	19.2	-	1.5	-	1.2	-	14.4	40.5	87.8	65.4	19.0	4.5	2.4
Kagawa	25.4	-	-	1.4	-	9.7	6.9	45.4	83.1	94.1	57.6	11.1	1.1
Ehime	20.5	1.4	-	4.4	4.9	15.7	15.7	39.1	52.4	39.3	65.0	4.4	1.4
Kochi	13.7	4.8	-	1.5	3.6	6.0	14.9	20.3	49.3	40.3	26.3	1.5	-
Fukuoka	13.1	1.6	1.2	1.2	1.6	3.1	7.8	34.0	32.0	41.4	23.7	7.4	2.8
Saga	12.3	3.3	2.8	4.2	4.4	1.4	5.6	51.1	37.5	15.3	12.2	5.6	1.1
Nagasaki	13.3	3.3	0.8	1.7	2.0	5.8	7.4	46.3	36.3	37.2	13.9	3.3	2.0
Kumamoto	11.4	0.6	1.4	-	2.9	5.8	9.4	29.5	41.3	36.9	7.0	0.7	4.6
Oita	14.7	3.3	1.0	3.1	0.8	5.2	12.5	41.5	56.1	37.4	11.6	4.2	3.3
Miyazaki	36.7	1.0	6.1	4.9	5.9	16.0	50.4	91.4	153.6	81.1	30.5	9.8	2.9
Kagoshima	9.2	-	2.9	-	1.8	-	5.9	21.1	35.1	24.9	15.2	1.5	2.0

See footnotes at end of table.

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE, JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Malaria

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	4.5	1.5	1.4	1.7	2.7	6.6	10.4	11.6	8.2	6.1	2.7	1.4	1.1
Hokkaido	1.2	1.8	1.3	0.6	1.0	2.9	0.6	1.5	1.0	1.9	0.8	0.3	0.3
Aomori	4.3	0.8	2.1	3.2	0.8	2.1	1.1	17.0	5.3	7.4	3.4	4.2	3.4
Iwate	1.3	0.8	-	1.0	-	3.0	1.0	2.4	1.0	4.0	-	1.0	1.6
Miyagi	0.9	-	-	-	0.6	0.8	3.2	1.9	0.8	2.4	1.3	-	-
Akita	1.2	0.8	-	2.0	-	3.0	-	-	3.0	2.0	0.8	-	3.2
Yamagata	2.2	0.8	1.0	3.8	2.3	2.9	1.9	3.1	2.9	3.8	3.1	1.9	-
Fukushima	1.2	1.0	0.6	-	1.0	1.9	2.6	2.6	2.6	0.6	0.5	0.6	0.5
Ibarak	1.8	0.5	1.9	-	1.5	1.3	3.2	3.5	3.8	1.9	2.0	1.3	1.0
Tochigi	1.3	-	1.7	-	2.7	2.5	4.1	1.3	0.8	0.8	1.3	-	-
Gumma	0.7	1.3	-	-	0.6	0.8	-	1.3	-	0.8	0.6	0.8	1.3
Saitama	1.6	-	0.6	0.6	1.0	1.2	3.0	1.5	3.0	3.0	2.4	0.6	1.9
Chiba	1.9	1.0	1.2	0.6	2.9	2.4	0.6	3.4	1.2	4.2	2.4	0.6	1.4
Tokyo	2.4	1.9	1.7	2.1	2.1	2.4	5.5	1.1	5.5	3.8	1.3	1.0	1.0
Kanagawa	1.6	0.4	0.6	3.9	1.3	1.1	2.8	3.6	1.1	2.2	1.3	1.1	0.4
Mizeta	1.8	1.7	2.1	6.9	1.3	-	1.1	1.7	0.5	2.1	2.5	1.1	1.3
Toyama	2.2	1.0	-	-	2.1	2.6	3.9	1.0	9.1	3.9	2.1	1.3	1.0
Ishikawa	1.9	1.1	-	1.4	2.2	4.1	2.7	1.1	2.7	1.4	4.4	1.4	-
Fukui	4.3	-	-	1.8	4.2	3.5	8.8	11.3	8.8	7.1	4.2	1.8	-
Yamanehi	1.7	2.5	1.6	3.2	1.3	-	-	2.5	3.2	1.6	2.5	-	1.3
Nagano	1.1	0.5	1.9	-	0.5	0.6	1.2	1.0	1.9	3.7	1.0	1.2	0.5

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Malaria

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	1.7	2.0	1.7	1.7	3.4	2.5	1.7	0.7	1.7	2.5	0.7	0.8	0.7
Shizuoka	1.0	0.9	0.5	1.1	1.3	1.1	2.1	1.3	0.5	1.6	0.9	-	0.4
Aichi	2.1	0.3	0.4	1.2	0.6	1.6	3.2	6.7	2.0	3.2	3.2	2.0	-
Mie	2.2	2.1	-	-	1.4	-	6.2	3.6	4.5	2.7	0.7	-	4.3
Shige	246.0	4.7	13.3	26.7	115.0	429.6	724.4	781.0	500.7	283.0	79.4	31.1	20.1
Kyoto	7.2	11.0	1.4	-	1.7	2.2	5.1	6.4	28.3	23.2	7.0	2.9	-
Osaka	0.7	0.9	0.4	0.4	-	1.1	1.5	2.1	1.1	1.1	-	-	-
Hyogo	1.7	1.0	2.9	2.0	1.0	2.5	1.6	2.6	1.6	1.2	2.6	1.2	0.7
Nara	1.8	1.3	1.7	3.3	4.0	3.3	3.3	1.3	1.7	-	-	-	1.3
Wakayama	1.1	-	1.3	2.6	1.1	2.6	1.3	2.1	-	1.3	1.1	-	-
Tottori	4.3	3.5	2.2	-	-	-	4.4	17.4	4.4	4.4	1.7	8.7	3.5
Shimane	1.6	4.6	1.4	-	1.1	2.9	1.4	1.1	-	2.9	1.1	-	2.3
Okayama	1.8	1.3	-	1.6	0.6	0.8	3.1	5.0	1.6	3.9	0.6	1.6	1.3
Hiroshima	2.2	1.5	1.9	1.3	1.0	5.1	5.1	3.5	0.6	2.5	2.5	0.6	1.5
Yamaguchi	2.0	2.1	1.7	1.7	-	1.7	-	4.8	0.9	6.9	1.4	-	2.7
Tokushima	1.1	-	1.5	-	-	1.5	1.5	3.6	1.5	1.5	2.4	-	-
Kagawa	2.4	-	1.4	1.4	-	-	9.7	6.6	5.5	4.2	3.3	2.8	-
Ehime	2.2	1.4	1.7	-	1.4	3.5	2.6	5.6	0.9	1.7	3.3	0.9	-
Kochi	1.8	-	-	3.0	2.4	-	4.5	-	3.0	1.5	3.6	1.5	2.4
Fukuoka	2.0	3.1	2.3	2.7	3.1	1.2	1.2	1.9	1.6	2.3	1.6	1.6	1.2
Saga	1.7	-	1.4	4.2	3.3	-	-	3.3	1.4	1.4	2.2	1.4	1.1
Nagasaki	2.5	2.6	0.8	1.7	5.9	3.3	3.3	5.3	1.7	-	2.6	0.8	0.7
Kumamoto	1.9	2.3	2.2	2.9	1.2	2.2	0.7	2.9	2.2	3.6	1.2	1.4	-
Oita	1.6	0.8	-	-	0.8	4.2	-	2.5	1.0	4.2	3.2	1.0	0.8
Miyazaki	2.2	1.0	4.9	-	-	3.7	1.2	4.9	3.7	2.5	1.0	2.5	-
Kagoshima	1.7	0.6	2.2	-	-	3.7	5.1	2.9	1.5	0.7	2.3	1.5	-

See footnotes at end of table.

TABLE 83.-- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Syphilis

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	229.0	201.3	267.6	274.0	260.1	271.0	268.5	232.8	191.3	216.4	219.7	176.8	180.5
Hokkaido	190.4	168.8	190.7	270.1	266.5	220.9	214.5	170.6	155.3	159.5	163.4	145.3	164.4
Aomori	164.6	131.6	232.4	222.9	157.9	191.0	208.0	158.8	129.5	187.9	147.7	136.9	101.9
Iwate	132.7	103.1	154.9	124.9	161.5	139.9	177.8	136.7	122.9	127.9	128.7	104.9	114.3
Miyagi	164.3	173.7	170.9	193.6	134.8	120.7	171.7	152.3	124.7	134.5	193.8	158.0	228.1
Akita	137.9	104.0	141.0	172.2	145.9	246.8	151.1	144.2	117.9	97.7	132.2	97.7	116.0
Yamagata	175.0	139.8	218.0	184.4	162.9	161.3	162.3	217.4	187.3	164.2	201.3	146.9	154.4
Fukushima	151.4	149.6	165.9	186.3	152.6	257.1	107.8	214.4	102.1	137.2	140.4	94.4	107.2
Ibaraki	112.3	104.7	113.8	106.9	131.0	125.9	157.5	92.6	110.0	88.5	128.0	98.7	92.6
Tochigi	186.4	155.4	200.9	284.7	191.2	251.5	171.8	212.5	156.0	196.7	157.4	160.2	122.2
Gunma	169.0	123.4	189.7	188.9	178.1	193.7	174.4	176.2	168.8	147.1	205.7	142.2	144.0
Saitama	122.8	73.7	149.8	97.6	116.9	162.5	160.7	147.0	83.7	112.8	130.0	92.8	116.0
Chiba	151.0	120.3	163.1	218.1	187.0	187.3	127.5	133.4	129.9	143.8	144.5	122.0	141.6
Tokyo	233.4	190.4	360.4	257.5	255.1	310.7	259.7	211.5	196.9	198.3	211.9	190.0	186.5
Kanagawa	472.8	267.8	394.5	447.5	587.8	617.6	629.9	539.6	421.8	474.3	511.1	421.2	380.3
Niigata	111.4	98.5	144.4	167.8	128.3	115.7	113.1	95.1	81.8	107.8	103.6	85.5	101.9
Toyama	221.4	167.9	370.4	246.1	216.6	230.5	253.9	212.4	117.9	246.1	238.3	198.2	181.3
Ishikawa	212.7	172.4	263.6	310.3	258.1	215.5	286.9	193.3	186.7	207.3	186.7	141.4	151.9
Fukui	181.9	163.6	245.1	176.3	218.6	185.1	229.2	182.0	156.9	169.3	193.2	137.5	131.2
Yamanashi	136.1	115.4	123.7	195.0	216.9	112.6	145.9	115.4	125.3	133.2	143.3	85.6	114.2
Nagano	123.1	101.5	138.6	111.3	121.9	134.3	168.5	149.7	108.8	113.8	132.3	95.7	102.5

TABLE 83.-- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Syphilis

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	116.0	101.8	159.4	155.2	115.3	108.5	90.7	122.8	83.1	125.5	135.0	91.6	103.8
Shizuoka	153.6	153.4	210.0	226.2	193.0	145.0	185.3	143.5	138.1	134.3	111.7	101.5	114.3
Aichi	244.5	404.0	350.3	260.9	296.6	267.7	263.7	199.1	180.0	245.7	180.5	161.9	127.3
Mie	178.7	197.5	218.3	201.4	221.0	216.8	228.1	122.6	127.4	134.5	171.7	155.0	132.3
Shiga	178.1	141.0	250.4	290.4	177.8	200.0	234.1	152.9	151.1	194.1	130.4	118.5	135.1
Kyoto	382.7	375.6	444.8	616.2	518.7	528.9	418.0	359.3	258.6	308.6	277.0	216.6	268.3
Osaka	411.7	318.4	459.4	457.2	504.1	494.0	470.5	458.5	426.7	385.9	414.9	281.8	287.8
Hyogo	356.4	318.2	460.0	541.5	433.2	389.1	379.7	369.6	318.3	336.7	270.0	277.3	224.5
Nara	250.3	197.9	388.6	305.9	290.9	303.9	365.3	281.6	204.3	194.3	197.9	181.0	131.5
Wakayama	320.8	196.3	352.3	325.9	462.3	445.6	515.9	293.4	270.5	320.6	308.2	205.8	214.3
Tottori	267.5	263.5	270.5	250.8	233.8	431.9	322.8	277.4	242.1	250.8	225.1	266.1	207.6
Shimane	102.6	83.6	110.2	130.2	140.8	117.3	118.8	97.3	94.4	101.6	100.7	74.4	67.5
Okayama	230.9	220.6	291.5	306.4	263.3	301.7	327.5	193.1	155.1	191.2	215.6	151.2	174.9
Hiroshima	292.4	351.9	412.7	334.3	281.1	353.9	279.1	237.6	237.6	300.2	267.0	194.0	194.2
Yamaguchi	280.4	344.2	280.0	214.4	287.9	184.4	335.8	278.3	195.0	360.7	322.9	264.5	267.3
Tokushima	160.2	114.2	163.6	196.3	221.3	228.0	224.6	173.7	145.8	151.7	126.1	102.6	84.5
Kagawa	239.2	248.1	297.6	391.7	223.7	296.2	390.4	315.6	188.3	197.9	140.6	106.6	114.1
Ehime	152.3	170.4	196.4	190.3	174.6	113.5	213.9	151.6	100.4	128.3	146.0	133.6	111.0
Kochi	170.3	114.6	198.5	162.7	217.3	292.5	220.9	189.8	149.2	171.6	139.7	107.5	101.5
Fukuoka	449.3	302.6	373.9	436.3	473.1	550.0	565.6	544.0	331.0	486.0	527.7	382.1	397.5
Saga	284.2	286.5	362.3	316.5	291.0	336.0	349.9	302.1	259.6	229.1	217.7	243.0	237.7
Nagasaki	444.6	329.0	376.6	435.3	381.2	487.3	408.8	416.9	416.3	464.2	578.1	460.0	568.9
Kumamoto	183.1	206.8	287.4	220.8	185.3	225.9	165.1	178.4	163.6	169.4	170.9	106.4	129.2
Oita	200.3	157.8	200.3	356.0	242.5	131.8	339.4	176.0	150.5	205.5	156.1	116.3	212.6
Miyazaki	161.1	107.1	174.5	175.7	140.5	195.3	248.2	272.2	143.7	94.6	199.5	77.4	100.3
Kagoshima	121.8	110.7	161.0	177.9	148.1	133.9	136.9	75.0	117.8	101.7	107.2	152.2	65.0

See footnotes at end of table.

TABLE 83. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Influenza

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	3.6	2.3	3.4	3.9	7.5	6.5	1.0	1.3	0.8	0.7	0.6	0.5	13.0
Hokkaido	2.0	0.8	2.3	7.1	3.6	5.5	0.6	1.8	0.6	0.6	0.5	-	0.8
Aomori	2.6	-	-	4.2	8.5	-	2.1	-	2.1	-	11.9	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	2.1	0.6	0.8	-	7.1	-	-	-	-	10.5	3.9	1.6	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	0.1	-	-	-	-	1.0	-	-	-	-	-	-	-
Fukushima	0.4	0.5	1.3	1.3	-	-	-	-	-	1.3	-	-	1.0
Ibaraki	0.2	0.5	0.6	-	-	-	-	-	-	-	-	-	1.0
Tochigi	0.4	-	2.5	-	-	-	2.5	-	-	-	-	-	-
Gunma	4.6	0.6	11.3	19.3	19.9	0.8	-	-	-	0.8	-	-	2.6
Saitama	2.9	0.5	-	4.2	18.0	6.7	-	-	-	0.6	0.5	-	2.4
Chiba	0.2	0.5	-	1.2	-	-	0.6	-	-	-	-	-	-
Tokyo	1.7	2.5	5.0	8.4	1.7	1.0	0.7	0.4	0.7	-	-	0.2	0.8
Kanagawa	0.8	-	1.1	1.7	3.1	0.6	-	-	-	-	-	1.1	2.2
Niigata	7.3	1.3	0.5	0.5	27.6	53.6	-	2.1	0.5	-	2.1	-	-
Toyama	4.0	17.6	1.3	2.6	7.3	5.2	-	1.0	-	2.6	-	2.6	5.2
Ishikawa	6.0	5.5	16.5	4.1	5.5	23.3	13.7	1.1	-	-	1.1	-	4.4
Fukui	16.6	9.9	10.6	26.4	22.6	26.4	3.5	2.8	3.5	-	1.1	14.1	73.3
Yamanashi	1.8	-	7.9	3.2	-	11.1	-	-	-	-	-	-	1.3
Nagano	3.8	2.5	3.1	6.8	26.4	3.7	1.2	-	-	-	-	-	-

TABLE 83. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Influenza

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	2.3	2.7	5.1	2.5	4.1	9.3	0.8	2.0	1.7	-	-	-	-
Shizuoka	1.7	4.3	3.2	3.2	1.7	-	1.1	-	4.3	-	-	0.5	2.6
Aichi	2.1	1.3	3.6	3.2	-	6.8	0.8	0.6	-	4.0	0.6	0.8	4.8
Mie	4.9	10.7	10.7	7.1	-	13.4	0.9	0.7	11.6	4.5	-	0.9	1.4
Shiga	3.9	20.1	5.9	1.5	8.3	5.9	1.5	1.2	-	-	-	-	-
Kyoto	1.1	1.2	7.2	2.2	-	2.2	0.7	0.6	-	0.7	-	-	-
Osaka	6.6	4.4	18.0	7.7	33.8	1.1	0.7	0.3	0.4	-	0.3	0.4	8.2
Hyogo	3.2	3.3	3.3	7.8	9.5	4.9	1.6	1.0	0.4	-	0.7	0.4	5.6
Nara	1.6	4.0	-	1.7	2.7	8.3	-	-	-	-	-	-	2.7
Wakayama	7.1	1.1	-	2.6	-	-	4.0	-	1.3	-	2.1	2.6	63.3
Tottori	2.6	-	-	-	-	-	-	-	-	-	-	-	27.9
Shimane	7.3	8.0	-	2.9	-	-	-	2.3	-	-	1.1	2.9	61.8
Okayama	12.8	2.5	-	0.8	3.8	2.4	-	0.6	-	-	-	1.6	125.4
Hiroshima	4.8	3.0	-	-	27.3	17.7	-	2.5	-	1.3	-	-	3.0
Yamaguchi	10.8	0.7	1.7	2.6	2.7	22.3	1.7	1.4	-	0.9	-	-	86.6
Tokushima	6.3	1.2	5.9	7.4	16.7	26.8	-	1.2	-	-	-	-	15.5
Kagawa	16.6	1.1	-	-	4.4	4.2	1.4	54.3	1.4	4.2	1.1	-	106.3
Ehime	8.8	11.2	-	7.0	12.6	2.6	1.7	0.7	-	-	-	-	59.4
Kochi	0.9	-	1.5	-	-	-	-	-	-	3.0	-	-	6.0
Fukuoka	1.2	0.9	2.7	2.7	0.9	0.8	0.8	0.3	-	-	0.9	1.2	2.8
Saga	1.8	-	-	-	5.6	9.7	1.4	3.3	-	-	1.1	-	-
Nagasaki	3.4	-	-	2.5	2.0	33.0	1.7	0.7	0.8	-	-	1.7	1.3
Kumamoto	1.7	-	2.2	1.4	11.6	0.7	-	-	2.9	-	-	-	1.2
Oita	16.0	-	1.0	5.2	1.7	6.2	8.3	5.0	5.2	-	0.8	-	141.2
Miyazaki	5.0	1.0	13.5	1.2	18.7	14.7	-	-	-	-	-	2.5	7.9
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 83.-- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Smallpox

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	0.2	0.0	0.0	0.2	0.3	0.9	0.3	0.1	-	-	-	0.0	0.0
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	0.1	-	-	-	-	-	-	0.8	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	0.1	0.2	0.5	-	-	-	-	-	-	-	-	-	-
Kanagawa	0.1	-	-	0.6	0.4	-	-	-	-	-	-	-	-
Niigata	0.0	-	-	-	-	-	-	0.4	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Smellpox

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	0.1	-	-	-	-	0.9	0.9	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	1.7	-	-	-	3.2	15.4	3.3	-	-	-	-	-	-
Iyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	0.1	-	-	-	-	1.7	6.6	4.2	-	-	-	-	-
Wakayama	0.9	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	0.5	1.7	-	-	1.7	2.2	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	0.8	-	-	6.9	2.7	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	0.3	-	-	1.7	0.7	0.9	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.6	-	-	-	2.2	3.1	0.8	-	-	-	-	1.2	0.3
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	0.1	-	-	-	-	0.8	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	0.2	-	-	1.0	-	1.0	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Meeslee

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	201.1	80.1	148.4	260.7	366.0	575.8	511.1	259.8	110.4	41.0	28.4	39.1	19.2
Hokkaido	265.1	221.8	319.2	385.6	383.8	481.9	482.0	393.9	230.6	129.9	40.4	26.7	23.2
Aomori	103.3	124.8	49.9	87.0	141.8	127.4	199.5	168.1	131.6	61.6	53.5	55.2	37.4
Iwate	80.8	31.2	24.0	55.9	41.6	183.8	212.8	170.2	47.0	45.0	51.2	54.0	64.7
Miyagi	102.0	17.5	39.7	65.6	129.6	245.4	286.7	201.5	94.0	27.5	37.6	40.5	55.1
Akita	110.2	36.3	33.2	38.3	134.6	211.5	338.5	249.2	97.7	58.4	26.6	32.2	54.0
Yamagata	103.1	112.2	69.1	81.6	63.0	121.0	184.4	268.1	110.4	52.8	59.2	39.4	63.8
Fukushima	109.3	47.0	34.5	127.6	199.1	283.9	239.9	189.4	71.5	19.1	32.2	25.5	49.0
Ibaraki	140.1	19.2	46.8	232.7	270.2	412.2	375.0	205.9	73.4	14.5	4.0	13.9	50.6
Tochigi	55.0	7.3	12.3	34.9	38.5	99.6	124.5	143.4	80.5	14.1	19.3	24.9	53.1
Guma	179.5	32.8	104.5	126.2	131.2	454.9	488.6	233.4	85.2	29.7	115.5	172.0	223.7
Seitama	185.7	12.1	38.2	78.2	192.1	435.4	552.5	348.3	203.8	64.3	70.8	98.2	168.8
Chiba	82.8	5.3	19.2	54.4	143.0	361.2	197.5	131.4	47.1	23.0	5.8	21.1	13.5
Tokyo	211.2	60.1	178.5	360.0	527.5	734.4	446.5	201.6	58.0	12.6	5.5	4.8	7.6
Kanagawa	145.6	14.3	35.2	113.3	250.0	447.6	431.3	250.4	96.0	32.4	17.9	57.5	24.5
Niigata	223.5	84.1	163.5	300.5	305.8	722.0	563.8	290.9	108.3	47.8	37.0	62.1	69.7
Toyama	578.6	104.7	189.1	264.2	593.7	2102.1	2416.9	799.9	506.4	133.4	60.1	20.7	68.4
Ishikawa	302.7	105.4	166.1	350.1	521.7	951.2	956.9	389.9	138.7	97.5	29.7	39.8	9.9
Fukui	288.5	57.8	116.4	160.4	284.9	657.7	710.5	547.3	146.3	52.9	224.3	275.0	215.3
Yamaguchi	220.7	1.3	161.7	61.8	140.8	458.3	1138.5	466.8	136.4	44.4	25.4	69.8	48.2
Nagano	172.4	22.4	40.4	54.7	121.9	344.3	422.2	363.6	169.1	56.6	106.9	194.6	189.0

TABLE 82.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE; JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Measles

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	162.8	29.2	50.9	74.3	107.2	409.6	659.7	301.2	162.0	61.9	25.8	59.4	78.7
Shizuoka	139.8	9.0	25.2	75.2	129.8	444.8	491.0	293.1	115.5	29.0	18.5	33.8	60.2
Aichi	228.5	14.4	51.7	101.0	282.5	515.4	737.1	506.0	270.1	121.0	34.3	73.3	86.9
Mie	312.8	145.4	219.2	367.6	779.9	918.7	645.1	317.9	98.0	36.5	22.8	22.3	44.2
Shiga	609.5	42.7	87.4	327.4	1069.0	2805.8	2232.5	560.6	210.4	91.8	61.6	83.0	56.9
Kyoto	124.4	124.0	341.2	749.1	1040.4	1272.9	530.3	135.0	23.2	5.1	3.5	1.4	8.7
Osaka	144.0	38.8	134.3	277.0	510.6	615.4	365.3	58.9	13.6	5.5	0.3	0.4	1.2
Hyogo	145.5	13.8	58.6	127.3	290.6	483.7	424.8	197.3	66.8	25.0	8.8	27.0	25.6
Nara	170.8	4.0	11.6	184.3	316.2	851.9	524.8	191.3	21.6	8.3	17.3	-	-
Wakayama	182.2	148.8	331.2	440.7	368.4	395.8	358.9	176.3	15.8	1.3	3.2	-	-
Tottori	143.7	1.7	24.0	89.4	144.8	449.3	562.7	342.0	87.2	30.5	22.7	17.4	3.5
Shimane	627.1	405.3	973.1	117.6	1602.8	1921.9	1071.7	397.3	111.7	34.3	24.0	8.6	-
Okuyama	71.4	12.5	11.0	43.9	99.7	184.9	373.7	100.9	35.3	11.8	5.0	3.9	7.5
Hiroshima	244.3	89.0	137.1	390.6	615.3	760.9	537.2	221.5	96.1	25.9	23.3	33.5	55.6
Yamaguchi	189.5	54.3	195.0	380.5	449.4	663.9	414.0	120.9	41.2	4.3	5.5	12.0	9.6
Tokushima	77.5	5.9	10.4	3.0	34.5	84.8	303.4	270.1	74.4	32.7	26.2	41.6	44.0
Kagawa	82.4	1.1	5.5	8.3	23.3	76.1	235.3	203.8	232.6	72.0	25.5	63.7	65.3
Ehime	106.7	70.5	63.7	106.5	179.5	259.3	275.0	133.4	68.1	21.0	23.0	24.4	70.5
Kochi	47.6	41.8	150.7	89.6	38.2	31.3	86.6	68.1	50.7	3.0	8.4	6.0	19.1
Fukuoka	453.1	425.9	653.4	896.2	897.2	1122.2	850.2	288.8	94.9	34.7	23.1	14.1	22.8
Saga	382.6	15.5	376.2	792.7	894.1	1116.2	1113.4	299.9	95.8	37.5	4.4	11.1	7.8
Nagasaki	246.1	135.5	209.8	405.5	455.2	564.1	499.7	424.8	152.0	68.6	25.8	25.6	29.1
Kumamoto	228.2	85.1	310.6	406.9	565.3	599.4	410.5	291.9	135.4	11.6	1.7	14.5	22.6
Oita	180.7	50.7	204.5	453.6	678.4	422.5	270.2	56.5	40.5	2.1	0.8	9.3	5.8
Miyazaki	157.3	6.9	28.3	97.1	174.9	498.8	610.6	331.2	95.8	28.3	12.8	24.6	34.4
Kagoshima	84.6	26.4	30.7	69.5	93.1	226.9	223.2	147.6	98.8	39.5	24.6	13.9	42.7

See footnotes at end of table.

TABLE 83. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)
Feliomvelitis

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	3.8	1.6	1.8	1.5	1.5	2.5	4.3	8.1	8.7	6.1	4.5	3.0	2.5
Hokkaido	12.2	1.3	0.6	1.0	1.3	5.1	9.6	36.0	51.8	27.7	10.5	2.3	1.3
Aomori	15.0	-	1.1	-	-	2.1	65.8	73.0	25.5	4.2	2.5	2.1	2.5
Iwate	5.3	-	-	1.0	0.8	1.0	1.0	19.2	20.0	17.0	0.8	3.0	0.8
Miyagi	10.2	10.4	9.7	5.7	3.2	8.1	12.2	13.0	19.4	10.5	14.3	9.7	7.1
Akita	5.7	1.6	2.0	3.0	0.8	5.0	4.0	14.5	14.1	9.1	5.6	2.0	6.4
Yamagata	7.5	4.6	4.8	3.8	4.6	2.9	6.7	27.7	15.4	9.6	2.3	4.8	1.5
Fukushima	2.3	-	-	-	0.5	0.6	1.9	3.6	5.1	5.1	3.6	3.2	3.6
Ibaraki	1.8	1.5	1.3	0.6	1.0	3.8	1.3	3.0	0.6	2.5	2.5	1.3	2.0
Tochigi	0.9	-	-	-	-	-	-	5.3	-	-	3.3	-	0.7
Gunma	3.0	0.6	0.8	0.8	-	-	-	3.9	11.3	5.6	5.1	4.0	4.5
Saitama	2.7	-	3.0	-	0.5	3.6	1.2	3.9	7.3	4.9	5.8	1.2	1.9
Chiba	1.0	0.5	-	0.6	-	1.2	-	3.9	-	0.6	1.9	1.8	0.5
Tokyo	5.1	2.5	1.0	1.9	1.9	2.9	5.0	8.6	13.1	7.2	8.4	6.0	3.4
Kenagawa	4.3	-	2.8	2.8	-	2.2	2.2	8.9	7.8	4.5	12.5	3.3	3.1
Niigata	1.6	1.3	0.5	1.1	0.4	1.6	1.1	2.1	2.1	1.6	4.2	3.7	-
Toyama	3.7	3.1	1.3	-	4.1	3.9	11.7	5.2	5.2	5.2	2.1	1.3	2.1
Ishikawa	6.8	7.7	4.1	6.9	5.5	8.2	5.5	16.5	9.6	5.5	7.7	2.7	1.1
Fukui	7.3	1.4	3.5	-	2.8	7.1	10.6	21.2	19.4	3.5	12.7	5.3	-
Yamanashi	0.7	2.5	1.6	1.6	-	-	-	2.5	-	-	-	-	-
Nagano	4.6	-	0.6	0.6	1.0	1.2	0.6	2.0	21.8	12.4	9.5	3.1	3.5

TABLE 83. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE; JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)
Poliomyelitis - Cont'd.

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	2.2	0.7	-	0.8	1.4	0.8	3.4	7.5	4.2	5.9	0.7	0.8	0.7
Shizuoka	3.3	3.0	-	-	1.3	1.6	4.3	2.6	3.8	7.0	9.0	3.2	3.4
Aichi	3.5	-	4.4	6.0	6.1	3.2	4.8	4.2	4.4	4.4	2.6	1.6	1.3
Mie	3.0	2.9	0.9	-	-	1.8	1.8	2.1	8.9	8.9	4.3	3.6	1.4
Shiga	0.8	-	-	-	-	-	-	1.2	5.9	3.0	-	-	-
Kyoto	2.2	1.7	2.2	0.7	2.3	2.2	5.1	5.8	2.2	0.7	1.7	1.4	0.6
Osaka	1.1	3.2	1.8	1.1	0.6	2.2	2.2	0.9	-	1.1	0.3	0.4	-
Hyogo	3.1	1.6	3.3	2.0	3.6	2.0	2.0	2.0	5.3	4.1	4.3	2.9	3.6
Nara	1.6	-	-	-	2.7	1.7	-	2.7	3.3	-	4.0	-	4.0
Wakayama	1.1	-	-	-	-	1.3	1.3	4.2	4.0	-	1.1	1.3	-
Tottori	2.3	5.2	-	4.4	-	2.2	-	-	-	6.5	-	-	8.7
Shimane	1.6	1.1	2.9	1.4	1.1	-	-	-	2.9	2.9	5.7	-	1.1
Okayama	3.7	3.1	3.1	2.4	3.1	6.3	2.4	5.0	3.1	7.1	2.5	3.9	3.1
Hiroshima	0.6	0.5	0.9	-	0.5	-	-	1.0	1.9	0.6	1.0	-	-
Yamaguchi	1.2	0.7	0.9	-	-	1.7	2.6	3.4	0.9	-	2.1	1.7	-
Tokushima	3.9	-	5.9	4.5	3.6	4.5	5.9	5.9	7.4	4.5	1.2	-	4.8
Kagawa	2.1	-	1.4	-	1.1	-	4.2	6.6	5.5	4.2	1.1	1.4	-
Ehime	3.8	2.8	2.6	0.9	-	9.6	6.1	7.0	3.5	1.7	4.9	4.4	2.8
Kochi	1.4	-	1.5	2.5	-	-	3.0	3.6	-	1.5	-	6.0	-
Fukuoka	3.3	0.9	2.7	1.0	2.2	1.2	3.1	5.3	5.1	10.1	2.2	3.5	2.5
Saga	4.3	1.1	-	-	1.1	2.8	5.6	11.1	8.3	11.1	7.8	1.4	1.1
Nagasaki	2.0	0.7	1.7	-	-	-	4.1	4.6	2.5	5.0	1.3	3.3	1.3
Kumamoto	1.5	2.9	0.7	1.4	0.6	0.7	0.7	2.3	1.4	2.9	2.3	0.7	1.2
Oita	6.2	3.3	2.1	3.1	4.2	5.2	7.3	11.6	3.1	11.4	8.3	13.5	1.7
Miyazaki	6.6	-	-	3.7	1.0	-	-	-	4.9	2.5	3.9	20.9	39.3
Kagoshima	0.9	0.6	1.5	-	0.6	2.2	1.5	0.6	2.9	0.7	0.6	-	0.6

See footnotes at end of table.

TABLE 83. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE, JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)
Japanese "B" Encephalitis

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	1.6	0.0	-	-	-	-	0.0	0.2	1.1	11.6	5.6	0.7	0.0
Hokkaido	0.0	-	-	-	-	-	-	-	-	0.3	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	0.2	-	-	-	-	-	-	0.6	-	-	1.3	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	0.1	-	-	-	-	-	-	-	1.0	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	1.5	-	-	-	-	-	1.3	0.5	1.2	2.5	10.1	0.6	-
Tochigi	0.1	-	-	-	-	-	-	-	-	1.7	-	-	-
Gunma	1.3	-	-	-	-	-	-	0.6	2.4	11.3	2.6	-	-
Saitama	0.7	-	-	-	-	-	-	-	-	6.1	2.4	-	-
Chiba	0.3	-	-	-	-	-	-	-	0.6	-	1.4	-	1.0
Tokyo	3.9	-	-	-	-	-	-	0.2	3.8	34.6	10.1	-	-
Kanagawa	4.8	-	-	-	-	-	-	0.9	7.8	37.4	14.3	-	-
Niigata	0.4	-	-	-	-	-	-	-	-	3.7	0.8	-	-
Toyama	2.3	-	-	-	-	-	-	-	-	28.5	2.1	-	-
Ishikawa	2.2	-	-	-	-	-	-	-	-	22.0	5.5	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	0.2	-	-	-	-	-	-	-	-	-	2.5	-	-
Nagano	1.4	0.5	-	-	-	-	-	-	-	0.6	11.9	1.9	-

TABLE 83. -- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE, JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)
Japanese "B" Encephalitis - Cont'd

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	0.4	-	-	-	-	-	-	-	0.8	3.4	1.4	-	-
Shizuoka	2.0	-	-	-	-	-	-	-	2.1	22.0	1.3	0.5	-
Aichi	2.3	-	-	-	-	-	-	-	-	10.0	15.7	0.4	-
Mie	2.4	-	-	-	-	-	-	-	4.5	25.8	1.4	-	-
Shiga	0.7	-	-	-	-	-	-	-	-	8.9	-	-	-
Kyoto	1.4	-	-	-	-	-	-	-	-	-	13.9	-	0.6
Osaka	2.9	-	-	-	-	-	-	1.2	4.0	28.7	3.5	-	-
Hyogo	0.4	-	-	-	-	-	-	0.3	-	0.4	3.3	-	-
Nara	2.9	-	-	-	-	-	-	-	10.0	10.0	14.6	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	0.3	-	-	-	-	-	-	-	4.4	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	2.5	-	-	-	-	-	-	-	-	26.6	5.0	-	-
Hiroshima	4.0	-	-	-	-	-	-	-	-	17.1	19.2	12.0	-
Yamaguchi	4.9	-	-	-	-	-	-	-	0.9	42.1	16.5	1.7	-
Tokushima	1.0	-	-	-	-	-	-	-	3.0	10.4	-	-	-
Kagawa	1.3	-	-	-	-	-	-	-	-	2.8	-	13.8	-
Ehime	1.1	-	-	-	-	-	-	-	-	5.2	7.7	-	-
Kochi	1.1	-	-	-	-	-	-	-	-	10.4	2.4	1.5	-
Fukuoka	0.4	-	-	-	-	-	-	-	-	1.6	3.1	0.4	-
Saga	2.0	-	-	-	-	-	-	-	-	18.0	6.7	-	-
Nagasaki	0.2	-	-	-	-	-	-	-	-	0.8	2.0	-	-
Kumamoto	4.7	-	-	-	-	-	-	-	-	40.5	17.4	-	-
Oita	0.9	-	-	-	-	-	-	-	-	6.2	4.2	-	-
Miyazaki	2.4	-	-	-	-	-	-	-	-	22.1	7.9	-	-
Kagoshima	2.0	-	-	-	-	-	-	0.6	-	5.9	14.1	2.9	-

See footnotes at end of table.

TABLE 83. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE, JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Rabies

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.1	0.1
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	0.1	-	-	-	0.5	-	-	0.5	0.6	-	-	-	-
Tochigi	0.1	-	-	-	-	-	-	0.7	-	-	-	-	-
Gumma	0.4	-	-	-	-	-	-	0.6	-	0.8	0.6	0.8	1.3
Saitama	0.6	-	-	0.6	0.5	0.6	0.6	-	1.2	0.6	0.5	1.8	1.5
Chiba	1.0	1.4	-	1.8	1.9	1.2	-	2.9	-	1.8	0.5	-	0.5
Tokyo	0.3	0.2	0.2	-	-	1.0	-	0.4	0.5	0.7	0.8	0.2	-
Kanagawa	0.4	-	-	-	-	-	-	-	-	0.6	1.8	1.1	0.9
Niigata	0.0	-	-	0.5	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 83. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)
Rabies - Cont'd

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyoogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.0	-	-	-	-	0.4	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE, JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Dengue Fever

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	0.0	0.0	-	-	0.0	-	0.0	-	0.0	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Guma	-	-	-	-	-	-	-	-	-	-	-	-	-
Settama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Dengue Fever

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	0.0	-	-	-	-	-	-	-	0.4	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.1	0.3	-	-	0.3	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kumamoto	0.1	-	-	-	-	-	1.4	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 83. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949, Cont'd
(Rates per 100,000 population p - annum)
Typhus Fever

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	0.1	0.4	0.4	0.1	0.2	0.1	0.0	0.1	-	0.0	0.1	0.1	0.2
Hokkaido	0.0	-	0.3	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	0.8	-	-	-	4.5	0.8	0.8	1.9	-	0.8	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	0.1	0.8	-	-	-	-	-	-	-	-	-	-	-
Fukushima	0.5	5.6	-	-	-	-	-	-	-	-	-	-	-
Ibireki	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	0.1	-	-	-	-	-	-	-	-	-	-	-	1.0
Chiba	0.0	-	0.6	-	-	-	-	-	-	-	-	-	-
Tokyo	0.4	1.0	0.5	0.7	-	0.5	-	-	-	0.2	0.4	0.7	1.0
Kanagawa	0.5	0.4	2.2	0.6	1.3	-	-	-	-	-	-	0.6	0.4
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 83. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE, JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)
Typhus Fever - Cont'd

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	0.1	-	1.8	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	0.7	1.2	2.6	-	0.3	1.1	0.7	1.2	-	-	0.9	0.4	0.6
Hyogo	0.0	-	0.4	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	0.4	3.2	-	1.3	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	1.1	1.1	2.9	-	-	-	-	-	-	-	-	-	8.0
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	0.0	-	0.6	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.0	-	-	0.4	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	0.7	3.3	1.7	2.5	0.7	-	-	-	-	-	-	-	-
Kimamoto	0.1	-	0.7	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Dengue Fever

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	26.8	32.0	37.9	32.5	29.4	29.0	27.8	24.7	20.7	25.0	23.1	21.5	19.6
Hokkaido	18.1	19.6	15.4	18.7	19.3	22.5	18.3	17.0	18.7	14.8	16.7	17.0	19.0
Aomori	11.6	6.8	26.5	23.3	17.8	8.5	10.6	7.6	5.3	13.6	13.6	5.3	5.1
Iwate	5.4	4.8	7.0	8.0	4.0	6.0	10.0	8.8	5.0	6.0	2.4	1.0	2.4
Miyagi	10.5	6.5	13.0	16.2	7.8	4.9	4.9	14.3	8.9	15.4	3.9	13.0	17.5
Akita	7.0	12.9	4.0	11.1	8.9	12.1	6.0	4.8	3.0	5.0	6.4	4.0	4.8
Yamagata	3.7	3.8	5.8	4.8	0.8	2.9	1.9	2.3	7.7	6.7	5.4	1.0	2.3
Fukushima	11.9	15.3	24.9	21.1	11.7	11.5	8.3	12.8	7.7	8.3	8.2	8.3	6.6
Ibaraki	13.4	13.2	11.4	17.7	14.7	15.8	21.5	13.2	12.0	9.5	13.7	10.1	9.1
Tochigi	12.5	13.9	14.9	14.9	14.6	11.9	9.1	17.9	10.0	7.5	12.6	9.1	8.6
Gunma	15.4	6.4	12.9	23.3	15.4	21.1	21.7	12.9	12.1	13.7	17.4	12.1	15.4
Saitama	6.7	4.4	14.6	4.9	5.3	10.9	6.1	5.8	4.2	6.7	7.8	4.2	6.3
Chiba	13.9	14.0	19.9	21.7	19.3	16.3	9.1	15.0	9.1	9.7	9.2	11.5	12.1
Tokyo	33.6	42.6	53.9	42.2	34.7	39.6	30.3	31.5	22.9	33.2	26.7	23.6	29.7
Kanagawa	87.8	79.0	73.1	103.8	84.8	98.2	91.5	91.6	83.7	76.7	102.7	87.6	71.9
Niigata	3.5	3.4	6.4	9.6	4.7	2.1	2.1	2.1	0.5	2.7	5.1	-	3.4
Toyama	17.2	13.5	24.6	9.1	29.0	10.4	23.2	17.6	13.0	11.7	21.8	15.5	14.5
Ishikawa	19.8	22.0	26.1	32.9	16.5	16.5	21.2	17.6	11.0	15.1	22.0	16.5	18.7
Fukui	24.2	14.1	45.8	15.0	19.7	21.7	21.7	21.0	26.4	10.6	21.0	22.9	7.1
Yamanashi	19.3	19.0	19.0	20.6	30.4	22.2	9.5	21.1	15.9	17.4	14.5	14.3	19.0
Nagano	6.9	10.9	4.4	8.1	3.5	9.9	8.7	6.0	9.9	6.8	8.5	2.5	3.5

TABLE 83.- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Chenaroid

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	23.0	24.4	34.8	30.5	28.5	15.3	22.0	24.4	18.7	19.5	18.3	28.0	13.6
Shizuoka	10.7	13.3	17.7	18.8	14.2	8.1	8.1	14.2	4.8	6.4	9.5	7.5	5.6
Aichi	38.2	131.6	141.9	41.3	26.9	20.0	14.0	14.7	12.8	15.6	11.5	11.6	14.4
Mie	21.0	36.4	35.6	22.3	33.5	16.0	23.2	12.8	16.0	17.8	15.7	11.6	10.0
Shige	36.2	32.0	38.5	62.7	51.0	25.2	46.9	21.3	31.1	38.5	33.2	25.2	29.6
Kyoto	80.2	70.1	84.0	102.9	80.0	100.0	94.2	80.8	59.4	81.9	69.6	72.4	64.9
Osaka	57.1	61.8	84.6	55.5	68.6	57.8	58.1	46.2	48.2	57.8	53.3	49.3	46.5
Hyoogo	44.3	50.5	51.6	47.5	46.9	54.5	56.1	44.9	30.7	45.5	36.7	34.8	34.1
Nara	56.1	59.8	89.7	54.8	70.4	74.7	91.3	29.2	46.5	56.5	41.2	38.2	33.2
Nakayama	54.5	21.1	64.7	42.2	96.1	85.8	72.6	62.3	42.2	56.7	55.9	27.7	28.5
Tottori	29.5	48.9	50.2	30.5	19.2	52.3	37.1	22.7	8.7	21.8	29.7	26.2	10.5
Shimane	5.5	9.2	12.9	7.2	9.2	5.7	4.3	1.1	8.6	1.4	1.1	5.7	1.1
Okayama	41.9	54.5	58.0	53.3	54.5	55.6	48.6	30.1	19.6	32.9	33.8	28.2	33.8
Hiroshima	47.4	51.6	68.3	63.2	48.0	53.7	63.8	38.4	41.1	36.0	35.4	48.0	29.3
Yamaguchi	25.8	38.5	37.8	29.2	40.5	20.6	36.1	22.7	22.3	20.6	10.3	16.3	15.1
Tokushima	10.3	10.7	13.4	26.8	4.8	7.4	13.4	9.5	8.9	5.9	7.1	10.4	8.3
Kagawa	12.3	13.3	15.2	23.5	5.5	23.5	15.2	19.9	4.2	9.7	6.6	4.2	8.9
Ehime	12.7	16.8	21.8	18.3	13.3	7.9	19.2	9.1	11.3	14.0	11.2	2.6	7.7
Kochi	11.5	11.9	13.4	17.9	16.7	14.9	14.9	8.4	14.9	22.4	14.3	11.9	14.3
Fukuoka	55.7	50.9	58.2	77.7	55.3	58.6	50.4	60.0	41.0	71.0	52.8	53.5	43.7
Saga	14.6	14.4	13.9	15.3	11.1	19.4	22.1	15.5	5.6	18.0	12.2	27.8	12.2
Nagasaki	23.6	46.3	42.2	25.6	43.6	37.2	11.1	31.1	48.7	32.2	27.8	28.1	15.2
Kumamoto	5.7	9.3	10.9	7.2	5.8	5.8	1.4	3.5	3.6	4.3	1.7	2.9	11.0
Oita	13.7	12.5	8.3	20.8	15.8	6.2	20.8	18.3	6.2	11.4	16.6	13.5	12.5
Miyazaki	6.1	10.8	8.6	6.1	4.9	2.5	8.6	7.9	6.1	4.9	2.9	7.4	2.9
Kanagawa	10.9	10.5	14.6	10.2	18.7	12.4	13.2	3.5	11.0	14.6	8.2	10.2	5.9

See footnotes at end of table.

TABLE 83. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Lymphogranuloma Venereum

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	0.8	0.8	0.8	0.9	1.2	0.8	0.9	0.8	0.8	0.6	0.5	0.7	0.7
Hokkaido	0.8	1.8	1.6	1.3	3.1	0.3	0.3	-	0.6	-	-	-	0.5
Aomori	0.2	-	-	1.1	-	-	-	-	-	-	0.8	-	-
Iwate	0.3	-	2.0	-	-	1.0	-	-	1.0	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	0.2	-	1.0	-	0.8	-	1.0	-	-	-	-	-	-
Yamagata	0.1	-	-	-	-	-	-	-	1.9	-	-	-	-
Fukushima	0.1	-	-	0.6	0.5	-	-	-	-	-	-	-	0.5
Ibaraki	0.2	0.5	-	-	-	-	0.6	-	-	0.6	-	-	0.5
Tochigi	0.1	-	-	-	0.7	-	-	-	-	-	-	-	0.7
Guma	0.4	-	-	-	-	2.4	-	-	-	1.6	1.3	-	-
Saitama	0.2	-	0.6	1.2	-	-	-	-	-	-	-	0.6	-
Chiba	0.3	-	-	0.6	0.5	-	-	-	0.6	0.6	0.5	-	-
Tokyo	0.9	1.1	1.4	1.0	0.8	1.9	0.5	1.0	1.0	0.7	0.8	0.2	0.8
Kanagawa	2.1	2.2	0.6	2.2	2.7	1.1	3.9	3.6	3.3	1.1	0.4	2.2	2.2
Niigata	0.2	-	0.5	-	0.4	0.5	-	-	-	-	-	0.5	0.4
Toyama	0.4	2.1	1.3	-	-	-	-	-	1.3	-	-	-	-
Ishikawa	1.1	-	1.4	4.1	1.1	1.4	-	-	1.4	-	2.2	1.4	1.1
Fukui	0.4	-	-	-	-	-	-	-	-	3.5	-	1.8	-
Yamanashi	0.4	2.5	-	1.6	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 83. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Lymphogranuloma Venereum - Cont'd

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	0.4	0.7	-	-	-	-	-	1.4	0.8	-	-	0.8	1.4
Shizuoka	0.3	-	-	-	0.4	-	1.1	0.4	1.1	-	-	0.5	-
Aichi	0.2	-	-	-	-	-	0.4	-	0.4	-	0.6	-	0.6
Mie	0.7	-	-	0.9	2.1	-	1.8	0.7	0.4	0.9	1.4	-	-
Shiga	0.3	-	-	1.5	2.4	-	-	-	-	-	-	-	-
Kyoto	3.8	3.5	3.6	2.2	8.7	3.6	3.6	4.1	1.4	3.6	1.7	5.1	4.1
Osaka	2.7	2.6	2.9	3.3	3.8	3.3	4.0	2.4	1.5	1.8	1.5	2.6	2.4
Hyogo	1.7	1.6	0.4	0.8	2.9	0.4	1.2	1.6	3.3	1.2	2.0	2.9	2.0
Nara	1.8	4.0	6.6	1.7	4.0	1.7	3.3	-	-	-	-	-	-
Wakayama	1.4	2.1	-	-	-	-	1.3	3.2	2.6	4.0	2.1	1.3	-
Tottori	0.7	3.5	-	2.2	-	-	-	1.7	-	-	-	-	-
Shimane	0.1	1.1	-	-	-	-	-	-	-	-	-	-	-
Okayama	0.5	-	-	0.8	1.3	1.6	0.8	0.6	0.8	-	-	-	-
Hiroshima	1.9	2.0	1.9	1.3	1.5	1.3	4.4	2.0	1.9	2.5	1.0	1.3	1.5
Yamaguchi	1.2	-	1.7	1.7	0.7	2.6	0.9	2.7	-	1.7	0.7	0.9	1.4
Tokushima	0.3	-	-	-	-	-	-	1.2	-	1.5	-	-	1.2
Kagawa	0.3	1.1	-	-	-	-	-	1.1	1.4	-	-	-	-
Ehime	0.2	-	0.9	-	1.4	-	-	-	-	-	-	-	-
Kochi	0.3	-	-	-	-	-	1.5	1.2	-	-	-	-	1.2
Fukuoka	1.0	0.9	0.8	0.8	0.9	2.0	0.8	0.3	2.3	0.8	0.6	1.2	0.6
Saga	0.4	-	-	-	-	1.4	-	3.3	-	-	-	-	-
Nagasaki	1.2	2.0	1.7	0.8	2.0	1.7	0.8	2.0	-	-	-	0.8	2.0
Kumamoto	0.1	-	-	0.7	0.6	-	-	-	-	-	-	-	-
Oita	0.4	-	-	-	1.7	-	1.0	-	-	1.0	-	1.0	-
Miyazaki	0.5	-	2.5	2.5	-	-	1.2	-	-	-	-	-	-
Kagoshima	0.5	-	0.7	2.2	0.6	-	-	-	0.7	0.7	1.2	-	-

See footnotes at end of table.

TABLE 83. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 Cont'd
(Rates per 100,000 population per annum)

Trachoma

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	214.4	105.0	147.9	172.6	181.3	328.5	516.3	325.7	179.6	167.2	173.4	147.5	136.1
Hokkaido	271.7	191.7	209.7	344.1	314.4	256.0	314.5	246.7	247.6	204.8	338.5	411.0	198.3
Aomori	720.7	158.8	250.5	228.2	388.9	628.2	4,361.1	1,309.3	564.6	254.7	239.4	318.4	259.8
Iwate	307.5	189.4	211.8	213.8	211.0	279.7	711.4	411.0	251.8	289.7	259.8	299.7	378.9
Miyagi	382.6	261.8	306.2	308.6	410.2	605.1	666.7	669.4	437.4	280.3	291.0	177.4	245.6
Akita	349.6	365.9	228.7	208.5	165.2	534.9	1,284.3	494.0	225.6	114.8	313.5	163.2	158.8
Yamagata	179.5	53.0	109.5	75.9	66.8	57.6	569.4	364.1	113.3	284.2	186.7	112.4	174.4
Fukushima	158.3	94.9	93.8	114.9	147.0	553.2	211.8	159.3	103.4	141.0	133.7	102.1	86.8
Ibaraki	211.3	129.5	110.7	225.8	205.4	365.5	407.3	276.8	232.7	184.0	160.4	126.5	145.2
Tochigi	139.6	31.2	56.4	49.0	53.4	215.0	630.0	234.7	180.9	39.8	45.8	21.6	55.8
Gunma	640.4	92.6	128.6	425.1	301.5	1,489.2	2,783.1	1,072.4	163.9	314.2	561.9	141.4	403.8
Saitama	247.7	50.5	66.7	97.6	92.2	524.6	973.3	308.1	246.1	197.1	292.1	235.9	226.1
Chiba	121.8	46.4	56.2	116.6	72.5	180.0	217.5	154.2	63.4	69.5	356.6	59.2	53.2
Tokyo	125.0	72.9	114.1	125.5	151.6	258.2	306.9	140.0	91.2	80.4	66.8	62.8	62.2
Kenagawa	162.6	79.0	73.1	93.2	110.7	204.8	230.5	351.4	181.3	208.1	150.0	109.9	123.0
Hiogo	93.2	59.5	63.0	95.0	76.9	108.8	242.6	163.1	49.4	86.2	65.0	65.7	50.1
Toyama	270.6	49.7	146.4	100.4	176.1	289.8	487.0	646.4	230.1	138.6	238.8	326.4	214.5
Ishikawa	95.6	50.5	90.6	126.3	125.2	144.2	119.4	93.4	79.6	67.3	85.7	119.4	61.5
Fukui	166.2	42.3	130.5	155.2	125.5	200.3	356.2	358.7	111.1	135.8	153.7	70.5	88.9
Yamanashi	122.2	52.0	82.5	130.8	119.2	171.3	155.4	142.1	138.6	98.3	112.9	109.4	104.0
Nagano	93.8	38.3	33.0	39.8	51.2	112.5	317.1	143.7	151.7	69.6	30.3	36.7	122.4

TABLE 83. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)
Trachoma - Cont'd

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	159.5	147.9	180.6	254.4	163.5	123.8	288.3	199.4	107.7	131.4	150.6	53.4	117.4
Shizuoka	187.1	158.1	403.4	142.9	116.9	390.5	393.8	127.6	92.4	106.4	146.1	98.1	141.0
Aichi	377.9	60.0	156.3	178.4	577.5	846.5	1,177.1	616.6	244.9	168.7	169.3	374.3	160.6
Mie	127.0	84.8	131.9	78.4	123.3	299.4	237.9	101.9	145.2	87.3	109.8	94.5	67.0
Shiga	95.0	43.9	87.4	191.1	64.0	155.6	183.7	60.4	60.7	68.1	52.1	68.1	135.1
Kyoto	120.8	82.3	80.4	271.7	67.2	107.9	168.8	136.2	126.1	125.3	139.7	78.2	88.1
Osaka	255.0	141.0	231.7	276.2	235.1	249.0	444.2	266.0	230.6	415.7	186.6	165.9	287.2
Hyogo	188.9	123.5	168.8	202.3	182.5	280.2	307.6	288.4	162.6	130.3	120.6	153.6	163.5
Nara	104.3	38.5	96.3	99.6	82.4	96.3	117.9	69.1	192.6	194.3	108.9	117.9	74.4
Wakayama	284.9	63.3	175.5	261.3	129.8	292.9	366.8	919.4	200.6	203.2	273.4	240.1	241.7
Tottori	167.2	82.0	255.2	120.0	92.5	113.4	109.1	108.2	89.4	102.5	727.6	72.0	72.3
Shimane	108.3	84.7	42.9	58.7	83.4	207.5	244.7	144.2	58.7	117.3	82.4	151.7	49.2
Okayama	219.2	119.7	97.9	187.3	168.0	291.5	427.0	232.5	228.8	441.1	139.8	204.5	161.1
Hiroshima	263.4	112.7	173.8	283.1	377.2	547.9	726.2	288.2	239.9	158.6	203.3	83.4	92.5
Yamaguchi	66.2	33.0	52.4	52.4	87.9	57.5	88.5	51.5	222.5	60.1	72.1	17.2	16.5
Tokushima	350.7	66.6	124.9	190.4	371.3	861.2	1,780.5	430.8	203.8	163.6	19.0	105.6	95.7
Kagawa	361.8	43.2	94.1	134.3	108.5	650.6	1,425.8	982.3	346.1	341.9	92.0	152.3	91.9
Ehime	153.9	85.2	62.0	104.8	113.1	151.1	448.7	118.0	100.4	99.5	88.0	96.0	85.2
Kochi	161.2	77.6	61.2	101.5	71.6	174.6	834.3	309.2	126.9	52.2	101.5	40.3	35.8
Fukuoka	240.7	166.4	189.7	262.7	247.9	272.1	339.6	369.1	237.3	235.3	183.0	184.2	168.0
Saga	75.2	55.5	98.6	87.5	100.0	84.7	151.3	43.2	88.9	58.3	71.1	33.3	45.5
Nagasaki	152.3	62.8	79.3	107.4	130.8	156.1	166.0	86.6	102.4	209.8	222.0	409.6	128.2
Kumamoto	147.4	45.8	78.9	71.7	139.0	213.6	447.4	330.1	120.9	122.4	64.6	94.0	84.0
Oita	123.8	81.4	79.9	93.4	98.0	119.4	219.0	210.8	133.9	63.3	270.7	31.1	29.9
Miyazaki	364.3	170.0	825.6	215.0	149.4	237.1	398.1	1,582.4	221.1	190.4	110.1	102.0	98.3
Kagoshima	136.5	211.4	161.8	68.1	69.1	147.9	248.9	297.5	260.6	24.9	76.7	69.3	15.2

See footnotes at end of table.

TABLE 83. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

PNEUMONIA

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	170.0	182.7	255.2	266.4	259.1	232.9	168.5	115.0	71.2	67.1	81.7	115.8	222.2
Hokkaido	249.3	376.9	382.7	456.6	411.6	359.5	213.2	165.7	88.8	87.1	78.2	120.9	243.1
Aomori	192.9	214.9	193.2	308.9	367.5	305.7	261.1	153.7	86.0	54.1	62.8	97.6	210.6
Iwate	219.9	230.2	262.8	327.7	333.3	367.7	205.8	179.0	65.9	90.9	99.9	110.9	342.9
Miyagi	217.0	250.1	251.9	257.6	322.1	220.3	186.3	161.4	124.7	128.0	198.3	193.6	278.0
Akita	177.4	228.9	180.1	244.8	200.7	227.6	172.2	113.6	78.6	59.4	104.8	132.0	381.2
Yamagata	207.0	198.2	262.2	243.0	276.6	236.2	186.3	158.3	109.5	97.0	166.7	145.9	295.8
Fukushima	186.9	193.5	196.5	347.7	286.4	273.1	151.2	125.6	90.6	75.3	102.1	137.2	256.8
Ibaraki	204.0	192.3	395.9	421.8	309.1	266.9	169.5	107.3	74.6	68.3	67.3	102.5	286.4
Tochigi	144.7	170.0	353.6	287.2	197.2	191.7	112.9	85.0	44.8	50.6	39.8	55.6	164.7
Gumma	249.5	290.0	466.1	368.9	308.6	252.4	205.7	145.9	86.8	119.7	158.8	206.5	376.1
Saitama	237.1	166.4	355.4	252.3	213.5	254.1	233.5	197.9	121.9	123.1	165.4	216.5	524.9
Chiba	80.2	49.9	135.3	172.8	111.6	99.1	74.9	58.0	32.0	24.8	43.0	63.4	107.3
Tokyo	154.9	326.5	318.4	232.2	202.4	144.6	105.2	72.4	64.0	40.3	39.5	86.9	207.3
Kanagawa	176.9	172.3	304.1	239.9	229.0	244.9	137.8	102.7	63.0	97.6	87.9	143.4	298.6
Niigata	209.3	268.4	259.1	342.4	406.5	356.2	237.3	125.7	52.0	70.1	82.4	107.8	195.4
Toyama	479.6	356.4	537.5	588.0	721.2	775.8	531.0	281.8	176.1	134.7	252.8	455.9	911.8
Ishikawa	197.0	203.2	245.8	244.4	317.4	299.3	203.2	131.8	71.4	108.5	157.8	159.3	216.4
Fukui	184.4	131.2	216.9	234.5	272.2	329.7	195.7	142.5	81.1	68.8	83.2	142.8	310.3
Yamanashi	152.1	76.1	198.2	318.7	331.1	283.8	133.2	149.7	46.0	53.9	67.2	90.4	88.8
Nagano	212.9	147.7	344.4	406.6	365.6	298.4	240.0	150.2	95.7	80.2	94.0	104.5	243.2

TABLE 83. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Pneumonia - Cont'd

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	186.2	193.3	383.3	337.5	349.4	271.4	173.8	83.4	60.2	86.5	85.5	82.3	145.9
Shizuoka	138.4	94.5	280.4	301.4	238.1	181.0	122.5	120.8	74.7	47.3	61.9	46.7	109.2
Aichi	143.1	119.9	286.5	230.9	222.8	212.0	183.2	108.7	73.3	61.3	86.4	89.4	123.4
Mie	181.8	203.9	341.3	314.5	305.8	318.1	147.9	94.8	84.7	72.2	64.9	91.8	131.1
Shiga	247.7	245.3	327.4	296.3	398.2	423.7	333.3	186.1	75.6	85.9	90.1	118.5	376.9
Kyoto	140.8	168.7	177.5	221.0	233.0	197.8	122.4	69.0	41.3	55.1	55.6	134.0	207.5
Osaka	87.3	92.1	97.8	117.7	124.5	131.0	90.9	40.9	29.8	32.4	27.7	57.0	195.4
Fyogo	123.9	119.6	161.8	189.6	213.0	144.6	129.8	83.9	51.6	48.3	58.0	106.1	173.0
Nara	89.5	58.5	101.3	126.2	124.9	179.3	125.2	87.7	29.9	34.9	53.1	56.5	101.0
Wakayama	131.0	99.2	151.7	224.3	215.3	217.7	167.6	83.4	58.1	54.1	81.3	79.2	146.7
Tottori	152.3	143.1	174.5	185.4	200.7	226.8	126.5	136.1	69.8	63.3	96.0	124.3	261.7
Shimane	186.7	176.3	301.9	377.8	359.5	319.1	231.8	98.5	41.5	45.8	53.8	85.9	168.3
Okayama	158.0	207.5	242.1	277.4	243.8	246.0	148.9	114.7	56.4	62.7	58.9	78.4	160.5
Hiroshima	145.3	142.1	168.7	228.8	247.2	233.2	177.6	101.1	73.9	46.1	70.8	77.1	174.9
Yamaguchi	119.8	175.2	231.9	125.4	250.1	146.0	100.5	76.3	50.7	25.8	60.5	57.5	117.5
Tokushima	137.3	123.8	166.6	177.0	145.4	214.2	157.7	113.0	81.8	68.4	66.6	126.4	211.8
Kagawa	151.7	77.5	175.8	225.6	179.4	182.7	325.3	197.1	124.6	99.7	56.5	77.5	128.5
Enime	259.3	386.2	510.7	488.0	361.1	316.0	289.0	151.6	119.6	74.2	101.3	131.8	205.3
Kochi	106.8	151.6	219.4	235.8	155.2	125.4	76.1	63.3	43.3	40.3	47.8	55.2	77.6
Fukuoka	154.6	146.1	211.6	242.0	242.6	177.2	121.4	71.8	53.5	82.4	120.5	187.0	198.0
Saga	190.4	163.3	220.7	255.4	289.8	279.0	259.6	165.5	61.1	65.3	73.3	220.7	237.7
Nagasaki	130.3	111.7	123.9	152.8	209.4	194.9	148.7	109.0	58.6	53.7	76.0	107.4	202.8
Kumamoto	148.5	84.6	182.4	210.7	223.0	144.8	118.7	151.2	107.1	82.5	113.5	131.0	227.0
Oita	85.7	64.8	156.7	136.0	123.0	105.9	61.2	44.0	25.9	28.0	49.8	87.2	137.0
Miyazaki	177.9	67.8	190.4	143.7	205.4	286.3	328.3	206.4	84.8	76.2	89.4	222.4	250.6
Karoshima	87.9	59.1	99.5	93.0	123.0	120.0	106.9	87.8	73.2	48.3	59.1	62.9	119.5

See footnotes at end of table.

TABLE 83. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Infectious Diarrhea

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	0.9	0.1	0.3	0.6	1.7	3.3	0.9	3.2	0.4	0.1	0.1	0.1	0.3
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	0.4	-	-	-	-	-	-	-	5.0	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	1.1	-	-	11.1	-	-	-	-	-	-	-	-	-
Tochigi	1.0	-	-	8.6	0.8	1.7	1.7	-	-	-	-	-	-
Gumma	1.2	-	-	-	-	0.8	0.8	5.8	-	-	-	-	6.4
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	0.1	-	-	-	-	-	-	-	-	-	-	1.4	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	0.7	-	3.2	1.1	0.4	3.2	-	-	1.1	-	-	-	-
Toyama	0.8	5.2	-	-	1.0	-	-	-	2.6	-	-	-	-
Ishikawa	0.1	-	-	-	-	1.4	-	-	-	-	-	-	-
Fukui	2.3	1.4	-	-	-	28.2	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	1.0	1.0	1.2	-	5.0	-	0.6	-	-	-	3.0	-	-

TABLE 83. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Infectious Diarrhea - Cont'd

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	9.7	-	-	-	-	87.3	24.6	8.1	2.5	3.4	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Aichi	0.2	-	-	-	-	-	-	1.0	-	0.8	-	-	-
Kie	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	0.6	-	2.9	1.6	0.3	-	-	-	-	-	-	-	2.3
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	0.5	-	-	-	-	4.0	-	1.1	-	1.3	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	6.2	-	-	40.1	9.2	17.2	10.0	-	-	-	-	-	2.3
Okayama	0.1	0.6	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	10.0	-	-	-	-	-	-	106.2	-	-	-	-	-
Yamaguchi	10.0	-	-	-	52.9	52.4	13.7	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	1.5	-	-	-	-	-	-	8.4	9.0	-	-	-	-
Fukuoka	0.4	-	-	-	-	-	-	1.9	1.6	-	-	-	0.6
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	0.2	-	0.8	-	-	1.7	-	-	-	-	-	-	-
Kumamoto	0.1	-	-	-	-	-	0.7	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	1.2	-	-	-	-	-	-	-	-	4.9
Kagoshima	0.6	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 83. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Puerperal Infection

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Japan	1.2	1.4	1.2	1.2	1.4	1.2	1.0	0.9	1.1	1.2	1.4	0.9	1.2
Hokkaido	2.6	2.3	4.5	3.9	3.3	3.9	1.6	1.8	3.2	2.6	1.5	1.6	1.5
Aomori	2.5	0.8	2.1	1.1	-	3.2	2.1	1.7	3.2	8.5	2.5	2.1	3.4
Iwate	1.1	1.6	1.0	-	1.6	1.0	-	0.8	1.0	1.0	3.2	-	0.8
Miyagi	1.0	1.3	-	-	1.9	-	0.8	0.6	-	-	2.6	1.6	2.6
Akita	1.9	7.3	2.0	-	1.6	1.0	-	0.8	1.0	5.0	2.4	-	0.8
Yamagata	1.6	1.5	1.0	1.9	2.3	1.0	1.9	0.8	1.9	1.0	3.1	-	2.3
Fukushima	1.0	1.0	-	2.6	1.5	1.9	-	-	0.6	1.3	1.0	1.3	1.0
Ibaraki	1.1	1.5	1.3	-	1.5	0.6	1.3	1.0	1.3	1.3	0.5	0.6	2.0
Tochigi	0.8	0.7	-	0.8	-	2.5	-	2.0	0.8	1.7	1.3	-	-
Gumma	1.2	0.6	1.6	-	3.9	-	0.8	-	2.4	0.8	1.3	1.6	1.3
Saitama	2.2	1.9	2.4	0.6	1.0	3.0	0.6	2.9	3.0	1.8	4.9	1.8	1.5
Chiba	0.4	-	-	0.6	1.0	0.6	1.2	-	0.6	-	0.5	-	0.5
Tokyo	0.3	0.4	0.5	-	-	0.2	0.7	0.2	1.0	0.7	-	0.5	0.2
Kanagawa	0.8	1.3	0.6	1.7	-	0.6	0.6	0.4	1.1	0.6	-	0.6	1.8
Niigata	1.0	1.7	1.6	-	1.7	1.1	1.1	1.3	-	0.5	1.7	-	1.3
Toyama	4.0	2.1	3.9	10.4	5.2	3.9	3.9	1.0	1.3	2.6	5.2	3.9	5.2
Ishikawa	1.5	-	1.4	4.1	3.3	1.4	1.4	2.2	2.7	-	-	-	1.1
Fukui	2.5	-	1.8	-	1.4	-	3.5	1.4	-	5.3	7.1	-	8.5
Yamanashi	1.2	1.3	-	-	1.3	4.8	3.2	-	1.6	-	1.3	1.6	-
Nagano	2.0	2.0	-	2.5	3.0	2.5	1.2	1.0	1.2	2.5	2.5	2.5	2.5

TABLE 83. - COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 100,000 population per annum)

Puerperal Infection - Cont'd

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Gifu	0.9	1.4	1.7	2.5	-	-	1.7	0.7	-	0.8	0.7	-	1.4
Shizuoka	0.9	0.4	1.6	1.1	0.9	0.5	-	1.3	0.5	0.5	1.3	1.1	0.9
Aichi	0.7	-	1.2	-	1.0	1.6	-	0.6	0.8	1.2	0.6	0.4	1.0
Mie	0.5	-	0.9	-	-	-	-	1.4	0.9	0.9	0.7	1.8	-
Shiga	2.0	1.2	3.0	4.4	2.4	3.0	3.0	2.4	-	1.5	1.2	-	2.4
Kyoto	1.3	0.6	0.7	0.7	2.3	1.4	1.4	2.3	0.7	2.2	1.2	1.4	0.6
Osaka	0.2	-	-	0.4	0.3	-	0.7	-	-	-	0.3	0.4	0.3
Hyogo	1.2	3.3	1.2	2.0	0.7	0.8	-	1.3	2.5	0.4	1.3	0.4	0.3
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	1.1	-	-	-	4.2	-	-	2.1	-	1.3	2.1	1.3	1.1
Tottori	0.7	-	-	2.2	-	-	-	1.7	-	-	3.5	-	-
Shimane	2.9	5.7	4.3	7.2	2.3	1.4	-	-	1.4	1.4	2.3	4.3	4.6
Okayama	1.2	1.3	0.8	0.8	2.5	2.4	2.4	-	0.8	0.8	-	1.6	1.3
Hiroshima	1.5	3.5	1.3	1.3	3.0	0.6	2.5	0.5	1.9	1.3	1.0	0.6	-
Yamaguchi	0.2	0.7	-	-	-	0.9	-	-	-	-	0.7	-	-
Tokushima	1.9	1.2	-	1.5	2.4	3.0	4.5	-	-	-	5.9	1.5	2.4
Kagawa	0.8	1.1	-	-	1.1	-	2.8	1.1	-	1.4	1.1	1.4	-
Ehime	1.8	2.1	3.5	1.7	2.1	3.5	0.9	-	0.9	1.7	1.4	2.6	1.4
Fochi	0.6	-	-	3.0	1.2	1.5	-	-	-	-	-	-	1.2
Fukuoka	0.6	-	0.4	0.4	1.2	0.4	0.8	1.9	-	0.8	0.9	-	-
Saga	0.6	1.1	-	1.4	-	1.4	2.8	-	-	-	1.1	-	-
Nagasaki	0.7	1.3	-	-	2.0	-	0.8	-	0.8	-	2.0	-	0.7
Kumamoto	1.0	0.6	0.7	-	1.2	-	-	0.6	2.9	0.7	0.6	2.9	2.3
Oita	0.9	0.8	1.0	1.0	0.8	1.0	-	-	1.0	-	1.7	2.1	0.8
Miyazaki	2.9	4.9	4.9	1.2	2.0	2.5	3.7	2.0	3.7	2.5	2.0	1.2	3.9
Kagoshima	1.3	4.7	1.5	0.7	-	-	0.7	-	2.2	2.9	0.6	1.5	0.6

See footnotes at end of table.

TABLE 83. -- COMMUNICABLE DISEASE CASE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd

FOOTNOTES:

There were no cases of cholera, plague, yellow fever, or glander reported in 1949.

A dash (-) indicates that no cases were reported and the case rate was zero.

A rate of 0.0 indicates that some cases were reported but the rate was less than 0.1.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data were Weekly Morbidity Reports, Ministry of Welfare.

TABLE 84 - INFANT DEATHS BY MONTH BY PREFECTURE: JAPAN, 1949

Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	168,989	19,706	17,277	19,040	15,944	13,794	12,145	12,049	10,473	9,060	9,764	12,918	16,819
All "Shi"	51,164	6,224	5,120	5,451	4,863	4,258	3,697	3,678	3,195	2,628	2,897	3,911	5,302
All "Gun"	117,825	13,482	12,157	13,589	11,081	9,536	8,448	8,371	7,278	6,432	6,867	9,007	11,517
Aichi	6,986	850	758	824	737	643	570	554	407	319	292	430	602
Akita	4,059	407	353	446	403	313	264	272	292	286	268	351	404
Aomori	4,643	428	349	480	494	473	346	368	346	282	284	367	426
Chiba	4,278	474	504	523	367	342	287	265	273	227	252	317	447
Ehime	3,111	371	401	376	248	257	213	222	198	161	185	231	248
Fukui	1,848	205	184	210	177	133	118	174	117	100	109	146	175
Fukuoka	7,362	876	736	820	689	582	582	487	397	407	494	601	691
Fukushima	4,665	433	428	552	442	372	321	316	253	256	319	425	548
Gifu	3,523	417	395	409	332	303	271	272	241	153	209	248	273
Gunma	2,935	353	365	372	246	217	203	174	169	161	142	231	302
Hiroshima	3,422	389	316	370	341	271	241	264	212	193	215	273	337
Hokkaido	10,467	1,159	1,007	1,207	1,082	963	738	743	728	612	627	699	902
Ihyogo	5,710	644	565	632	538	454	449	440	382	270	327	439	570
Ibaraki	4,436	520	505	590	400	325	319	297	295	229	227	316	473
Ishikawa	2,654	284	253	281	279	286	176	206	146	152	160	207	224
Iwate	4,443	465	380	570	533	456	296	232	227	245	257	348	434
Kagawa	1,970	279	243	234	136	128	149	151	121	85	116	123	205
Kegoshima	3,374	455	303	311	238	229	256	247	250	207	202	293	383
Kanagawa	3,297	400	386	356	286	233	228	231	180	197	171	245	384
Kochi	1,548	216	158	189	134	88	116	93	90	93	93	116	162

TABLE 84 - INFANT DEATHS BY MONTH BY PREFECTURE: JAPAN, 1949 Cont'd

Area	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	3,327	381	322	319	281	256	234	225	202	168	211	331	397
Kyoto	2,954	359	274	363	301	263	222	192	167	147	182	220	264
Mie	3,134	383	365	372	279	260	242	253	182	160	162	202	274
Miyagi	3,587	403	333	472	386	319	254	249	187	150	191	297	346
Miyazaki	2,272	317	231	228	159	165	130	173	160	131	139	162	277
Nagano	3,999	322	330	398	297	240	215	229	212	148	174	240	294
Nagasaki	3,631	427	351	328	330	306	260	274	207	183	223	305	437
Nara	1,674	216	153	190	145	148	127	126	117	101	85	113	153
Niigata	5,471	499	487	584	572	549	436	420	365	312	313	438	496
Oita	2,856	354	329	322	249	204	206	219	176	159	159	206	273
Okayama	3,046	434	382	315	274	241	196	200	178	175	193	198	260
Osaka	7,136	845	676	763	697	612	542	550	465	346	355	540	745
Saga	2,392	323	261	249	205	175	164	142	150	110	162	200	251
Saitama	4,514	558	498	484	373	324	291	316	272	208	262	353	575
Shiga	1,903	202	174	212	193	152	156	172	119	100	105	127	191
Shimane	1,970	194	196	243	186	169	167	134	118	119	119	138	187
Shizuoka	4,549	503	513	562	440	319	302	309	260	242	256	358	485
Tochigi	2,931	342	393	367	250	204	171	191	192	149	163	230	279
Tokushima	1,878	272	202	209	152	114	118	131	115	107	115	145	198
Tokyo	7,959	1,202	833	835	737	537	590	494	413	353	402	643	920
Tottori	1,159	127	119	95	121	72	74	86	88	79	80	92	126
Toyama	3,203	310	299	327	360	298	231	247	186	195	182	266	302
Wakayama	1,734	211	160	187	144	134	138	127	119	115	106	119	174
Yamagata	3,615	405	337	374	326	293	251	267	267	235	242	319	309
Yamaguchi	2,897	350	308	319	264	268	176	213	213	160	158	187	281
Yamanashi	1,367	142	162	171	121	114	109	102	79	73	76	83	135

Data refer to deaths, under one year of age, of Japanese nationals in Japan.

Sources: Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 85 - INFANT DEATH RATES BY MONTH BY PREFECTURE: JAPAN, 1949
(Rates per 1,000 live births each month)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	62.0	60.4	70.7	76.3	72.2	67.7	63.9	56.9	47.7	40.8	44.4	61.2	82.1
All "Shi"	55.1	56.7	63.1	66.3	67.3	52.3	54.7	48.1	41.4	34.5	38.6	54.1	73.7
All "Gun"	65.6	62.3	74.4	81.2	74.5	70.4	69.1	61.8	51.1	44.2	47.3	64.8	86.7
Aichi	65.2	62.6	79.4	89.9	81.1	80.9	78.1	65.2	46.2	37.9	35.3	51.3	74.0
Akita	85.0	75.9	76.8	97.7	97.7	93.7	92.3	80.0	76.2	66.9	62.7	91.5	123.9
Aomori	89.8	80.5	81.7	103.7	108.9	112.7	93.8	94.2	81.4	61.6	58.4	91.0	124.2
Chiba	62.8	57.9	85.5	82.5	66.2	67.2	63.6	53.3	49.7	39.7	45.0	59.9	81.7
Ehime	58.9	57.3	83.8	81.0	60.5	67.5	59.7	52.5	46.1	36.6	42.6	55.4	61.7
Fukui	74.1	63.7	75.8	89.6	88.1	69.5	63.6	89.2	59.6	49.3	54.9	86.2	113.6
Fukuoka	58.7	55.1	65.5	72.5	72.3	66.3	66.6	47.9	38.4	38.5	49.9	63.2	72.6
Fukushima	63.2	54.3	68.0	82.0	72.2	64.4	64.4	60.2	42.1	42.0	47.6	67.6	97.1
Gifu	70.5	64.4	85.5	88.6	78.2	80.2	78.0	70.8	61.4	41.2	54.1	65.5	75.0
Gumma	56.0	55.5	76.4	78.0	58.1	51.9	53.8	43.1	40.9	38.7	35.5	57.5	76.1
Hiroshima	54.3	48.3	55.8	66.6	67.2	57.6	52.4	48.4	40.6	38.4	44.6	61.0	76.6
Hokkaido	63.0	60.4	67.1	73.7	78.8	73.4	60.0	59.6	55.8	44.2	46.2	57.4	79.4
Iyogo	56.9	53.0	60.4	65.6	68.6	59.2	59.1	51.8	45.5	34.7	45.7	61.8	79.4
Ibaraki	65.9	68.9	86.0	84.0	69.1	60.6	68.4	59.1	44.4	43.8	42.3	61.0	82.8
Ishikawa	82.3	68.4	77.6	93.5	99.6	117.3	83.7	88.9	59.7	59.9	65.7	90.6	106.4
Iwate	89.3	84.0	81.3	116.0	110.6	113.6	88.3	65.0	61.6	66.6	62.0	90.6	123.2
Kagawa	63.3	65.0	83.7	80.4	58.0	59.3	69.2	58.8	46.3	34.5	49.4	56.6	94.3
Kagoshima	52.0	58.5	56.3	58.0	44.4	50.4	60.1	52.7	48.5	38.4	35.4	52.5	67.4
Kanagawa	43.6	44.9	60.5	53.2	50.6	40.0	39.5	38.3	30.3	31.6	28.4	41.7	61.7
Kochi	58.2	68.3	67.9	82.5	67.5	45.9	60.2	44.2	40.7	42.9	42.2	53.9	75.9

TABLE 85 - INFANT DEATH RATES BY MONTH BY PREFECTURE: JAPAN, 1949 Cont'd
(Rates per 1,000 live births each month)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	52.4	49.5	57.0	57.7	59.6	56.3	55.5	46.5	39.3	31.7	40.1	59.4	78.0
Kyoto	55.8	55.6	55.2	70.4	67.9	66.2	58.1	45.2	39.8	37.1	47.6	56.3	66.2
Mie	71.9	70.8	92.9	97.3	82.3	82.0	80.8	77.7	48.9	46.8	44.6	54.6	89.5
Miyagi	62.5	61.1	63.2	84.2	76.7	76.8	70.7	60.5	45.9	32.8	37.8	51.5	70.7
Miyazaki	56.1	67.5	66.4	65.5	50.1	52.2	47.0	56.6	47.7	39.8	42.8	48.7	78.8
Nagano	52.2	44.0	59.1	71.8	59.8	49.3	52.2	53.9	48.9	30.6	35.8	53.5	71.1
Nagasaki	58.8	61.9	63.6	61.3	68.8	70.0	64.1	54.1	41.2	25.0	43.8	58.0	86.6
Nara	76.3	78.1	77.4	95.4	84.0	91.0	81.7	71.5	66.0	55.4	51.6	64.1	90.5
Niigata	64.8	54.8	63.4	67.7	81.3	88.8	86.3	68.6	52.8	40.6	41.7	66.6	90.6
Oita	67.2	64.9	80.3	83.6	69.3	66.1	72.3	66.4	51.3	47.2	48.3	65.0	90.3
Okeyama	60.6	65.6	78.9	69.3	67.4	66.9	57.5	48.0	43.0	45.3	51.4	54.6	71.9
Osaka	63.0	65.0	66.0	74.7	82.6	72.0	61.1	54.1	48.3	39.3	41.6	63.7	89.0
Saga	69.6	72.7	82.8	80.6	79.7	77.3	77.7	55.6	55.4	38.6	57.5	70.8	80.4
Saitama	62.8	66.0	78.9	73.7	66.5	52.9	58.3	55.0	46.4	34.4	45.3	61.8	100.4
Shiga	73.8	66.2	70.4	81.5	89.9	72.7	85.2	88.6	57.0	51.4	54.9	69.7	101.1
Shimane	66.4	54.5	71.1	83.0	73.4	77.2	58.9	58.9	51.7	50.7	47.5	61.9	90.8
Shizuoka	55.9	50.4	71.6	84.2	64.4	54.3	53.5	50.1	40.9	37.0	27.8	54.3	71.4
Tochigi	54.2	54.8	82.1	71.8	56.1	46.5	45.5	47.3	43.4	34.7	37.4	55.7	65.6
Tokushima	62.9	70.9	72.3	75.0	66.1	52.9	58.6	59.2	49.5	46.2	48.1	62.9	82.4
Tokyo	46.5	59.8	58.0	56.2	55.8	43.1	46.4	35.5	29.5	24.7	29.4	46.2	66.6
Tohri	61.6	50.3	69.8	60.1	72.7	51.4	59.4	60.4	63.6	55.0	48.8	66.3	89.7
Toyama	93.1	75.4	93.7	93.9	118.1	110.4	102.0	97.4	66.3	46.9	67.3	108.6	128.1
Wakayama	50.5	58.8	60.6	69.6	63.8	64.8	71.4	52.7	50.0	44.3	47.2	52.0	77.0
Yamagata	81.5	79.0	88.8	89.9	89.7	85.0	83.5	80.2	74.4	59.8	62.5	90.9	101.2
Yamanashi	57.1	46.4	67.3	71.0	65.4	75.0	50.7	45.5	48.0	37.7	39.5	50.1	76.4
Yamanashi	53.7	42.2	60.9	76.0	52.8	54.8	59.3	54.8	42.4	37.0	39.5	43.9	72.7

Footnotes: Data refer to vital events to Japanese nationals in Japan.

Infant deaths refer to deaths under one year of age.

Rates were computed by Public Health and Welfare Section, CHQ, SCAP.

Sources : Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare

TABLE 86 - INFANT DEATHS FROM SELECTED CAUSES BY MONTH: JAPAN, 1949

List No.	Cause of Death	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
	All Causes	168,989	19,706	17,277	19,040	15,944	13,794	12,145	12,049	10,473	9,060	9,764	12,918	16,819
1	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	81	9	6	13	4	5	10	3	2	4	10	8	7
7	Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	5	1	1	-	1	1	-	1	-	-	-	-	-
9	Whooping cough	5,021	307	291	317	347	471	525	580	611	436	321	327	488
10	Diphtheria	212	30	33	26	30	15	9	15	8	6	9	14	17
11	Krupsipes	770	99	82	112	76	51	32	36	55	50	48	58	71
12	Tetanus	868	65	79	64	54	56	77	89	118	94	63	56	53
13-22	Tuberculosis (all forms)	1332	90	84	129	142	165	134	138	95	84	97	79	95
23	Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuer-peral)	898	82	96	82	78	67	62	71	98	77	65	68	52
26a	Glanders	113	3	-	3	2	6	14	25	24	19	7	7	3
27	Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	1,146	129	101	118	122	80	82	80	68	56	111	89	110
33	Influenza	165	26	36	20	14	13	5	4	1	5	9	10	22
35	Measles	4,508	188	238	451	645	1,166	842	511	202	60	46	75	84
37b	Japanese B*encephalitis	8	-	-	-	-	-	1	-	1	4	2	-	-
38a	Yellow fever	-	-	-	-	-	-	-	-	-	-	-	-	-
38b	Rabies	-	-	-	-	-	-	-	-	-	-	-	-	-
39	Typhus fever & typhus like diseases	2	1	-	-	-	-	-	-	-	-	-	-	-
68	Beriberi	3,514	424	394	441	371	298	234	178	168	164	212	276	354
81	Meningitis (not due to meningococcus)	2,543	258	215	276	275	243	212	176	155	129	189	192	223

TABLE 86 -- INFANT DEATHS FROM SELECTED CAUSES BY MONTH: JAPAN, 1949 Cont'd.

List No.	Cause of Death	Total Infant Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
86	Convulsions	1,409	170	145	169	167	148	95	76	56	64	83	129	107
106	Bronchitis	9,574	1,381	1,342	1,404	991	730	527	407	278	277	426	665	1,146
107-109	Pneumonia(all forms)	27,724	4,214	3,772	3,641	2,930	2,216	1,479	1,126	728	786	1,107	2,070	3,655
119	Diarrhea, enteritis and ulceration of the intestines	26,815	2,237	1,828	2,074	2,135	2,222	2,519	2,961	2,734	1,992	1,654	2,206	2,253
157	Congenital malformations	5,255	524	483	552	448	390	363	369	316	390	417	493	510
158	Congenital debility	37,285	4,885	4,024	4,664	3,397	2,524	2,224	2,385	2,174	2,000	2,298	3,009	3,701
159	Premature birth	13,667	1,484	1,272	1,362	1,112	1,015	972	1,003	1,002	989	963	1,117	1,376
160	Injury at birth	1,082	89	91	92	96	75	85	95	90	91	101	85	92
161	Other diseases peculiar to the first year of life	8,967	1,171	1,029	1,123	850	573	545	676	604	475	525	610	786
169-195	Accidental deaths	1,931	217	158	199	159	123	129	134	116	103	129	216	248
199-200	Sudden death, ill-defined and unknown causes	2,587	285	249	327	283	200	174	168	130	112	187	230	262
	All other causes	11,507	1,357	1,227	1,381	1,215	941	794	742	639	593	685	829	1,104
	Total, selected causes	157,482	18,349	16,050	17,659	14,729	12,853	11,351	11,307	9,834	8,467	9,079	12,089	15,715

FOOTNOTES:

Data refer to deaths, under one year of age, of Japanese nationals in Japan.

A dash (-) indicates that no infant deaths were reported.

SOURCES:

Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 87.- INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH: JAPAN, 1949
(Rate per 1,000 live births each month)

List No.	Case of Death	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
1	All Causes	62.0	60.4	70.7	76.3	72.2	67.7	63.9	56.9	47.7	40.8	44.4	61.2	82.1
2	Typhoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Paratyphoid Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-
7	Cerebrospinal (Meningococcus) meningitis	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
	Anthrax	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet Fever	0.0	0.0	0.0	-	0.0	0.0	-	-	-	-	-	-	-
9	Whooping Cough	1.8	0.9	1.2	1.3	1.6	2.3	2.8	2.7	2.8	2.0	1.5	1.5	2.4
10	Diphtheria	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.1
11	Erysipelas	0.3	0.2	0.3	0.4	0.3	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.3
12	Tetanus	0.3	0.2	0.3	0.2	0.2	0.3	0.4	0.4	0.5	0.4	0.5	0.3	0.3
13-22	Tuberculosis (All forms)	0.5	0.2	0.3	0.5	0.6	0.8	0.7	0.7	0.4	0.4	0.4	0.4	0.5
23	Leptosy	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	0.2	0.3	0.4	0.3	0.4	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.3
26a	Glanders	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	0.0	0.01	-	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	0.4	0.4	0.4	0.5	0.6	0.4	0.4	0.4	0.3	0.3	0.5	0.4	0.5
33	Influenza	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1
35	Measles	1.7	0.6	1.0	1.8	2.9	5.7	4.4	2.4	0.9	0.3	0.2	0.4	0.4
37b	Japanese B* encephalitis	0.0	-	-	-	-	-	0.0	-	0.0	0.0	0.0	-	-

TABLE 87. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH: JAPAN, 1949 - Cont 'd
(Rate per 1,000 live births each month)

List No.	Case of Death	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
38a	Yellow Fever	-	-	-	-	-	-	-	-	-	-	-	-	-
38b	Rabies	-	-	-	-	-	-	-	-	-	-	-	-	-
39	Typhus Fever & typhus-like diseases	0.0	0.0	0.0	-	-	-	-	-	-	-	-	-	-
68	Beriberi	1.3	1.3	1.6	1.8	1.7	1.5	1.2	0.8	0.8	0.7	1.0	1.3	1.7
81	Menigitis(not due to meningococcus)	0.9	0.8	0.9	1.1	1.2	1.2	1.1	0.8	0.7	0.6	0.9	0.9	1.1
86	Convulsions	0.5	0.5	0.6	0.7	0.8	0.7	0.5	0.4	0.3	0.3	0.4	0.6	0.5
106	Bronchitis	3.5	4.2	5.5	5.6	4.5	3.6	2.8	1.9	1.3	1.2	1.9	3.1	5.6
107-	Pneumonia	10.2	12.9	15.4	14.6	13.3	10.9	7.8	5.3	3.3	3.5	5.0	9.8	17.8
109	(all forms)													
119	Diarrhea,enteritis & ulceration of intestines	9.8	6.9	7.5	8.3	9.7	10.9	13.3	14.0	12.5	9.0	7.5	10.4	11.0
157	Congenital malformations	1.9	1.6	2.0	2.2	2.0	1.9	1.9	1.7	1.4	1.8	1.9	2.3	2.5
158	Congenital Debility	13.7	15.0	16.5	18.7	15.4	12.4	11.7	11.3	9.9	9.0	10.5	14.2	18.1
159	Premature birth	5.0	4.5	5.2	5.5	5.0	5.0	5.1	4.7	4.6	4.5	4.4	5.3	6.7
160	Injury at birth	0.4	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.4	0.4
161	Other diseases peculiar to first year of life.	3.3	3.6	4.2	4.5	3.8	2.8	2.9	3.2	2.8	2.1	2.4	2.9	3.8
169-195	Accidental deaths	0.7	0.7	0.6	0.8	0.7	0.6	0.7	0.6	0.5	0.5	0.6	1.0	1.2
199-200	Sudden death, ill-defined and unknown causes	0.9	0.8	1.0	1.3	1.3	1.0	0.9	0.8	0.6	0.5	0.9	1.1	1.3
	All other causes	4.2	4.2	5.0	5.5	5.5	4.6	4.2	3.5	2.9	2.7	3.1	3.9	5.4
	Total, selected causes	57.8	56.3	65.6	70.8	66.7	63.1	59.8	53.4	44.8	38.2	41.3	57.2	76.7

See Footnotes on next page.

TABLE 87. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH: JAPAN, 1949 - Cont'd
(Rate per 1,000 live births each month)

FOOTNOTES:

Data rates to vital events to Japanese nationals in Japan.

Infant deaths refer to deaths under one year of age.

A dash (-) indicates that no deaths were reported and that the death rate was zero.

A rate of 0.0 indicates that there were some deaths but that rate was less than 0.1.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.

Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 88. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1949

Area	All Causes	Typhoid Paratyphoid		Cholera (4)	Cerebrospinal Anthrax (meningococcus)		Scarlet (7)	Whooping Cough		Erysipelas		Tetanus (12)	Tuberculosis (all forms) (13-22)
		Fever (1)	Fever (2)		Meningitis(6)	Fever (8)		(9)	(10)	(11)			
All Japan	168,989	-	-	-	81	-	-	5	5,021	212	770	868	1,332
All "Shi"	51,164	-	-	-	53	-	-	3	1,925	96	209	200	720
All "Gun"	117,825	-	-	-	28	-	-	2	3,096	116	561	668	612
Aichi	6,986	-	-	-	-	-	-	-	237	5	29	32	45
Akita	4,059	-	-	-	2	-	-	-	89	1	13	11	17
Amori	4,643	-	-	-	4	-	-	-	122	6	15	15	30
Chiba	4,278	-	-	-	-	-	-	1	127	6	16	60	15
Ehime	3,111	-	-	-	-	-	-	-	122	4	19	26	24
Fukui	1,848	-	-	-	-	-	-	-	30	3	7	2	4
Fukuoka	7,362	-	-	-	6	-	-	-	267	18	27	24	93
Fukushima	4,865	-	-	-	4	-	-	-	150	7	23	15	18
Gifu	3,523	-	-	-	-	-	-	-	107	1	12	12	22
Gunma	2,935	-	-	-	1	-	-	-	151	4	16	39	7
Hiroshima	3,422	-	-	-	-	-	-	-	89	7	17	11	33
Hokkaido	10,467	-	-	-	11	-	-	2	369	23	37	31	144
Hyogo	5,710	-	-	-	2	-	-	-	187	8	40	7	73
Ibaraki	4,436	-	-	-	4	-	-	-	60	1	21	60	9
Ishikawa	2,654	-	-	-	-	-	-	-	67	1	5	13	20
Iwate	4,443	-	-	-	1	-	-	-	106	3	21	8	21
Kagawa	1,970	-	-	-	-	-	-	-	45	2	6	23	16
Kagoshima	3,374	-	-	-	-	-	-	-	46	6	30	37	19
Kanagawa	3,297	-	-	-	2	-	-	-	147	4	11	17	25
Kochi	1,548	-	-	-	-	-	-	-	16	-	9	12	9

TABLE 88. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1949 - Cont'd

Area	All Causes	Typhoid		Paratyphoid		Cholera		Cerebrospinal		Anthrax		Scarlet		Whooping		Diphtheria		Erysipelas		Tetanus		Tuberculosis	
		Fever (1)	Fever (2)	Fever (3)	Fever (4)	Cholera (4)	Cholera (5)	Meningitis(6)	Meningitis(7)	Fever (8)	Fever (9)	Whooping (10)	Whooping (11)	Cough (12)	Cough (13)	Diphtheria (14)	Diphtheria (15)	Erysipelas (16)	Erysipelas (17)	Tetanus (18)	Tetanus (19)	Tuberculosis (20)	Tuberculosis (21)
Kumamoto	3,327	-	-	-	-	-	-	-	-	-	-	-	-	55	55	7	7	21	21	15	15	26	26
Kyoto	2,945	-	-	-	-	-	-	3	-	-	-	-	-	82	82	3	3	13	13	4	4	17	17
Mie	3,134	-	-	-	-	-	-	1	-	-	-	-	-	71	71	-	-	13	13	10	10	32	32
Miyagi	3,587	-	-	-	-	-	-	2	-	-	-	-	-	146	146	2	2	16	16	10	10	15	15
Miyazaki	2,272	-	-	-	-	-	-	-	-	-	-	-	-	23	23	8	8	13	13	18	18	11	11
Nagano	3,099	-	-	-	-	-	-	1	-	-	-	-	-	139	139	1	1	25	25	19	19	31	31
Nagasaki	3,631	-	-	-	-	-	-	2	-	-	-	-	-	64	64	2	2	10	10	28	28	12	12
Nara	1,674	-	-	-	-	-	-	-	-	-	-	-	-	45	45	-	-	12	12	2	2	27	27
Niigata	5,471	-	-	-	-	-	-	4	-	-	-	-	-	167	167	7	7	20	20	18	18	17	17
Oita	2,856	-	-	-	-	-	-	-	-	-	-	-	-	55	55	7	7	13	13	12	12	23	23
Okayama	3,046	-	-	-	-	-	-	1	-	-	-	-	-	55	55	8	8	21	21	12	12	11	11
Osaka	7,136	-	-	-	-	-	-	10	-	-	-	-	-	274	274	6	6	27	27	7	7	22	22
Saga	2,392	-	-	-	-	-	-	1	-	-	-	-	-	42	42	4	4	12	12	28	28	16	16
Saitama	4,514	-	-	-	-	-	-	1	-	-	-	-	-	172	172	3	3	19	19	35	35	6	6
Shiga	1,903	-	-	-	-	-	-	1	-	-	-	-	-	68	68	-	-	12	12	4	4	20	20
Shimane	1,970	-	-	-	-	-	-	-	-	-	-	-	-	31	31	1	1	12	12	6	6	32	32
Shizuoka	4,594	-	-	-	-	-	-	-	-	-	-	-	-	155	155	2	2	21	21	35	35	6	6
Tochigi	2,931	-	-	-	-	-	-	1	-	-	-	-	-	91	91	1	1	11	11	32	32	12	12
Tokushima	1,878	-	-	-	-	-	-	-	-	-	-	-	-	20	20	-	-	12	12	14	14	131	131
Tokyo	7,959	-	-	-	-	-	-	13	-	-	-	-	-	312	312	23	23	24	24	24	24	5	5
Tottori	1,159	-	-	-	-	-	-	-	-	-	-	-	-	39	39	3	3	6	6	2	2	16	16
Toyama	3,203	-	-	-	-	-	-	-	-	-	-	-	-	84	84	4	4	12	12	7	7	22	22
Wakayama	1,734	-	-	-	-	-	-	-	-	-	-	-	-	17	17	1	1	10	10	7	7	14	14
Yamagata	3,615	-	-	-	-	-	-	1	-	-	-	-	-	149	149	4	4	13	13	8	8	22	22
Yamaguchi	2,897	-	-	-	-	-	-	-	-	-	-	-	-	101	101	3	3	18	18	22	22	1	1
Yamaguchi	1,357	-	-	-	-	-	-	2	-	-	-	-	-	30	30	2	2	10	10	13	13	1	1

See footnotes at end of table.

TABLE 88 - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1949 Cont'd

Area	Septicemia and Leprosy purulent infection		Japanese "B" Yellow Fever										Typhus fever diseases	
	(23)	(24) (non puerperal)	(26a)	(27)	(28)	(30)	(33)	(35)	(37b)	(38a)	(38b)	(39)	(68)	
All Japan	-	898	-	113	-	1,146	165	4,508	8	-	-	2	3,514	
All "Shi"	-	274	-	38	-	531	53	1,846	3	-	-	1	985	
All "Gun"	-	624	-	75	-	615	112	2,662	5	-	-	1	2,529	
Aichi	-	29	-	3	-	31	6	239	-	-	-	-	142	
Akita	-	16	-	2	-	16	4	54	1	-	-	-	87	
Aomori	-	18	-	1	-	17	10	85	-	-	-	-	160	
Chiba	-	16	-	3	-	29	8	78	-	-	-	1	68	
Ehime	-	19	-	1	-	11	6	49	-	-	-	-	29	
Fukui	-	10	-	2	-	8	4	25	-	-	-	-	31	
Fukuoka	-	63	-	3	-	120	13	334	1	-	-	-	144	
Fukushima	-	14	-	2	-	24	3	135	-	-	-	-	85	
Gifu	-	16	-	7	-	12	1	50	-	-	-	-	43	
Gumma	-	20	-	3	-	17	3	93	-	-	-	-	38	
Hiroshima	-	20	-	6	-	21	4	58	-	-	-	-	61	
Hokkaido	-	50	-	3	-	80	3	478	-	-	-	-	245	
Iyogo	-	30	-	2	-	38	4	132	-	-	-	-	126	
Ibaraki	-	23	-	2	-	29	-	67	1	-	-	-	85	
Ishikawa	-	17	-	1	-	5	2	60	-	-	-	-	89	
Iwate	-	19	-	-	-	18	3	95	-	-	-	-	156	
Kagawa	-	13	-	1	-	9	2	12	-	-	-	-	7	
Kagoshima	-	37	-	1	-	26	3	65	-	-	-	-	60	
Kanagawa	-	14	-	4	-	30	9	106	-	-	-	-	55	
Kochi	-	4	-	-	-	23	-	7	-	-	-	-	45	

TABLE 88 - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1949 Cont'd

Area	Septicemia and Leprosy purulent infection Glanders Dysentery Malaria Syphilis Influenza Measles encephalitis Typhus Fever (non purpural)		Japanese "B" Yellow Fever Rabies & typhuslike Beriberi diseases		Typhus Fever diseases								
	(23)	(24)	(26a)	(27)	(28)	(30)	(33)	(35)	(37b)	(38a)	(38b)	(39)	(68)
Kumamoto	-	19	-	-	-	30	2	78	-	-	-	-	60
Kyoto	-	9	-	-	-	36	5	117	-	-	-	-	79
Mie	-	14	-	3	-	17	1	100	-	-	-	-	75
Miyagi	-	19	-	-	-	23	-	94	-	-	-	-	111
Miyazaki	-	14	-	2	-	28	4	25	1	-	-	-	37
Nagano	-	10	-	2	-	7	2	47	-	-	-	-	40
Nagasaki	-	29	-	3	-	39	1	109	-	-	-	-	54
Nara	-	4	-	1	-	18	2	85	-	-	-	-	28
Niigata	-	32	-	6	-	18	6	224	1	-	-	-	154
Oita	-	29	-	2	-	11	1	72	-	-	-	-	43
Okayama	-	13	-	2	-	17	1	14	-	-	-	-	65
Osaka	-	44	-	3	-	80	12	373	-	-	-	-	176
Saga	-	12	-	2	-	19	3	46	-	-	-	-	78
Saitama	-	18	-	8	-	20	1	83	1	-	-	-	61
Shiga	-	7	-	-	-	7	-	52	1	-	-	-	46
Shimane	-	14	-	1	-	7	6	62	-	-	-	-	29
Shizuoka	-	25	-	4	-	22	3	93	1	-	-	-	86
Tochigi	-	19	-	3	-	18	1	29	-	-	-	-	55
Tokushima	-	11	-	1	-	5	3	13	-	-	-	-	19
Tokyo	-	35	-	13	-	94	9	228	-	-	-	-	166
Tottori	-	3	-	1	-	5	-	13	-	-	-	-	38
Toyama	-	14	-	2	-	9	5	100	-	-	-	-	68
Wakayama	-	11	-	-	-	7	3	57	-	-	-	-	22
Yamagata	-	14	-	2	-	14	2	58	-	-	-	-	105
Yamaguchi	-	23	-	2	-	25	3	80	-	-	-	-	57
Yamanashi	-	8	-	3	-	6	1	34	-	-	-	1	6

See footnotes at end of table.

TABLE 88. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE, JAPAN, 1949 Cont'd

Area	Meningitis (not due to meningococcus) vulsions	Bron- chitis(all forms)	Pneumonia	Diarrhea, enteritis & ulceration of the intes- tines	Congenital Malforma- tions	Congen- ital Debility	Pre- mature at Birth	Injury at Birth	Other dis- eases peculiar to the let yr of life	Accidental Deaths (169-95)	Sudden death ill-defined & unknown causes (199-200)	All Other Causes
	(81)	(86)	(106)	(107-09)	(119)	(157)	(158)	(159)	(160)	(161)	(169-95)	(199-200)
All Japan	2,543	1,409	9,574	27,724	26,815	5,255	37,285	13,667	1,082	8,967	1,931	2,587
All "Shi"	861	201	2,220	9,976	7,468	1,799	9,960	4,252	414	2,479	685	715
All "Gun"	1,682	1,208	7,374	17,748	19,347	3,456	27,325	9,415	668	6,488	1,246	1,872
Aichi	144	10	433	1,212	877	215	1,654	603	40	360	75	75
Akita	75	150	235	423	811	68	1,140	327	22	157	37	61
Aomori	36	209	272	622	905	107	1,114	251	11	134	42	104
Chiba	75	16	263	745	493	145	901	525	42	283	21	68
Chino	64	6	186	576	378	104	674	252	28	220	29	65
Fuku	24	17	98	233	331	53	495	156	9	83	31	44
Fukuoka	107	16	329	1,324	1,183	214	1,537	484	36	384	82	73
Fukushima	62	9	271	947	705	168	943	379	23	193	74	78
Gifu	60	7	229	452	561	103	922	321	19	223	46	36
Gunma	29	3	133	637	330	143	607	227	21	135	29	40
Hiroshima	59	20	192	543	513	121	806	288	30	184	51	29
Hokkaido	183	207	607	1,731	2,220	297	1,616	519	46	471	129	267
Hyogo	95	11	329	926	966	178	1,161	506	35	272	66	89
Ibureki	42	14	315	639	606	150	1,120	518	22	281	27	61
Ishikawa	45	178	174	343	510	66	488	207	12	123	23	28
Iwate	39	37	312	778	767	92	937	373	18	195	52	70
Kagawa	37	9	107	323	290	59	566	166	16	141	12	41
Kagoshima	69	7	166	512	680	97	707	247	22	190	72	42
Kanagawa	65	8	126	829	403	121	546	222	34	186	43	52
Kochi	24	2	69	200	183	48	451	191	20	79	18	22

TABLE 88. INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE; JAPAN, 1949 Cont'd

Area	Meningitis (not due to meningococcus)	Con- chitis	Bron- chitis	Pneumonia (all forms)	Diarrhea, enteritis & ulceration of the intes- tines	Congenital Malforma- tions	Congenital Debil- ity	Pre- mature Birth	Injury et Birth	Other dis- eases peculiar to the 1st yr. of life	Accidental Deaths & unknown causes	Sudden death ill-defined causes	All Other Causes
	(81)	(86)	(106)	(107-09)	(110)	(157)	(158)	(159)	(160)	(161)	(169-95)	(199-200)	
Kumamoto	49	6	152	508	567	100	807	299	23	221	35	25	222
Kyoto	46	10	105	461	438	103	660	298	37	161	39	31	173
Mie	53	8	222	428	539	90	428	289	18	201	20	38	208
Miyagi	42	11	152	639	577	142	798	271	35	158	35	59	213
Miyazaki	43	2	116	290	380	71	585	170	20	175	31	23	178
Nagano	32	12	223	526	427	111	642	291	16	168	54	42	251
Nagasaki	57	12	186	581	629	117	889	233	17	232	60	32	207
Nara	28	1	85	224	294	37	408	139	10	93	9	37	106
Niigata	97	63	407	866	859	164	1,045	418	29	172	68	111	478
Oita	49	25	187	405	446	69	707	212	22	198	22	32	214
Okayama	54	3	189	398	361	102	890	288	24	220	32	33	219
Osaka	89	8	275	1,463	1,093	216	1,385	559	37	358	74	105	350
Saga	38	3	128	246	414	74	669	172	17	159	22	25	156
Saitama	51	7	321	738	611	162	1,137	400	24	259	24	73	269
Shiga	17	9	103	228	356	44	489	167	14	103	19	25	125
Shimane	27	9	136	257	336	45	460	181	10	102	44	21	153
Shizuoka	82	11	238	752	631	162	1,026	332	21	391	43	67	314
Tochigi	33	12	188	527	449	137	605	228	15	163	34	65	208
Tokushima	36	5	104	292	228	59	542	172	8	119	20	36	147
Tokyo	87	11	314	1,912	991	273	1,376	702	80	354	148	150	489
Tottori	19	4	61	155	197	44	293	93	10	64	13	8	83
Toyama	42	206	242	387	627	84	596	268	26	122	26	52	198
Wakayama	28	10	90	250	336	60	347	162	15	115	15	34	121
Yamagata	44	9	257	461	688	84	905	313	29	137	36	45	223
Yamaguchi	54	10	148	495	436	92	676	149	13	157	34	41	236
Yamanashi	12	6	99	240	253	64	265	99	6	65	15	31	90

See footnotes on next page.

TABLE 88. - INFANT DEATHS FROM SELECTED CAUSES BY PREFECTURE: JAPAN, 1949 Cont'd

FOOTNOTES:-

Data refer to deaths, under one year of age, of Japanese nationals in Japan.
a dash (-) indicates that no deaths were reported.

SOURCES:-

Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 89.- INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1949
(Rates per 1,000 live births)

Area	All Causes	Typhoid fever (1)	Paratyphoid fever (2)	Cholera (4)	Cerebrospinal (meningococcus)		Anthrax (7)	Scarlet fever (8)	Whooping cough (9)	Diphtheria (10)	Erysipelas (11)	Tetanus (12)	Tuberculosis (all forms) (13-22)
					Meningitis (6)								
All Japan	62.0	-	-	-	0.0	-	-	0.0	1.8	0.1	0.3	0.3	0.5
All *Shi*	55.1	-	-	-	0.1	-	-	0.0	2.1	0.1	0.2	0.2	0.8
All *Gun*	65.6	-	-	-	0.0	-	-	0.0	1.7	0.1	0.3	0.4	0.3
Aichi	65.2	-	-	-	-	-	-	-	2.2	0.0	0.3	0.3	0.4
Akita	85.0	-	-	-	0.0	-	-	-	1.9	0.0	0.3	0.2	0.4
Aomori	89.8	-	-	-	0.1	-	-	-	2.4	0.1	0.3	0.3	0.6
Chiba	62.8	-	-	-	-	-	0.0	0.0	1.9	0.1	0.2	0.9	0.2
Ehime	58.9	-	-	-	-	-	-	-	2.3	0.1	0.4	0.5	0.5
Fukui	74.1	-	-	-	-	-	-	-	1.2	0.1	0.3	0.1	0.2
Fukuoka	58.7	-	-	-	0.0	-	-	-	2.1	0.1	0.2	0.2	0.7
Fukushima	63.2	-	-	-	0.1	-	-	-	2.0	0.1	0.3	0.2	0.2
Gifu	70.5	-	-	-	-	-	-	-	2.1	0.0	0.2	0.2	0.4
Gunma	56.0	-	-	-	0.0	-	-	-	2.9	0.1	0.3	0.7	0.1
Hiroshima	54.3	-	-	-	-	-	-	-	1.4	0.1	0.3	0.2	0.5
Hokkaido	63.0	-	-	-	0.1	-	-	0.0	2.2	0.1	0.2	0.2	0.9
Hyogo	56.9	-	-	-	0.0	-	-	-	1.9	0.1	0.4	0.1	0.7
Ibaraki	65.9	-	-	-	0.1	-	-	-	0.9	0.0	0.3	0.9	0.1
Ishikawa	82.3	-	-	-	-	-	-	-	2.1	0.0	0.2	0.4	0.6
Iwate	89.3	-	-	-	0.0	-	-	-	2.1	0.1	0.4	0.2	0.4
Kagawa	63.3	-	-	-	-	-	-	-	1.4	0.1	0.2	0.7	0.5
Kagoshima	52.0	-	-	-	-	-	-	-	0.3	0.1	0.5	0.6	0.3
Kanagawa	43.6	-	-	-	0.0	-	-	-	1.9	0.1	0.1	0.2	0.3
Kochi	58.2	-	-	-	-	-	-	-	0.6	-	0.3	0.5	0.3

TABLE 89.- INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1949
(Rates per 1,000 live births)

Area	All Causes	Typhoid fever (1)	Paratyphoid fever (2)	Cholera (4)	Cerebrospinal (meningococcus)		Scarlet fever (8)	Whooping cough (9)	Diphtheria (10)	Erysipelas (11)	Tetanus (12)	Tuberculosis (all forms) (13-22)
					Menigitis (6)	Anthrax (7)						
Kanamoto	52.4	-	-	-	-	-	-	0.9	0.1	0.3	0.2	0.4
Kyoto	55.8	-	-	-	0.1	-	-	1.5	0.1	0.2	0.1	0.8
Mie	71.9	-	-	-	0.0	-	-	1.6	-	0.3	0.2	0.4
Miyagi	62.5	-	-	-	0.0	-	-	2.5	0.0	0.3	0.2	0.6
Miyazaki	56.1	-	-	-	-	-	-	0.6	0.2	0.3	0.4	0.4
Nagano	52.2	-	-	-	0.0	-	-	2.3	0.0	0.4	0.3	0.2
Nagasaki	58.8	-	-	-	0.0	-	-	1.0	0.0	0.2	0.5	0.5
Nara	76.3	-	-	-	-	-	-	2.1	-	0.5	0.1	0.5
Niigata	64.8	-	-	-	0.0	-	-	2.0	0.1	0.2	0.3	0.3
Oita	67.2	-	-	-	-	-	-	1.3	0.2	0.3	0.4	0.4
Okayama	60.6	-	-	-	0.0	-	0.0	1.1	0.2	0.4	0.2	0.5
Osaka	63.0	-	-	-	0.1	-	0.0	2.4	0.1	0.2	0.1	1.0
Saga	69.6	-	-	-	0.0	-	-	1.2	0.1	0.3	0.6	0.6
Saitama	62.8	-	-	-	0.0	-	-	2.4	0.0	0.3	0.5	0.2
Shiga	73.8	-	-	-	0.0	-	-	2.6	-	0.5	0.2	0.2
Shimane	66.4	-	-	-	-	-	-	1.0	0.0	0.4	0.2	0.7
Shizuoka	55.9	-	-	-	-	-	-	1.9	0.0	0.3	0.4	0.4
Tochigi	54.2	-	-	-	0.0	-	-	1.7	0.0	0.2	0.6	0.1
Tokushima	62.9	-	-	-	-	-	-	0.7	-	0.4	0.5	0.4
Tokyo	46.5	-	-	-	0.1	-	-	1.8	0.1	0.1	0.1	0.6
Tottori	61.6	-	-	-	-	-	-	2.1	0.2	0.3	0.1	0.3
Toyama	93.1	-	-	-	-	-	-	2.4	0.1	0.3	0.2	0.6
Wakayama	59.5	-	-	-	-	-	-	0.6	0.0	0.3	0.2	0.5
Yamagata	81.5	-	-	-	0.0	-	-	3.4	0.1	0.3	0.2	0.3
Yamaguchi	57.1	-	-	-	-	-	-	2.0	0.1	0.4	0.4	0.4
Yamanashi	53.7	-	-	-	0.1	-	-	1.2	0.1	0.4	0.7	0.0

See footnotes at end of table.

TABLE 89.- INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1949
(Rates per 1,000 live births)

Area	Leprosy (23)	Septicemia and purulent infection (non puerperal) (24)	Glanders (26a)	Dysentery (27)	Malaria (28)	Syphilis (30)	Influenza (33)	Measles (35)	Japanese "B" encephalitis (37b)	Yellow fever (38a)	Rabies (38b)	Typhus fever and typhus-like diseases (39)	Beriberi (68)
All Japan	-	0.3	-	0.0	-	0.4	0.1	1.7	0.0	-	-	0.0	1.3
All "Shi"	-	0.3	-	0.0	-	0.6	0.1	2.0	0.0	-	-	0.0	1.1
All "Gun"	-	0.3	-	0.0	-	0.3	0.1	1.5	0.0	-	-	0.0	1.4
Aichi	-	0.3	-	0.0	-	0.3	0.1	2.2	-	-	-	-	1.3
Akita	-	0.3	-	0.0	-	0.3	0.1	1.1	0.0	-	-	-	1.8
Aomori	-	0.3	-	0.0	-	0.3	0.2	1.6	-	-	-	-	3.1
Chiba	-	0.2	-	0.0	-	0.4	0.1	1.1	-	-	-	0.0	1.0
Ehime	-	0.4	-	0.0	-	0.2	0.1	0.9	-	-	-	-	0.5
Fuku	-	0.4	-	0.1	-	0.3	0.2	1.0	-	-	-	-	1.2
Fukuoka	-	0.5	-	0.0	-	1.0	0.1	2.7	0.0	-	-	-	1.1
Fukushima	-	0.2	-	0.0	-	0.3	0.0	1.8	-	-	-	-	1.2
Gifu	-	0.3	-	0.1	-	0.2	0.0	1.0	-	-	-	-	0.9
Gunma	-	0.4	-	0.1	-	0.3	0.1	1.8	-	-	-	-	0.7
Hiroshima	-	0.3	-	0.1	-	0.3	0.1	0.9	-	-	-	-	1.0
Hokkaido	-	0.3	-	0.0	-	0.5	0.0	2.9	-	-	-	-	1.5
Hyogo	-	0.3	-	0.0	-	0.4	0.0	1.3	-	-	-	-	1.3
Ibureki	-	0.3	-	0.0	-	0.4	-	1.0	0.0	-	-	-	1.3
Ishikawa	-	0.5	-	0.0	-	0.2	0.1	1.9	-	-	-	-	2.8
Iwate	-	0.4	-	-	-	0.4	0.1	1.9	-	-	-	-	3.1
Kagawa	-	0.4	-	0.0	-	0.3	0.1	0.4	-	-	-	-	0.2
Kagoshima	-	0.6	-	0.0	-	0.4	0.0	1.0	-	-	-	-	0.9
Kanagawa	-	0.2	-	0.1	-	0.4	0.1	1.4	-	-	-	-	0.7
Kochi	-	0.2	-	-	-	0.9	-	0.3	-	-	-	-	1.7

TABLE 89.- INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE, JAPAN, 1949
(Rates per 1,000 live births)

Area	Leprosy (23)	Septicemia and purulent infection		Glanders (26a)	Dysentery (27)	Malaria (28)	Syphilis (30)	Influenza (33)	Measles (35)	Japanese "B" encephalitis		Yellow fever (38a)	Rabies (38b)	Typhus fever and typhus-like diseases		Beriberi (48)
		(24)	(25)							(37b)	(39)					
Kumamoto	-	0.3	-	-	-	-	0.5	0.0	1.2	-	-	-	-	-	-	0.9
Kyoto	-	0.2	-	-	-	-	0.7	0.1	2.2	-	-	-	-	-	-	1.5
Mie	-	0.3	-	-	0.1	-	0.4	0.0	2.3	-	-	-	-	-	-	1.7
Miyagi	-	0.3	-	-	-	-	0.4	-	1.6	-	-	-	-	-	-	1.9
Miyazaki	-	0.3	-	-	0.0	-	0.7	0.1	0.6	0.0	-	-	-	-	-	0.9
Nagano	-	0.2	-	-	0.0	-	0.1	0.0	0.8	-	-	-	-	-	-	0.7
Nagasaki	-	0.5	-	-	0.0	-	0.6	0.0	1.8	-	-	-	-	-	-	0.9
Nara	-	0.2	-	-	0.0	-	0.8	0.1	3.9	-	-	-	-	-	-	1.3
Niigata	-	0.4	-	-	0.1	-	0.2	0.1	2.7	0.0	-	-	-	-	-	1.8
Oita	-	0.7	-	-	0.0	-	0.3	0.0	1.7	-	-	-	-	-	-	1.0
Okeyama	-	0.3	-	-	0.0	-	0.3	0.0	0.3	-	-	-	-	-	-	1.3
Osaka	-	0.4	-	-	0.0	-	0.7	0.1	3.3	-	-	-	-	-	-	1.6
Saga	-	0.3	-	-	0.1	-	0.6	0.1	1.3	-	-	-	-	-	-	2.3
Seitama	-	0.3	-	-	0.1	-	0.3	0.0	1.2	0.0	-	-	-	-	-	0.8
Shiga	-	0.3	-	-	-	-	0.3	-	2.0	0.0	-	-	-	-	-	1.8
Shimane	-	0.5	-	-	0.0	-	0.2	0.2	2.1	-	-	-	-	-	-	1.0
Shizuoka	-	0.3	-	-	0.0	-	0.3	0.0	1.1	0.0	-	-	-	-	-	1.1
Tochigi	-	0.4	-	-	0.1	-	0.3	0.0	0.5	-	-	-	-	-	-	1.0
Tokushima	-	0.4	-	-	0.0	-	0.2	0.1	0.4	-	-	-	-	-	-	0.6
Tokyo	-	0.2	-	-	0.1	-	0.5	0.1	1.3	-	-	-	-	-	-	1.0
Tottori	-	0.2	-	-	0.1	-	0.3	-	0.7	-	-	-	-	-	-	2.0
Toyama	-	0.4	-	-	0.1	-	0.3	0.1	2.9	-	-	-	-	-	-	2.0
Wakayama	-	0.4	-	-	-	-	0.2	0.1	2.0	-	-	-	-	-	-	0.8
Yamagata	-	0.3	-	-	0.0	-	0.3	0.0	1.3	-	-	-	-	-	-	2.4
Yamaguchi	-	0.5	-	-	0.0	-	0.5	0.1	1.6	-	-	-	-	-	-	1.1
Yamanashi	-	0.3	-	-	0.1	-	0.2	0.0	1.3	-	-	-	-	0.0	-	0.2

See footnotes at end of table.

TABLE 89.- INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1949
(Rates per 1,000 live births)

Area	Meningitis (not due to meningococcus) (81)	Convulsions (86)	Whooping cough (all forms) (106)	Diarrhea enteritis and ulceration of the intestines (119)	Congenital debility (157)	Premature birth (159)	Injury at birth (160)	Other diseases peculiar to the first year of life (161)	Accidental deaths (169-195)	Sudden death defined and unknown causes (199-200)	All other causes
	(81)	(86)	(106)	(119)	(157)	(159)	(160)	(161)	(169-195)	(199-200)	
All Japan	0.9	0.5	3.5	9.8	1.9	5.0	0.4	3.3	0.7	0.9	4.2
All "Shi"	0.9	0.2	2.4	8.0	1.9	4.6	0.4	2.7	0.7	0.8	3.5
All "Gun"	0.9	0.7	4.1	10.8	1.9	5.2	0.4	3.6	0.7	1.0	4.6
Aichi	1.3	0.1	4.0	8.2	2.0	5.6	0.4	3.4	0.7	0.7	4.5
Akita	1.6	3.1	4.9	17.0	1.4	6.9	0.5	3.3	0.8	1.3	5.0
Aomori	0.7	4.0	5.3	17.5	2.1	21.5	0.2	2.6	0.8	2.0	6.8
Chiba	1.1	0.2	3.9	7.2	2.1	7.7	0.6	4.2	0.3	1.0	4.0
Ehime	1.2	0.1	3.5	7.2	2.0	4.8	0.5	4.2	0.5	1.2	4.1
Fukui	1.0	0.7	3.9	13.3	2.1	6.3	0.4	3.3	1.2	1.8	5.9
Fukuoka	0.9	0.1	2.6	9.4	1.7	3.9	0.3	3.1	0.7	0.6	3.8
Fukushima	0.8	0.1	3.7	9.5	2.3	5.1	0.3	2.6	1.0	1.1	4.5
Gifu	1.2	0.1	4.6	11.2	2.1	6.4	0.4	4.5	0.9	0.7	5.2
Gumma	0.6	0.1	2.5	6.3	2.7	4.3	0.4	2.6	0.6	0.8	4.0
Hiroshima	0.9	0.3	3.0	8.1	1.9	4.6	0.5	2.9	0.8	0.5	4.1
Hokkaido	1.1	1.2	3.7	13.4	1.8	9.7	0.3	2.8	0.8	1.6	4.2
Hyogo	0.9	0.1	3.3	9.6	1.8	5.0	0.3	2.7	0.7	0.9	4.3
Ibaraki	0.6	0.2	4.7	9.0	2.2	7.7	0.3	4.2	0.4	0.9	4.1
Ishikawa	1.4	5.5	5.4	15.8	2.0	6.4	0.4	3.8	0.7	0.9	5.5
Iwate	0.8	0.7	6.3	15.4	1.8	7.5	0.4	3.9	1.0	1.4	6.5
Kagawa	1.2	0.3	3.4	7.4	1.9	5.3	0.5	4.5	0.4	1.3	4.1
Kagoshima	1.1	0.1	2.6	10.5	1.5	3.8	0.3	2.9	1.1	0.6	3.6
Kanagawa	0.9	0.1	1.7	5.3	1.6	2.9	0.5	2.5	0.6	0.7	3.2
Kochi	0.9	0.1	2.6	6.9	1.8	7.2	0.8	3.0	0.7	0.8	4.4

TABLE 89.- INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1949
(Rates per 1,000 live births)

Area	Meningitis due to cocci (81)	Convul-sions (86)	Bronchi-tis (106)	Pneumonia (all forms) (107-109)	Diarrhea enteritis and ulcer-ation of the intes-tines (119)	Congenital Malforma-tions (157)	Congenital debility (158)	Premature birth (159)	Injury at first year of life (160)	Other di-seases peculiar to the year (161)	Accidental deaths (169-195)	Sudden death ill-defined and unknown causes (199-200)	All other causes
Kumamoto	0.8	0.1	2.4	8.0	8.9	1.6	12.7	4.7	0.4	3.5	0.6	0.4	3.5
Kyoto	0.9	0.2	2.0	8.7	8.3	1.9	12.5	5.6	0.7	3.0	0.7	0.6	3.3
Mie	1.2	0.2	5.1	9.8	12.4	2.1	16.0	6.6	0.4	4.6	0.5	0.9	4.8
Miyagi	0.7	0.2	2.6	11.1	10.0	2.5	13.9	4.7	0.6	2.8	0.6	1.0	3.7
Nagano	0.5	0.2	3.8	8.9	7.2	1.9	10.8	4.9	0.3	2.8	0.9	0.7	4.2
Miyazaki	1.1	0.0	2.9	7.2	9.4	1.8	14.4	4.2	0.5	4.3	0.8	0.6	4.4
Nagasaki	0.9	0.2	3.0	9.4	10.2	1.9	14.4	3.9	0.3	3.8	1.0	0.5	3.4
Nara	1.3	0.0	3.9	10.2	13.4	1.7	18.6	6.1	0.5	4.2	0.4	1.7	4.8
Niigata	1.1	0.7	4.8	10.3	10.2	1.9	12.4	4.9	0.3	2.0	0.8	1.3	5.7
Oita	1.2	0.6	4.4	9.5	10.5	1.6	16.6	5.0	0.5	4.7	0.5	0.8	5.0
Okayama	1.1	0.1	3.8	7.9	7.2	2.0	17.7	5.7	0.5	4.4	0.6	0.7	4.4
Osaka	0.8	0.1	2.4	12.9	9.7	1.9	12.2	4.9	0.3	3.2	0.7	0.9	3.1
Saga	1.1	0.1	3.7	7.2	12.0	2.2	19.5	5.0	0.5	4.6	0.6	0.7	4.5
Saitama	0.7	0.1	4.5	10.3	8.5	2.3	15.8	5.6	0.3	3.6	0.3	1.0	3.7
Shiga	0.7	0.3	4.0	8.8	13.8	1.7	19.0	6.5	0.5	4.0	0.7	1.0	4.8
Shimane	0.9	0.3	4.6	8.7	11.3	1.5	15.5	6.1	0.3	3.4	1.5	0.7	5.2
Shizuoka	1.0	0.1	2.9	9.2	7.8	2.0	12.6	4.1	0.3	4.8	0.5	0.8	3.9
Techigi	0.6	0.2	3.5	9.7	8.3	2.5	11.2	4.2	0.3	3.0	0.6	1.2	3.8
Tokushima	1.2	0.2	3.5	9.8	7.6	2.0	18.2	5.8	0.3	4.0	0.7	1.2	4.9
Tokyo	0.5	0.1	1.8	11.2	5.8	1.6	8.0	4.1	0.5	2.1	0.9	0.9	2.9
Tottori	1.0	0.2	3.2	8.2	10.5	2.3	15.6	7.8	0.5	3.4	0.7	0.4	4.4
Toyama	1.2	6.0	7.0	11.3	18.2	2.4	17.3	4.9	0.8	3.5	0.8	1.5	5.8
Wakayama	1.0	0.3	3.1	8.6	11.5	2.1	11.9	5.6	0.5	3.9	0.5	1.2	4.2
Yamagata	1.0	0.2	5.8	10.4	15.5	1.9	20.4	7.1	0.7	3.1	0.8	1.0	5.0
Yamaguchi	1.1	0.2	2.9	9.8	8.6	1.8	13.3	2.9	0.3	3.1	0.7	0.8	4.6
Yamanashi	0.5	0.2	3.9	9.4	9.9	2.5	10.4	3.9	0.2	2.6	0.6	1.2	3.5

See footnotes at end of table.

TABLE 89.- INFANT DEATH RATES FOR SELECTED CAUSES BY PREFECTURE: JAPAN, 1949
(Rates per 1,000 live births)

FOOTNOTES

Data refer to deaths, under one year of age, of Japanese nationals in Japan.

A dash (-) indicates that no infant deaths were reported and that the infant death rate was zero.

A rate of 0.0 indicates that there were some deaths but that the rate was less than 0.1.

SOURCES

Rates were computed by Public Health and Welfare Section, GHR, SCAP.

Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949
Cerebrospinal (Meningococcus) Meningitis (6)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	81	9	6	13	4	5	10	3	2	4	10	8	7
All "Shi"	53	7	3	9	2	5	6	3	1	1	7	6	3
All "Gun"	28	2	3	4	2	-	4	-	1	3	3	2	4
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	2	-	-	1	-	-	-	-	-	-	-	-	1
Aomori	4	-	-	1	-	-	-	-	1	1	1	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuï	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	6	1	1	2	-	-	1	-	-	-	1	-	-
Fukushima	4	-	1	-	1	-	1	-	-	-	1	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	1	-	1	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	11	-	1	2	1	-	2	-	-	1	4	-	-
Iyogo	2	-	-	1	-	-	-	-	-	-	-	1	-
Ibaraki	4	1	-	-	1	-	-	-	-	-	-	-	2
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	1	-	-	-	-	-	1	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	2	-	-	-	-	-	-	-	-	-	-	1	1
Koshi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949
Cerebrospinal (Meningococcus) Meningitis (6)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	3	-	-	2	-	1	-	-	-	-	-	-	-
Mie	1	-	-	-	-	-	1	-	-	-	-	-	-
Miyagi	2	-	-	1	-	-	1	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	1	-	-	-	-	-	-	-	-	-	-	1	-
Nagasaki	2	-	-	1	-	-	-	-	-	-	-	1	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	4	1	-	-	-	1	1	1	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	1	-	-	-	-	-	-	-	-	1	-	-	-
Osaka	10	2	1	1	-	2	1	-	1	-	1	1	-
Saga	1	-	-	-	-	-	-	-	-	-	-	1	-
Saitama	1	1	-	-	-	-	-	-	-	-	-	-	-
Shiga	1	-	-	-	-	-	1	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	1	-	-	-	-	-	-	-	-	-	-	-	1
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	13	3	1	1	1	1	-	2	-	1	2	1	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	1	-	-	-	-	-	-	-	-	-	-	-	1
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	2	-	-	-	-	-	-	-	-	-	-	1	1

See footnotes at end of table.

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Scarlet Fever (8)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	5	1	1	-	1	1	-	1	-	-	-	-	-
All *Shi*	3	-	1	-	1	1	-	-	-	-	-	-	-
All *Gun*	2	1	-	-	-	-	-	1	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	1	1	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	2	-	1	-	1	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Scarlet Fever (8)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okeyama	1	-	-	-	-	-	-	1	-	-	-	-	-
Oseke	1	-	-	-	-	1	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Shige	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1919 - Cont'd
Whooping Cough (9)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	5,021	307	291	317	347	471	525	580	611	436	321	327	488
All "Shi"	1,925	112	131	131	134	195	202	231	232	156	119	117	164
All "Gun"	3,096	194	160	186	213	276	323	349	379	280	202	210	324
Aichi	237	16	21	27	16	40	27	30	28	13	7	7	5
Akita	89	4	1	2	5	8	7	11	18	11	9	7	6
Aomori	122	17	6	6	8	9	9	8	13	8	11	11	16
Chiba	127	6	5	6	7	10	16	14	19	4	13	8	19
Ehime	122	2	7	11	10	15	23	14	12	12	4	5	7
Fukuoka	30	1	1	1	1	-	1	9	3	3	2	2	6
Fukuoka	267	15	14	18	23	33	37	37	20	18	13	16	23
Fukushima	150	6	4	8	3	13	13	22	16	8	13	14	30
Gifu	107	6	9	7	15	12	9	16	11	9	3	2	8
Gunma	151	13	20	15	19	9	15	12	15	11	5	4	13
Hiroshima	89	2	-	4	7	7	9	10	14	14	9	7	6
Hokkaido	369	47	39	36	24	33	31	34	47	25	27	16	10
Ibaki	187	4	10	8	15	15	27	29	24	17	14	11	13
Ibaraki	60	4	-	7	3	5	1	6	5	7	4	6	12
Ishikawa	67	7	2	6	4	2	8	3	6	9	8	4	8
Iwate	106	6	2	3	5	7	6	7	11	16	12	9	22
Kagawa	45	2	1	1	1	6	6	6	8	5	5	2	2
Kagoshima	46	4	6	6	-	4	7	3	3	3	2	1	7
Kanagawa	147	2	5	7	9	17	13	12	21	20	10	9	16
Kochi	16	1	1	1	2	1	1	1	2	2	-	-	4

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Whooping Cough (9)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	55	1	3	3	2	5	5	1	3	6	8	4	14
Kyoto	82	3	7	1	9	13	8	10	9	8	1	8	5
Mie	71	5	2	5	7	9	13	8	5	6	4	4	3
Miyagi	146	8	6	7	13	24	18	19	13	11	4	10	16
Miyazaki	23	-	2	2	2	2	2	3	3	4	1	-	2
Nagano	139	12	10	10	8	14	15	24	18	9	5	6	8
Nagasaki	64	1	1	3	2	1	5	5	9	4	5	11	17
Nara	45	-	2	2	4	1	4	4	6	11	5	1	5
Niigata	167	20	15	7	18	16	19	16	13	12	7	11	13
Oita	55	2	1	3	5	3	6	4	13	6	2	3	7
Okayama	55	2	2	6	2	4	7	1	12	8	6	1	4
Osaka	274	14	10	15	7	30	29	34	50	24	19	25	17
Sega	42	2	2	1	4	4	7	5	9	1	2	1	4
Saitama	172	19	9	9	12	12	13	16	22	16	14	12	18
Shiga	68	4	4	8	9	5	6	13	9	4	3	2	1
Shimane	31	1	1	3	3	3	2	2	3	3	2	3	5
Shizuoka	155	5	4	10	11	11	14	20	16	14	9	15	26
Tochigi	91	11	12	7	4	4	10	8	13	4	3	6	9
Tokushima	20	3	-	1	-	-	2	4	2	1	1	2	4
Tokyo	312	12	20	13	19	26	36	42	36	27	16	27	38
Tottori	39	-	-	-	4	1	4	9	6	2	1	6	6
Toyama	84	2	6	8	7	10	7	12	5	9	9	7	2
Wakayama	17	-	-	-	2	-	1	5	2	2	1	1	3
Yamagata	149	6	10	6	12	17	17	11	19	17	13	11	10
Yamaguchi	101	8	6	6	2	8	6	13	14	10	10	4	14
Yamaguchi	30	1	2	1	2	2	3	1	5	2	2	5	4

See footnotes at end of table.

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Diphtheria (10)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	212	30	33	26	30	15	9	15	8	6	9	14	17
All "Shi"	96	14	17	8	17	7	5	7	3	1	3	8	6
All "Gun"	116	16	16	18	13	8	4	8	5	5	6	6	11
Aichi	5	1	1	1	2	-	-	-	-	-	-	-	-
Akita	1	-	-	1	-	-	-	-	-	-	-	-	-
Aomori	6	1	-	-	-	-	2	-	-	2	-	-	1
Chiba	6	1	2	2	-	-	-	1	-	-	-	-	-
Ehime	4	-	-	1	-	1	-	-	-	-	-	2	-
Fukui	3	-	-	-	-	1	-	-	1	-	-	-	1
Fukuoka	18	4	2	3	3	2	1	-	-	-	-	3	-
Fukushima	7	1	3	-	1	-	-	-	-	-	1	-	-
Gifu	1	-	-	-	-	-	-	-	-	-	-	-	1
Gunma	4	1	-	1	-	1	-	-	-	-	1	-	-
Hiroshima	7	-	1	1	2	-	-	-	-	1	2	-	-
Hokkaido	23	4	2	3	2	3	2	-	1	-	1	1	4
Hyogo	8	3	1	1	1	-	1	1	-	-	-	-	-
Ibarak	1	-	-	-	-	-	-	-	-	-	-	-	1
Ishikawa	1	-	1	-	-	-	-	-	-	-	-	-	-
Iwate	3	-	-	1	-	-	1	-	-	-	1	-	-
Kagawa	2	2	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	6	-	-	-	1	-	1	1	-	-	1	2	-
Kenagawa	4	1	2	-	1	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Diphtheria (10)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumemoto	7	-	1	2	2	-	-	-	-	-	-	1	1
Kyoto	3	-	1	1	-	-	-	1	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	2	-	1	1	-	-	-	-	-	-	-	-	-
Miyazaki	8	-	1	-	2	-	-	1	2	1	1	-	-
Nagano	1	1	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	2	1	-	-	-	-	-	-	-	-	-	-	1
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	7	2	1	-	1	-	-	2	1	-	-	-	-
Oita	7	1	3	1	-	1	-	-	-	1	-	-	-
Okeyama	8	-	1	-	1	-	-	5	-	-	-	1	-
Osaka	6	1	-	1	1	1	1	-	-	-	-	-	1
Sega	4	2	-	-	-	-	-	-	1	-	-	-	1
Saitama	-	1	1	-	1	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	1	-	-	-	-	1	-	-	-	-	-	-	-
Shizuoka	2	-	1	-	-	-	-	-	-	1	-	-	-
Tochigi	1	-	-	1	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	23	1	4	2	5	2	-	2	1	-	1	3	2
Tottori	3	-	-	-	1	-	-	-	1	-	-	1	-
Toyama	4	1	1	-	1	-	-	-	-	-	-	-	1
Wakayama	1	-	-	1	-	-	-	-	-	-	-	-	-
Yamagata	4	-	2	-	2	-	-	-	-	-	-	-	-
Yamaguchi	3	-	-	-	-	1	-	-	-	-	-	-	2
Yamanashi	2	-	-	1	-	1	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Erysipelas (11)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	770	99	82	112	76	51	32	36	55	50	48	58	71
All "Shj"	209	31	22	33	26	10	13	10	15	12	11	11	15
All "Gun"	561	68	60	79	50	41	19	26	40	38	37	47	56
Aichi	29	4	3	8	1	1	1	2	3	2	-	3	1
Akita	13	-	3	2	3	1	-	-	-	1	-	1	2
Aomori	15	1	1	3	4	1	-	-	1	-	1	1	1
Chiba	16	3	1	1	1	2	2	2	-	1	-	1	3
Eniue	19	1	1	4	2	1	-	-	-	1	4	3	2
Fukui	7	-	1	-	1	-	-	-	2	-	1	-	2
Fukushima	27	1	5	6	6	-	-	1	3	1	-	2	2
Gifu	23	2	2	5	5	-	-	3	2	2	2	1	1
Gumma	12	-	-	3	1	3	-	1	2	1	-	-	1
	16	3	3	2	1	-	-	-	1	1	1	4	-
Hiroshima	17	2	1	2	3	1	-	3	-	3	1	1	-
Hokkaido	37	5	5	1	4	1	2	2	3	2	2	3	7
Ibigo	40	11	4	1	4	4	1	-	2	2	4	1	5
Iberaki	21	1	1	3	3	1	2	-	2	2	1	-	5
Ishikawa	5	-	2	-	1	-	-	1	-	-	-	1	-
Iwate	21	4	2	4	1	1	1	-	1	2	-	3	2
Kagawa	6	-	2	1	1	-	-	-	1	-	-	1	-
Kagoshima	30	4	3	1	3	2	3	2	4	1	5	1	1
Kanagawa	11	2	2	1	1	1	-	1	1	1	-	1	-
Kochi	9	2	1	5	-	-	-	-	1	-	-	-	-

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Krysaipelas (11)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	21	5	-	3	-	-	3	2	3	1	4	-	-
Kyoto	13	2	1	4	3	-	-	-	-	-	2	1	-
Mie	13	1	1	1	2	1	-	1	-	-	3	1	2
Miyagi	16	3	1	4	1	1	1	1	2	-	1	1	-
Miyazaki	13	3	-	-	2	1	-	1	1	3	1	1	-
Nagano	25	2	3	5	-	2	2	2	1	1	2	1	4
Nagasaki	10	-	-	2	-	1	3	1	-	-	-	-	3
Nara	12	2	-	3	1	2	-	-	-	2	1	2	1
Niigata	20	3	2	4	1	1	2	1	-	-	-	3	1
Osaka	13	4	1	2	-	2	-	1	-	-	1	1	1
Okayama	21	3	2	-	1	3	2	1	-	1	1	2	5
Osaka	27	2	4	6	3	2	2	-	2	1	2	2	1
Saga	12	-	1	1	-	1	-	-	5	2	-	1	1
Saitama	19	2	4	1	2	2	1	-	1	2	2	1	1
Shiga	12	2	3	1	1	-	-	1	1	-	-	1	2
Shimane	12	1	2	2	-	1	-	1	-	3	-	1	1
Shizuoka	21	5	3	4	4	1	-	1	1	1	-	1	-
Tochigi	11	3	-	1	-	2	-	-	-	1	-	2	2
Tokushima	12	2	2	1	1	-	-	1	-	1	1	3	1
Tokyo	24	4	3	5	2	2	2	-	3	-	-	1	2
Tottori	6	1	-	1	-	1	-	-	2	1	-	-	-
Toyama	12	1	1	2	1	1	1	-	1	1	1	1	2
Wakayama	10	-	2	2	1	-	-	-	1	2	2	-	-
Yamagata	13	1	1	1	-	1	-	-	-	1	1	2	3
Yamaguchi	18	1	1	1	-	2	-	3	1	1	-	1	2
Yamanashi	10	-	1	2	-	-	1	1	1	2	1	-	1

See footnotes at end of table.

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Tetanus (12)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	868	65	79	64	54	56	77	89	118	94	63	56	53
All "Shi"	200	10	20	16	13	13	13	19	32	28	10	13	13
All "Gun"	668	55	59	48	41	43	64	70	86	66	53	43	40
Aichi	32	-	2	3	1	4	2	6	3	4	5	1	1
Akita	11	1	1	2	-	1	-	-	1	2	2	-	1
Aomori	15	1	1	3	-	-	-	2	1	1	4	2	-
Chiba	60	3	6	1	1	6	7	7	11	6	5	6	1
Ehime	26	-	8	-	3	3	2	1	1	3	2	1	2
Fukui	2	-	-	-	-	-	1	-	-	-	1	-	-
Fukuoka	24	2	3	1	5	-	2	-	4	2	2	-	3
Fukushima	15	3	1	2	-	-	1	1	4	1	2	2	1
Gifu	12	2	-	2	-	1	1	-	4	-	2	-	2
Gumma	39	2	2	4	3	3	4	2	7	5	1	2	4
Hiroshima	11	3	1	2	-	-	-	1	3	-	-	1	-
Hokkaido	31	4	2	2	2	1	6	6	4	3	-	1	-
Iyogo	7	-	-	4	-	-	-	3	-	-	-	1	-
Ibaraki	60	5	7	5	1	3	9	3	7	7	4	6	3
Ishikawa	13	1	3	2	-	-	1	1	-	1	2	1	1
Iwate	8	-	-	2	-	1	2	-	-	1	-	1	1
Kagawa	23	1	1	1	3	-	5	2	2	4	1	1	2
Kagoshima	37	3	3	1	4	3	2	3	8	5	2	2	1
Kenagawa	17	-	-	-	2	2	-	3	1	7	1	1	-
Kochi	12	1	-	-	-	-	3	-	2	1	2	1	2

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Tetanus (12)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	15	1	-	-	1	2	1	1	2	4	-	2	1
Kyoto	4	-	1	-	-	-	1	-	-	2	-	-	-
Mie	10	1	-	1	-	1	-	-	3	-	1	2	1
Miyagi	10	1	-	1	1	-	-	1	2	-	-	3	1
Miyazaki	18	3	4	1	1	1	-	1	1	4	2	-	-
Nagano	19	-	-	3	-	1	5	2	4	1	-	2	1
Nagasaki	28	-	7	3	2	1	1	4	3	3	1	1	2
Nara	2	-	-	-	-	1	-	-	1	-	-	-	-
Niigata	28	1	2	2	2	1	2	4	4	2	2	3	3
Oita	18	3	1	2	1	1	2	1	2	1	1	-	3
Okayama	12	2	1	2	3	-	1	1	1	-	1	-	-
Osaka	7	-	1	1	1	1	-	2	-	1	-	-	-
Saga	28	4	4	1	3	2	2	2	4	1	-	3	1
Seitama	35	4	1	2	1	4	2	7	2	2	3	2	5
Shiga	4	-	1	-	1	-	-	-	-	-	2	-	-
Shimane	6	-	-	-	-	-	1	-	3	1	1	-	-
Shizuoka	35	2	2	2	4	2	4	5	2	2	4	3	3
Tochigi	32	3	4	2	2	3	2	3	2	2	2	3	4
Tokushima	14	3	-	-	1	1	1	2	2	3	1	-	-
Tokyo	24	2	2	2	2	1	3	6	2	2	1	-	1
Tottori	2	-	-	-	-	-	-	-	1	-	1	-	-
Toyama	7	1	-	-	1	1	-	1	2	-	-	-	1
Wakayama	7	-	2	2	1	2	-	-	1	-	-	-	-
Yamagata	8	-	-	-	1	1	-	1	3	-	-	1	-
Yamaguchi	22	1	3	-	1	-	2	1	4	5	2	2	1
Yamanashi	18	1	2	1	-	1	-	3	4	4	2	-	-

See footnotes at end of table.

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Tuberculosis (all Forms) (13-22)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1332	90	84	129	142	165	134	138	95	84	97	79	95
All "Shi"	720	51	44	63	84	91	71	70	42	44	55	43	62
All "Gun"	612	39	40	66	58	74	63	68	53	40	42	36	33
Aichi	45	3	5	3	7	5	4	3	4	3	3	1	4
Akita	17	-	1	1	2	3	-	4	2	1	-	2	1
Aomori	30	4	-	3	3	5	2	2	5	-	2	2	2
Chiba	15	1	-	1	4	1	3	1	-	1	2	1	-
Ehime	24	2	4	2	2	3	4	5	-	-	-	1	1
Fukui	4	-	1	-	2	-	-	-	-	-	-	1	-
Fukuoka	93	4	4	9	14	8	9	8	8	6	8	9	6
Fukushima	18	2	2	3	1	3	2	2	1	1	-	1	1
Gifu	22	1	-	6	2	2	5	2	1	1	-	1	1
Gunma	7	1	1	2	-	-	1	1	-	-	-	-	1
Hiroshima	33	2	1	3	-	3	3	4	3	4	5	3	2
Hokkaido	144	9	7	15	19	26	16	11	7	10	10	7	7
Hyogo	73	4	5	5	10	5	7	8	5	7	7	5	5
Ibaraki	9	1	-	2	2	1	2	1	1	1	3	-	-
Ishikawa	20	-	1	2	2	2	2	5	1	1	3	-	1
Iwate	21	1	3	2	1	4	1	3	4	1	-	-	1
Kagawa	16	-	-	3	2	2	2	1	1	2	1	-	2
Kagoshima	19	1	2	1	3	2	2	1	1	2	1	1	2
Kanagawa	25	-	2	3	3	3	3	3	3	2	-	1	2
Kochi	9	1	1	1	2	-	-	-	1	-	-	-	-

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Tuberculosis (All Forms) (13-22)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	26	2	-	3	-	7	2	4	1	1	2	1	3
Kyoto	41	5	-	5	3	7	1	2	2	4	5	3	4
Mie	17	-	2	2	1	3	3	2	1	1	-	1	1
Miyagi	32	2	2	5	5	4	3	3	1	1	-	2	2
Miyazaki	15	-	3	2	2	2	1	1	2	-	1	1	-
Nagano	11	1	2	2	-	2	-	1	-	-	-	2	1
Nagasaki	31	1	3	2	4	5	3	3	4	1	2	1	2
Nara	12	-	1	2	1	1	-	2	3	2	-	-	-
Niigata	27	1	2	2	2	1	5	5	4	1	2	1	1
Oita	17	-	-	2	1	2	1	2	2	1	3	1	2
Okayama	23	2	1	2	1	1	4	3	2	3	-	3	1
Osaka	111	8	8	6	12	11	10	13	4	10	6	10	13
Saga	22	2	1	3	6	1	2	2	1	1	2	-	1
Saitama	16	2	-	1	2	-	1	3	-	3	1	2	1
Shiga	6	-	-	-	1	2	-	-	3	-	-	-	-
Shimane	20	-	-	1	2	2	5	4	3	2	-	-	-
Shizuoka	32	2	4	1	3	3	1	3	1	2	5	3	4
Tochigi	6	1	-	2	-	1	1	1	-	-	-	-	-
Tokushima	12	3	1	3	-	-	-	1	1	-	1	1	1
Tokyo	131	15	10	10	14	14	16	8	5	2	11	11	15
Tottori	5	-	-	1	-	1	1	1	1	-	-	-	-
Toyama	22	1	-	2	2	9	1	5	1	-	-	-	1
Wakayama	16	3	1	-	-	1	3	-	1	3	3	-	1
Yamagata	14	1	2	1	-	3	1	1	2	-	1	-	2
Yamaguchi	22	1	1	2	1	4	1	2	2	2	5	1	-
Yamanashi	1	-	-	-	-	-	-	1	-	-	-	-	-

See footnotes at end of table.

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Septicemia and Purulent Infection (Nonpuerperal) (24)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	898	82	96	82	78	67	62	71	98	77	65	68	52
All "Shi"	274	29	35	26	18	15	22	21	25	26	16	18	23
All "Gun"	624	53	61	56	60	52	40	50	73	51	49	50	29
Aichi	29	2	2	2	5	3	2	3	-	1	1	5	3
Akita	16	4	1	-	2	1	1	2	3	-	-	1	1
Aomori	18	4	1	-	1	2	-	2	5	-	-	2	1
Chiba	16	-	1	-	4	-	1	1	4	1	-	4	-
Ehime	19	1	1	2	1	1	4	-	2	-	3	1	3
Fukui	10	-	1	1	1	2	-	1	-	3	1	-	-
Fukuoka	63	6	4	13	5	3	5	1	7	5	2	10	2
Fukushima	14	1	1	1	2	-	-	1	3	2	1	2	1
Gifu	16	1	2	4	2	1	1	-	3	3	2	-	-
Gunma	20	5	3	-	2	3	1	-	1	3	1	1	-
Hiroshima	20	3	1	2	-	4	-	1	2	1	2	4	-
Hokkaido	50	5	5	4	6	5	6	3	5	2	3	1	5
Iyogo	30	1	4	2	3	1	2	3	6	3	2	1	1
Ibaraki	23	1	4	3	1	2	2	2	2	4	2	-	-
Ishikawa	17	1	3	2	-	-	1	3	2	2	2	1	-
Iwate	19	2	6	3	-	2	1	1	-	-	2	1	1
Kagawa	13	3	1	1	1	2	1	1	-	1	2	2	2
Kagoshima	37	6	2	2	3	3	1	3	3	7	-	-	3
Kanagawa	14	-	1	1	2	-	-	2	2	1	2	-	3
Kochi	4	-	1	2	1	-	-	-	-	-	-	-	-

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Septicemia and Purulent Infection (Nonpuerperal) (24)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	19	-	-	1	1	-	2	6	4	3	2	-	-
Kyoto	9	-	2	1	1	-	-	-	1	2	2	-	-
Mie	14	1	3	1	2	2	-	-	2	1	1	-	1
Miyagi	19	4	-	1	1	1	1	-	2	1	3	2	1
Miyazaki	14	1	3	1	1	1	1	3	1	1	1	-	3
Nagano	10	4	1	-	1	-	-	1	1	-	1	-	1
Nagasaki	29	1	4	3	1	-	4	4	3	-	2	3	4
Nara	4	1	1	-	1	-	-	-	-	1	-	1	-
Niigata	32	3	3	-	-	4	2	3	6	3	4	1	-
Oita	29	1	5	3	5	3	4	1	-	2	2	4	2
Okayama	13	-	1	-	4	3	1	-	2	-	-	1	1
Osaka	44	4	6	6	1	4	4	5	6	2	2	3	1
Saga	12	1	2	1	-	-	2	1	1	1	1	2	1
Saitama	18	2	3	1	3	-	1	1	3	2	2	1	-
Shiga	7	-	-	2	-	1	1	-	-	-	-	-	3
Shimane	14	1	1	-	3	1	1	1	3	2	-	1	-
Shizuoka	25	2	2	5	2	2	1	3	3	1	-	2	2
Tochigi	19	-	4	3	-	-	1	4	1	2	2	1	1
Tokushima	11	1	2	1	-	-	1	1	-	1	-	3	1
Tokyo	35	3	3	1	3	2	2	1	4	4	5	3	4
Tottori	3	1	-	-	1	-	-	-	-	1	-	-	-
Toyama	14	1	1	-	1	3	1	2	2	1	1	1	-
Wakayama	11	-	1	-	1	-	-	2	2	2	3	-	-
Yamagata	14	2	2	2	2	1	-	-	1	2	1	1	-
Yamaguchi	23	2	1	4	-	4	2	1	3	2	1	1	2
Yamaguchi	8	-	-	1	2	-	1	-	-	1	1	2	-

See footnotes at end of table.

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Dysentery (27)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	113	3	-	3	2	6	14	25	24	19	7	7	3
All "Shi"	38	-	-	2	-	3	6	5	8	4	4	4	2
All "Gun"	75	3	-	1	2	3	8	20	16	15	3	3	1
Aichi	3	-	-	-	-	-	1	1	1	-	-	-	-
Akita	2	-	-	-	-	1	1	1	-	-	-	-	-
Aomori	1	-	-	-	-	-	1	-	-	-	-	-	-
Chiba	3	-	-	-	-	-	-	1	1	-	-	-	1
Ehime	1	-	-	-	-	1	-	-	-	-	-	-	-
Fukui	2	-	-	-	-	-	1	-	-	1	-	-	-
Fukuoka	3	-	-	-	-	-	1	1	-	1	-	-	-
Fukushima	2	-	-	-	-	-	2	-	-	1	-	-	-
Gifu	7	-	-	-	-	1	-	3	1	2	-	-	-
Gunma	3	-	-	-	-	1	-	1	-	-	1	-	-
Hiroshima	6	-	-	-	2	-	-	1	1	2	-	-	-
Hokkaido	3	-	-	-	-	-	-	-	-	2	-	1	-
Iyogo	2	-	-	-	-	1	-	1	-	-	-	-	-
Ibaraki	2	-	-	-	-	-	-	1	1	-	-	-	-
Ishikawa	1	-	-	-	-	-	-	-	-	-	1	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	1	-	-	-	-	-	-	-	1	-	-	-	-
Kagoshima	1	-	-	-	-	-	-	-	-	-	1	-	-
Kanagawa	4	-	-	-	-	-	-	-	1	2	1	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1949 - Cont'd
Dysentery (27)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	3	-	-	-	-	-	1	-	-	2	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	2	-	-	-	-	-	-	1	1	-	-	-	-
Nagano	2	-	-	-	-	-	1	-	1	-	-	-	-
Nagasaki	3	-	-	-	-	-	-	1	-	-	-	2	-
Nara	1	-	-	-	-	-	-	1	-	-	-	-	-
Niigata	6	1	-	-	-	-	-	1	3	1	-	-	-
Oita	2	-	-	-	-	-	-	-	1	-	-	1	-
Ookayama	2	-	-	-	-	-	-	-	1	1	-	-	-
Osaka	3	-	-	-	-	-	-	1	2	-	-	-	-
Sega	2	-	-	1	-	-	-	1	-	-	-	-	-
Saitama	8	-	-	-	-	-	1	3	3	-	-	-	1
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	1	1	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	4	-	-	-	-	-	2	1	1	-	-	-	-
Tochigi	3	-	-	-	-	-	-	-	-	1	-	2	-
Tokushima	1	-	-	-	-	-	-	-	-	1	-	-	-
Tokyo	13	-	-	2	-	1	2	2	3	1	1	-	1
Tottori	1	-	-	-	-	-	-	-	-	-	1	-	-
Toyama	2	-	-	-	-	-	-	-	-	1	-	1	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	2	-	-	-	-	-	-	-	-	1	1	-	-
Yamaguchi	2	-	-	-	-	-	-	1	-	-	-	-	-
Yamanashi	3	1	-	-	-	-	1	1	1	-	-	-	-

See footnotes at end of table.

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Syphilis (30)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1146	129	101	118	122	80	82	80	68	56	111	89	110
All "Shi"	531	60	44	54	48	37	38	43	31	23	46	48	59
All "Gun"	615	69	57	64	74	43	44	37	37	33	65	41	51
Aichi	31	4	1	1	1	6	5	3	1	2	4	2	1
Akita	16	-	-	-	2	3	1	1	4	-	3	-	2
Aomori	17	2	1	2	3	2	1	-	1	-	1	-	4
Chiba	29	3	3	3	5	1	1	2	1	2	2	1	5
Ehime	11	-	1	2	-	-	-	1	-	2	2	1	2
Fuku	8	-	-	-	-	1	-	1	-	1	3	1	1
Fukuoka	120	15	16	21	16	5	2	8	4	6	8	11	8
Fukushima	24	5	1	2	2	1	-	2	1	3	5	1	1
Gifu	12	2	1	1	1	-	1	1	2	-	2	-	1
Gunma	17	5	-	1	-	2	2	-	2	-	1	2	2
Hiroshima	21	2	1	1	2	2	5	2	1	1	1	1	2
Hokkaido	80	11	6	11	9	5	7	7	2	4	4	9	5
Hyogo	38	3	3	2	4	2	2	5	3	3	4	3	5
Ibureki	29	2	3	1	3	-	4	1	1	-	7	2	4
Ishikawa	5	-	-	-	-	1	-	-	1	-	1	1	1
Iwate	18	1	1	1	2	3	2	3	-	-	2	1	2
Kagawa	9	-	1	4	1	-	-	-	2	-	1	-	-
Kagoshima	26	1	3	1	5	2	-	-	2	1	2	1	3
Kanagawa	30	5	1	2	3	2	-	4	3	1	2	1	4
Kochi	23	4	2	2	1	-	3	1	2	1	3	1	3

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Syphilis (30)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	30	3	4	5	3	1	-	3	2	2	2	2	3
Kyoto	36	4	2	7	1	4	7	1	2	-	3	1	4
Mie	17	1	3	2	2	1	1	-	-	-	1	3	3
Miyagi	23	1	-	4	5	1	3	2	1	2	1	1	2
Miyazaki	28	3	-	2	4	-	3	3	2	1	5	2	3
Nagano	7	-	-	-	-	-	2	-	3	-	1	-	1
Nagasaki	39	6	4	3	4	4	1	4	1	2	3	2	5
Nara	18	2	1	1	1	3	1	1	-	3	1	3	1
Niigata	18	1	2	1	4	2	-	1	-	2	3	-	2
Oita	11	1	1	1	2	-	1	1	-	-	3	1	-
Okeyama	17	2	2	3	2	2	-	3	1	1	-	1	-
Osaka	80	10	9	6	12	7	9	6	3	4	5	5	4
Saga	19	-	6	4	1	-	1	1	2	1	-	2	1
Saitama	20	2	1	2	3	-	2	-	1	2	2	2	1
Shiga	7	-	-	1	-	2	1	-	-	-	1	1	1
Shimane	7	-	1	-	-	1	1	1	1	-	-	-	2
Shizuoka	22	2	2	3	3	-	1	1	3	-	3	1	3
Tochigi	18	2	4	-	1	2	-	-	2	2	1	2	3
Tokushima	5	2	-	-	1	1	-	-	-	1	-	-	-
Tokyo	94	12	5	9	10	7	6	2	7	3	12	11	10
Tottori	5	-	1	-	-	1	1	2	-	-	-	-	-
Toyama	9	-	-	3	-	-	1	-	1	-	2	-	2
Wakayama	7	1	2	-	1	-	-	1	-	-	-	-	2
Yamagata	14	3	2	1	1	-	-	1	-	2	-	1	1
Yamaguchi	25	6	2	2	1	-	2	2	3	1	3	2	-
Yamaguchi	6	-	2	-	2	-	2	-	-	-	-	1	-

See footnotes at end of table.

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE; JAPAN, 1949 - Cont'd
Influenza (33)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	165	26	36	20	14	13	5	4	1	5	9	10	22
All "Shi"	53	5	11	7	5	5	2	-	1	2	4	4	7
All "Guns"	112	21	25	13	9	8	3	4	-	3	5	6	15
Aichi	6	-	2	-	-	-	-	-	-	-	2	1	1
Akita	4	1	-	-	1	-	1	1	-	-	-	-	-
Aomori	10	2	4	2	-	1	-	-	-	-	-	-	1
Chiba	8	-	2	4	1	-	1	-	-	-	-	-	1
Ehime	6	-	2	1	-	-	-	-	-	-	-	-	3
Fukui	4	3	1	-	-	-	-	-	-	-	-	-	-
Fukuoka	13	2	1	1	2	1	1	-	-	2	1	2	-
Fukushima	3	-	1	-	-	1	-	-	-	-	-	-	-
Gifu	1	1	-	-	-	-	-	-	-	-	-	-	1
Gumma	3	1	1	1	-	-	-	-	-	-	-	-	-
Hiroshima	4	-	-	-	1	-	-	-	-	-	-	1	2
Hokkaido	3	-	1	2	-	-	-	-	-	-	-	-	-
Iwago	4	-	1	-	-	1	-	-	-	-	-	-	2
Iwate	2	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	2	-	1	-	-	1	-	-	-	-	-	-	-
Ishikawa	2	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	3	1	-	-	1	-	-	-	-	-	-	-	1
Kagawa	2	-	-	1	-	-	-	-	-	-	1	-	-
Kagoshima	3	1	-	-	-	1	-	-	-	-	-	-	1
Kenagawa	9	-	3	1	-	1	-	-	1	-	2	-	1
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Influenza (33)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	2	-	1	1	-	-	-	-	-	-	-	-	-
Kyoto	5	5	-	-	-	-	-	-	-	-	-	-	-
Mie	1	-	-	1	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	4	1	2	-	1	-	-	-	-	-	-	-	-
Nagano	2	-	-	-	-	-	-	2	-	-	-	-	-
Nagasaki	1	-	-	-	-	-	-	-	-	-	1	-	-
Nara	2	-	-	1	-	-	-	-	-	-	-	1	-
Niigata	6	1	-	2	1	1	-	-	-	-	-	-	1
Oita	1	-	-	-	-	-	-	-	-	-	-	1	-
Okeyama	1	1	-	-	-	-	-	-	-	-	-	-	-
Osaka	12	2	3	2	1	1	-	-	-	1	1	1	-
Saga	3	-	-	-	-	-	-	1	-	-	-	2	-
Seitama	1	-	1	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	6	2	-	-	2	1	-	-	-	-	-	-	1
Shizuoka	3	-	2	-	-	-	-	-	-	1	-	-	-
Tochigi	1	-	-	-	-	-	-	-	-	1	-	-	-
Tokushima	3	-	-	-	1	-	-	-	-	-	-	-	2
Tokyo	9	1	4	-	1	2	-	-	-	-	-	-	1
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	5	1	2	-	-	-	1	-	-	-	-	-	1
Wakayama	3	-	-	-	-	1	-	-	-	-	-	-	1
Yamagata	2	-	-	-	1	-	-	-	-	-	1	-	-
Yamaguchi	3	-	1	-	-	-	1	-	-	-	-	1	-
Yamanashi	1	-	-	-	-	-	-	-	-	-	-	-	1

See footnotes at end of table.

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Measles (35)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	4508	188	238	451	645	1166	842	511	202	60	46	75	84
All "Shi"	1846	83	116	218	313	527	300	185	61	13	5	7	18
All "Gun"	2662	105	122	233	332	639	542	326	141	47	41	68	66
Aichi	239	3	2	12	20	71	55	45	18	3	2	3	5
Akita	54	2	2	1	7	8	11	8	5	1	2	3	4
Aomori	85	8	9	11	12	16	12	5	4	3	2	2	1
Chiba	78	1	-	1	11	21	25	16	1	-	1	1	-
Ehime	49	2	2	6	9	13	5	4	1	-	-	3	4
Fukui	25	2	1	1	2	2	8	2	4	-	2	1	-
Fukuoka	334	34	40	43	61	68	52	24	8	2	-	1	1
Fukushima	135	4	5	13	19	31	28	18	6	3	3	2	3
Gifu	50	-	1	1	5	9	14	12	6	-	-	-	2
Gumma	93	2	3	5	5	14	22	15	6	1	1	10	9
Hiroshima	58	-	-	8	9	17	11	8	3	-	-	-	2
Hokkaido	478	61	46	64	55	97	54	50	26	9	6	4	6
Hyogo	132	2	6	11	19	44	24	14	5	3	-	1	3
Ibaraki	67	-	1	8	9	15	19	10	2	1	-	2	-
Ishikawa	60	2	2	5	5	18	17	10	1	-	-	-	-
Iwate	95	2	3	6	7	19	17	16	6	4	4	6	5
Kagawa	12	-	-	3	-	1	4	-	2	-	1	-	1
Kagoshima	65	3	-	8	5	17	12	12	4	-	-	1	3
Kanagawa	106	-	2	6	15	32	25	21	2	2	-	-	1
Kochi	7	4	-	-	1	-	-	-	-	1	1	-	-

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Measles (35)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	78	4	5	14	10	18	13	10	-	1	1	2	-
Kyoto	117	3	7	16	31	39	10	6	2	-	1	-	2
Mie	100	3	4	12	11	29	28	9	2	-	1	1	-
Miyagi	94	1	2	4	10	27	18	13	9	-	3	5	-
Miyazaki	25	-	-	-	2	5	6	8	3	-	-	-	1
Nagano	47	2	1	-	8	3	13	10	4	-	-	2	4
Nagasaki	109	3	6	8	22	22	18	21	2	1	1	5	-
Nara	85	-	1	5	9	43	20	5	1	1	-	1	-
Niigata	224	4	7	27	22	69	43	22	13	2	5	4	6
Oita	72	2	5	9	13	19	13	6	4	-	-	-	1
Okayama	14	-	-	-	5	3	1	4	-	1	-	-	-
Osaka	373	12	23	57	96	113	53	14	3	1	-	1	-
Saga	46	-	5	5	7	13	9	5	1	-	1	-	-
Saitama	83	-	1	2	8	20	19	12	7	3	2	1	8
Shiga	52	-	2	1	9	13	20	3	2	2	-	-	-
Shimane	62	4	4	14	9	18	9	-	4	-	-	-	-
Shizuoka	93	1	2	7	9	19	25	11	11	1	1	2	4
Tochigi	29	1	2	1	3	6	3	3	-	1	1	5	3
Tokushima	13	-	-	-	1	1	3	3	1	1	1	2	2
Tokyo	228	4	18	33	36	60	41	23	5	4	1	1	1
Tottori	13	1	-	-	1	3	3	3	2	-	-	-	-
Toyama	100	2	4	1	11	39	24	14	3	2	-	-	-
Wakayama	57	6	6	9	12	18	2	-	1	1	-	-	-
Yamagata	58	3	3	5	2	11	16	7	4	4	1	2	-
Yamaguchi	80	-	2	8	20	31	11	3	4	1	-	-	-
Yamanashi	34	-	1	-	2	11	6	6	4	1	1	2	-

See footnotes at end of table.

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Japanese "B" Encephalitis (37b)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	8	-	-	-	-	-	1	-	1	4	2	-	-
All "Shi"	3	-	-	-	-	-	-	-	-	2	1	-	-
All "Gun"	5	-	-	-	-	-	1	-	1	2	1	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	1	-	-	-	-	-	-	-	-	1	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	1	-	-	-	-	-	-	-	-	-	1	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Iyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	1	-	-	-	-	-	-	-	-	1	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kenagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Japanese B* Encephalitis (37b)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	1	-	-	-	-	-	-	-	-	1	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	1	-	-	-	-	-	1	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okeyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Seitama	1	-	-	-	-	-	-	-	1	-	-	-	-
Shiga	1	-	-	-	-	-	-	-	-	1	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	1	-	-	-	-	-	-	-	-	-	1	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Typhus Fever and Typhus-like Diseases (39)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	2	1	1	-	-	-	-	-	-	-	-	-	-
All "Shi"	1	-	1	-	-	-	-	-	-	-	-	-	-
All "Gun"	1	1	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	1	-	1	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kenagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Typhus Fever and Typhus-like Diseases (39)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	1	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Beriberi (68)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japen	3,514	424	394	441	371	298	234	178	168	164	212	276	354
All "Shi"	985	124	107	145	108	73	63	63	45	34	61	71	91
All "Gun"	2,529	300	287	296	263	225	171	115	123	130	151	205	263
Aichi	142	21	18	23	13	8	12	9	9	4	11	5	9
Akita	87	7	8	10	12	7	5	8	4	4	9	8	5
Aomori	160	17	12	16	23	16	4	7	5	10	13	24	13
Chiba	68	7	9	6	11	2	9	2	4	3	6	3	6
Ehime	29	4	4	4	2	2	2	2	2	3	1	1	2
Fukui	31	1	3	5	7	3	2	-	2	2	2	2	2
Fukuoka	144	26	20	19	15	10	6	9	6	7	10	6	10
Fukushima	85	9	8	12	9	7	7	2	4	4	5	8	10
Gifu	43	1	4	7	4	7	4	1	2	3	4	3	3
Gunma	38	8	4	3	2	4	5	1	-	1	1	5	4
Hiroshima	61	12	13	10	3	5	1	4	4	-	1	2	6
Hokkaido	245	20	20	37	26	25	17	12	12	13	7	22	34
Hyogo	126	16	13	24	16	9	7	9	5	3	3	13	8
Ibureki	85	10	13	16	5	8	8	6	4	4	1	4	6
Ishikawa	89	14	4	7	14	12	9	5	4	3	4	4	9
Iwate	156	14	16	19	17	19	10	3	6	7	5	14	26
Kagawa	7	-	1	-	1	1	1	-	1	-	1	1	-
Kagoshima	60	6	10	9	5	3	3	1	4	2	4	5	8
Kanagawa	55	4	4	7	4	6	4	4	2	4	4	6	6
Kochi	45	9	6	7	4	3	4	3	1	2	1	2	3

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Beriberi (68)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	60	8	5	5	6	3	2	1	4	4	6	6	10
Kyoto	79	10	4	15	12	4	6	3	4	4	6	6	5
Mie	75	9	14	14	8	5	4	3	1	2	4	4	7
Miyagi	111	15	8	14	15	15	9	3	5	2	6	9	10
Miyazaki	37	5	2	5	3	3	4	-	1	3	4	3	4
Nagano	40	5	4	4	2	1	4	2	4	4	4	3	3
Nagasaki	54	8	8	11	2	3	2	2	6	3	2	4	6
Nara	28	3	1	5	1	1	-	1	6	2	3	-	5
Niigata	154	6	17	12	17	18	17	8	9	8	15	10	17
Oita	43	4	8	4	3	1	4	5	3	2	2	4	3
Okayama	65	5	7	6	7	6	4	8	5	2	6	6	3
Osaka	176	27	23	22	18	13	14	10	7	8	9	9	16
Saga	78	17	16	7	6	5	1	3	3	2	2	8	7
Saitama	61	6	3	9	6	6	-	4	5	3	4	10	5
Shiga	46	9	2	5	5	2	2	1	4	1	4	5	6
Shimane	29	1	4	2	2	4	1	-	-	1	4	5	5
Shizuoka	86	10	11	8	8	9	3	5	3	6	6	6	11
Tochigi	55	8	12	4	4	2	4	4	1	1	2	4	9
Tokushima	19	2	-	1	2	-	1	2	1	1	4	2	3
Tokyo	166	25	19	24	22	12	13	6	8	8	6	9	14
Tottori	38	2	6	3	3	3	3	3	1	5	1	2	6
Toyama	68	6	6	6	9	7	4	5	2	5	4	6	8
Wakayama	22	4	1	3	1	1	2	-	-	5	1	4	3
Yamagata	105	15	13	9	8	9	6	5	4	2	11	4	12
Yamaguchi	57	7	10	2	6	8	4	5	3	4	3	4	4
Yamaguchi	6	1	-	-	2	-	-	1	-	-	-	-	2

See footnotes at end of table.

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1949 - Cont'd
Meningitis (not due to Meningococcus) (81)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	2,543	258	215	276	275	213	212	176	155	129	189	192	223
All *Shi*	861	82	64	89	96	80	68	53	57	43	78	66	85
All *Gun*	1,682	176	151	187	179	163	144	123	98	86	111	126	138
Aichi	144	12	13	18	19	18	15	12	9	5	6	3	14
Akita	75	10	4	16	6	5	10	3	3	3	5	4	6
Aomori	36	2	5	4	4	6	4	-	7	-	2	1	1
Chiba	75	6	14	9	8	8	7	6	2	5	4	2	4
Ehime	64	5	7	5	4	12	7	1	6	4	4	5	4
Fukui	24	2	2	3	2	1	3	2	1	-	2	3	3
Fukuoka	107	10	5	9	13	9	7	5	7	3	12	15	12
Fukushima	62	9	6	9	8	6	7	2	4	2	4	4	7
Gifu	60	4	1	10	8	6	8	7	2	3	2	6	3
Gumma	29	2	2	3	2	2	-	3	2	3	3	4	3
Hiroshima	59	5	3	8	9	10	6	6	2	1	2	3	4
Hokkaido	183	14	15	32	18	15	13	16	6	8	19	12	15
Hyogo	95	16	5	4	7	7	12	8	6	3	10	5	10
Ibureki	42	9	3	2	3	5	4	3	1	2	3	3	4
Ishikawa	45	5	4	9	6	2	3	2	1	2	2	4	5
Iwate	39	5	3	3	6	9	4	-	-	-	3	4	2
Kagawa	37	4	2	3	9	-	3	3	1	2	3	4	3
Kagoshima	69	8	5	3	8	8	4	5	3	6	3	10	6
Kanagawa	65	7	5	3	6	8	9	5	4	4	2	5	7
Kochi	24	4	2	3	1	1	4	2	1	1	2	5	-

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Meningitis (not due to Meningococcus) (81)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	49	8	2	6	4	4	2	4	5	3	4	3	4
Kyoto	46	6	4	5	5	2	5	4	2	1	1	3	10
Mie	53	7	4	4	4	3	6	6	3	3	6	2	5
Miyagi	42	2	5	4	8	3	2	3	2	1	4	2	4
Miyazaki	43	4	5	3	4	7	1	5	3	3	-	3	5
Nagano	32	1	5	1	4	1	1	5	1	5	2	4	2
Nagasaki	57	5	3	6	8	6	1	5	3	5	4	6	5
Nara	28	3	3	4	4	1	-	5	4	1	3	2	2
Niigata	97	8	8	15	10	12	6	7	9	6	9	5	2
Oite	49	1	6	6	5	7	5	1	3	1	5	6	3
Okayama	54	2	5	1	4	9	4	6	6	2	3	6	6
Osaka	89	6	11	9	14	5	7	4	8	5	4	9	7
Saga	38	2	3	3	2	2	6	2	2	3	4	4	5
Saitama	51	7	5	8	4	1	3	2	2	3	7	4	5
Shiga	17	3	1	1	2	1	-	2	2	-	4	1	-
Shimane	27	1	2	5	2	4	4	2	1	-	1	2	3
Shizuoka	82	9	8	9	8	7	2	5	4	5	5	10	10
Tochigi	33	5	3	5	2	3	3	-	-	4	2	3	3
Tokushima	36	2	6	5	3	2	2	4	3	4	3	1	2
Tokyo	87	11	7	8	10	5	9	4	7	3	6	7	10
Tottori	19	1	2	-	5	-	2	1	3	1	1	1	2
Toyama	42	8	2	2	5	6	2	2	3	2	4	3	3
Wakayama	28	4	2	3	-	2	2	3	3	3	2	2	2
Yamagata	44	8	2	4	3	6	2	3	3	4	5	-	4
Yamaguchi	54	4	4	6	8	6	4	4	3	5	4	2	4
Yamanashi	12	1	3	1	-	-	1	-	-	-	3	1	2

See footnotes at end of table.

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Convulsions (86)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1,409	170	145	169	167	148	95	76	56	64	83	129	107
All "Shi"	201	22	18	26	28	24	14	6	4	11	16	18	14
All "Gun"	1,208	148	127	143	139	124	81	70	52	53	67	111	93
Aichi	10	2	2	3	-	1	-	-	1	-	-	1	-
Akita	150	21	19	19	26	11	7	7	6	4	8	7	15
Aomori	209	28	14	18	24	22	24	11	5	8	9	29	17
Chiba	16	2	1	-	4	4	-	1	1	1	-	1	1
Ehime	6	1	1	-	2	-	-	1	-	-	1	-	-
Fukui	17	4	6	-	-	1	2	1	2	-	-	-	1
Fukuoka	16	-	1	-	1	3	2	-	1	1	3	5	-
Fukushima	9	1	1	-	-	2	2	-	1	1	-	1	-
Gifu	7	-	1	-	2	-	-	1	-	1	1	-	1
Gumma	3	-	-	-	1	-	-	2	-	-	-	-	-
Hiroshima	20	4	1	4	1	1	2	2	-	-	2	2	1
Hokkaido	207	19	22	29	16	23	14	12	9	9	17	14	23
Ibakeki	11	1	-	5	1	1	-	1	-	-	1	-	2
Ibaraki	14	2	3	1	1	1	2	2	-	-	1	-	1
Ishikawa	178	24	21	21	26	23	8	7	5	6	11	19	7
Iwate	37	4	3	2	10	3	3	2	-	-	2	3	5
Kagawa	9	1	1	1	-	1	1	-	1	-	-	1	2
Kagoshima	7	2	-	1	-	2	1	-	-	1	-	-	-
Kanagawa	8	-	2	1	2	1	1	-	-	-	1	-	-
Kochi	2	-	-	1	-	-	-	-	1	-	-	-	-

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Convulsions (86))

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kimamoto	6	-	-	2	1	-	-	1	2	-	-	-	-
Kyoto	10	1	-	2	2	3	-	1	-	-	-	1	-
Mie	8	4	-	1	1	-	-	1	-	-	1	1	1
Miyagi	11	-	1	2	1	1	2	1	-	-	3	-	-
Miyazaki	2	-	1	1	-	-	-	-	-	-	-	-	-
Nagano	12	-	-	1	1	1	2	-	1	1	2	2	1
Nagasaki	12	1	1	-	2	1	1	-	-	3	-	3	-
Nara	1	-	-	-	-	-	-	-	-	-	-	-	1
Niigata	63	3	-	11	6	8	4	2	5	4	8	7	2
Oita	25	3	4	10	-	2	-	3	1	1	-	-	1
Okayama	3	-	1	-	-	-	-	-	1	-	1	-	-
Osaka	8	1	1	-	-	2	-	1	-	2	-	-	1
Saga	3	-	3	-	-	-	-	-	-	-	-	-	-
Saitama	7	1	1	-	-	2	-	-	1	-	-	1	1
Shiga	9	4	1	-	1	-	-	-	-	1	-	1	1
Shimane	9	1	3	1	1	1	1	-	1	-	-	-	-
Shizuoka	11	3	1	1	-	2	1	1	1	-	-	2	-
Tochigi	12	2	1	2	1	-	1	1	2	-	-	-	-
Tokushima	5	-	1	1	-	1	1	-	-	1	1	-	-
Tokyo	11	-	1	3	-	1	1	-	-	2	1	-	2
Tottori	4	-	-	-	-	2	-	1	-	-	1	-	-
Toyama	206	25	19	19	31	18	10	14	6	14	7	25	18
Wakayama	10	2	-	1	-	-	3	1	1	-	1	2	-
Yamagata	9	1	-	3	2	1	-	-	1	1	1	1	-
Yamaguchi	10	1	2	1	1	2	-	-	1	1	-	-	-
Yamanashi	6	1	1	1	-	-	-	-	2	1	-	-	-

See footnotes at end of table.

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1949 - Cont'd
Bronchitis (106)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	9,574	1,381	1,342	1,404	991	730	527	407	278	277	426	665	1,146
All *Shi*	2,200	386	312	312	205	145	90	83	68	56	90	158	295
All *Gun*	7,374	995	1,030	1,092	786	585	437	324	210	221	336	507	851
Aichi	433	74	64	77	60	33	34	16	3	12	10	18	32
Akita	235	30	16	25	29	29	15	11	5	9	11	26	29
Aomori	272	33	26	34	40	28	15	13	9	8	12	19	35
Chiba	263	15	57	47	22	20	12	7	9	6	11	23	34
Eniue	186	27	35	30	17	13	5	9	8	4	11	12	15
Fukui	98	13	15	13	11	9	5	2	4	4	4	9	9
Fukuoka	329	45	41	46	32	22	12	14	15	11	24	23	44
Fukushima	271	28	29	38	26	14	17	11	5	15	17	29	42
Gifu	229	41	40	32	15	18	14	8	12	3	15	16	15
Gumma	133	14	29	26	13	10	8	2	2	4	6	8	11
Hiroshima	192	25	25	30	23	18	14	6	5	4	5	14	23
Hokkaido	607	84	78	93	78	56	31	39	21	20	21	33	53
Iyogo	329	44	34	52	29	22	19	11	7	7	21	37	46
Ibaraki	315	37	56	56	32	17	18	14	13	6	11	18	37
Ishikawa	174	30	19	21	21	22	8	7	4	2	5	12	23
Iwate	312	39	26	53	43	30	22	14	11	7	14	20	33
Kagawa	107	22	22	15	4	7	8	5	5	2	5	4	8
Kagoshima	166	28	22	12	13	17	11	15	5	5	3	10	25
Kenagawa	126	20	20	15	12	4	9	5	2	4	6	8	21
Kochi	69	8	13	13	8	6	3	4	1	2	3	4	4

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Bronchitis (106)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	152	13	15	15	16	11	5	5	12	4	12	19	25
Kyoto	105	19	13	14	7	7	5	3	3	3	7	6	18
Mie	222	36	43	39	22	17	16	10	2	8	7	8	14
Miyagi	152	25	15	27	13	13	5	7	6	1	4	12	24
Miyazaki	116	14	8	13	10	5	3	13	4	2	8	10	26
Nagano	223	31	31	44	19	13	9	10	4	6	6	16	34
Nagasaki	186	34	30	14	16	17	8	8	5	8	10	12	24
Nara	85	20	9	7	14	2	7	3	3	-	3	4	13
Niigata	407	55	42	55	57	40	25	21	9	6	25	26	46
Oita	187	29	23	29	19	8	11	9	4	12	7	15	21
Ookayama	189	35	34	31	21	21	6	8	4	3	5	5	16
Osaka	275	47	36	32	29	15	15	6	8	7	14	17	49
Saga	128	23	21	12	13	7	7	5	3	4	7	12	14
Saitama	321	49	48	53	18	18	17	9	6	12	17	24	50
Shiga	103	16	11	17	15	9	5	3	2	5	6	3	11
Shimane	136	15	20	15	21	16	15	5	2	5	5	10	7
Shizuoka	238	28	41	34	28	18	14	11	8	6	6	13	31
Tochigi	188	27	44	43	12	16	6	4	6	3	6	8	13
Tokushima	104	19	22	20	8	3	4	2	3	4	7	2	10
Tokyo	314	65	52	36	26	12	10	10	9	9	16	30	39
Tottori	61	6	6	7	8	5	1	4	3	1	3	6	11
Toyama	242	31	32	28	26	28	13	7	8	8	7	18	36
Wakayama	90	15	10	12	8	4	6	3	-	4	4	10	14
Yamagata	257	36	28	39	19	11	17	15	11	10	10	26	35
Yamaguchi	148	23	25	18	10	11	11	7	5	7	7	4	20
Yamaguchi	99	13	16	22	8	8	6	6	2	4	2	6	6

See footnotes at end of table.

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE; JAPAN, 1949 - Cont'd
Pneumonia (All Forms) (107-109)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	27,724	4,214	3,772	3,641	2,930	2,216	1,479	1,126	728	786	1,107	2,070	3,655
All "Shi"	9,976	1,738	1,302	1,170	993	725	458	392	280	265	364	796	1,493
All "Gan"	17,748	2,476	2,470	2,471	1,937	1,491	1,021	734	448	521	743	1,274	2,162
Aichi	1,212	202	197	146	137	118	84	52	28	21	28	67	132
Akita	423	54	40	54	49	32	22	10	10	21	26	47	58
Aomori	622	72	46	86	95	73	30	37	15	18	21	48	81
Chiba	745	99	124	136	82	50	32	27	23	15	27	41	89
Ehime	576	105	114	81	53	39	30	24	12	15	18	37	48
Fukui	233	33	17	25	26	24	11	11	12	9	10	23	38
Fukuoka	1,324	157	155	177	123	111	79	54	42	46	94	146	140
Fukushima	947	109	107	144	91	83	54	33	14	29	46	83	154
Gifu	452	66	70	52	64	43	31	13	10	13	21	24	45
Gumma	637	102	118	114	58	50	31	13	11	19	19	35	67
Hiroshima	543	68	64	67	60	45	22	36	14	21	31	36	79
Hokkaido	1,731	291	215	229	204	142	120	69	57	46	63	103	192
Iyogo	926	143	107	113	80	61	41	37	32	38	34	94	146
Ibaraki	639	90	97	124	56	40	35	27	13	21	15	39	82
Ishikawa	343	38	47	38	39	46	19	17	7	13	16	29	34
Iwate	778	96	81	105	126	104	49	27	8	17	30	54	81
Kagata	323	49	57	50	30	27	23	12	11	4	9	16	35
Kagoshima	512	75	55	61	43	37	30	34	21	17	29	41	69
Kanagawa	829	157	159	105	71	46	38	23	23	21	21	53	110
Kochi	200	33	39	28	17	9	7	7	5	7	5	18	25

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Pneumonia (All forms) (107-109)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	508	67	65	55	63	35	26	25	20	9	20	54	69
Kyoto	461	66	50	56	47	35	24	15	9	11	32	56	60
Mie	428	59	74	67	48	40	20	17	10	11	15	20	47
Miyagi	639	80	68	83	77	56	39	39	18	21	33	42	83
Miyazaki	290	60	29	28	24	17	17	15	7	7	16	23	47
Nagano	526	75	89	81	64	41	23	18	18	12	18	34	53
Nagasaki	581	66	61	58	69	53	34	30	12	14	35	46	103
Nara	224	41	28	21	17	18	14	13	8	6	10	15	33
Niigata	866	112	90	98	108	98	55	23	25	28	26	74	116
Oita	405	44	53	49	42	35	25	23	11	13	26	28	56
Okayama	398	68	64	39	42	31	30	10	17	18	22	24	33
Osaka	1,463	248	154	162	146	109	59	44	45	39	58	130	269
Saga	245	39	19	32	29	26	10	10	7	6	15	24	29
Saitama	738	124	131	86	68	49	27	28	17	17	27	43	121
Shiga	228	30	31	25	17	20	19	10	4	7	7	17	41
Shimane	257	24	36	44	26	24	17	13	5	7	9	19	33
Shizuoka	752	69	128	136	86	56	34	33	22	19	24	59	86
Tochigi	527	76	111	80	63	36	16	21	15	22	17	20	50
Tokushima	292	54	47	38	32	18	6	16	5	4	9	24	39
Tokyo	1,912	488	267	208	139	84	79	64	33	50	43	141	316
Tottori	155	23	19	18	15	9	8	6	7	4	7	16	23
Toyama	387	51	39	47	50	25	24	20	6	15	15	38	57
Wakayama	250	38	36	36	29	17	13	7	6	10	4	15	39
Yamagata	461	62	53	61	45	42	39	21	11	14	29	31	53
Yamaguchi	495	81	78	58	53	40	28	20	16	14	13	33	61
Yamanashi	240	30	43	40	27	20	5	9	6	3	14	10	33

See footnotes at end of table.

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Diarrhea Enteritis and Ulceration of the Intestines (119)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	26,815	2,237	1,828	2,074	2,135	2,222	2,519	2,961	2,734	1,992	1,654	2,206	2,253
All "Shi"	7,468	637	527	601	658	628	785	802	681	495	419	641	594
All "Gun"	19,347	1,600	1,301	1,473	1,477	1,594	1,734	2,159	2,053	1,497	1,235	1,565	1,659
Aichi	877	87	72	80	89	74	83	106	64	56	45	54	67
Akita	811	52	38	56	56	61	68	84	116	87	63	71	59
Aomori	905	48	40	58	54	76	73	102	131	101	75	73	74
Chiba	493	50	40	51	37	54	43	42	37	30	27	37	45
Ehime	378	28	32	32	20	36	41	36	43	21	26	40	23
Fukui	331	29	20	23	28	18	25	56	32	28	18	28	26
Fukuoka	1,183	107	68	103	101	100	152	131	86	71	78	105	81
Fukushima	705	45	45	54	68	59	61	76	69	59	54	55	60
Gifu	561	46	40	36	36	41	67	71	69	33	33	46	43
Gumme	330	35	30	21	19	26	21	35	36	20	15	28	42
Hiroshima	513	48	29	42	41	49	50	55	61	37	35	35	31
Hokkaido	2,220	156	142	172	175	180	153	191	276	239	166	178	192
Iyogo	966	80	69	79	69	84	99	125	104	59	63	80	55
Ibaraki	606	56	45	48	65	39	44	72	43	42	39	57	56
Ishikawa	510	36	29	35	37	63	43	61	55	45	31	30	35
Iwate	767	54	30	60	66	78	63	57	79	84	56	70	70
Kagawa	230	21	15	26	16	14	21	28	23	9	16	14	27
Kagoshima	680	72	48	47	47	37	78	58	71	54	36	54	78
Kenegawa	403	37	33	30	41	30	35	41	30	30	21	29	46
Kochi	183	24	13	21	14	10	18	10	17	17	12	11	16

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Diarrhea Enteritis and Ulceration of the Intestines (119)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	567	45	40	42	36	55	62	53	40	27	36	64	67
Kyoto	438	35	42	41	35	37	39	43	44	29	23	31	33
Mie	539	50	52	44	35	46	46	78	56	35	23	36	38
Miyagi	577	58	53	48	55	54	49	52	47	30	28	56	47
Miyazaki	380	50	35	31	27	35	15	38	33	33	24	18	41
Nagano	427	40	29	39	42	34	41	41	34	34	14	36	43
Nagasaki	629	55	40	48	43	67	67	57	56	37	40	59	60
Nara	294	29	14	16	23	26	34	47	32	16	14	19	24
Niigata	859	43	47	57	65	75	103	116	105	74	63	61	50
Oita	446	48	32	32	38	39	33	55	45	31	20	35	38
Okayama	361	37	26	26	25	20	31	36	36	29	27	32	36
Osaka	1,093	80	63	87	98	96	141	161	110	50	48	84	75
Saga	414	34	42	43	33	38	37	43	33	19	20	31	41
Saitama	611	57	55	44	48	49	44	76	36	33	38	55	76
Shiga	356	29	24	20	30	24	43	62	41	17	17	30	19
Shimane	336	28	24	26	23	17	38	28	40	27	19	24	42
Shizuoka	631	68	49	49	56	38	57	67	54	54	36	55	48
Tochigi	449	36	37	33	30	32	26	46	52	32	28	47	50
Tokushima	228	20	14	16	19	19	25	25	21	18	10	18	23
Tokyo	991	102	78	93	104	83	116	73	68	45	52	90	87
Tottori	197	12	10	11	19	9	20	26	29	17	12	15	17
Toyama	627	38	26	43	56	59	60	77	54	48	47	70	49
Wakayama	336	31	15	28	23	31	45	49	38	22	13	16	25
Yamagata	688	44	49	27	42	44	47	95	109	69	48	67	47
Yamaguchi	436	37	40	37	34	42	32	43	50	27	25	36	33
Yamanashi	253	20	14	19	17	22	30	37	29	17	14	16	18

See footnotes at end of table.

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Congenital Malformations (157)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	5,255	524	483	552	448	390	363	369	316	390	417	493	510
All "Shis"	1,799	184	153	194	144	119	124	122	114	141	144	177	183
All "Gun"	3,456	340	330	358	304	271	239	247	202	249	273	316	327
Aichi	215	18	21	21	17	10	19	21	12	18	14	25	19
Akita	68	11	3	3	4	8	5	3	4	6	5	10	6
Aomori	107	8	8	7	14	11	5	3	10	6	14	8	13
Chiba	145	19	18	18	11	11	5	7	13	10	9	10	14
Ehime	104	9	9	10	6	11	7	7	6	13	7	12	7
Fukui	53	5	12	4	5	1	3	6	2	4	4	3	4
Fukushima	168	18	12	16	13	9	11	9	13	13	17	18	19
Fukuoka	214	27	20	23	19	15	9	14	9	14	21	20	23
Gifu	103	9	10	17	10	7	3	9	7	6	7	9	9
Gumma	143	14	22	14	12	13	6	6	5	4	13	18	16
Hiroshima	121	14	9	16	6	13	8	7	9	8	12	10	9
Hokkaido	297	31	31	21	26	30	22	19	22	27	32	18	18
Ibogo	176	14	6	20	14	15	23	16	10	7	13	19	19
Ibaraki	150	11	13	15	12	10	11	10	11	10	14	14	19
Ishikawa	66	7	4	6	7	7	1	4	4	7	3	5	11
Iwate	92	13	8	14	8	9	6	8	2	9	7	3	5
Kagawa	59	13	4	7	4	4	3	2	3	3	1	8	7
Kagoshima	97	13	8	9	6	7	8	3	3	9	7	11	13
Kanagawa	121	12	13	14	8	8	4	9	10	7	12	14	10
Kochi	48	8	4	4	2	2	6	2	4	5	1	2	8

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Congenital Malformations (157)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	100	13	2	9	4	14	7	9	5	12	6	10	9
Kyoto	103	11	10	16	14	7	4	6	5	6	7	7	10
Mie	90	5	9	7	10	9	4	8	9	6	5	8	10
Miyagi	142	9	15	25	15	11	9	10	7	14	4	13	10
Miyazaki	71	8	9	8	5	-	6	2	5	8	5	9	6
Nagano	111	11	9	9	4	9	8	13	7	8	12	11	10
Nagasaki	117	11	9	15	7	9	8	10	3	10	12	9	14
Nara	37	9	3	3	5	4	-	3	1	3	-	1	5
Niigata	164	15	15	15	13	12	15	8	8	14	14	20	15
Oita	69	8	5	8	7	5	7	3	1	5	2	14	4
Okayama	102	11	10	8	13	6	7	8	7	5	13	6	8
Osaka	216	18	26	19	17	10	13	21	20	17	17	19	19
Saga	74	6	6	10	7	3	7	7	6	5	3	6	8
Seitama	162	12	17	14	10	18	14	16	7	13	9	15	17
Shiga	44	4	2	3	6	5	1	4	1	2	5	5	6
Shimane	45	5	3	8	6	1	4	4	2	2	5	3	2
Shizuoka	162	7	19	11	14	13	10	7	7	15	20	22	17
Tochigi	137	11	16	16	9	11	15	10	14	4	7	15	9
Tokushima	59	7	7	5	5	-	8	4	3	4	5	5	6
Tokyo	273	34	25	36	23	10	19	14	16	22	15	22	37
Tottori	44	3	6	5	6	1	4	3	1	1	5	6	3
Toyama	84	4	6	12	9	6	7	3	4	9	5	5	12
Wakayama	60	5	3	6	7	1	5	8	5	4	7	7	4
Yamagata	84	10	5	9	14	10	3	6	6	3	7	6	5
Yamaguchi	92	10	3	9	8	10	6	10	6	7	8	6	9
Yamanashi	64	3	8	7	6	4	7	5	1	5	6	6	6

See footnotes at end of table.

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Congenital Debility (158)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	37,285	4,885	4,024	4,664	3,397	2,524	2,224	2,385	2,174	2,000	2,298	3,009	3,701
All "Shi"	9,960	1,327	1,049	1,133	872	703	593	681	693	552	594	812	1,011
All "Gun"	27,325	3,558	2,975	3,531	2,525	1,821	1,631	1,704	1,541	1,448	1,704	2,197	2,690
Aichi	1,654	216	175	224	173	125	93	113	101	93	77	120	144
Akita	1,140	118	133	148	124	66	62	71	59	85	69	91	114
Aomori	1,114	105	104	122	111	100	87	95	85	68	74	79	84
Chiba	901	101	92	104	75	57	49	57	51	57	64	84	110
Ehime	674	94	82	93	54	40	35	37	49	39	41	49	61
Fukui	495	72	63	61	42	31	21	40	26	29	23	40	47
Fukuoka	1,537	216	193	171	114	98	92	79	79	113	97	105	180
Fukushima	943	89	99	132	89	68	45	59	52	54	67	90	99
Gifu	922	124	106	126	83	61	58	59	56	35	61	82	71
Gumme	607	64	55	68	63	50	45	37	43	36	38	53	55
Hiroshima	806	113	81	82	82	44	50	49	42	43	56	81	83
Hokkaido	1,616	161	146	202	178	141	100	112	96	92	116	123	149
Hyogo	1,161	150	141	163	128	75	77	70	65	41	64	80	107
Ibaraki	1,120	148	141	151	98	76	67	69	55	46	54	80	135
Ishikawa	488	55	50	67	51	39	26	30	26	29	39	42	34
Iwate	937	117	88	137	102	68	54	49	40	45	63	86	88
Kagawa	566	91	75	58	37	32	46	46	19	29	30	40	63
Kagoshima	707	115	66	71	52	43	35	35	56	32	48	63	86
Kenagawa	546	76	56	64	38	29	30	35	27	37	33	46	77
Kochi	451	67	37	54	39	28	30	34	27	26	27	39	43

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Congenital Debility (158)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	807	110	74	88	64	52	51	51	37	46	53	89	92
Kyoto	660	100	66	85	58	57	38	51	32	39	31	51	52
Mie	698	101	78	96	53	44	38	56	31	44	37	54	66
Miyagi	798	114	94	130	83	45	48	50	33	19	48	68	66
Miyazaki	585	86	63	66	38	43	39	35	33	25	30	51	76
Nagano	642	68	64	78	66	54	40	34	47	30	48	49	64
Nagasaki	889	139	106	81	75	61	55	57	36	46	50	74	109
Nara	408	61	42	65	22	21	25	18	28	33	19	32	42
Niigata	1,045	102	114	126	108	84	53	76	73	57	62	95	95
Oita	707	109	98	81	46	37	52	49	46	38	45	40	66
Okeyama	890	144	112	108	80	68	46	49	45	43	57	63	75
Osaka	1,385	193	145	166	119	86	84	118	93	64	87	113	117
Saga	669	116	69	70	49	45	40	29	37	30	61	48	75
Saitama	1,137	147	103	130	83	68	83	71	88	46	68	106	144
Shiga	489	53	45	81	50	35	21	46	25	31	23	29	50
Shimane	460	56	42	63	40	32	29	31	32	30	36	30	33
Shizuoka	1,026	138	118	153	92	53	63	45	57	56	61	81	109
Tochigi	605	74	69	82	56	42	33	33	45	31	36	49	55
Tokushima	542	92	58	57	44	31	33	27	35	33	37	36	59
Tokyo	1,376	191	147	148	143	86	90	104	79	62	76	125	125
Tottori	293	39	36	28	32	19	12	14	17	25	20	20	31
Toyama	596	67	68	96	70	41	25	35	34	30	33	50	47
Wakayama	347	48	29	42	24	27	27	17	18	20	25	25	39
Yamagata	905	123	100	122	80	54	51	47	56	41	60	91	80
Yamaguchi	676	95	67	87	59	50	28	44	49	40	42	49	66
Yamanashi	265	27	34	37	30	18	18	16	11	12	12	18	32

See footnotes at end of table.

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Premature Birth. (159)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	13,667	1,484	1,272	1,362	1,112	1,015	972	1,003	1,002	989	963	1,117	1,376
All "Shi"	4,252	420	352	397	370	322	317	327	345	296	316	335	455
All "Gun"	9,415	1,064	920	965	742	693	655	676	657	693	647	782	921
Aichi	603	62	59	54	58	47	59	49	45	38	32	43	58
Akita	327	32	42	30	17	31	17	26	28	20	20	35	29
Aomori	251	20	20	27	29	27	24	24	16	18	11	21	14
Chiba	525	69	47	59	22	40	31	29	57	41	39	43	48
Ehime	252	20	22	29	18	20	14	28	21	14	18	25	23
Fukui	156	20	10	19	14	14	15	15	7	9	9	14	10
Fukuoka	484	61	42	39	32	34	34	36	31	31	34	44	66
Fukushima	379	30	37	43	26	25	25	35	27	28	35	27	41
Gifu	321	37	34	35	28	37	21	28	22	13	19	21	26
Gunma	227	19	14	36	15	7	14	17	9	23	11	29	33
Hiroshima	288	35	31	29	23	18	15	23	16	22	22	29	25
Hokkaido	519	52	52	45	49	38	44	52	35	31	36	41	44
Hyogo	506	62	50	46	51	36	40	32	36	31	35	25	62
Ibaraki	518	59	57	63	45	50	42	33	31	33	27	37	41
Isikawa	207	20	20	27	28	17	8	19	11	13	13	14	17
Iwata	373	35	39	40	51	42	26	16	26	21	22	28	27
Kagawa	166	20	15	17	10	9	7	15	16	13	16	12	16
Kagoshima	247	34	27	24	10	13	14	14	23	17	15	33	23
Kanagawa	222	16	17	23	24	9	12	16	21	21	15	20	28
Kochi	191	25	20	18	15	9	14	12	17	15	16	11	19

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Premature Birth (159)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	299	33	31	17	17	17	26	18	21	26	27	26	40
Kyoto	298	36	24	32	28	19	32	13	31	17	26	20	20
Mie	289	32	23	22	19	20	27	27	23	18	22	23	33
Miyagi	271	30	17	31	20	23	15	21	13	21	21	29	30
Miyazaki	170	28	17	14	6	12	8	8	20	15	10	19	13
Nagano	291	24	26	37	14	28	13	28	32	15	22	24	28
Nagasaki	239	29	13	17	25	22	13	11	21	17	22	25	26
Nara	133	16	15	16	14	5	5	6	9	12	11	15	9
Niigata	418	36	37	49	41	33	29	24	28	44	18	26	53
Oita	212	30	20	28	18	11	15	13	11	20	11	17	18
Okayama	288	33	42	17	15	26	20	25	16	26	21	17	30
Osaka	559	64	53	48	39	38	37	37	41	49	39	45	69
Saga	172	21	19	12	14	8	8	7	11	13	14	19	26
Saitama	400	39	37	40	37	29	26	23	32	29	27	34	47
Shiga	167	15	11	12	13	11	18	12	8	17	16	15	19
Shimane	181	21	19	13	14	16	9	14	8	16	16	19	16
Shizuoka	392	43	30	31	31	25	24	26	18	13	22	18	51
Tochigi	228	23	19	29	13	17	18	19	12	18	17	24	19
Tokushima	172	16	12	18	7	13	10	20	20	15	11	21	9
Tokyo	702	77	55	61	55	48	69	55	55	48	53	55	71
Tottori	93	12	9	7	6	6	6	5	3	10	13	8	8
Toyama	268	25	30	22	27	13	21	25	26	24	19	16	20
Wakayama	162	15	12	14	13	11	8	14	14	16	17	11	17
Yamagata	313	33	23	37	42	22	20	15	17	22	31	26	25
Yamaguchi	149	14	12	21	13	8	11	14	12	11	10	7	16
Yamanashi	99	11	11	14	6	11	9	4	5	5	4	6	13

See footnotes at end of table.

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Injury at Birth (160)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1,082	89	91	92	96	75	85	95	90	91	101	85	92
All "Shi"	414	33	31	33	34	27	33	45	42	41	39	28	28
All "Gun"	668	56	60	59	62	48	52	50	48	50	62	57	64
Aichi	40	4	3	2	5	5	4	2	3	2	2	2	6
Akita	22	-	2	3	2	4	1	2	1	-	2	1	4
Aomori	11	-	1	1	-	-	1	2	1	1	1	1	2
Chiba	42	5	4	2	-	2	6	2	2	3	9	-	5
Chino	28	3	7	-	1	-	3	7	2	2	1	2	-
Fukui	9	1	-	1	-	-	1	1	1	-	3	1	-
Fukuoka	36	3	2	7	4	1	4	3	4	2	1	3	2
Fukushima	23	2	1	2	1	2	1	2	1	3	1	4	3
Gifu	19	1	5	2	3	1	2	-	2	1	1	-	1
Gumma	21	3	1	2	1	2	3	3	2	-	1	3	-
Hiroshima	30	1	4	-	3	-	4	3	-	5	4	3	3
Hokkaido	46	3	10	4	4	5	4	4	2	-	4	3	3
Iyogo	35	1	1	2	5	3	4	2	4	-	5	3	3
Ibaraki	22	1	2	3	1	2	1	-	3	2	2	4	1
Ishikawa	12	3	2	1	-	-	-	2	-	1	1	2	-
Iwate	18	1	-	3	3	1	-	-	2	-	2	3	3
Kagawa	16	1	1	3	-	1	1	-	3	-	1	2	3
Kagoshima	22	3	1	-	1	1	2	-	2	-	3	6	1
Kanagawa	34	3	4	2	2	2	3	3	1	2	3	2	4
Kochi	20	1	1	1	2	2	1	3	-	5	2	-	3

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Injury at Birth (160)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	23	-	2	4	3	1	1	-	3	4	1	1	3
Kyoto	37	3	1	4	3	-	2	6	4	3	4	2	5
Mie	18	-	-	1	3	2	1	2	1	-	5	2	1
Miyagi	35	4	3	3	3	6	2	-	3	4	2	4	1
Miyazaki	20	-	1	3	1	3	2	-	1	3	1	-	3
Nagano	16	-	2	1	2	-	3	1	2	2	1	1	1
Nagasaki	17	-	-	3	3	-	1	2	1	-	2	1	2
Nara	10	-	-	1	1	1	1	2	-	1	2	1	-
Niigata	29	2	1	4	3	3	2	5	4	1	2	1	2
Oita	22	3	3	1	2	-	1	2	2	2	-	4	-
Okayama	24	1	3	1	1	3	2	4	1	4	2	-	2
Osaka	37	2	4	2	2	5	4	3	5	4	2	3	1
Saga	17	2	1	1	-	2	1	-	4	1	3	1	1
Saitama	24	2	-	3	3	-	1	2	3	1	3	2	4
Shiga	14	1	1	2	4	1	-	-	-	-	1	-	4
Shimane	10	1	-	2	-	-	2	2	-	-	-	1	2
Shizuoka	21	2	4	1	2	-	1	-	1	3	3	2	1
Tochigi	15	2	-	4	2	1	-	1	-	1	-	2	-
Tokushima	8	-	-	-	2	1	1	1	1	-	2	-	-
Tokyo	80	11	5	5	7	4	7	7	10	8	8	4	4
Tottori	10	2	-	1	2	-	-	-	-	1	2	2	-
Toyama	26	1	2	1	3	3	4	2	-	1	2	1	3
Wakayama	15	-	2	-	-	2	1	2	3	5	1	-	1
Yamagata	29	6	2	-	3	2	1	3	2	4	2	1	1
Yamaguchi	13	1	2	2	-	2	-	1	2	1	1	2	1
Yamaguchi	6	1	-	-	1	1	-	2	-	-	-	1	-

See footnotes at end of table.

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Other Diseases Peculiar to the First Year of Life (161)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	8,967	1,171	1,029	1,123	850	573	545	676	604	475	525	610	786
All "Shi"	2,479	319	284	277	230	153	162	205	204	147	139	160	199
All "Gun"	6,488	852	745	846	620	420	383	471	400	328	386	450	587
Aichi	366	45	31	41	44	33	23	37	34	11	8	22	37
Akita	157	19	18	26	23	8	8	5	7	11	6	9	17
Aomori	134	13	10	17	15	15	12	10	5	6	9	9	13
Chiba	283	39	41	39	25	17	11	20	15	17	20	19	20
Ehime	220	29	22	25	18	20	8	26	11	10	23	13	15
Fukui	83	7	10	13	12	5	4	8	6	4	6	3	5
Fukuoka	384	62	39	41	37	16	27	23	23	29	27	28	32
Fukushima	193	23	17	22	18	12	9	16	12	12	9	19	24
Gifu	223	30	25	24	23	16	17	21	11	8	13	14	21
Gumma	135	21	16	15	13	8	6	4	10	12	5	7	18
Hiroshima	184	15	15	18	22	12	19	20	9	10	7	17	20
Hokkaido	471	56	62	72	62	36	31	28	34	22	19	23	26
Iyogo	272	26	36	28	29	21	20	26	22	18	13	14	19
Ibaraki	281	46	22	38	23	20	15	10	13	19	20	25	30
Ishikawa	123	22	20	12	5	9	7	12	9	3	5	7	12
Iwate	195	21	24	43	25	11	6	8	12	7	11	12	15
Kagawa	141	23	20	18	7	7	9	11	10	7	6	7	16
Kagoshima	190	31	19	26	9	7	14	8	11	11	14	18	22
Kenegawa	186	28	15	26	7	7	17	20	10	15	11	15	15
Kochi	79	11	4	12	10	2	5	4	3	4	5	6	13

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE, JAPAN, 1949 - Cont'd
Other Diseases Peculiar to the First Year of Life (161)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	221	35	32	19	16	14	8	18	20	5	10	17	27
Kyoto	161	22	18	24	12	12	11	15	7	4	12	12	12
Mie	201	38	25	23	20	8	14	11	14	5	13	15	15
Miyagi	158	21	20	31	12	9	11	5	6	8	10	12	13
Miyazaki	175	25	20	24	10	15	9	14	17	4	14	8	15
Nagano	168	14	21	28	19	13	10	11	10	7	10	15	10
Nagasaki	232	30	29	23	16	13	13	25	22	15	12	17	17
Nara	93	10	10	9	11	5	6	11	8	2	7	8	6
Niigata	172	14	21	18	19	12	11	14	16	6	9	16	16
Oita	198	28	29	24	14	9	11	20	13	9	12	13	16
Okeyama	220	44	33	25	17	14	10	10	10	11	13	13	20
Osaka	358	29	37	50	30	21	23	37	29	24	19	24	35
Saga	159	24	23	15	13	4	9	10	9	8	14	13	17
Saitama	259	36	26	34	24	18	11	15	24	12	12	20	27
Shiga	103	10	15	14	11	7	7	6	11	4	9	3	6
Shimane	102	14	17	18	8	5	8	8	-	6	8	4	6
Shizuoka	391	52	38	44	37	24	22	38	27	27	27	19	36
Tochigi	163	13	17	21	20	8	9	13	10	7	13	14	18
Tokushima	119	16	12	14	8	11	10	5	6	5	8	9	15
Tokyo	354	40	35	44	35	23	25	28	24	22	21	28	29
Tottori	64	10	13	9	4	5	2	1	5	3	5	1	6
Toyama	122	18	21	11	16	7	6	10	8	10	4	6	5
Wakayama	115	13	16	8	10	4	10	6	14	10	6	9	9
Yamagata	137	19	15	15	16	12	10	14	6	6	6	14	4
Yamaguchi	157	18	12	14	18	14	8	12	17	11	8	12	13
Yamanashi	65	11	8	8	7	4	3	2	4	8	6	1	3

See footnotes at end of table.

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Accidental Deaths (169-195)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1,931	217	158	199	159	123	129	134	116	103	129	216	248
All "Shi"	685	83	65	72	59	37	37	36	33	27	44	85	107
All "Gun"	1,246	134	93	127	100	86	92	98	83	76	85	131	141
Aichi	75	11	5	8	4	2	9	7	5	5	3	8	8
Akita	37	4	1	3	3	2	5	1	3	3	5	2	5
Aomori	42	4	4	3	2	2	4	4	2	1	1	7	9
Chiba	21	1	1	1	1	2	3	1	3	2	1	3	1
Ehime	29	2	2	4	-	2	2	2	1	3	2	5	4
Fukui	31	1	2	2	3	4	2	4	3	-	3	2	5
Fukuoka	82	15	6	9	7	4	4	-	6	2	6	10	13
Fukushima	74	8	8	11	4	3	5	6	4	3	4	11	7
Gifu	46	3	7	7	4	5	-	5	2	3	5	1	1
Gumma	29	3	1	1	1	-	4	7	-	4	3	2	3
Hiroshima	51	5	3	10	7	3	2	3	2	1	1	8	6
Hokkaido	129	17	9	11	8	9	9	11	6	6	7	19	17
Iyogo	66	13	4	6	4	5	6	1	5	2	5	5	10
Ibaraki	27	3	2	3	1	3	1	3	3	1	1	3	2
Ishikawa	23	4	2	-	3	-	1	3	1	1	-	4	4
Iwate	52	9	3	4	5	8	-	2	2	-4	6	7	2
Kagawa	12	4	1	1	-	-	-	2	1	1	1	1	1
Kagoshima	72	7	1	5	5	-	11	10	10	7	6	7	3
Kanagawa	43	4	2	6	7	-	3	-	1	2	5	4	9
Kochi	18	1	1	-	3	3	2	2	2	1	-	1	2

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Accidental Deaths (169-195)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	35	2	4	1	5	2	2	4	2	1	1	5	6
Kyoto	39	7	5	3	7	2	1	2	-	1	2	1	8
Mie	20	2	5	2	2	-	2	1	1	1	4	2	4
Miyagi	35	4	5	6	1	4	1	2	1	1	1	2	4
Miyazaki	31	3	4	2	2	1	2	5	5	3	1	-	3
Nagano	54	5	5	7	5	2	6	3	5	-	5	6	5
Nagasaki	60	8	2	5	1	5	2	3	8	1	4	7	14
Nara	9	1	3	1	1	-	-	-	1	-	-	1	1
Niigata	68	4	2	5	8	-	3	-	6	5	4	13	6
Oita	22	2	2	1	2	1	-	2	1	4	-	4	3
Okayama	32	4	5	5	3	3	1	5	-	3	1	-	2
Osaka	74	9	8	12	3	3	6	3	5	5	5	8	7
Saga	22	4	1	2	2	2	1	3	-	2	2	1	4
Saitama	24	1	2	3	5	2	1	3	-	1	2	1	2
Shiga	19	2	2	4	1	1	-	-	1	2	-	2	2
Shimane	44	4	3	5	5	4	6	1	1	1	4	3	7
Shizuoka	43	4	3	3	2	4	1	4	2	3	2	8	7
Tochigi	34	2	3	2	1	1	2	1	5	4	7	3	3
Tokushima	20	5	1	3	3	1	-	2	2	-	-	2	1
Tokyo	148	16	12	20	12	8	6	4	2	2	11	22	33
Tottori	13	2	2	-	1	-	1	-	-	1	1	-	5
Toyama	26	1	6	1	4	1	3	2	2	3	1	2	-
Wakayama	15	-	2	3	-	1	2	-	1	1	3	2	-
Yamagata	36	2	4	1	3	6	3	1	1	4	4	6	2
Yamaguchi	34	3	4	6	2	3	1	5	-	1	1	3	5
Yamanashi	15	1	1	1	2	1	1	2	1	1	-	2	2

See footnotes at end of table.

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Ill-Defined and Unknown Causes (199-200)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	2,587	265	249	327	283	200	174	168	130	112	187	230	262
All "Shi"	715	85	68	85	76	43	40	52	44	35	54	52	81
All "Gun"	1,872	180	181	242	207	157	134	116	86	77	133	178	181
Aichi	75	8	5	8	9	5	6	7	1	4	6	4	12
Akita	61	8	8	11	5	6	3	2	1	2	5	6	4
Aomori	104	8	3	15	14	9	12	9	6	7	5	9	7
Chiba	68	6	7	5	9	9	4	4	2	3	3	7	9
Ehime	65	6	12	10	6	6	4	7	1	1	5	3	4
Fukui	44	3	3	9	4	4	3	6	3	2	2	2	3
Fukuoka	73	6	5	8	11	3	7	4	10	4	8	4	3
Fukushima	78	8	5	5	11	7	4	5	3	5	7	7	11
Gifu	36	4	2	5	2	5	4	2	3	1	5	2	1
Gumma	40	4	6	6	4	2	4	2	3	2	2	4	1
Hiroshima	29	2	1	7	7	1	1	2	-	1	2	2	3
Hokkaido	267	25	23	34	40	31	10	17	14	7	15	18	33
Hyogo	89	7	12	5	8	7	8	6	8	5	4	9	10
Ibaraki	61	5	5	8	6	5	6	5	7	5	4	6	1
Ishikawa	28	2	-	2	2	2	5	4	-	-	4	4	3
Iwate	70	5	10	12	5	9	3	6	1	3	4	7	5
Kagawa	41	3	3	6	4	4	2	3	-	2	5	3	6
Kagoshima	42	7	4	5	2	3	4	1	1	4	3	3	5
Kenagawa	52	4	11	8	5	3	3	2	2	1	4	3	6
Kochi	22	1	1	4	1	3	1	-	1	1	1	3	5

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
Ill-Defined and Unknown Causes (199-200)

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	25	5	2	3	1	1	1	-	-	-	2	7	3
Kyoto	31	4	4	3	1	2	5	1	2	3	3	-	3
Mie	38	4	4	5	4	4	3	3	4	1	1	3	2
Miyagi	59	4	3	11	10	4	1	4	1	2	4	8	7
Miyazaki	23	4	1	1	-	2	1	3	-	2	1	1	7
Nagano	42	3	4	7	3	2	3	4	2	2	4	5	3
Nagasaki	33	5	2	4	6	1	5	2	-	3	1	4	2
Nara	37	3	5	4	5	2	3	2	2	2	3	4	2
Niigata	111	9	11	12	10	6	4	9	8	3	11	18	10
Oita	32	3	4	6	2	2	-	1	2	1	2	5	4
Ookayama	33	4	2	4	5	2	3	-	1	-	5	5	2
Osaka	105	17	11	13	18	3	2	8	6	6	6	5	10
Saga	25	1	5	-	3	1	2	-	2	2	3	1	5
Saitama	73	7	9	9	5	7	10	5	1	1	6	4	9
Shiga	25	4	1	5	3	1	1	1	-	1	2	3	3
Shimane	21	3	2	3	4	2	2	-	1	1	-	2	1
Shizuoka	67	5	5	14	6	3	6	5	3	1	8	7	2
Tochigi	65	7	10	9	7	3	7	2	5	4	3	4	6
Tokushima	36	6	4	4	1	4	2	2	2	1	3	4	3
Tokyo	150	21	20	12	17	9	6	9	7	7	9	10	23
Tottori	8	1	-	1	-	1	-	2	-	2	1	-	-
Toyama	52	2	5	5	8	1	5	2	5	2	4	8	7
Wakayama	34	5	4	2	1	4	3	2	1	-	5	3	2
Yamagata	45	3	-	7	2	6	2	3	4	5	2	6	5
Yamaguchi	41	9	3	8	4	1	-	2	3	1	1	4	5
Yamanashi	31	4	2	4	2	2	3	2	3	2	2	3	4

See footnotes at end of table.

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
All Other Causes

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	11,507	1,357	1,227	1,381	1,215	941	794	742	639	593	685	829	1,104
All "Shi"	3,217	481	343	350	329	270	235	217	194	173	198	233	294
All "Gun"	8,290	976	884	1,031	886	671	559	525	445	420	487	596	810
Aichi	484	55	54	62	56	34	33	30	34	22	26	35	43
Akita	240	29	12	32	25	17	15	11	12	14	18	20	35
Iomori	353	30	33	41	38	52	24	31	18	15	16	19	36
Chiba	273	36	28	27	23	25	19	17	16	19	9	22	32
Ehime	219	30	26	24	20	18	17	10	20	14	12	10	18
Fukuï	148	8	15	29	16	12	10	9	6	7	13	11	12
Fukuoka	480	57	49	51	45	36	36	35	25	30	43	33	40
Fukushima	333	30	32	38	44	26	27	11	13	8	25	47	32
Gifu	261	38	37	32	21	27	11	12	16	14	15	21	17
Gumma	209	31	33	32	12	8	11	11	14	12	13	12	20
Hiroshima	259	28	31	24	28	18	19	18	21	14	15	13	30
Hokkaido	698	84	67	86	75	61	44	48	43	34	48	49	59
Iyogo	427	43	53	51	41	35	31	28	30	16	26	33	40
Iberagi	279	28	30	32	31	22	25	19	17	18	16	10	31
Ishikawa	177	13	16	18	28	20	9	10	8	14	9	13	19
Iwate	322	35	32	53	49	28	18	10	16	17	11	16	37
Kagawa	127	19	20	14	5	10	6	14	10	1	13	6	9
Kagoshima	233	31	18	18	13	17	13	29	14	21	15	21	23
Kenagawa	238	22	27	31	23	20	19	18	15	10	16	20	17
Kochi	116	11	11	12	11	9	14	6	2	5	9	14	12

TABLE 90.- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
All Other Causes

Area	Total Deaths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	222	26	34	21	26	14	15	9	16	9	14	18	20
Kyoto	173	17	14	26	22	12	23	9	8	10	8	11	13
Mie	208	24	22	22	26	16	14	11	14	16	11	12	20
Miyagi	213	17	14	27	37	17	16	13	15	11	9	16	21
Miyazaki	178	19	21	21	12	10	10	11	15	8	13	13	25
Nagano	251	23	24	41	35	19	14	17	13	11	17	20	17
Nagasaki	207	21	22	20	22	14	15	19	15	10	16	12	21
Nara	106	15	14	24	11	11	7	6	4	5	3	3	3
Niigata	478	52	45	62	56	44	34	34	16	31	24	40	40
Oita	214	28	25	20	24	16	15	17	11	9	15	12	22
Okayama	219	34	28	31	22	16	16	12	10	13	9	12	16
Osaka	350	49	39	40	30	33	28	22	17	22	11	26	33
Saga	156	23	12	24	13	11	12	7	9	7	8	20	10
Saitama	269	37	40	34	30	17	15	20	8	7	16	13	32
Shiga	125	16	17	10	14	12	8	8	5	5	5	9	16
Shimane	153	10	12	18	15	15	12	17	8	11	9	11	15
Shizuoka	314	44	36	36	34	29	16	17	16	11	13	28	34
Tochigi	208	37	25	20	21	14	14	17	7	4	16	16	17
Tokushima	147	19	13	21	13	7	9	9	7	11	10	11	17
Tokyo	489	64	40	59	51	34	32	28	29	21	35	41	55
Tottori	83	11	9	3	13	5	6	5	6	4	5	8	8
Toyama	198	23	22	19	22	21	11	9	10	11	15	8	27
Wakayama	121	21	12	15	11	6	5	7	5	6	10	12	11
Yamagata	223	27	21	22	26	23	16	18	8	20	6	17	19
Yamaguchi	236	28	29	27	18	23	18	20	14	10	13	13	23
Yamanashi	90	14	13	11	7	7	12	3	3	5	6	2	7

See footnotes at end of table.

TABLE 90.-- INFANT DEATHS FROM SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd

Footnotes:

Data refer to infant deaths (deaths under 1 year of age) of Japanese nationals in Japan.

A dash (-) indicates that no infant deaths were reported.

No infant deaths were reported during 1949 for typhoid fever, paratyphoid fever, cholera, anthrax, leprosy, glanders, malaria, yellow fever, and rabies.

Sources:

Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 91. - INFANT DEATH RATES FOR SELECTED SAUGES BY MONTH BY PREFECTURE: JAPAN, 1949
(Rates per 1,000 live births each month)

CEREBROSPINAL (MENINGOCOCCUS) MENINGITIS (6)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
All "Shi"	0.1	0.1	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.0
All "Gun"	0.0	0.0	0.0	0.0	0.0	-	0.0	-	0.0	0.0	0.0	0.0	0.0
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	0.0	-	-	0.2	-	-	-	-	-	-	-	-	0.3
Aomori	0.1	-	-	0.2	-	-	-	-	0.2	0.2	0.2	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.0	0.1	0.1	0.2	-	-	0.1	-	-	-	0.1	-	-
Fukushima	0.1	-	0.2	-	0.2	-	0.2	-	-	-	0.1	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	0.0	-	0.2	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	0.1	-	0.1	0.1	0.1	-	0.2	-	-	0.1	0.3	-	-
Hyogo	0.0	-	-	0.1	-	-	-	-	-	-	-	0.1	-
Ibaraki	0.1	0.1	-	-	0.2	-	-	-	-	-	-	-	0.4
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	0.0	-	-	-	-	-	0.3	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	0.0	-	-	-	-	-	-	-	-	-	-	0.2	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	0.2

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949
(Rates per 1,000 live births each month)

CEREBROSPINAL (MENINGOCOCCUS) MENINGITIS (c)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	0.1	-	-	0.4	-	0.3	-	-	-	-	-	-	-
Mie	0.0	-	-	-	-	-	0.3	-	-	-	-	-	-
Miyagi	0.0	-	-	0.2	-	-	0.3	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	0.0	-	-	-	-	-	-	-	-	-	-	0.2	-
Nagasaki	0.0	-	-	0.2	-	-	-	-	-	-	-	0.2	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	0.0	0.1	-	-	-	0.2	0.2	0.2	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	0.0	-	-	-	-	-	-	-	-	0.3	-	-	-
Osaka	0.1	0.2	0.1	0.1	-	0.2	0.1	-	0.1	-	0.1	0.1	-
Saga	0.0	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	0.0	0.1	-	-	-	-	-	-	-	-	-	-	-
Shiga	0.0	-	-	-	-	-	0.5	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	0.0	-	-	-	-	-	-	-	-	-	-	-	0.2
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	0.1	0.1	0.1	0.1	0.1	0.1	-	0.1	-	0.1	0.1	0.1	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	0.3
Yamagata	0.0	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	0.1	-	-	-	-	-	-	-	-	-	-	0.5	0.5

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

SCARLET FEVER (8)

Area	Annual	Jan	Feb	Mar	Apr	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.0	0.0	0.0	-	0.0	-	0.0	-	-	-	-	-
All "Shi"	0.0	-	0.0	-	0.0	-	-	-	-	-	-	-
All "Gun"	0.0	0.0	-	-	-	-	0.0	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	0.0	0.1	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-
Fuku	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	0.0	-	0.1	-	0.1	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live birth each month)

SCARLET FEVER (8)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	-	-	-	-	-	-	-	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	0.0	-	-	-	-	-	-	0.2	-	-	-	-	-
Osaka	0.0	-	-	-	-	0.1	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	-	-	-	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

WHOOPING COUGH (9)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1.8	0.9	1.2	1.3	1.6	2.3	2.8	2.7	2.8	2.0	1.5	1.5	2.4
All "Shi"	2.1	1.0	1.6	1.6	1.9	2.9	3.0	3.0	3.0	2.0	1.6	1.6	2.3
All "Gun"	1.7	0.9	1.0	1.1	1.4	2.0	2.6	2.6	2.7	1.9	1.4	1.5	2.4
Aichi	2.2	1.2	2.2	2.9	1.8	5.0	3.7	3.5	3.2	1.5	0.8	0.8	0.6
Akita	1.9	0.7	0.2	0.4	1.2	2.4	2.4	3.2	4.7	2.6	2.1	1.8	1.8
Aomori	2.4	3.2	1.4	1.3	1.8	2.1	2.4	2.0	3.1	1.7	2.3	2.7	4.7
Chiba	1.9	0.7	0.8	0.9	1.3	2.0	3.5	2.8	3.5	0.7	2.3	1.5	3.5
Ehime	2.3	0.3	1.5	2.4	2.4	3.9	6.4	3.3	2.8	2.7	0.9	1.2	1.7
Fukui	1.2	0.3	0.4	0.4	0.5	-	0.5	4.6	1.5	1.5	1.0	1.2	3.9
Fukuoka	2.1	0.9	1.2	1.6	2.4	3.8	4.2	3.6	1.9	1.7	1.3	1.7	2.4
Fukushima	2.0	0.8	0.6	1.2	0.5	2.2	2.6	4.2	2.7	1.3	1.9	2.2	5.3
Gifu	2.1	0.9	1.9	1.5	3.5	3.2	2.6	4.2	2.8	2.4	0.8	0.5	2.2
Gunma	2.9	2.0	4.2	3.1	4.5	2.2	4.0	3.0	3.6	2.6	1.2	1.0	3.3
Hiroshima	1.4	0.2	-	0.7	1.4	1.5	2.0	1.8	2.7	2.8	1.9	1.6	1.4
Hokkaido	2.2	2.4	2.6	2.2	1.7	2.5	2.5	2.7	3.6	1.8	2.0	1.3	0.9
Hyogo	1.9	0.3	1.1	0.8	1.9	2.0	3.6	3.4	2.9	2.2	2.0	1.5	1.8
Ibaraki	0.9	0.5	-	1.1	0.5	0.9	0.2	1.2	0.9	1.3	0.7	1.2	2.1
Ishikawa	2.1	1.7	0.6	1.8	1.4	0.8	3.8	1.3	2.5	3.5	3.3	1.7	3.8
Iwate	2.1	1.1	0.4	0.6	1.0	1.7	1.8	2.0	3.0	4.4	2.9	2.3	6.2
Kagawa	1.4	0.5	0.3	0.3	0.4	2.8	2.8	2.3	3.1	2.0	2.1	0.9	0.9
Kagoshima	0.7	0.5	1.1	1.1	-	0.9	1.6	0.6	0.6	0.6	0.4	0.2	1.2
Kanagawa	1.9	0.2	0.8	1.0	1.6	2.9	2.3	3.0	3.5	3.2	1.7	1.5	2.6
Kochi	0.6	0.3	0.4	0.4	1.0	0.5	0.5	0.5	0.9	0.9	-	-	1.9

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

WHOOPIING COUGH (9)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	0.9	0.1	0.5	0.5	0.4	1.1	1.2	0.2	0.6	1.1	1.5	0.7	2.7
Kyoto	1.5	0.5	1.4	0.2	2.0	3.3	2.4	2.4	2.1	2.0	0.3	2.0	1.3
Mie	1.6	0.9	1.5	1.3	2.1	2.8	4.3	2.5	1.3	1.8	1.1	1.1	0.9
Miyagi	2.5	1.2	1.1	1.2	2.6	5.8	5.0	4.6	3.1	2.4	0.2	2.1	3.7
Miyazaki	0.6	-	0.6	0.6	0.6	0.6	0.7	1.0	0.9	1.2	0.3	-	0.6
Nagano	2.3	1.6	1.8	1.8	1.6	2.9	3.6	5.7	4.2	1.9	1.0	1.3	1.9
Nagasaki	1.0	0.1	0.2	0.6	0.4	0.2	1.2	1.0	1.8	0.8	1.0	2.1	3.4
Nara	2.1	-	1.0	1.0	2.3	0.6	2.6	2.3	3.4	6.5	3.0	0.6	3.0
Niigata	2.0	2.2	2.0	0.8	2.6	2.5	3.5	2.6	1.9	1.6	0.9	1.7	2.4
Oita	1.3	0.4	0.2	0.8	1.4	1.0	2.1	1.2	3.8	1.8	0.6	0.9	2.3
Okayama	1.1	0.3	0.4	1.3	0.5	1.1	2.1	0.2	0.9	2.1	1.6	0.3	1.1
Osaka	2.4	1.1	1.0	1.5	0.8	3.5	3.3	3.3	5.2	2.7	2.2	2.9	2.0
Saga	1.2	0.5	0.6	0.3	1.6	1.6	3.3	2.0	3.3	0.4	0.7	0.4	1.4
Saitama	2.4	2.2	1.4	1.4	2.1	2.3	2.6	2.8	3.7	2.6	2.4	2.1	3.1
Shiga	2.6	1.3	1.6	3.1	4.2	2.4	3.3	6.7	4.3	2.1	1.6	1.1	0.5
Shimane	1.0	0.3	0.4	1.0	1.2	1.4	1.0	0.9	1.3	1.3	0.8	1.3	2.4
Shizuoka	1.9	0.5	0.6	1.5	1.6	1.9	2.5	3.2	2.5	2.1	1.3	2.3	3.8
Tokachi	1.7	1.8	2.5	1.4	0.9	1.0	2.7	2.0	2.9	0.9	0.7	1.5	2.1
Tokushima	0.7	0.8	-	0.4	-	-	1.0	1.8	0.9	0.4	0.4	0.9	1.7
Tokyo	1.8	0.6	1.4	0.9	1.4	2.1	2.8	3.0	2.6	1.9	1.2	1.9	2.8
Tottori	2.1	-	-	-	2.4	0.7	3.2	6.3	4.3	1.4	0.6	4.5	4.3
Toyama	2.4	0.5	1.9	2.3	2.3	3.7	3.1	4.7	1.8	3.1	3.3	2.9	0.9
Wakayama	0.6	-	-	-	0.9	-	0.5	2.1	0.8	0.8	0.4	0.4	1.3
Yamagata	3.4	1.2	2.6	1.4	3.3	5.1	5.7	3.3	5.3	4.3	3.4	3.1	3.3
Yamaguchi	2.0	1.3	1.3	1.3	0.5	2.2	1.7	3.0	3.2	2.4	2.5	1.1	3.8
Yamanashi	1.2	0.3	0.9	0.4	0.9	1.0	1.6	0.5	2.7	1.0	1.0	2.6	2.2

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

DIPHTHERIA (10)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.1
All "Shi"	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1
All "Gun"	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1
Aichi	0.0	0.1	0.1	0.1	0.2	-	-	-	-	-	-	-	-
Akita	0.0	-	-	0.2	-	-	-	-	-	-	-	-	-
Aomori	0.1	0.2	-	-	-	-	0.5	0.2	-	0.4	-	-	0.3
Chiba	0.1	0.1	0.3	0.3	-	-	-	-	-	-	-	-	-
Ehime	0.1	-	-	0.2	-	0.3	-	-	-	-	-	0.5	-
Fukui	0.1	-	-	-	-	0.5	-	-	0.5	-	-	-	0.6
Fukuoka	0.1	0.3	0.2	0.3	0.3	0.2	0.1	-	-	-	-	0.3	-
Fukushima	0.1	0.1	0.5	-	0.2	-	-	0.2	-	-	0.1	-	-
Gifu	0.0	-	-	-	-	-	-	-	-	-	-	-	0.3
Gumma	0.1	0.2	-	0.2	-	0.2	-	-	-	-	0.2	-	-
Hiroshima	0.1	-	0.2	0.2	0.4	-	-	-	-	0.2	0.4	-	-
Hokkaido	0.1	0.2	0.1	0.2	0.1	0.2	0.2	-	0.1	-	0.1	0.1	0.4
Hyogo	0.1	0.2	0.1	0.1	0.1	-	0.1	0.1	-	-	-	-	-
Ibaraki	0.0	-	-	-	-	-	-	-	-	-	-	-	0.2
Ishikawa	0.0	-	0.3	-	-	-	-	-	-	-	-	-	-
Iwate	0.1	-	-	0.2	-	-	0.3	-	-	-	0.2	-	-
Kagawa	0.1	0.5	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	0.1	-	-	-	0.2	-	0.2	0.2	-	-	0.2	0.4	-
Kanagawa	0.1	0.1	0.3	-	0.2	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

DIPHTHERIA (10)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	0.1	-	0.2	0.4	0.4	-	-	-	-	-	-	0.2	0.2
Kyoto	0.1	-	0.2	0.2	-	-	-	0.2	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	0.0	-	0.2	0.2	-	-	-	-	-	-	-	-	-
Miyazaki	0.2	-	0.3	-	0.6	-	-	0.3	0.6	0.3	0.3	-	-
Nagano	0.0	0.1	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	0.0	0.1	-	-	-	-	-	-	-	-	-	-	0.2
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	0.1	0.2	0.1	-	0.1	-	-	0.3	0.1	-	-	-	-
Oita	0.2	0.2	0.7	0.3	-	0.3	-	-	-	0.3	-	-	-
Okayama	0.2	-	0.2	-	0.2	-	-	1.2	-	-	-	0.3	-
Osaka	0.1	0.1	-	0.1	0.1	0.1	0.1	-	-	-	-	-	0.1
Saga	0.1	0.5	-	-	-	-	-	-	0.4	-	-	-	0.4
Saitama	0.0	0.1	0.2	-	0.2	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	0.0	-	-	-	-	0.5	-	-	-	-	-	-	-
Shizuoka	0.0	-	0.1	-	-	-	-	-	-	0.2	-	-	-
Tochigi	0.0	-	-	0.2	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	0.1	0.0	0.3	0.1	0.4	0.2	-	0.1	0.1	-	0.1	0.2	0.1
Tottori	0.2	-	-	-	0.6	-	-	-	0.7	-	-	0.7	-
Toyama	0.1	0.2	0.3	-	0.3	-	-	-	-	-	-	-	0.5
Wakayama	0.0	-	-	0.4	-	-	-	-	-	-	-	-	-
Yamagata	0.1	-	0.5	-	0.6	-	-	-	-	-	-	-	-
Yamaguchi	0.1	-	-	-	-	0.3	-	-	-	-	-	-	0.5
Yamanashi	0.1	-	-	0.4	-	0.5	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

TSUNSHIENAS (11)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.3	0.3	0.3	0.4	0.3	0.3	0.2	0.2	0.3	0.2	0.2	0.3	0.3
All "Shi"	0.2	0.3	0.3	0.4	0.4	0.1	0.2	0.1	0.2	0.2	0.1	0.2	0.2
All "Gun"	0.3	0.3	0.4	0.5	0.3	0.3	0.2	0.2	0.3	0.3	0.3	0.3	0.4
Aichi	0.3	0.3	0.3	0.9	0.1	0.1	0.1	0.2	0.3	0.2	-	0.4	0.1
Akita	0.3	-	0.7	0.4	0.7	0.3	-	-	-	-	-	0.3	0.6
Aomori	0.3	0.2	0.2	0.6	0.9	0.2	-	0.3	0.2	-	0.2	0.2	0.3
Chiba	0.2	0.4	0.2	0.2	0.2	0.4	0.4	-	0.2	0.2	-	0.2	0.5
Ehime	0.4	0.2	0.2	0.9	0.5	0.3	-	-	-	0.2	0.9	0.7	0.5
Fukui	0.3	-	0.4	-	0.5	-	-	-	1.0	-	0.5	-	1.3
Fukuoka	0.2	0.1	0.4	0.5	0.6	-	-	0.1	0.3	0.1	-	0.2	0.2
Fukushima	0.3	0.3	0.3	0.7	0.8	-	-	0.6	-	0.3	0.3	0.2	0.2
Gifu	0.2	-	-	0.7	0.2	0.8	-	0.3	0.5	0.3	-	-	0.3
Gumma	0.3	0.5	0.6	0.4	0.2	-	-	0.3	0.2	0.2	0.2	1.0	-
Hiroshima	0.3	0.2	0.2	0.4	0.6	0.2	-	0.6	-	0.6	0.2	0.2	-
Hokkaido	0.2	0.3	0.3	0.1	0.3	0.1	0.2	0.2	0.2	0.1	0.1	0.2	0.6
Hyogo	0.4	0.9	0.4	0.1	0.5	0.5	0.1	-	0.4	0.3	0.6	0.1	0.7
Ibaraki	0.3	0.1	0.2	0.5	0.5	0.2	0.4	-	0.4	0.4	0.2	-	0.9
Ishikawa	0.2	-	0.6	-	0.4	-	-	0.4	-	-	-	0.4	-
Iwate	0.4	0.7	0.4	0.8	0.2	0.2	0.3	-	0.3	0.5	-	0.8	0.6
Kagawa	0.2	-	0.7	0.3	0.4	-	-	-	0.4	-	-	0.5	-
Kagoshima	0.5	0.5	0.6	0.2	0.6	0.4	0.7	0.4	0.8	0.2	0.9	0.2	0.2
Kanagawa	0.1	0.2	0.3	0.1	0.2	0.2	-	0.2	0.2	0.2	-	0.2	-
Kochi	0.3	0.6	0.4	2.2	-	-	-	-	0.5	-	-	-	-

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month.)

ERYSIPELAS (11)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	0.3	0.6	-	0.5	-	-	0.7	0.4	0.6	0.2	0.8	-	-
Kyoto	0.2	0.3	0.2	0.8	0.7	-	-	-	-	-	0.5	0.3	-
Kie	0.3	0.2	0.3	0.6	0.6	0.3	-	0.3	-	-	0.8	0.3	0.6
Miyagi	0.3	0.5	0.2	0.7	0.2	0.2	0.3	0.2	0.5	-	0.2	0.2	-
Miyazaki	0.3	0.6	-	-	0.6	0.3	-	0.3	0.3	0.9	0.3	0.3	-
Nagano	0.4	0.3	0.5	0.9	-	0.4	0.5	0.5	0.2	0.2	0.4	0.2	1.0
Nagasaki	0.2	-	-	0.4	-	0.2	0.7	0.2	-	-	-	-	0.6
Nara	0.5	0.7	-	1.5	0.6	1.2	-	-	-	-	0.6	1.1	0.6
Niigata	0.2	0.3	0.3	0.5	0.1	0.2	0.4	0.2	-	0.3	-	0.5	0.2
Oita	0.3	0.7	0.2	0.5	-	0.6	-	0.3	-	-	0.3	0.3	0.3
Okayama	0.4	0.5	0.4	-	0.2	0.8	0.6	0.2	-	0.3	0.3	0.6	1.4
Osaka	0.2	0.2	0.4	0.6	0.4	0.2	0.2	-	0.2	0.1	0.2	0.2	0.1
Saga	0.3	-	0.3	0.3	-	0.4	-	-	1.8	0.7	-	0.4	0.4
Saitama	0.3	0.2	0.6	0.2	0.4	0.4	0.2	-	0.2	0.3	0.3	0.2	0.2
Shiga	0.5	0.7	1.2	0.4	0.5	-	-	0.5	0.5	-	-	0.5	1.1
Shimane	0.4	0.3	0.7	0.7	-	0.5	-	0.4	-	1.3	-	0.4	0.5
Shizuoka	0.3	0.5	0.4	0.6	0.6	0.2	-	0.2	0.2	0.2	-	0.2	-
Tochigi	0.2	0.5	-	0.2	-	0.5	-	-	-	0.2	-	0.5	0.5
Tokushima	0.4	0.5	0.7	0.4	0.4	-	-	0.5	-	-	0.4	1.3	0.4
Tokyo	0.1	0.2	0.2	0.3	0.2	0.2	0.2	-	0.2	-	-	0.1	0.1
Tottori	0.3	0.4	-	0.6	-	0.7	-	-	1.4	0.7	-	-	-
Toyama	0.3	0.2	0.3	0.6	0.3	-	0.4	-	0.4	0.3	0.4	0.4	0.9
Wakayama	0.3	-	0.8	0.7	0.4	0.5	-	-	-	0.8	0.9	-	-
Yamagata	0.3	0.2	0.3	0.2	0.6	-	-	-	0.3	0.3	0.3	0.6	1.0
Yamaguchi	0.4	0.2	0.2	0.2	1.0	0.6	-	0.7	0.2	0.5	-	0.3	0.5
Yamanashi	0.4	-	0.4	0.9	-	-	0.5	0.5	0.5	1.0	0.5	-	0.5

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CITIES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

TETANUS (12)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.3	0.2	0.3	0.3	0.2	0.3	0.4	0.4	0.5	0.4	0.3	0.3	0.3
All "Shi"	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.4	0.4	0.1	0.2	0.2
All "Gun"	0.4	0.3	0.4	0.3	0.3	0.3	0.5	0.5	0.6	0.5	0.4	0.3	0.3
Aichi	0.3	-	0.2	0.3	0.1	0.5	0.3	0.7	0.3	0.5	0.6	0.1	0.1
Akita	0.2	0.2	0.2	0.4	-	0.3	-	-	0.3	0.5	0.5	-	0.3
Aomori	0.3	0.2	0.2	0.6	-	-	-	0.5	0.2	0.2	0.8	0.5	-
Chiba	0.9	0.4	1.0	0.2	0.2	1.2	1.6	1.4	2.0	1.1	0.9	1.1	0.2
Ehime	0.5	-	1.7	-	0.7	0.8	0.6	0.2	0.2	0.7	0.5	0.2	0.5
Fukui	0.1	-	-	-	-	-	0.5	-	-	0	0.5	-	-
Fukuoka	0.2	0.1	0.3	0.1	0.5	-	0.2	-	0.4	0.2	0.2	-	0.3
Fukushima	0.2	0.4	0.2	-	-	-	-	0.2	0.7	0.2	0.3	0.3	0.2
Gifu	0.2	0.3	-	0.4	-	0.3	0.3	-	1.0	-	-	-	0.5
Gumma	0.7	0.3	0.4	0.8	0.7	0.7	1.1	0.5	1.7	1.2	0.2	0.5	1.0
Hiroshima	0.2	0.4	0.2	0.4	-	-	-	0.2	0.6	-	-	0.2	-
Hokkaido	0.2	0.2	0.1	0.1	0.1	0.1	0.5	0.5	0.3	0.2	-	0.1	-
Iyogo	0.1	-	-	0.4	-	-	-	-	-	-	-	-	-
Ibaraki	0.9	0.7	1.2	0.8	0.2	0.6	1.9	0.6	1.3	1.3	0.7	1.2	0.5
Ishikawa	0.4	0.2	0.9	0.6	-	-	0.5	0.4	-	0.4	0.8	0.4	0.5
Iwate	0.2	-	-	0.4	-	0.2	0.6	-	-	0.3	-	0.3	0.3
Kagawa	0.7	0.2	0.3	0.3	1.3	-	2.3	0.8	0.8	1.6	0.4	0.5	0.9
Kagoshima	0.6	0.4	0.6	0.2	0.7	0.7	0.5	0.6	1.6	0.9	0.4	0.4	0.2
Kanagawa	0.2	-	-	-	0.4	0.3	-	0.5	0.2	1.1	0.2	0.2	-
Kochi	0.5	0.3	-	-	-	-	1.6	-	0.9	0.5	0.9	0.5	0.9

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSIS BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

TETANUS (12)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	0.2	0.1	-	-	0.2	0.4	0.2	0.2	0.4	0.8	-	0.4	0.2
Kyoto	0.1	-	0.2	-	-	-	0.3	-	-	0.5	-	-	-
Mie	0.2	0.2	-	0.3	-	0.3	-	-	0.8	-	0.3	0.6	0.3
Miyagi	0.2	0.2	-	0.2	0.2	-	-	0.2	0.5	-	-	0.6	0.2
Miyazaki	0.4	0.6	1.2	0.3	0.3	0.3	-	0.3	0.3	1.2	0.6	-	-
Nagano	0.3	-	-	0.5	-	0.2	1.2	0.5	0.9	-	-	0.4	0.2
Nagasaki	0.5	-	1.3	0.6	0.4	0.2	0.2	0.8	0.6	0.6	0.2	0.2	0.4
Nara	0.1	-	-	-	-	0.6	-	-	0.6	-	-	-	-
Niigata	0.3	0.1	0.3	0.2	0.3	0.2	0.4	0.7	0.6	0.3	0.3	0.5	0.5
Nitta	0.4	0.5	0.2	0.5	0.3	0.3	0.7	0.3	0.6	0.3	0.3	-	1.0
Okayama	0.2	0.3	0.2	0.4	0.7	-	0.3	0.2	0.2	-	0.3	-	-
Osaka	0.1	-	0.1	0.1	0.1	0.1	-	0.7	-	0.1	-	-	-
Saga	0.8	0.9	1.3	0.6	1.2	0.8	0.9	0.8	1.5	0.4	-	1.1	0.4
Saitama	0.5	0.5	0.2	0.3	0.2	0.8	0.4	1.2	0.3	0.3	0.5	0.4	0.9
Shiga	0.2	-	0.4	-	0.5	-	-	-	-	-	1.0	-	-
Shimane	0.2	-	-	-	-	-	0.5	-	1.3	0.4	0.4	-	-
Shizuoka	0.4	0.2	0.3	0.3	0.6	0.3	0.7	0.8	0.3	0.3	0.6	0.5	0.4
Tochigi	0.6	0.5	0.8	0.4	0.4	0.7	0.5	0.7	0.5	0.5	0.5	0.7	0.9
Tokushima	0.5	0.8	-	-	0.4	0.5	0.5	0.9	0.9	1.3	0.4	-	-
Tokyo	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.4	0.1	0.1	0.1	-	0.1
Tottori	0.1	-	-	-	-	-	-	-	0.7	-	0.6	-	-
Toyama	0.2	0.2	-	-	0.3	0.4	-	0.4	0.7	-	-	-	0.5
Wakayama	0.2	-	0.8	0.7	-	1.0	-	-	0.4	-	-	-	-
Yamagata	0.2	-	-	-	0.3	0.3	-	0.3	0.8	0.3	-	0.3	-
Yamaguchi	0.4	0.2	0.7	-	0.2	0.5	0.6	0.2	0.9	1.2	0.5	0.5	0.3
Yamanashi	0.7	0.3	0.9	0.4	-	0.5	-	1.6	2.1	2.0	-	-	-

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

TUBERCULOSIS (ALL FORMS) (13-22)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.5	0.3	0.3	0.5	0.6	0.8	0.7	0.7	0.4	0.4	0.4	0.4	0.5
All "Shi"	0.8	0.5	0.5	0.8	1.0	1.3	1.1	0.9	0.5	0.6	0.7	0.6	0.9
All "Gun"	0.3	0.2	0.2	0.4	0.4	0.5	0.5	0.5	0.4	0.3	0.3	0.3	0.2
Aichi	0.4	0.2	0.5	0.3	0.8	0.6	0.5	0.4	0.5	0.4	0.4	0.1	0.5
Akita	0.4	-	0.2	0.2	0.5	0.9	0	1.2	0.5	0.2	-	0.5	0.3
Aomori	0.6	0.8	-	0.6	0.7	1.2	0.5	0.5	1.2	-	0.4	0.5	0.6
Chiba	0.2	0.1	-	0.2	0.7	0.2	0.7	0.2	-	0.2	0.4	0.2	-
Ehime	0.5	0.3	0.8	0.4	0.5	0.8	1.1	1.2	-	-	-	0.2	0.2
Fukui	0.2	-	0.4	-	1.0	-	-	-	-	-	-	0.6	-
Fukuoka	0.7	0.3	0.4	0.8	1.5	0.9	1.0	0.8	0.8	0.6	0.8	0.9	0.6
Fukushima	0.2	0.3	0.3	-	0.2	0.5	0.4	0.4	0.2	0.2	-	-	0.2
Gifu	0.4	0.2	-	1.3	0.5	0.5	1.4	0.5	0.3	0.3	-	0.3	0.3
Gumma	0.1	0.2	0.2	0.4	-	-	0.3	0.2	-	-	-	-	-
Hiroshima	0.5	0.2	0.2	0.5	-	0.6	0.7	0.7	0.6	0.8	1.0	0.7	0.5
Hokkaido	0.9	0.5	0.5	0.9	1.4	2.0	1.3	0.9	0.5	0.7	0.7	0.6	0.6
Hyogo	0.7	0.3	0.5	0.5	1.3	0.7	0.9	0.9	0.6	0.9	1.0	0.7	0.7
Ibaraki	0.1	0.1	-	0.3	-	0.2	0.4	0.2	0.2	0.2	-	-	-
Ishikawa	0.6	-	0.3	0.6	0.7	0.8	1.0	2.2	0.4	0.4	1.2	-	0.5
Iwate	0.4	0.2	0.6	0.4	0.2	1.0	0.3	0.8	1.1	0.3	-	-	0.3
Kagawa	0.5	-	-	1.0	0.9	0.9	0.9	0.4	0.4	0.8	0.4	-	0.9
Kagoshima	0.3	0.1	0.4	0.2	0.6	0.4	0.5	0.2	0.7	0.4	0.2	0.2	0.4
Kanagawa	0.3	-	0.3	0.4	0.5	0.5	0.5	0.5	0.5	0.3	-	0.2	0.3
Kochi	0.3	0.3	0.4	0.4	1.0	-	-	-	0.5	-	1.4	-	-

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

TUBERCULOSIS (ALL FORMS) (13-22)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	0.4	0.3	-	0.5	-	1.5	0.5	0.8	0.2	0.2	0.4	0.2	0.6
Kyoto	0.2	0.8	-	1.0	0.7	1.8	0.3	0.5	0.5	1.0	1.3	0.8	1.0
Kie	0.4	-	0.5	0.5	0.3	0.9	1.0	0.6	0.3	0.3	-	0.3	0.3
Hiyogo	0.4	0.3	0.4	0.9	1.0	1.0	0.8	0.7	0.2	0.2	0.4	0.4	0.5
Hiyazaki	0.4	-	0.0	0.6	0.6	0.6	0.4	0.3	0.6	-	0.3	0.3	-
Nagano	0.2	0.1	0.4	0.4	-	0.4	-	0.2	-	-	-	0.4	0.2
Nagasaki	0.5	0.1	0.5	0.4	0.8	1.1	0.7	0.6	0.8	0.2	0.4	0.2	0.4
Nara	0.5	-	0.5	1.0	0.6	0.6	-	1.1	1.7	1.2	-	-	-
Niigata	0.3	0.1	0.3	0.2	0.3	1.6	0.9	0.8	0.6	0.1	0.3	0.2	0.2
Oita	0.4	-	-	0.5	0.3	0.6	0.4	0.6	0.6	0.3	0.9	0.3	0.7
Okayama	0.5	0.3	0.2	0.4	0.2	0.3	1.2	0.7	0.5	0.8	-	0.8	0.3
Osaka	1.0	0.6	0.8	0.6	1.4	1.3	1.1	1.3	0.4	1.1	0.7	1.2	1.6
Saga	0.6	0.5	0.3	1.0	2.3	0.4	0.9	0.8	0.4	0.4	0.7	-	0.4
Saitama	0.2	0.2	-	0.2	0.4	-	0.2	0.5	-	0.5	0.2	0.4	-
Shiga	0.2	-	-	-	0.5	1.0	-	-	1.4	-	-	-	-
Shimane	0.7	-	-	0.3	0.8	0.6	2.5	1.8	1.3	1.3	-	-	-
Shizuoka	0.4	0.2	0.6	0.1	0.4	0.5	0.2	0.5	0.2	0.3	0.7	0.5	0.6
Tochigi	0.1	0.2	-	0.4	-	0.2	0.3	0.2	-	-	-	-	-
Tokushima	0.4	0.8	0.4	1.1	-	-	-	0.5	0.4	-	0.4	0.4	0.4
Tokyo	0.8	0.7	0.7	0.7	1.1	1.1	1.3	0.6	0.4	0.1	0.8	0.8	1.1
Tottori	0.3	-	-	0.6	-	0.7	0.8	0.7	0.7	-	-	-	-
Toyama	0.6	0.2	-	0.6	0.7	3.3	0.4	2.0	0.4	-	-	-	0.5
Wakayama	0.5	0.8	0.4	-	-	0.5	1.6	-	0.4	1.3	1.3	-	0.4
Yamagata	0.3	0.2	0.5	0.2	-	0.9	0.3	0.3	0.6	-	0.3	-	0.7
Yamaguchi	0.4	0.2	0.2	0.4	0.2	1.1	0.3	0.5	0.5	0.5	1.3	0.3	-
Yamanashi	0.0	-	-	-	-	-	-	0.5	-	-	-	-	-

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

SEPTICEMIA AND PURULENT INFECTION (NONTUBERCULAR) (24)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.3	0.3	0.4	0.3	0.4	0.3	0.3	0.3	0.4	0.3	0.3	0.3	0.3
All "Shin"	0.3	0.3	0.4	0.3	0.4	0.2	0.3	0.3	0.3	0.3	0.3	0.2	0.3
All "Gun"	0.3	0.2	0.4	0.3	0.4	0.4	0.3	0.4	0.5	0.4	0.3	0.4	0.2
Aichi	0.3	0.1	0.2	0.2	0.5	0.4	0.3	0.4	-	0.1	0.1	0.6	0.4
Akita	0.3	0.7	0.2	-	0.5	0.3	0.3	0.6	0.8	-	-	0.3	0.3
Aomori	0.3	0.8	0.2	-	0.2	0.5	-	0.5	1.2	-	-	0.5	0.3
Chiba	0.2	-	0.2	-	0.7	-	0.2	0.2	0.7	0.2	-	0.8	-
Ehime	0.4	0.2	0.2	0.4	0.2	0.3	1.1	-	0.5	-	0.7	0.2	0.7
Fukui	0.4	-	0.4	0.4	0.5	1.0	-	0.5	-	1.5	0.5	-	-
Fukuoka	0.5	0.4	0.4	1.1	0.5	0.3	0.6	0.1	0.7	0.5	0.2	1.1	0.2
Fukushima	0.2	0.1	0.2	0.1	0.3	-	-	-	0.5	0.3	0.1	0.3	0.2
Gifu	0.3	0.2	0.4	0.9	0.5	0.3	-	-	-	0.8	0.5	-	-
Gunma	0.4	0.8	0.6	-	0.5	0.7	0.3	-	0.2	0.7	0.2	0.2	-
Hiroshima	0.3	0.4	0.2	0.4	-	0.8	-	0.2	0.4	0.2	0.4	0.9	-
Hokkaido	0.3	0.3	0.3	0.2	0.4	0.4	0.5	0.2	0.4	0.1	0.2	0.1	0.4
Hyoogo	0.3	0.1	0.4	0.2	0.4	0.1	0.3	0.6	0.7	0.4	0.3	-	0.1
Ibaraki	0.4	0.1	0.7	0.5	0.2	0.4	0.4	0.4	0.4	0.8	0.4	-	-
Ishikawa	0.5	0.2	0.9	0.6	-	-	0.5	1.3	0.8	0.8	0.8	0.4	-
Iwate	0.4	0.4	1.3	0.6	-	0.5	0.3	0.3	-	-	0.5	0.3	0.3
Kagawa	0.4	0.7	0.3	0.3	0.4	0.9	0.5	0.4	-	0.4	-	-	0.9
Kagoshima	0.6	0.8	0.4	0.4	0.6	0.7	0.2	0.6	0.6	1.3	0.4	0.4	0.5
Kanagawa	0.2	-	0.2	0.1	0.4	-	-	0.3	0.3	0.2	0.3	-	0.5
Kochi	0.2	-	0.4	0.9	0.5	-	-	-	-	-	-	-	-

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month).

SEPTICEMIA AND URTICANT INFECTION (NONFETAL) (24)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	0.3	-	-	0.2	0.2	-	0.5	1.2	0.8	0.6	0.4	-	-
Kyoto	0.2	-	0.4	0.2	0.2	-	-	-	0.2	0.5	0.5	-	-
Mie	0.3	0.2	0.8	0.3	0.6	0.6	-	-	0.5	0.3	0.3	-	0.3
Miyagi	0.2	0.6	-	0.2	0.2	0.2	0.3	-	0.5	0.2	0.6	0.4	0.7
Miyazaki	0.3	0.2	0.9	0.3	0.3	0.3	0.4	1.0	0.3	0.3	0.3	-	-
Nagano	0.2	0.5	0.2	-	0.2	-	-	0.2	0.2	-	0.2	-	0.2
Nagasaki	0.5	0.1	0.7	0.6	0.2	-	1.0	0.8	0.6	-	0.4	0.6	0.8
Nara	0.2	0.4	0.5	-	-	-	-	-	-	0.6	-	0.6	-
Niigata	0.4	0.3	0.4	-	-	0.6	0.4	0.5	0.9	0.4	0.5	0.6	-
Oita	0.7	0.2	1.2	0.8	1.4	1.0	1.4	0.3	-	0.6	0.6	0.3	0.7
Okayama	0.3	-	0.2	-	1.0	0.8	0.3	-	0.5	-	-	0.3	0.3
Osaka	0.4	0.3	0.6	0.6	0.1	0.5	0.5	0.5	0.6	0.2	0.2	0.4	0.1
Saga	0.3	0.2	0.6	0.3	-	-	0.9	0.4	0.4	0.4	0.4	0.7	-
Saitama	0.3	0.2	0.5	-	0.5	-	0.2	0.2	0.5	0.3	0.3	0.2	-
Shiga	0.3	-	-	0.8	-	0.5	0.5	-	-	-	-	-	1.6
Shimane	0.5	0.3	0.4	-	1.2	0.5	0.5	0.4	1.3	0.9	-	0.4	-
Shizuoka	0.3	0.2	0.3	0.7	0.3	0.3	0.2	0.5	0.5	0.2	-	0.3	0.3
Tochigi	0.4	-	0.8	0.6	-	-	0.3	1.0	0.2	0.5	0.5	0.2	0.2
Tokushima	0.4	0.3	0.7	0.4	-	-	0.5	0.5	0.5	0.4	-	1.3	0.4
Tokyo	0.2	0.1	0.2	0.1	0.2	0.2	0.2	0.1	0.3	0.3	0.4	0.2	0.3
Tottori	0.2	0.4	-	-	0.6	-	-	-	-	0.7	-	-	-
Toyama	0.4	0.2	0.3	-	0.3	1.1	0.4	0.8	0.7	0.3	0.4	0.4	-
Wakayama	0.4	-	0.4	-	0.4	-	-	0.8	0.8	0.8	1.3	-	-
Yamagata	0.3	0.4	0.5	0.5	0.6	0.3	-	-	0.3	0.5	0.3	0.3	-
Yamaguchi	0.5	0.3	0.2	0.9	-	1.1	0.6	0.2	0.7	0.5	0.3	0.3	0.5
Yamaguchi	0.3	-	-	0.4	0.9	-	0.5	-	-	0.5	0.5	1.1	-

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1940 - Cont'd
(Rates per 1,000 live births each month)

DYSENTERY (27)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.0	0.0	-	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0
All "Shi"	0.0	-	-	0.0	-	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0
All "Gun"	0.0	0.0	-	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0
Aichi	0.0	-	-	-	-	-	0.1	0.1	0.1	-	-	-	-
Akita	0.0	-	-	-	-	0.3	-	0.3	-	-	-	-	-
Aomori	0.0	-	-	-	-	-	0.3	-	-	-	-	-	-
Chiba	0.0	-	-	-	-	-	0.2	0.2	0.2	-	-	-	0.2
Ehime	0.0	-	-	-	-	0.3	-	-	-	-	-	-	-
Fukuï	0.1	-	-	-	-	-	0.5	-	-	0.5	-	-	-
Fukuoka	0.0	-	-	-	-	-	0.1	0.1	-	0.1	-	-	-
Fukushima	0.0	-	-	-	-	-	0.4	-	-	-	-	-	-
Gifu	0.1	-	-	-	-	0.3	-	0.8	0.3	0.5	-	-	-
Gumma	0.1	-	-	-	-	0.2	-	0.2	-	-	0.2	-	-
Hiroshima	0.1	-	-	-	0.4	-	-	0.2	0.2	0.4	-	-	-
Hokkaido	0.0	-	-	-	-	-	-	-	-	0.1	-	0.1	-
Hyogo	0.0	-	-	-	-	0.1	-	0.1	-	-	-	-	-
Ibaraki	0.0	-	-	-	-	-	-	0.2	0.2	-	-	-	-
Ishikawa	0.0	-	-	-	-	-	-	-	-	-	0.4	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	0.0	-	-	-	-	-	-	-	0.4	-	-	-	-
Kagoshima	0.0	-	-	-	-	-	-	-	-	-	0.2	-	-
Kanagawa	0.1	-	-	-	-	-	-	-	0.2	0.3	0.2	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 41. - INFANT DEATH RATES FOR DETECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

DYSENTERY (27)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	0.1	-	-	-	-	0.3	-	-	-	0.6	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	0.0	-	-	-	-	-	-	0.3	0.3	-	-	-	-
Nagano	0.0	-	-	-	-	-	0.2	-	0.2	-	-	-	-
Nagasaki	0.0	-	-	-	-	-	-	0.2	-	-	-	0.4	-
Nara	0.0	-	-	-	-	-	-	0.6	-	-	-	-	-
Niigata	0.1	0.1	-	-	-	-	-	0.2	0.4	0.1	-	-	-
Oita	0.0	-	-	-	-	-	-	-	0.3	-	-	0.3	-
Okayama	0.0	-	-	-	-	-	-	-	0.2	0.3	-	-	-
Osaka	0.0	-	-	-	-	-	-	0.1	0.2	-	-	-	-
Saga	0.1	-	-	0.3	-	-	-	0.4	-	-	-	-	-
Saitama	0.1	-	-	-	-	-	0.2	0.5	0.5	-	-	-	0.2
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	0.0	0.3	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	0.0	-	-	-	-	-	0.4	0.2	0.2	-	-	-	-
Tochigi	0.1	-	-	-	-	-	-	-	-	0.2	-	0.5	-
Tokushima	0.0	-	-	-	-	-	-	-	-	0.4	-	-	-
Tokyo	0.1	-	-	0.1	-	0.1	0.2	0.1	0.2	0.1	0.1	-	0.1
Tottori	0.1	-	-	-	-	-	-	-	-	-	0.6	-	-
Toyama	0.1	-	-	-	-	-	-	-	-	0.3	-	0.4	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	0.0	-	-	-	-	-	-	-	-	-	0.3	-	-
Yamaguchi	0.0	-	-	-	-	-	-	0.2	0.2	0.3	0.3	-	-
Yamaguchi	0.1	0.3	-	-	-	-	0.5	0.5	-	-	-	-	-

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

SYPHILIS (30)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.4	0.4	0.4	0.5	0.6	0.4	0.4	0.4	0.3	0.3	0.5	0.4	0.5
All "Shin"	0.6	0.5	0.5	0.7	0.7	0.5	0.6	0.6	0.3	0.3	0.6	0.7	0.8
All "Gun"	0.3	0.3	0.3	0.4	0.5	0.3	0.4	0.3	0.3	0.2	0.4	0.3	0.4
Aichi	0.3	0.3	0.1	0.1	0.1	0.8	0.7	0.4	0.1	0.2	0.5	0.2	0.1
Akita	0.3	-	-	-	0.5	0.9	0.3	0.3	1.0	-	0.7	-	0.6
Aomori	0.3	0.4	0.2	0.4	0.7	0.5	0.3	-	0.2	-	0.2	-	1.2
Chiba	0.4	0.4	0.5	0.5	0.9	0.2	0.2	0.4	0.2	0.4	0.4	0.2	0.9
Ehime	0.2	-	0.2	0.4	-	-	-	0.2	-	0.5	0.5	0.2	0.5
Fukui	0.3	-	-	-	-	0.5	-	0.5	-	0.5	1.5	0.6	0.6
Fukuoka	1.0	0.9	1.4	1.9	1.7	0.6	0.2	0.8	0.4	0.6	0.8	1.2	0.8
Fukushima	0.3	0.6	0.2	0.3	0.3	0.2	-	0.4	0.2	0.5	0.7	0.2	0.2
Gifu	0.2	0.3	0.2	0.2	0.2	-	0.3	0.3	0.5	-	0.5	-	0.3
Gumma	0.3	0.8	-	0.2	-	0.5	0.5	-	0.5	-	0.2	0.5	0.5
Hiroshima	0.3	0.2	0.2	0.2	0.4	0.4	1.1	0.4	0.2	0.2	0.2	0.2	0.5
Hokkaido	0.5	0.6	0.4	0.7	0.7	0.4	0.6	0.6	0.2	0.3	0.3	0.7	0.4
Hyogo	0.4	0.2	0.3	0.1	0.5	0.3	0.3	0.6	0.4	0.4	0.6	0.4	0.7
Ibaraki	0.4	0.3	0.5	0.3	0.5	-	0.9	0.2	0.2	-	1.3	0.4	0.7
Ishikawa	0.2	-	-	-	-	0.4	-	-	0.4	-	0.4	0.4	0.5
Iwate	0.4	0.2	0.2	0.2	0.4	0.7	0.6	0.8	-	-	0.5	0.3	0.6
Kagawa	0.3	-	0.3	1.4	0.4	-	-	-	0.8	-	0.4	-	-
Kagoshima	0.4	0.1	0.6	0.2	0.9	0.4	-	0.9	0.6	0.2	0.4	0.2	0.5
Kanagawa	0.4	0.6	0.2	0.3	0.5	0.3	-	0.3	0.3	0.5	0.2	1.2	0.6
Kochi	0.9	1.3	0.9	0.9	0.5	-	1.6	0.5	0.9	0.5	1.4	0.5	1.4

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAN., 1949 - Cont'd
(Rates per 1,000 live births each month)

SYPHILIS (30)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	0.5	0.4	0.7	0.9	0.6	0.2	-	0.6	0.4	0.4	0.4	0.4	0.6
Kyoto	0.7	0.6	0.4	1.4	0.2	1.0	1.8	0.2	0.5	-	0.8	0.3	1.0
Kie	0.4	0.2	0.8	0.5	0.6	0.3	0.3	-	-	-	0.3	0.8	0.9
Miyagi	0.4	0.2	-	0.7	1.0	0.2	-	0.5	0.2	0.4	0.2	0.2	0.5
Miyazaki	0.7	0.6	-	0.6	1.3	-	1.1	1.0	0.6	0.3	1.5	0.6	0.9
Nagano	0.1	-	-	-	-	-	0.5	-	0.7	-	0.2	-	0.2
Nagasaki	0.6	0.9	0.7	0.6	0.8	0.9	0.2	0.8	0.2	0.4	0.6	0.4	1.0
Nara	0.8	0.7	0.5	0.5	0.6	1.9	0.6	0.6	-	1.8	0.6	1.7	0.6
Niigata	0.2	0.1	0.3	0.1	0.6	0.3	-	0.2	-	0.3	0.4	-	0.4
Oita	0.3	0.2	0.2	0.3	0.6	-	0.4	0.3	-	-	0.9	0.3	-
Okayama	0.3	0.3	0.4	0.7	0.5	0.6	-	0.7	0.2	0.3	-	0.3	-
Osaka	0.7	0.8	0.9	0.6	1.4	0.8	1.0	0.6	0.3	0.5	0.6	0.6	0.5
Saga	0.6	-	1.9	1.3	0.4	-	0.4	0.4	0.7	0.4	-	0.7	0.4
Saitama	0.3	0.2	0.2	0.3	0.5	0.4	0.4	-	0.2	0.3	0.3	0.4	0.2
Shiga	0.3	-	-	0.4	-	1.0	0.5	-	-	-	0.5	0.5	0.5
Shimane	0.2	-	0.4	-	-	0.5	0.5	0.4	0.4	-	-	-	1.0
Shizuoka	0.3	0.2	0.3	0.4	0.4	-	0.2	0.2	0.5	-	0.4	0.2	0.4
Tochigi	0.3	0.3	0.8	-	-	0.5	-	-	0.5	0.5	0.2	0.5	0.7
Tokushima	0.2	0.5	-	-	0.4	0.5	-	-	-	0.4	-	-	-
Tokyo	0.5	0.6	0.3	0.6	0.8	0.6	0.5	0.1	0.5	0.2	0.9	0.8	0.7
Tottori	0.3	-	0.6	-	-	0.7	0.8	1.4	-	-	-	-	-
Toyama	0.3	-	-	0.9	-	-	0.4	-	0.4	-	0.7	-	0.9
Wakayama	0.2	0.3	0.8	-	0.4	-	-	0.4	-	-	-	-	0.9
Yamagata	0.3	0.6	0.5	0.2	0.3	-	-	0.3	-	0.5	0.5	0.3	0.3
Yamaguchi	0.5	1.0	0.4	0.4	0.5	-	0.6	0.5	0.7	0.2	0.8	0.5	-
Yamanashi	0.2	-	0.9	-	-	0.5	1.1	-	-	-	-	0.5	-

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

INFLUENZA (33)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1
All "Shi"	0.1	0.0	0.1	0.1	0.1	0.1	0.0	-	0.0	0.0	0.1	0.1	0.1
All "Gun"	0.1	0.1	0.2	0.1	0.1	0.1	0.0	0.0	-	0.0	0.0	0.0	0.1
Aichi	0.1	-	0.2	-	-	-	-	-	-	-	0.2	0.1	0.1
Akita	0.1	0.2	-	-	0.2	-	0.3	0.3	-	-	-	-	-
Aomori	0.2	0.4	0.9	0.4	-	0.2	-	-	-	-	-	-	0.3
Chiba	0.1	-	0.3	0.6	0.2	-	0.2	-	-	-	-	-	-
Ehime	0.1	-	0.4	0.2	-	-	-	-	-	-	-	-	0.7
Fukui	0.2	0.9	0.4	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.1	0.1	0.1	0.1	0.2	0.1	0.1	-	-	0.2	0.1	0.2	-
Fukushima	0.0	-	0.2	-	-	0.2	-	-	-	-	-	-	0.2
Gifu	0.0	0.2	-	-	-	-	-	-	-	-	-	-	-
Gunma	0.1	0.2	0.2	0.2	-	-	-	-	-	-	-	-	-
Hiroshima	0.1	-	-	-	0.2	-	-	-	-	-	-	0.2	0.5
Hokkaido	0.0	-	0.1	0.1	-	-	-	-	-	-	-	-	-
Hyogo	0.0	-	0.1	-	-	0.1	-	-	-	-	-	-	0.3
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	0.1	-	0.3	-	-	0.4	-	-	-	-	-	-	-
Iwate	0.1	0.2	-	-	0.2	-	-	-	-	-	-	-	0.3
Kagawa	0.1	-	-	0.3	-	-	-	-	-	-	0.4	-	-
Kagoshima	0.0	0.1	-	-	-	0.2	-	-	-	-	-	-	0.2
Kanagawa	0.1	-	0.5	0.1	-	0.2	-	-	0.2	-	0.3	-	0.2
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

INFUENZA (33)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	0.0	-	0.2	0.2	-	-	-	-	-	-	-	-	-
Kyoto	0.1	0.8	-	-	-	-	-	-	-	-	-	-	-
Kie	0.0	-	-	0.3	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	0.1	0.2	0.6	-	0.3	-	-	-	-	-	-	-	-
Nagano	0.0	-	-	-	-	-	-	0.5	-	-	-	-	-
Nagasaki	0.0	-	-	-	-	-	-	-	-	-	0.2	-	-
Nara	0.1	-	-	0.5	-	-	-	-	-	-	-	0.6	-
Niigata	0.1	0.1	-	0.2	0.1	0.2	-	-	-	-	-	-	0.2
Osaka	0.0	-	-	-	-	-	-	-	-	-	-	0.3	-
Okayama	0.0	0.2	-	-	-	-	-	-	-	-	-	-	-
Osaka	0.1	0.2	0.3	0.2	0.1	0.1	-	-	-	0.1	0.1	0.1	-
Saga	0.1	-	-	-	-	-	-	0.4	-	-	-	0.7	-
Saitama	0.0	-	0.2	-	-	-	-	-	-	-	-	-	-
Shiga	-	-	-	-	-	-	-	-	-	-	-	-	-
Shimane	0.2	0.6	-	-	0.8	0.5	-	-	-	-	-	-	0.5
Shizuoka	0.0	-	0.3	-	-	-	-	-	-	0.2	-	-	-
Tochigi	0.0	-	-	-	-	-	-	-	-	0.2	-	-	-
Tokushima	0.1	-	-	-	0.4	-	-	-	-	-	-	-	0.8
Tokyo	0.1	0.0	0.3	-	0.1	0.2	-	-	-	-	-	-	0.1
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	0.1	0.2	0.6	-	-	-	0.4	-	-	-	-	-	0.5
Nakayama	0.1	-	-	-	-	0.5	-	-	-	-	-	-	0.9
Yamagata	0.0	-	-	-	0.3	-	-	-	-	-	0.3	-	-
Yamaguchi	0.1	-	0.2	-	-	-	0.3	-	-	-	-	0.3	-
Yamaguchi	0.1	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	0.0	-	-	-	-	-	-	-	-	-	-	-	0.5

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR CAUSES BY MONTH BY PRENATURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

PERCENTS (35)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1.7	0.6	1.0	1.8	2.9	5.7	4.4	2.4	0.9	0.3	0.2	0.4	0.4
All "Shin"	2.0	0.8	1.4	2.7	4.3	7.7	4.4	2.4	0.8	0.2	0.1	0.1	0.3
All "Gun"	1.5	0.5	0.7	1.4	2.2	4.7	4.4	2.4	0.0	0.3	0.3	0.5	0.5
Aichi	2.2	0.2	0.2	1.3	2.2	2.9	7.5	5.3	2.0	0.4	0.2	0.4	0.6
Akita	1.1	0.4	0.4	0.2	1.7	2.4	3.8	2.4	1.3	0.2	0.5	0.8	1.2
Aomori	1.6	1.5	2.1	2.4	2.6	3.8	3.3	1.3	0.9	0.7	0.4	0.5	0.3
Chiba	1.1	0.1	-	0.2	2.0	4.1	5.5	3.2	0.2	-	0.2	0.2	-
Ehime	0.9	0.3	0.4	1.3	2.2	3.4	1.4	0.9	0.2	-	-	0.7	1.0
Fuku	1.0	0.6	0.4	0.4	1.0	1.0	4.3	1.0	2.0	-	1.0	0.6	-
Fukuoka	2.7	2.1	3.6	3.8	6.4	7.7	5.9	2.4	0.8	0.2	-	0.1	0.1
Fukushima	1.8	0.5	0.8	1.9	3.1	5.4	5.6	3.4	1.0	0.5	0.4	0.3	0.5
Gifu	1.0	-	0.2	0.2	1.2	2.4	4.0	3.1	1.5	-	-	-	0.5
Gumma	1.8	0.3	0.6	1.0	1.2	3.3	5.8	3.7	1.5	0.2	0.2	2.5	2.3
Hiroshima	0.9	-	-	1.4	1.8	3.6	2.4	1.5	0.6	-	-	-	0.5
Hokkaido	2.9	3.2	3.1	3.9	4.0	7.4	4.4	4.0	2.0	0.7	0.4	0.3	0.5
Hyogo	1.3	0.2	0.6	1.1	2.4	5.7	3.2	1.6	0.6	0.4	-	0.1	0.4
Ibaraki	1.0	-	0.2	1.3	1.7	2.8	4.1	2.0	0.4	0.2	-	0.4	-
Ishikawa	1.9	0.5	0.6	1.5	1.8	7.4	8.1	4.3	0.4	-	-	-	-
Iwate	1.9	0.4	0.6	1.2	1.5	4.7	5.1	4.5	1.6	1.1	1.0	1.6	1.4
Kagawa	0.4	-	-	1.0	-	0.5	1.9	-	0.8	-	0.4	-	0.5
Kanagawa	1.0	0.4	-	1.5	0.9	3.7	2.8	2.4	0.8	-	-	0.2	0.5
Kanagawa	1.4	-	0.3	0.9	2.7	5.2	4.3	3.5	0.3	0.3	-	-	0.2
Kochi	0.3	1.3	-	-	0.5	-	-	-	-	0.5	0.5	-	-

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

MEASELES (35)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	1.2	0.5	0.9	2.5	2.1	4.0	3.1	2.1	-	0.2	0.2	0.4	-
Kyoto	2.3	0.5	1.4	3.1	7.0	9.8	2.6	1.4	0.5	-	0.3	-	0.5
Mie	2.3	0.6	1.0	3.1	3.2	3.1	3.0	2.8	0.5	-	0.3	0.3	-
Miyagi	1.6	0.2	0.4	0.7	2.0	6.5	5.0	3.2	2.1	-	0.6	1.0	0.5
Miyazaki	0.6	-	-	-	0.6	1.6	2.2	2.6	0.9	-	-	-	0.3
Nagano	0.8	0.3	0.2	-	1.6	0.6	3.2	2.4	0.9	-	-	0.4	1.0
Nagasaki	1.8	0.4	1.1	1.5	4.6	5.0	4.4	4.1	0.4	0.2	0.2	1.0	-
Nara	3.9	-	0.5	2.5	5.2	26.6	12.9	2.8	0.6	0.6	-	-	-
Niigata	2.7	0.4	0.9	3.1	3.1	10.8	8.0	3.6	1.9	0.3	0.7	0.6	1.1
Oita	1.7	0.4	1.2	2.3	3.6	6.2	4.6	1.8	1.2	-	-	-	0.3
Okayama	0.3	-	-	-	1.2	0.8	0.3	1.0	-	0.3	-	-	-
Osaka	3.3	0.9	2.2	5.6	11.4	13.3	6.0	1.4	0.3	0.1	-	0.1	-
Saga	1.3	-	1.6	1.6	2.7	5.3	4.3	2.0	0.4	-	0.4	-	-
Saitama	1.2	-	0.2	0.3	1.4	3.9	3.8	2.1	1.2	0.5	0.3	0.2	1.4
Shiga	2.0	-	0.8	0.4	4.2	6.2	10.9	1.5	1.0	1.0	-	-	-
Shimane	2.1	1.1	1.5	4.8	3.6	8.2	4.5	-	1.8	-	-	-	-
Shizuoka	1.1	0.1	0.3	1.0	1.3	3.2	4.4	1.8	1.7	0.2	0.1	0.3	0.6
Tochigi	0.5	0.2	0.4	0.2	0.7	1.4	0.8	0.7	-	0.2	0.2	1.2	0.7
Tokushima	0.4	-	-	-	0.4	0.5	1.5	1.4	0.4	-	0.4	0.4	0.8
Tokyo	1.3	0.2	1.3	2.2	2.7	4.8	3.2	1.7	0.4	0.3	0.1	0.1	0.1
Tottori	0.7	0.4	-	-	0.6	2.1	2.4	2.1	1.4	-	-	-	-
Toyama	2.6	0.5	1.3	0.3	3.6	14.4	10.6	5.5	1.1	0.7	-	-	-
Wakayama	2.0	1.7	3.0	3.4	5.3	8.7	1.0	-	0.4	0.4	-	-	-
Yamagata	1.3	0.6	0.8	1.2	0.6	3.3	5.3	2.1	1.1	1.0	0.3	0.6	-
Yamaguchi	1.6	-	0.4	1.8	5.0	8.7	3.2	0.7	0.9	-	-	-	-
Yamanashi	1.3	-	0.4	-	0.9	5.3	3.3	3.2	2.1	0.5	0.5	1.1	-

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

JAPANESE "B" ENCEPHALITIS (37b)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.0	-	-	-	-	-	0.0	-	0.0	0.0	0.0	-	-
All "Shi"	0.0	-	-	-	-	-	-	-	-	0.0	0.0	-	-
All "Gun"	0.0	-	-	-	-	-	0.0	-	0.0	0.0	0.0	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	0.0	-	-	-	-	-	-	-	-	0.2	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	-	-	-	-	-	-	-	-	-	-	-	-	-
Ehime	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	0.0	-	-	-	-	-	-	-	-	-	0.1	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gunma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	0.0	-	-	-	-	-	-	-	-	0.2	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

JAPANESE "B" ENCEPHALITIS (37b)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Kyoto	-	-	-	-	-	-	-	-	-	-	-	-	-
Mie	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyagi	-	-	-	-	-	-	-	-	-	-	-	-	-
Miyazaki	0.0	-	-	-	-	-	-	-	-	0.3	-	-	-
Nagano	-	-	-	-	-	-	-	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-	-	-	-	-	-	-	-
Nara	-	-	-	-	-	-	-	-	-	-	-	-	-
Niigata	0.0	-	-	-	-	-	0.2	-	-	-	-	-	-
Oita	-	-	-	-	-	-	-	-	-	-	-	-	-
Okayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Osaka	-	-	-	-	-	-	-	-	-	-	-	-	-
Saga	-	-	-	-	-	-	-	-	-	-	-	-	-
Saitama	0.0	-	-	-	-	-	-	-	0.2	-	-	-	-
Shiga	0.0	-	-	-	-	-	-	-	-	0.5	-	-	-
Shimane	-	-	-	-	-	-	-	-	-	-	-	-	-
Shizuoka	0.0	-	-	-	-	-	-	-	-	-	0.1	-	-
Tochigi	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Tokyo	-	-	-	-	-	-	-	-	-	-	-	-	-
Tottori	-	-	-	-	-	-	-	-	-	-	-	-	-
Toyama	-	-	-	-	-	-	-	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-	-	-	-	-	-	-	-
Yamanashi	-	-	-	-	-	-	-	-	-	-	-	-	-

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

TYPHUS FEVER AND TYPHUS-LIKE DISEASES (39)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.0	0.0	0.0	-	-	-	-	-	-	-	-	-	-
All "Shi"	0.0	-	0.0	-	-	-	-	-	-	-	-	-	-
All "Gun"	0.0	0.0	-	-	-	-	-	-	-	-	-	-	-
Aichi	-	-	-	-	-	-	-	-	-	-	-	-	-
Akita	-	-	-	-	-	-	-	-	-	-	-	-	-
Aomori	-	-	-	-	-	-	-	-	-	-	-	-	-
Chiba	0.0	-	0.2	-	-	-	-	-	-	-	-	-	-
Enume	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukui	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-	-	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-	-	-	-	-	-	-	-
Gifu	-	-	-	-	-	-	-	-	-	-	-	-	-
Gumma	-	-	-	-	-	-	-	-	-	-	-	-	-
Hiroshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Hokkaido	-	-	-	-	-	-	-	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-	-	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-	-	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Iwate	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kagoshima	-	-	-	-	-	-	-	-	-	-	-	-	-
Kanagawa	-	-	-	-	-	-	-	-	-	-	-	-	-
Kochi	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

BERIBERI (68)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1.3	1.3	1.6	1.8	1.7	1.5	1.2	0.8	0.8	0.7	1.0	1.3	1.7
All "Shi"	1.1	1.1	1.3	1.8	1.5	1.1	0.9	0.8	0.6	0.4	0.8	1.0	1.3
All "Gun"	1.4	1.4	1.8	1.8	1.8	1.7	1.4	0.8	0.9	0.9	1.0	1.5	2.0
Aichi	1.3	1.5	1.9	2.5	1.4	1.0	1.6	1.1	1.0	0.5	1.3	0.6	1.1
Akita	1.8	1.3	1.7	2.2	2.9	2.1	1.7	2.4	1.0	0.9	2.1	2.1	1.5
Aomori	3.1	3.2	2.8	3.5	5.1	3.8	1.1	1.8	1.2	2.2	2.7	6.0	3.8
Chiba	1.0	0.9	1.5	0.9	2.0	0.4	2.0	0.4	0.7	0.5	1.1	0.6	1.1
Ehime	0.5	0.6	0.8	0.9	0.5	0.5	0.6	0.5	0.5	0.7	0.2	0.2	0.5
Fukui	1.2	0.3	1.2	2.1	3.5	1.6	1.1	-	1.0	1.0	1.0	1.2	1.3
Fukuoka	1.1	1.6	1.8	1.7	1.6	1.1	0.7	0.9	0.6	0.7	1.0	0.6	1.1
Fukushima	1.2	1.1	1.3	1.8	1.5	1.2	1.4	0.4	0.7	0.7	0.7	1.3	1.8
Gifu	0.9	0.2	0.9	1.5	0.9	1.9	1.2	0.3	0.5	0.8	1.0	0.8	0.8
Gumma	0.7	1.3	0.8	0.6	0.5	1.0	1.3	0.2	-	0.2	0.2	1.2	1.0
Hiroshima	1.0	1.5	2.3	1.8	0.6	1.1	1.2	0.7	0.8	-	0.2	0.4	1.4
Hokkaido	1.5	1.0	1.3	2.3	1.9	1.9	1.4	1.0	0.9	0.9	0.5	1.8	3.0
Hyogo	1.3	1.3	1.4	2.5	2.0	1.2	0.9	1.1	0.6	0.4	0.4	1.8	1.1
Ibaraki	1.3	1.3	2.2	2.5	0.9	1.5	1.7	1.2	0.8	0.8	0.2	0.8	1.1
Ishikawa	2.8	3.4	1.2	2.1	5.0	4.9	4.3	2.2	1.6	1.2	1.6	1.2	4.3
Iwate	3.1	2.5	3.4	3.9	2.5	4.7	3.0	0.8	1.6	1.9	1.2	3.6	7.4
Kagawa	0.2	-	0.3	-	0.4	0.5	0.5	-	0.4	-	0.4	0.5	-
Kagoshima	0.9	0.8	1.9	1.7	0.9	0.7	0.7	0.2	0.8	0.4	0.7	0.9	1.4
Kanagawa	0.7	0.4	0.6	1.0	0.7	1.0	0.7	0.7	0.3	0.6	0.7	1.0	1.0
Kochi	1.7	2.8	2.6	3.1	2.0	1.6	2.1	1.4	0.5	0.9	0.5	0.9	1.4

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

HERRIERI (68)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	0.9	1.0	0.9	0.9	1.3	0.7	0.5	0.2	0.8	0.8	1.1	1.1	2.0
Kyoto	1.5	1.5	0.8	2.9	2.7	1.0	1.6	0.7	1.0	1.0	1.6	1.5	1.3
Mie	1.7	1.7	3.6	3.7	2.4	1.6	1.3	0.9	0.3	0.6	1.1	1.1	2.1
Miyagi	1.9	2.3	1.5	2.5	3.0	3.6	2.5	0.7	1.2	0.4	1.2	1.9	2.3
Miyazaki	0.9	1.1	0.5	1.4	0.9	0.9	1.4	-	0.3	0.9	1.2	0.9	1.2
Nagano	0.7	0.7	0.7	0.7	0.4	0.2	1.0	0.5	0.9	0.8	0.8	0.7	0.7
Nagasaki	0.9	1.2	1.4	2.1	0.4	0.7	0.5	0.4	0.6	0.6	0.4	0.8	1.2
Nara	1.3	1.1	0.5	1.5	0.6	0.6	-	0.6	3.4	1.2	1.8	-	3.0
Niigata	1.8	0.7	2.2	1.4	2.4	2.8	3.2	1.3	1.3	1.0	2.0	1.5	3.1
Oita	1.0	0.7	2.0	1.0	0.8	0.3	1.4	1.5	0.9	0.6	0.6	1.3	1.0
Okayama	1.3	0.8	1.4	1.3	1.7	1.7	1.2	1.9	1.2	0.5	1.6	1.7	0.8
Osaka	1.6	2.1	2.2	2.2	2.1	1.5	1.6	1.0	0.7	0.9	1.1	1.1	1.9
Saga	2.3	3.8	5.1	2.3	2.3	2.0	0.5	1.2	1.1	1.1	0.7	2.8	2.5
Saitama	0.8	0.7	0.5	1.4	1.1	1.2	-	0.7	0.9	0.5	0.7	1.8	0.9
Shiga	1.8	2.9	0.8	1.9	2.3	1.0	1.1	0.5	1.9	0.5	2.1	2.7	3.2
Shimane	1.0	0.3	1.5	0.7	0.8	1.8	0.5	-	-	0.4	1.6	2.2	2.4
Shizuoka	1.1	1.0	1.5	1.2	1.2	1.5	0.5	0.8	0.5	0.9	0.9	0.9	1.6
Tochigi	1.0	1.3	2.5	0.8	0.9	0.5	1.1	1.0	0.2	0.2	0.5	1.0	2.1
Tokushima	0.6	0.5	-	0.4	0.9	-	0.5	0.9	0.4	0.4	1.7	0.9	1.2
Tokyo	1.0	1.2	1.3	1.6	1.7	1.0	1.0	0.4	0.6	0.6	0.4	0.6	1.0
Tottori	2.0	0.8	3.5	1.9	1.8	2.1	2.4	2.1	0.7	3.5	0.6	1.4	4.3
Toyama	2.0	1.5	1.9	1.7	3.0	2.6	1.8	2.0	0.7	1.7	1.5	2.4	3.7
Wakayama	0.8	1.1	0.4	1.1	0.4	0.5	1.0	-	-	0.8	0.4	1.7	1.3
Yamagata	2.4	2.9	3.4	2.2	2.7	2.0	2.0	1.5	1.1	1.0	0.8	2.6	3.9
Yamaguchi	1.1	1.1	2.2	0.4	1.5	2.2	1.2	1.2	0.7	0.2	0.8	1.1	1.1
Yamanashi	0.2	0.3	-	-	0.9	-	-	0.5	-	-	-	-	1.1

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

MENINGITIS (NOT DUE TO MENINGOCOCCUS) (81)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.9	0.8	0.9	1.1	1.2	1.2	1.1	0.8	0.7	0.6	0.9	0.9	1.1
All "Shi"	0.9	0.7	0.8	1.1	1.3	1.2	1.0	0.7	0.7	0.6	1.1	0.9	1.2
All "Gun"	0.9	0.8	0.9	1.1	1.2	1.2	1.2	0.9	0.7	0.6	0.8	0.9	1.0
Aichi	1.3	0.9	1.4	2.0	2.1	2.3	2.1	1.4	1.0	0.6	0.7	0.4	1.7
Akita	1.6	1.9	0.9	3.5	1.5	1.5	3.5	0.9	0.8	0.7	1.2	1.0	1.8
Aomori	0.7	0.4	1.2	0.9	0.9	1.4	1.1	-	1.6	-	0.4	0.2	0.3
Chiba	1.1	0.7	2.4	1.4	1.4	1.6	1.6	1.2	0.4	0.9	0.7	0.4	0.7
Ehime	1.2	0.8	1.5	1.1	1.0	3.2	2.0	0.7	1.4	0.9	0.9	1.2	1.0
Fuku	1.0	0.6	0.8	1.3	1.0	0.5	1.6	1.0	0.5	-	1.0	1.8	1.9
Fukuoka	0.9	0.6	0.4	0.8	1.4	1.0	0.8	0.5	0.7	0.3	1.2	1.6	1.3
Fukushima	0.8	1.1	1.0	0.4	1.3	1.0	1.4	0.4	0.7	0.3	0.6	0.6	1.2
Gifu	1.2	0.6	0.2	2.2	1.9	1.6	2.3	1.8	0.5	0.8	0.5	1.6	0.8
Gumma	0.6	0.3	0.4	0.6	0.5	0.5	-	0.7	0.5	0.7	0.7	1.0	0.8
Hiroshima	0.9	0.6	0.5	1.4	1.8	2.1	1.3	1.1	0.4	0.2	0.4	0.7	0.9
Hokkaido	1.1	0.7	1.0	2.0	1.3	1.1	1.1	1.3	0.5	0.6	1.4	1.0	1.3
Hyogo	0.9	1.3	0.5	0.4	0.9	0.9	1.6	0.9	1.0	0.4	1.4	0.7	1.4
Ibaraki	0.6	1.2	0.5	0.3	0.5	0.9	0.9	0.6	0.2	0.4	0.6	0.6	0.7
Ishikawa	1.4	1.2	1.2	2.7	2.1	0.8	1.4	0.9	0.4	0.8	0.8	1.7	2.4
Iwate	0.8	0.9	0.6	0.6	1.2	2.2	1.2	-	-	-	0.7	1.0	0.6
Kagawa	1.2	0.9	0.7	1.0	3.8	-	1.4	1.2	0.4	0.8	1.3	1.8	1.4
Kagoshima	1.1	1.0	0.9	0.6	1.5	1.8	0.9	1.1	0.6	1.1	0.5	1.8	1.1
Kanagawa	0.9	0.8	0.8	0.4	1.1	1.4	1.6	0.8	0.7	0.6	0.3	0.9	1.1
Kochi	0.9	1.3	0.9	1.3	0.5	0.5	2.1	0.9	0.5	0.5	0.9	1.4	-

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

MENINGITIS (NOT DUE TO MENINGOCOCCUS) (81)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	0.8	1.0	0.4	1.1	0.8	0.9	0.5	0.8	1.0	0.6	0.8	0.5	0.8
Kyoto	0.9	0.9	0.4	1.0	1.1	0.5	1.3	0.9	0.5	0.3	0.3	0.8	2.5
Mie	1.2	1.3	1.0	1.2	1.2	0.9	2.0	1.8	0.8	1.7	1.5	0.6	1.8
Miyagi	0.7	0.3	0.9	1.1	1.6	0.7	0.6	0.7	0.5	0.2	0.8	0.4	0.9
Miyazaki	1.1	0.9	1.4	0.9	1.3	2.2	0.4	1.6	0.9	0.9	-	0.9	1.4
Nagano	0.5	0.1	0.9	0.2	0.8	0.2	0.2	1.2	0.2	1.0	0.4	0.9	0.5
Nagasaki	0.9	0.7	0.5	1.1	1.7	1.4	0.2	1.0	0.6	1.0	0.8	1.1	1.0
Nara	1.3	1.1	1.5	2.0	2.3	0.6	-	0.6	2.3	0.6	1.8	1.1	1.2
Niigata	1.1	0.9	1.0	1.7	1.4	1.9	1.1	1.1	1.3	0.8	1.2	0.8	0.4
Oita	1.2	1.2	1.5	1.6	1.4	2.3	1.8	0.3	0.9	0.3	1.5	1.9	1.0
Okayama	1.1	0.3	1.0	0.2	1.0	2.5	1.2	1.4	1.5	0.5	0.8	1.7	1.7
Osaka	0.8	0.5	1.1	0.9	1.9	0.6	0.8	0.4	0.8	0.6	0.5	1.1	0.8
Saga	1.1	0.5	1.0	1.0	0.8	0.8	2.8	0.8	0.7	1.1	1.4	1.4	1.8
Saitama	0.7	0.8	0.8	1.2	0.7	0.2	0.6	0.4	0.3	0.5	1.2	0.7	0.9
Shiga	0.7	1.0	0.4	0.4	0.9	0.5	-	1.0	1.0	-	2.1	0.5	-
Shimane	0.9	0.3	0.7	1.7	0.8	1.8	2.0	0.9	0.4	-	0.4	0.9	1.5
Shizuoka	1.0	0.9	1.1	1.3	1.2	1.2	0.4	0.8	0.6	0.8	0.7	1.5	1.5
Tochigi	0.6	0.8	0.6	1.0	0.4	0.7	0.8	-	-	0.9	0.5	0.7	0.8
Tokushima	1.2	0.5	2.1	1.8	1.3	0.9	1.0	1.8	1.3	1.3	1.3	0.4	0.7
Tokyo	0.5	0.5	0.5	0.5	0.8	0.4	0.7	0.3	0.5	0.2	0.4	0.5	0.7
Tottori	1.0	0.4	1.2	-	3.0	-	1.6	0.7	2.2	0.7	0.6	0.7	1.4
Toyama	1.2	1.9	0.6	0.6	1.6	2.2	0.9	0.8	1.1	0.7	1.5	1.2	1.4
Wakayama	1.0	1.1	0.8	1.1	-	1.0	1.0	1.2	1.3	1.3	0.9	0.9	0.9
Yamagata	1.0	1.6	0.5	1.0	0.8	1.8	0.7	0.9	0.8	1.0	1.3	-	1.3
Yamaguchi	1.1	0.6	0.9	1.3	2.0	1.7	1.2	0.9	0.7	1.2	1.0	0.5	1.1
Yamaguchi	0.5	0.3	1.3	0.4	-	-	0.5	-	-	-	1.6	0.5	1.1

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

CONVULSIONS (86)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.5	0.5	0.6	0.7	0.8	0.7	0.5	0.4	0.3	0.3	0.4	0.6	0.5
All "Shi"	0.2	0.2	0.2	0.3	0.4	0.4	0.2	0.1	0.1	0.1	0.2	0.2	0.2
All "Gun"	0.7	0.7	0.8	0.9	0.9	0.9	0.7	0.5	0.4	0.4	0.5	0.8	0.7
Aichi	0.1	0.1	0.2	0.3	-	0.1	-	-	0.1	-	-	0.1	-
Akita	3.1	3.9	4.1	4.2	6.3	3.3	2.4	2.1	1.6	0.9	1.9	1.8	4.6
Amori	4.0	5.3	3.3	3.9	5.3	5.2	6.5	2.8	1.2	1.7	1.8	7.2	5.0
Chiba	0.2	0.2	0.2	-	0.7	0.8	-	0.2	0.2	0.2	-	0.2	0.2
Ehime	0.1	0.2	0.2	-	0.5	-	-	0.2	-	-	0.2	-	-
Fukui	0.7	1.2	2.5	-	-	0.5	1.1	0.5	1.0	-	-	-	0.6
Fukuoka	0.1	-	0.1	-	0.1	0.3	0.2	-	-	0.1	0.3	0.5	-
Fukushima	0.1	0.1	0.2	-	-	0.3	0.4	-	0.2	0.2	-	0.2	-
Gifu	0.1	-	0.2	-	0.5	-	-	0.3	-	0.3	0.3	-	0.3
Gumma	0.1	-	-	-	0.2	-	-	0.5	-	-	-	-	-
Hiroshima	0.3	0.5	0.2	0.7	0.2	0.2	0.4	0.4	-	-	0.4	0.4	0.2
Hokkaido	1.2	1.0	1.5	1.8	1.2	1.8	1.1	1.0	0.7	0.7	1.3	1.1	2.0
Iyogo	0.1	0.1	-	0.5	0.1	0.1	-	0.1	-	-	-	-	0.3
Ibaraki	0.2	0.3	0.5	0.2	0.2	0.2	0.4	0.4	-	-	0.2	-	0.2
Ishikawa	5.5	5.8	6.4	6.2	9.3	9.4	3.8	3.0	2.0	2.4	4.5	8.3	3.3
Iwate	0.7	0.7	0.6	0.4	2.1	0.7	0.9	0.6	-	-	0.5	0.8	1.4
Kagawa	0.3	0.2	0.3	0.3	-	0.5	0.5	-	0.4	-	-	0.5	0.9
Kagoshima	0.1	0.3	-	0.2	-	0.4	0.2	-	-	0.2	-	-	-
Kanagawa	0.1	-	0.3	0.1	0.4	0.2	0.2	-	-	-	0.2	-	-
Kochi	0.1	-	-	0.4	-	-	-	-	0.5	-	-	-	-

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

CONVULSIONS (86)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	0.1	-	-	0.4	0.2	-	-	0.2	0.4	-	-	-	-
Kyoto	0.2	0.2	-	0.4	0.5	0.8	-	0.2	-	-	-	0.3	-
Mie	0.2	0.7	-	0.3	-	-	-	0.2	-	-	0.3	0.3	0.3
Miyagi	0.2	-	0.2	0.4	0.2	0.2	0.6	0.2	-	-	0.6	-	-
Miyazaki	0.0	-	0.3	0.3	-	-	-	-	-	-	-	-	-
Nagano	0.2	-	-	0.2	0.2	0.2	0.5	-	0.2	0.2	0.4	0.4	0.2
Nagasaki	0.2	0.1	0.2	-	0.4	0.2	0.2	-	-	0.6	-	0.6	-
Nara	0.0	-	-	-	-	-	-	-	-	-	-	-	0.6
Niigata	0.7	0.3	0.4	1.3	0.9	1.3	0.7	0.3	0.7	0.5	1.1	1.1	0.4
Oita	0.6	0.5	1.0	2.6	-	0.6	-	0.9	0.3	0.3	-	-	0.3
Okayama	0.1	-	0.2	-	-	-	-	-	0.2	-	0.3	-	-
Osaka	0.1	0.1	0.1	-	-	0.2	-	0.1	-	0.2	-	-	0.1
Saga	0.1	-	1.0	-	-	-	-	-	-	-	-	-	-
Saitama	0.1	0.1	0.2	-	-	0.4	-	-	0.2	-	-	0.2	0.2
Shiga	0.3	1.3	0.4	-	0.5	-	-	-	-	0.5	-	0.5	0.5
Shimane	0.3	0.3	1.1	0.3	0.4	0.5	0.5	-	0.4	-	-	-	-
Shizuoka	0.1	0.3	0.1	0.1	-	0.3	0.2	0.2	-	-	-	0.3	-
Tochigi	0.2	0.3	0.2	0.4	0.2	-	0.3	0.2	0.5	-	-	-	0.5
Tokushima	0.2	-	0.4	0.4	-	0.5	-	-	-	0.4	0.4	-	-
Tokyo	0.1	-	0.1	0.2	-	0.1	0.1	-	-	0.1	0.1	-	0.1
Tottori	0.2	-	-	-	-	1.4	-	0.7	-	-	0.6	-	-
Toyama	6.0	6.1	6.0	5.5	10.2	6.7	4.4	5.5	2.1	4.8	2.6	10.2	8.2
Yakayama	0.3	0.6	-	0.4	-	-	1.6	-	0.4	-	0.4	0.9	-
Yamagata	0.2	0.2	-	0.7	0.6	0.3	-	-	-	0.3	-	0.3	-
Yamaguchi	0.2	0.2	0.4	0.2	0.2	0.6	-	-	0.2	0.2	0.3	-	-
Yamanashi	0.2	0.3	0.4	0.4	-	-	-	-	1.1	0.5	-	-	-

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

BRONCHITIS (106)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	3.5	4.2	5.5	5.6	4.5	3.6	2.8	1.9	1.3	1.2	1.9	3.1	5.6
All "SHI"	2.4	3.5	3.8	3.8	2.8	2.1	1.3	1.1	0.9	0.7	1.2	2.2	4.1
All "Gun"	4.1	4.6	6.3	6.5	5.3	4.3	3.6	2.4	1.5	1.5	2.3	3.6	6.4
Aichi	4.0	5.5	6.7	8.4	6.6	4.2	4.7	1.9	0.3	1.4	1.2	2.1	3.9
Akita	4.9	5.6	3.5	5.5	7.0	8.7	5.2	3.2	1.3	2.1	2.6	6.8	8.9
Aomori	5.3	6.2	6.1	7.3	8.8	6.7	4.1	3.3	2.1	1.7	2.5	4.7	10.2
Chiba	3.9	1.8	9.7	7.4	4.0	3.9	2.7	1.4	1.6	1.1	2.0	4.3	6.2
Ehime	3.5	4.2	7.3	6.5	4.1	3.4	1.4	2.1	1.9	0.9	2.5	2.9	3.7
Fukui	3.9	4.0	6.2	5.5	5.5	4.7	2.7	1.0	2.0	2.0	2.0	5.3	5.8
Fukuoka	2.6	2.8	3.6	4.1	3.4	2.5	1.4	1.4	1.4	1.0	2.4	2.4	4.6
Fukushima	3.7	3.5	4.6	5.6	4.2	3.4	3.4	2.1	0.8	2.5	2.5	4.6	7.4
Gifu	4.6	6.3	8.7	6.9	3.5	4.8	4.0	2.1	3.1	0.8	3.9	4.2	4.1
Gunma	2.5	2.2	6.1	5.5	3.1	2.4	2.1	0.5	0.5	1.0	1.5	2.0	2.8
Hiroshima	3.0	3.1	4.4	5.4	4.5	3.8	3.0	1.1	1.0	0.8	1.0	3.1	5.2
Hokkaido	3.7	4.4	5.2	5.7	5.7	4.3	2.5	3.1	1.6	1.4	1.5	2.7	4.7
Hyogo	3.3	3.6	3.6	5.4	3.7	2.9	2.5	1.3	0.8	0.9	2.9	5.2	6.4
Ibaraki	4.7	4.9	9.5	8.9	5.5	3.2	3.9	2.8	2.5	1.1	2.0	3.5	6.5
Ishikawa	5.4	7.7	5.8	6.2	7.5	9.0	3.8	3.0	1.6	0.8	2.1	5.2	10.9
Iwate	6.3	7.0	5.6	10.8	8.9	7.5	6.6	3.9	3.0	1.9	3.4	5.2	9.4
Kagawa	3.4	5.1	7.6	5.2	1.7	3.2	3.7	1.9	1.9	0.8	2.1	1.8	3.7
Kagoshima	2.6	3.6	4.1	2.2	2.4	3.7	2.6	3.2	1.0	0.9	0.5	1.8	4.4
Kanagawa	1.7	2.2	3.1	2.2	2.1	0.7	1.6	0.8	0.3	0.6	1.0	1.4	3.4
Kochi	2.6	2.5	5.6	5.7	4.0	3.1	1.6	1.9	0.5	0.9	1.4	1.9	1.9

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

BRONCHITIS (106)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	2.4	1.7	2.7	2.7	3.4	2.4	1.2	1.0	2.3	0.8	2.3	3.4	4.9
Kyoto	2.0	2.9	2.6	2.6	1.6	1.8	1.3	0.7	0.7	0.8	1.8	1.5	4.5
Mie	5.1	6.7	10.9	10.2	6.5	5.4	5.3	3.1	0.5	2.3	1.9	2.2	4.3
Miyagi	2.6	3.8	2.8	4.8	2.6	3.1	1.4	1.7	1.4	0.2	0.8	2.5	5.5
Miyazaki	2.9	3.0	2.3	3.7	3.2	1.6	1.1	4.3	1.2	0.6	2.5	3.0	7.5
Nagano	3.8	4.2	5.6	7.9	3.8	2.7	2.2	2.4	0.9	1.2	1.2	3.6	8.2
Nagasaki	3.0	4.9	5.4	2.6	3.3	3.9	2.0	1.6	1.0	1.5	2.0	2.3	4.8
Nara	3.9	7.2	4.6	3.5	8.1	1.2	4.5	1.7	1.7	-	1.8	2.3	7.7
Niigata	4.8	6.0	5.5	6.4	8.1	6.3	4.7	3.4	1.3	0.8	3.3	4.0	8.4
Osaka	4.4	5.3	5.6	7.5	5.3	2.6	3.9	2.7	1.2	3.6	2.1	4.7	6.9
Ookayama	3.8	5.3	7.0	6.8	5.2	5.8	1.8	1.9	1.0	0.8	1.3	1.4	4.4
Osaka	2.4	3.6	3.5	3.1	3.4	1.8	1.7	0.6	0.8	0.8	1.6	2.0	5.9
Saga	3.7	5.2	6.7	3.9	5.1	2.9	3.3	2.0	1.1	1.4	2.5	4.2	5.0
Saitama	4.5	5.8	7.6	8.1	3.2	3.5	3.4	1.6	1.0	2.0	2.9	4.2	8.7
Shiga	4.0	5.2	4.4	6.5	7.0	4.3	2.7	1.5	1.0	2.6	3.1	1.6	5.8
Shimane	4.6	4.2	7.3	5.1	8.3	7.3	7.4	2.2	0.9	2.1	2.0	4.5	3.4
Shizuoka	2.9	2.8	5.7	5.1	4.1	3.1	2.5	1.8	1.3	0.9	0.9	2.0	4.6
Tochigi	3.5	4.3	9.2	7.2	2.7	3.8	1.6	1.0	1.4	0.7	1.4	1.9	3.1
Tokushima	3.5	4.9	7.9	7.2	3.5	1.4	2.0	0.9	1.3	1.7	2.9	0.9	4.2
Tokyo	1.8	3.2	3.6	2.4	2.0	1.0	0.8	0.7	0.6	0.6	1.2	2.2	2.8
Tottori	3.2	2.4	3.5	4.4	4.2	3.6	0.8	2.8	2.2	0.7	1.8	4.3	7.8
Toyama	7.0	7.5	10.0	8.0	8.5	10.4	5.7	2.8	2.9	2.7	2.6	7.3	16.5
Wakayama	3.1	4.2	3.8	4.5	3.5	1.9	3.1	1.2	-	1.7	1.8	4.4	6.2
Yamagata	5.8	7.0	7.4	9.4	5.2	3.3	5.7	4.5	3.1	2.5	2.6	7.4	11.5
Yamaguchi	2.9	3.7	5.5	4.0	2.5	3.1	3.2	1.6	1.1	1.6	1.8	1.1	5.4
Yamanashi	3.9	4.0	6.9	9.8	3.5	3.8	3.3	3.2	1.1	2.0	1.0	3.2	3.2

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

PNEUMONIA (ALL FORMS) (107-109)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	10.2	12.9	15.4	14.6	13.3	10.9	7.8	5.3	3.3	3.5	5.0	9.8	17.8
All "Shi"	10.7	15.8	16.0	14.2	13.9	10.6	6.8	5.1	3.6	3.5	5.0	11.0	20.8
All "Gun"	9.9	11.4	15.1	14.8	13.0	11.0	8.3	5.4	3.1	3.6	5.1	9.2	16.3
Aichi	11.3	14.9	20.6	15.9	15.1	14.9	11.5	6.1	3.2	2.5	3.4	8.0	16.2
Akita	8.9	10.1	8.7	11.8	11.9	9.6	7.7	2.9	2.6	4.9	6.1	12.3	17.8
Aomori	12.0	13.5	10.8	18.6	20.9	17.4	8.1	9.5	3.5	3.9	4.3	11.9	23.6
Chiba	10.9	12.1	21.0	21.5	14.8	9.8	7.1	5.4	4.2	2.6	4.8	7.7	16.3
Ehime	10.9	16.2	23.8	17.4	12.9	10.2	8.4	5.7	2.8	3.4	4.1	8.9	11.9
Fukui	9.3	10.3	7.0	10.7	12.9	12.5	5.9	5.6	6.1	1.5	5.0	13.6	24.7
Fukuoka	10.5	9.9	13.8	15.6	12.9	12.6	9.0	5.3	4.1	4.4	9.5	15.4	14.7
Fukushima	12.8	13.7	17.0	21.4	14.9	14.4	10.8	6.3	2.3	4.8	6.9	13.2	27.3
Gifu	9.0	10.2	15.2	11.3	15.1	11.4	8.9	3.4	2.5	3.5	5.4	6.3	12.4
Gunma	12.2	16.1	24.7	23.9	13.7	11.9	8.2	3.2	2.7	4.6	4.7	8.7	16.9
Hiroshima	8.6	8.4	11.3	12.1	11.8	9.6	4.8	6.6	2.7	4.2	6.4	8.0	18.0
Hokkaido	10.4	15.2	14.3	14.0	14.9	10.8	9.8	5.5	4.4	3.3	4.6	8.5	16.9
Hyogo	9.2	11.8	11.4	11.7	10.2	8.0	5.4	4.4	3.8	4.9	4.8	13.2	20.3
Ibaraki	9.5	11.9	16.5	19.8	9.7	7.5	7.5	5.4	2.5	4.0	2.8	7.5	14.4
Ishikawa	10.6	9.2	14.4	11.3	13.9	18.9	9.0	7.3	2.9	5.1	6.6	12.7	16.2
Iwate	15.6	17.3	17.3	21.4	26.2	25.9	14.6	7.6	2.2	4.6	7.2	14.1	23.0
Kagawa	10.4	11.4	19.6	17.2	12.8	12.5	10.7	4.7	4.2	1.6	3.8	7.4	16.1
Kagoshima	7.9	9.6	10.2	11.4	8.0	8.1	7.0	7.3	4.1	3.2	5.1	7.4	12.1
Managawa	11.0	17.6	24.9	15.7	12.6	8.2	6.6	3.8	3.9	3.4	3.5	9.0	12.7
Kochi	7.5	10.4	16.8	12.2	8.6	4.7	3.6	3.3	2.3	3.2	2.3	8.4	11.7

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAN. 1949 - Cont'd
(Rates per 1,000 live births each month)

FRENCH (ALL FORMS) (107-109)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	8.0	8.9	11.5	9.9	13.4	7.7	6.2	5.2	3.9	1.7	3.8	9.7	13.6
Kyoto	8.7	10.2	10.1	10.9	10.6	8.8	6.3	3.5	2.1	2.8	8.4	14.3	15.0
Mie	9.8	10.9	18.8	17.5	14.2	12.6	6.7	5.2	2.7	3.2	4.1	5.6	14.3
Miyagi	11.1	12.1	12.9	14.8	15.3	13.5	10.9	9.5	4.2	4.6	6.5	8.7	19.1
Miyazaki	7.2	12.8	8.3	8.0	7.6	5.4	6.1	4.9	2.1	2.1	4.9	6.9	13.5
Nagano	8.9	10.2	15.9	14.6	12.9	8.4	5.6	4.2	4.2	2.5	3.7	7.6	12.8
Nagasaki	9.4	9.6	11.0	10.8	14.4	12.1	8.4	5.9	2.4	2.7	6.9	8.8	20.4
Nara	10.2	14.8	14.3	10.5	9.8	11.1	9.0	7.4	4.5	3.5	6.1	8.5	19.5
Niigata	10.3	12.3	11.7	11.4	15.3	15.3	10.3	5.9	3.6	3.6	3.5	11.3	21.2
Oita	9.5	8.1	12.9	12.7	11.7	11.3	8.8	7.0	3.2	3.9	7.9	8.8	18.5
Okayama	7.9	10.3	13.2	8.6	10.3	8.6	8.8	2.4	4.1	4.7	5.9	6.6	9.1
Osaka	12.9	19.1	15.0	15.9	17.3	12.8	6.7	4.3	4.7	4.4	6.8	15.3	32.1
Saga	7.2	8.8	6.0	10.4	11.3	10.6	4.7	3.9	2.6	2.1	5.3	8.5	10.3
Saitama	10.3	14.7	20.7	13.1	12.1	9.5	5.4	5.0	2.9	2.8	4.7	7.5	21.1
Shiga	8.8	9.8	12.5	9.6	7.9	9.6	10.4	5.2	1.9	3.6	3.7	9.3	21.7
Shimane	8.7	6.9	13.1	15.0	10.3	11.0	8.4	5.7	2.2	3.0	3.6	8.5	16.0
Shizuoka	9.2	6.9	17.8	20.4	12.6	9.5	6.0	5.3	3.5	2.9	3.5	9.0	12.7
Tochigi	9.7	12.2	13.2	15.6	14.1	8.6	4.3	5.2	3.4	5.1	3.9	4.8	11.8
Tokushima	9.8	14.1	16.8	13.6	13.9	8.3	3.0	7.2	2.2	1.7	3.8	10.4	16.2
Tokyo	11.2	24.3	18.6	14.0	10.5	6.7	6.2	4.6	2.4	3.5	3.1	10.1	22.9
Tottori	8.2	9.1	11.2	11.4	9.0	6.4	6.4	4.2	5.1	2.8	4.3	11.5	16.4
Toyama	11.2	12.4	12.2	13.5	16.4	9.3	10.6	7.9	2.1	5.1	5.5	15.5	26.1
Wakayama	8.6	10.6	13.6	13.4	12.9	8.2	6.7	2.9	2.5	4.2	1.8	6.6	17.2
Yamagata	10.4	12.1	14.0	14.7	12.4	12.6	13.0	6.3	3.1	3.6	7.5	8.8	17.4
Yamaguchi	9.8	13.0	17.0	12.9	13.1	11.2	8.1	4.6	3.6	3.3	3.3	8.8	16.6
Yamanashi	9.4	9.1	18.6	17.8	11.8	9.6	2.7	4.8	3.2	1.5	7.3	5.3	17.8

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

DIARRHEA ENTERITIS AND ULCERATION OF THE INTESTINES (119)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	9.8	6.9	7.5	8.3	9.7	10.9	13.3	14.0	12.5	9.0	7.5	10.4	11.0
All "Shin"	8.0	5.8	6.5	7.3	9.1	9.2	11.6	10.5	8.8	6.5	5.7	8.9	8.3
All "Gun"	10.8	7.4	8.0	8.8	9.9	11.8	14.2	15.9	14.4	10.3	8.4	11.3	12.5
Aichi	8.2	6.4	7.5	8.7	9.8	9.3	11.4	12.5	7.3	6.6	5.4	6.4	8.2
Akita	17.0	9.7	8.3	12.3	13.6	18.3	23.8	24.7	30.3	20.3	4.7	18.5	18.1
Aomori	17.5	9.0	9.4	12.5	11.9	18.1	19.8	26.1	30.8	22.1	15.4	18.1	21.6
Chiba	7.2	6.1	6.8	8.0	6.7	10.6	9.5	8.4	6.7	5.3	4.8	7.0	8.2
Ehime	7.2	4.3	6.7	6.9	4.9	9.5	11.5	8.5	10.1	4.8	6.0	9.6	5.7
Fuku	13.3	9.0	8.2	9.8	13.9	9.4	13.5	28.7	16.3	13.8	9.1	16.5	16.9
Fukuoka	9.4	6.7	6.1	9.1	10.6	11.4	17.4	12.9	8.3	6.7	7.9	11.0	8.5
Fukushima	9.5	5.6	7.2	8.0	11.1	10.2	12.2	14.5	11.5	9.7	8.1	8.7	10.6
Gifu	11.2	7.1	8.7	7.8	8.5	10.8	16.3	18.5	17.6	8.9	8.5	12.1	11.8
Gumma	6.3	5.5	6.3	4.4	4.5	6.7	5.6	8.7	8.7	4.8	3.7	7.0	10.6
Hiroshima	8.1	6.0	5.1	7.6	8.1	10.4	10.9	10.1	11.7	7.4	7.3	7.8	7.0
Hokkaido	13.4	8.1	9.5	10.5	12.8	13.7	12.4	15.3	21.1	17.3	12.2	14.6	16.9
Hyogo	9.6	6.6	7.4	8.2	8.8	11.0	13.0	14.7	12.4	7.6	8.8	11.3	7.7
Ibaraki	6.0	7.4	7.7	7.6	11.2	7.3	9.4	14.3	8.1	8.0	7.3	11.0	9.8
Ishikawa	15.8	8.7	8.9	10.4	13.2	25.8	20.5	26.3	22.5	17.7	12.7	17.5	16.6
Iwate	15.4	9.8	6.4	12.2	13.7	19.4	18.8	16.0	21.4	22.8	13.5	18.2	19.9
Kagawa	7.4	4.9	5.2	8.9	6.8	6.5	9.8	10.9	8.8	3.7	6.8	6.4	12.4
Kagoshima	10.5	9.3	8.9	8.8	8.8	8.1	18.3	12.4	13.8	10.0	6.3	9.7	13.7
Kanagawa	5.3	4.2	5.2	4.5	7.3	5.2	6.1	6.8	5.0	4.8	3.5	4.9	7.4
Kochi	6.9	7.6	5.6	6.2	7.1	5.2	9.3	4.7	7.7	7.8	5.4	5.1	7.5

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAN., 1949 - Cont'd
(Rates per 1,000 live births each month)

DIARRHEA ENTERITIS AND ULCERATION OF THE INTESTINES (119)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kusamoto	8.9	5.8	7.1	7.6	7.6	12.1	14.7	11.0	7.8	5.1	6.8	11.5	13.2
Kyoto	8.3	5.4	8.2	8.0	7.9	9.3	10.2	10.1	10.5	7.3	7.6	7.9	8.3
Mie	12.4	9.2	13.2	11.5	10.3	14.5	15.4	23.9	15.1	10.2	6.3	10.1	11.6
Miyagi	10.0	8.8	10.1	8.6	10.9	13.0	13.6	12.6	11.0	6.6	5.5	11.6	10.8
Miyazaki	9.4	10.6	10.1	8.9	8.5	11.1	5.4	12.4	9.8	10.0	7.4	5.4	11.8
Nagano	7.2	5.5	5.2	7.0	8.5	7.0	10.0	9.7	7.8	7.0	2.9	8.0	10.4
Nagasaki	10.2	8.0	7.2	9.0	9.0	15.3	16.5	11.2	11.2	7.1	7.9	11.2	11.9
Nara	13.4	10.5	7.2	8.0	13.3	16.1	21.9	26.7	18.0	9.4	8.5	10.8	14.2
Niigata	10.2	4.7	6.1	9.2	9.2	11.7	19.2	19.0	15.2	9.6	8.4	9.3	9.1
Oita	10.5	8.8	7.8	8.3	10.6	12.6	11.6	16.7	13.1	9.2	6.1	11.1	12.6
Okayama	7.2	5.6	5.4	5.7	6.1	5.6	9.1	8.6	8.7	7.5	7.2	8.8	10.0
Osaka	9.7	6.1	6.1	8.5	11.6	11.3	15.9	15.8	11.4	5.7	5.6	9.9	9.0
Saga	12.0	7.7	13.3	13.9	12.8	15.5	17.5	16.8	12.2	6.7	7.1	11.0	14.6
Saitama	8.5	6.7	8.7	7.7	8.6	9.5	8.8	13.5	6.1	5.5	6.6	9.6	13.3
Shiga	13.8	9.5	9.7	7.7	14.0	11.5	23.5	31.9	19.6	8.7	8.9	16.5	10.1
Shimane	11.3	7.9	8.7	8.9	9.1	7.8	18.8	12.3	17.5	11.5	7.6	10.8	20.4
Shizuoka	7.8	6.8	6.8	7.3	8.2	6.5	10.1	10.9	8.5	8.3	5.3	8.3	7.1
Tochigi	8.3	5.8	7.7	6.5	6.7	7.6	6.9	11.4	11.8	7.5	6.4	11.4	11.8
Tokushima	7.6	5.2	5.0	5.7	8.3	8.8	12.4	11.3	9.0	7.8	4.2	7.8	9.6
Tokyo	5.8	5.1	5.4	6.3	7.9	6.7	9.1	5.2	4.9	3.2	3.8	6.5	6.3
Tottori	10.5	4.8	5.9	7.0	11.4	6.4	16.1	18.2	11.0	11.8	7.3	10.8	12.1
Toyama	18.2	9.2	8.2	12.3	18.4	21.9	26.5	30.4	19.2	16.5	17.4	28.6	22.4
Wakayama	11.5	8.6	5.7	10.4	10.2	15.0	23.3	20.3	16.0	9.2	5.8	7.0	11.1
Yamagata	15.5	8.6	12.9	6.5	11.6	13.2	15.6	28.5	30.4	17.5	12.4	19.1	15.4
Yamaguchi	8.6	6.0	8.7	8.2	8.4	11.7	9.3	10.0	11.3	6.4	6.3	9.8	9.0
Yamanashi	9.9	6.1	6.0	8.4	7.4	10.6	16.3	19.9	15.5	8.6	7.3	8.5	9.7

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

CONGENITAL MALFORMATIONS (157)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1.9	1.6	2.0	2.2	2.0	1.9	1.9	1.7	1.4	1.8	1.9	2.3	2.5
All "Shi"	1.9	1.7	1.9	2.4	2.0	1.7	1.8	1.6	1.5	1.8	2.0	2.4	2.5
All "Gin"	1.9	1.6	2.0	2.1	2.0	2.0	2.0	1.8	1.4	1.7	1.9	2.3	2.5
Aichi	2.0	1.3	2.2	2.3	1.9	1.3	2.6	2.5	1.4	2.1	1.7	3.0	2.3
Akita	1.4	2.1	0.7	0.7	1.0	2.4	1.7	0.9	1.0	1.4	1.2	2.6	1.8
Aomori	2.1	1.5	1.9	1.5	3.1	2.6	1.4	0.8	2.4	1.3	2.9	2.0	3.8
Chiba	2.1	2.3	3.1	2.8	2.0	2.2	1.1	1.4	2.4	1.8	1.6	1.9	2.6
Ehime	2.0	1.4	1.9	2.2	1.5	2.9	2.0	1.7	1.4	3.0	1.6	2.9	1.7
Fukui	2.1	1.6	4.9	1.7	2.5	0.5	1.6	3.1	1.0	2.0	2.0	1.8	2.6
Fukuoka	1.7	1.7	1.8	2.0	2.0	1.7	1.0	1.4	0.9	1.3	2.1	2.1	2.4
Fukushima	2.3	2.3	1.9	2.4	2.1	1.6	2.2	1.7	2.2	2.1	2.5	2.9	3.4
Gifu	2.1	1.4	2.2	3.7	2.4	1.9	0.9	2.3	1.8	1.6	1.8	2.4	2.5
Gumma	2.7	2.2	4.6	2.9	2.8	3.1	1.6	1.5	1.2	1.0	3.2	4.5	4.0
Hiroshima	1.9	1.7	1.6	2.9	1.2	2.8	1.7	1.3	1.7	1.6	2.5	2.2	2.0
Hokkaido	1.8	1.6	2.1	1.3	1.9	2.3	1.8	1.5	1.7	2.0	2.4	1.5	1.6
Hyogo	1.8	1.2	0.6	2.1	1.8	2.0	3.0	2.1	1.2	0.9	1.8	2.7	2.6
Ibaraki	2.2	1.5	2.2	2.4	2.1	1.9	2.4	2.0	2.1	1.9	2.6	2.7	3.3
Ishikawa	2.0	1.7	1.2	1.8	2.5	2.9	0.5	1.7	1.6	2.8	1.2	2.2	5.2
Iwate	1.8	2.3	1.7	2.9	1.7	2.2	1.8	2.2	0.5	2.4	1.7	0.8	1.4
Kagawa	1.9	3.0	1.4	2.4	1.7	1.9	1.4	0.8	1.1	1.2	0.4	3.7	3.2
Kagoshima	1.5	1.7	1.5	1.7	1.1	1.5	1.9	0.6	0.6	1.7	1.2	2.0	2.3
Kanagawa	1.6	1.3	2.0	2.1	1.4	1.4	0.7	1.5	1.7	1.1	2.0	2.4	1.6
Kochi	1.8	2.5	1.9	1.7	1.0	1.0	3.1	0.9	1.8	2.3	0.5	0.9	3.8

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

CONGENITAL MALFORMATIONS (157)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	1.6	1.7	0.4	1.6	0.8	3.1	1.7	1.9	1.0	2.3	1.1	1.8	1.8
Kyoto	1.9	1.7	2.0	3.1	3.2	2.8	1.0	1.4	1.2	1.5	1.8	1.8	2.5
Mie	2.1	0.9	2.3	1.8	2.9	2.8	1.3	2.5	2.4	1.8	1.4	2.2	3.0
Miyagi	2.5	1.4	2.8	4.5	3.0	2.6	2.5	2.4	1.6	3.1	0.8	2.7	2.3
Miyazaki	1.8	1.7	2.6	2.3	1.6	-	2.2	0.7	1.5	2.4	1.5	2.7	1.7
Nagano	1.9	1.5	1.6	1.6	0.8	1.8	1.9	3.1	1.6	1.7	2.5	2.4	2.4
Nagasaki	1.9	1.6	1.6	2.8	1.5	2.1	2.0	2.0	0.6	1.9	2.4	1.7	2.8
Nara	1.7	3.3	1.5	1.5	2.9	2.5	-	1.7	0.6	1.8	-	0.6	3.0
Niigata	1.9	1.6	2.0	1.7	1.8	1.9	2.8	1.3	1.2	1.8	1.9	3.0	2.7
Oita	1.6	1.5	1.2	2.1	1.9	1.6	2.5	0.9	0.3	1.5	0.6	4.4	1.3
Okayama	2.0	1.7	2.1	1.8	3.2	1.7	2.1	1.9	1.7	1.3	3.5	1.7	2.2
Osaka	1.9	1.4	2.5	1.9	2.0	1.2	1.5	2.1	2.1	1.9	2.0	2.2	2.3
Saga	2.2	1.4	1.9	3.2	2.7	1.2	3.3	2.7	2.2	1.8	1.1	2.1	2.9
Saitama	2.3	1.4	2.7	2.1	1.8	3.5	2.8	2.8	1.2	2.1	1.6	2.6	3.0
Shiga	1.7	1.3	0.8	1.2	2.8	1.4	0.5	2.1	0.5	1.0	2.6	2.7	3.2
Shimane	1.5	1.4	1.1	2.7	2.4	0.5	2.0	1.8	0.9	0.9	2.0	1.3	1.0
Shizuoka	2.0	0.7	2.7	1.6	2.0	2.2	1.8	1.1	1.1	2.3	3.0	3.3	2.5
Tochigi	2.5	1.8	3.3	3.1	2.0	2.6	4.0	2.5	3.2	0.9	1.6	3.6	2.1
Tokushima	2.0	1.8	2.5	1.8	2.2	-	4.0	1.8	1.3	1.7	2.1	2.2	2.5
Tokyo	1.6	1.7	1.7	2.4	1.7	0.8	1.5	1.0	1.1	1.5	1.1	1.6	2.7
Tottori	2.3	1.2	3.5	3.2	3.6	0.7	3.2	2.1	0.7	0.7	3.0	4.3	2.1
Toyama	2.4	1.0	1.9	3.4	3.0	2.2	3.1	1.2	1.4	3.1	2.6	2.0	5.5
Wakayama	2.1	1.4	1.1	2.2	3.1	0.5	2.6	3.3	2.1	1.7	2.2	3.1	1.8
Yamagata	1.9	2.0	1.3	2.2	3.9	3.0	1.0	1.8	1.7	0.8	1.8	1.7	1.6
Yamaguchi	1.8	1.6	0.7	2.0	2.8	1.7	1.7	2.3	1.4	1.6	2.0	1.6	2.4
Yamanashi	2.5	0.9	3.5	3.1	2.6	1.9	3.8	2.7	0.5	2.5	3.1	3.2	3.2

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

CONGENITAL DEBILITY (158)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	13.7	15.0	16.5	18.7	15.4	12.4	11.7	11.3	9.9	9.0	10.5	14.2	18.1
All "Shi"	10.7	12.1	12.9	13.8	12.1	10.3	8.8	8.9	8.2	7.2	8.1	11.2	14.1
All "Gun"	15.2	16.4	18.2	21.1	17.0	13.5	13.3	12.6	10.8	9.9	11.6	15.8	20.2
Aichi	15.4	15.9	18.3	24.4	19.0	15.7	12.7	13.3	11.5	11.0	9.3	14.3	17.7
Akita	23.9	22.0	28.5	32.4	30.1	19.8	21.7	20.9	15.4	19.9	16.1	23.7	35.0
Aomori	21.5	19.7	24.3	26.4	24.5	23.8	23.6	24.3	20.0	14.9	15.2	19.6	22.5
Chiba	13.2	12.3	15.6	16.4	13.5	11.2	10.9	11.5	9.3	10.0	11.4	15.9	20.1
Ehime	12.8	14.5	17.1	20.0	13.2	10.5	9.8	8.7	11.5	8.9	9.4	11.8	15.2
Fukui	19.9	22.4	26.0	26.0	20.9	16.2	11.3	20.5	13.2	14.3	11.6	23.6	30.5
Fukuoka	12.2	13.6	17.2	15.1	12.0	11.2	10.5	7.8	7.6	10.7	9.8	11.0	18.9
Fukushima	12.8	11.2	15.7	19.6	14.5	11.8	9.0	11.2	8.7	8.9	10.0	14.3	17.5
Gifu	18.4	19.1	22.9	27.3	19.6	16.1	16.7	15.3	14.3	9.4	15.8	21.6	19.5
Gumma	11.6	10.1	11.5	14.3	14.9	11.9	11.9	9.2	10.4	8.6	9.5	13.2	13.9
Hiroshima	12.8	14.0	14.3	14.8	16.2	9.3	10.9	9.0	8.0	8.6	11.6	18.1	18.9
Hokkaido	9.7	8.4	9.7	12.3	13.0	10.7	8.1	9.0	7.4	6.7	8.5	10.1	13.1
Hyogo	11.6	12.3	15.1	16.9	16.3	9.8	10.1	8.2	7.7	5.3	9.0	11.3	14.9
Ibaraki	16.6	19.6	24.0	24.1	16.9	14.2	14.4	13.7	10.4	8.8	10.1	15.4	23.6
Ishikawa	15.1	13.2	15.3	19.5	18.2	16.0	12.4	12.9	10.6	11.4	16.0	18.4	16.2
Iwate	18.8	21.1	18.8	27.9	21.2	16.9	16.1	13.7	10.8	12.2	15.2	22.4	25.0
Kagawa	18.2	21.2	25.8	19.5	15.8	14.8	21.4	17.9	7.3	11.8	12.8	18.4	29.0
Kagoshima	10.9	14.8	12.3	13.2	9.7	9.5	8.2	8.5	10.9	5.9	8.4	11.3	15.1
Kanagawa	7.2	8.5	8.8	9.6	6.7	5.0	5.2	5.8	4.2	5.9	5.5	7.8	12.4
Kochi	17.0	21.2	15.9	23.6	19.6	14.6	15.6	16.1	12.2	12.0	12.3	18.1	20.2

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

CONGENITAL DEBILITY (158)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	12.7	14.3	13.1	15.9	13.6	11.4	12.1	10.5	7.2	8.7	10.1	16.0	18.1
Kyoto	12.5	15.5	13.3	16.5	13.1	14.3	9.9	12.0	7.6	9.9	8.1	13.0	13.0
Kie	16.0	18.7	19.8	25.1	15.6	13.9	12.7	17.2	8.3	12.9	10.2	15.1	20.1
Miyagi	13.9	17.3	17.8	23.2	16.5	10.8	13.4	12.1	7.7	4.2	9.5	14.1	15.2
Miyazaki	14.4	18.3	18.1	19.0	12.0	13.6	14.1	11.4	9.8	7.6	9.2	15.3	21.9
Nagano	10.8	9.3	11.5	14.1	13.3	11.1	9.7	8.0	10.8	6.2	9.9	10.9	15.5
Nagasaki	14.4	20.2	19.2	15.1	15.6	14.0	13.6	11.2	7.2	8.8	9.8	14.1	21.6
Nara	18.6	22.1	21.5	32.6	12.7	13.0	16.1	10.2	15.8	19.4	11.5	18.1	24.9
Migata	12.4	11.2	14.8	14.6	15.3	13.1	9.9	12.4	10.6	7.4	8.3	14.4	17.4
Oita	16.6	20.0	23.9	21.0	12.8	12.0	18.3	14.8	13.4	11.3	13.7	12.6	21.8
Okayama	17.7	21.8	23.1	23.8	19.7	18.9	13.5	11.8	10.9	11.1	15.2	17.4	20.7
Osaka	12.2	14.8	14.2	16.2	14.1	10.1	9.5	11.6	9.7	7.3	10.2	13.3	14.0
Saga	19.5	26.1	21.9	22.6	19.0	18.3	18.9	11.3	13.7	10.5	21.7	17.0	26.7
Saitama	15.8	17.4	16.3	19.8	14.8	13.2	16.6	12.6	15.0	7.6	11.8	18.6	25.2
Shiga	19.0	17.4	18.2	31.1	23.3	16.7	11.5	23.7	12.0	15.9	12.0	15.9	26.5
Shimane	15.5	15.7	15.2	21.5	15.8	14.6	14.4	13.6	14.0	12.8	14.4	13.5	18.9
Shizuoka	12.6	13.8	16.5	22.9	13.5	9.0	11.2	7.3	9.0	8.6	9.0	12.3	16.0
Tochigi	11.2	11.9	14.4	16.0	12.6	10.0	8.8	8.2	10.2	7.2	8.3	11.9	12.9
Tokushima	18.2	24.0	20.8	20.5	19.1	14.4	16.4	12.2	15.1	14.3	15.5	15.6	24.5
Tokyo	8.0	9.5	10.2	10.0	10.8	8.9	7.1	7.5	5.6	4.3	5.6	9.0	9.1
Tottori	15.6	15.4	21.1	17.7	19.2	13.6	9.6	9.8	12.3	17.4	12.2	14.4	22.1
Toyama	17.3	16.3	21.3	27.6	23.0	15.2	11.0	13.8	12.1	10.3	12.2	20.4	21.5
Wakayama	11.9	13.4	11.0	15.6	10.6	13.1	14.0	7.5	9.7	8.4	11.1	10.9	17.2
Yamagata	20.4	24.0	26.3	29.3	22.0	16.2	17.0	14.1	15.6	10.4	15.5	25.9	26.2
Yamaguchi	13.3	15.3	14.6	19.4	14.6	14.0	8.1	10.2	11.1	9.4	10.5	13.1	17.9
Yamanashi	10.4	8.2	14.7	16.4	13.1	8.6	9.8	8.6	5.9	6.1	6.2	9.5	17.2

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month.)

PREMATURE BIRTH (159)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	5.0	4.5	5.2	5.5	5.0	5.0	5.1	4.7	4.6	4.5	4.4	5.3	6.7
All "Shi"	4.6	3.8	4.3	4.8	5.1	4.7	4.7	4.3	4.5	3.9	4.3	4.6	6.3
All "Gun"	5.2	4.9	5.6	5.8	5.0	5.1	5.4	5.0	4.6	4.8	4.4	5.6	6.9
Aichi	5.6	4.6	6.2	5.9	6.4	5.9	8.0	5.2	5.1	4.5	3.9	5.1	7.1
Akita	6.9	6.0	9.1	6.6	4.1	9.3	5.9	7.6	7.3	4.7	4.7	9.1	8.9
Aomori	4.9	3.8	4.7	5.8	6.4	6.4	6.5	6.1	3.8	3.9	2.3	5.2	4.1
Chiba	7.7	8.4	8.0	9.3	4.0	7.9	6.9	5.8	10.4	7.2	7.0	8.1	8.8
Ehime	4.8	3.1	4.6	6.2	4.4	5.3	3.9	6.6	4.9	3.2	4.1	6.0	5.7
Fukui	6.3	6.2	4.1	8.1	7.0	7.3	8.1	7.7	3.6	4.4	4.5	8.3	6.5
Fukuoka	3.9	3.8	3.7	3.4	3.4	3.9	3.9	3.5	3.0	2.9	3.4	4.6	6.9
Fukushima	5.1	3.8	5.9	6.4	4.2	4.3	5.0	6.7	4.5	4.6	5.2	4.3	7.3
Gifu	6.4	5.7	7.4	7.6	6.6	9.8	5.0	7.3	5.6	3.5	4.9	5.5	7.1
Gumma	4.3	3.0	2.9	7.6	3.5	1.7	3.7	4.2	2.2	5.5	2.7	7.2	8.3
Hiroshima	4.6	4.3	5.5	5.2	4.5	3.8	3.3	4.2	3.1	4.4	4.6	6.5	5.7
Hokkaido	3.1	2.7	3.5	2.7	3.6	2.9	3.6	4.2	2.7	2.2	2.7	3.4	3.9
Iyogo	5.0	5.1	5.3	4.8	6.5	4.7	5.3	3.8	4.3	4.0	4.9	3.5	8.6
Ibareki	7.7	7.8	9.7	10.0	7.8	9.3	9.0	6.6	5.9	6.3	5.0	7.1	7.2
Ishikawa	6.4	4.8	6.1	8.0	10.0	7.0	3.8	8.2	4.5	5.1	5.3	6.1	8.1
Iwate	7.5	6.3	8.3	8.1	10.6	10.5	7.8	4.5	7.1	5.7	5.3	7.3	7.7
Kagawa	5.3	4.7	5.2	5.8	4.3	4.2	3.3	5.8	6.1	5.3	6.8	5.5	7.4
Kagoshima	3.8	4.4	5.0	4.5	1.9	2.9	3.3	3.0	4.5	3.2	2.6	5.9	4.0
Kanagawa	2.9	1.8	2.7	3.4	4.2	1.5	2.1	2.7	3.5	3.4	2.5	3.4	4.5
Kochi	7.2	7.9	8.6	7.9	7.6	4.7	7.3	5.7	7.7	6.9	7.3	5.1	8.9

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1945 - Cont'd
(Rates per 1,000 live births each month).

PHILADELPHIA BIRTH (159)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	4.7	4.3	5.5	3.1	3.6	3.7	6.2	3.7	4.1	4.9	5.1	4.7	7.9
Kyoto	5.6	5.6	4.8	6.2	6.3	4.8	8.4	3.1	7.4	4.3	6.8	5.1	5.0
Mie	6.6	5.9	5.9	5.8	5.6	6.3	9.0	8.3	6.2	5.3	6.4	6.0	10.1
Miyagi	4.7	4.5	3.2	5.5	4.0	5.5	4.2	5.1	3.1	4.6	4.2	6.0	6.9
Miyazaki	4.2	6.0	4.9	4.0	1.9	3.8	2.9	2.6	6.0	4.6	3.1	5.7	3.7
Nagano	4.9	3.3	4.7	6.7	2.8	5.8	3.2	6.6	7.4	3.1	4.5	5.3	6.8
Nagasaki	3.9	4.2	2.4	3.2	5.2	5.0	3.2	2.2	4.2	3.2	3.9	4.8	5.2
Nara	6.1	5.8	7.7	8.0	8.1	3.1	3.2	3.4	5.1	7.1	6.7	8.5	5.3
Niigata	4.9	4.0	4.8	5.7	5.8	5.2	5.4	3.9	4.1	5.7	2.4	4.0	9.7
Oita	5.0	5.5	4.9	7.3	5.0	3.6	5.3	3.9	3.2	5.9	3.3	5.4	6.0
Okayama	5.7	5.0	8.7	3.7	3.7	7.2	5.9	6.0	3.9	6.7	5.6	4.7	8.3
Osaka	4.9	4.9	5.2	4.7	4.6	4.5	4.2	3.6	4.3	5.6	4.6	5.3	8.2
Saga	5.0	4.7	6.0	3.9	5.4	3.3	3.8	2.7	4.1	4.6	5.0	6.7	9.3
Saitama	5.6	4.6	5.9	6.1	6.6	5.6	5.2	4.1	5.5	4.8	4.7	6.0	8.2
Shiga	6.5	4.9	4.4	4.6	6.1	5.3	9.8	6.2	3.8	8.7	8.4	8.2	10.1
Shimane	6.1	5.9	6.9	4.4	5.5	7.3	4.5	6.2	3.5	6.8	6.4	8.5	7.8
Shizuoka	4.1	4.3	4.2	4.6	4.5	4.3	4.2	4.2	2.8	2.0	3.2	2.7	7.5
Tochigi	4.2	3.7	4.0	5.7	2.9	4.0	4.8	4.7	2.7	4.2	3.9	5.8	4.5
Tokushima	5.8	4.2	4.3	6.5	3.0	6.0	5.0	9.0	8.6	6.5	4.6	9.1	3.7
Tokyo	4.1	3.8	3.8	4.1	4.2	3.9	5.4	4.0	3.9	3.4	3.9	4.0	5.1
Tottori	4.9	4.8	5.3	4.4	3.6	4.3	4.8	3.5	2.2	7.0	7.9	5.8	5.7
Toyama	7.8	6.1	9.4	6.3	8.9	4.8	9.3	9.9	9.3	8.2	7.0	6.5	9.1
Wakayama	5.6	4.2	4.5	5.2	5.8	5.3	4.1	5.8	5.9	6.7	7.6	4.8	7.5
Yamagata	7.1	6.4	6.1	8.9	11.6	6.6	6.7	4.5	4.7	5.6	8.0	7.4	8.2
Yamaguchi	2.9	2.3	2.6	4.7	3.2	2.2	3.2	3.3	2.7	2.6	2.5	1.9	4.4
Yamanashi	3.9	3.3	4.7	6.2	2.6	5.3	4.9	2.1	2.7	2.5	2.1	3.2	7.0

See footnotes at end of table.

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

INJURY AT BIRTH (160)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.4	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.4	0.4
All "Shi"	0.4	0.3	0.4	0.4	0.5	0.4	0.5	0.6	0.5	0.5	0.5	0.4	0.4
All "Gun"	0.4	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.3	0.4	0.4	0.5
Aichi	0.4	0.3	0.3	0.2	0.5	0.6	0.5	0.2	0.3	0.2	0.2	0.2	0.7
Akita	0.5	-	0.4	0.7	0.5	1.2	0.3	0.6	0.3	-	0.5	0.3	1.2
Aomori	0.2	-	0.2	0.2	-	-	0.3	0.5	0.2	0.2	0.2	0.2	0.6
Chiba	0.6	0.6	0.7	0.3	0.4	0.4	1.3	0.4	0.4	0.5	1.6	-	0.9
Ehime	0.5	0.5	1.5	-	0.2	-	0.8	1.7	0.5	0.5	0.2	0.5	-
Fukui	0.4	0.3	-	0.4	-	-	0.5	0.5	0.5	-	1.5	0.6	-
Fukuoka	0.3	0.2	0.2	0.6	0.4	0.1	0.5	0.3	0.4	0.2	0.1	0.3	0.2
Fukushima	0.3	0.3	0.2	0.3	0.2	0.2	0.2	0.4	0.2	0.5	0.1	0.6	0.5
Gifu	0.4	0.2	1.1	0.4	0.7	0.3	0.6	-	0.5	0.3	0.3	-	0.3
Gunma	0.4	0.5	0.2	0.4	0.2	0.5	0.8	0.7	0.5	-	0.2	0.7	-
Hiroshima	0.5	0.1	0.7	-	0.6	-	0.9	0.6	-	1.0	0.8	0.7	0.7
Hokkaido	0.3	0.2	0.7	0.2	0.3	0.4	0.3	0.3	0.2	-	0.3	0.2	0.3
Hyogo	0.3	0.1	0.1	0.2	0.6	0.4	0.3	0.2	0.5	0.6	0.7	0.4	0.3
Ibaraki	0.3	0.1	0.3	0.5	0.2	0.4	0.2	-	0.6	0.4	0.4	0.8	0.2
Ishikawa	0.4	0.7	0.6	0.3	-	-	-	0.9	-	0.4	0.4	0.4	-
Iwate	0.4	0.2	-	0.6	0.6	0.2	-	-	0.5	-	0.5	0.8	0.9
Kagawa	0.5	0.2	0.3	1.0	-	0.5	0.5	-	1.1	-	0.4	0.9	1.4
Kagoshima	0.3	0.4	0.2	-	0.2	0.2	0.5	-	0.4	0.4	0.5	1.1	0.2
Kanagawa	0.5	0.3	0.6	0.3	0.4	0.3	0.5	0.5	0.2	0.8	0.5	0.3	0.6
Kochi	0.8	0.3	0.4	0.4	1.0	1.0	0.5	2.4	-	0.9	0.9	-	1.4

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAN., 1949 - Cont'd
(Rates per 1,000 live births each month)

INJURY AT BIRTH (160)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	0.4	-	0.4	0.7	0.6	0.2	0.2	-	0.6	0.8	0.2	0.2	0.6
Kyoto	0.7	0.5	0.2	0.8	0.7	-	0.5	1.4	1.0	0.8	1.0	0.5	1.3
Mie	0.4	-	-	0.3	0.9	0.6	0.3	0.6	-	-	1.4	0.6	0.3
Miyagi	0.6	0.6	0.6	0.5	0.6	1.4	0.6	-	0.7	0.9	0.4	0.8	0.2
Miyazaki	0.5	-	0.3	0.8	0.3	0.9	0.7	0.7	0.3	0.9	0.3	-	0.9
Nagano	0.3	-	0.4	0.2	0.4	-	0.7	0.2	0.5	0.4	0.2	0.2	0.2
Nagasaki	0.3	0.3	-	0.6	0.6	-	0.2	0.4	0.2	-	0.4	0.2	0.4
Nara	0.5	-	-	0.5	0.6	0.6	0.6	1.1	-	0.6	1.2	0.6	-
Niigata	0.3	0.2	0.1	0.5	0.4	0.5	0.4	0.8	0.6	0.1	0.3	0.2	0.2
Oita	0.5	0.5	0.7	0.3	0.6	-	0.4	0.6	0.6	0.6	-	1.3	0.7
Okayama	0.5	0.2	0.6	0.2	0.2	0.8	0.6	1.0	0.2	1.0	0.5	-	0.6
Osaka	0.3	0.2	0.4	0.3	0.2	0.6	0.5	0.3	0.5	0.5	0.2	0.4	0.1
Saga	0.5	0.5	0.3	0.3	-	0.8	0.5	-	1.5	0.4	1.1	0.4	0.4
Saitama	0.3	0.2	-	0.5	0.5	-	0.2	0.4	0.5	0.2	0.5	0.4	0.7
Shiga	0.5	0.3	0.4	0.8	1.9	0.5	-	-	-	-	0.5	-	2.1
Shimane	0.3	0.3	-	0.7	-	-	1.0	0.9	-	-	-	0.4	1.0
Shizuoka	0.3	0.2	0.6	0.1	0.3	-	0.2	-	0.2	0.5	0.4	0.5	0.1
Tochigi	0.3	0.3	-	0.8	0.4	0.2	-	0.2	-	0.2	-	0.5	0.5
Tokushima	0.3	-	-	-	0.9	0.5	0.5	0.5	0.4	-	0.8	-	-
Tokyo	0.5	0.5	0.3	0.3	0.5	0.3	0.6	0.5	0.7	0.6	0.6	0.3	0.3
Tottori	0.5	0.8	-	0.6	1.2	-	-	-	-	0.7	1.2	1.4	-
Toyama	0.8	0.2	0.6	-	1.0	1.1	1.8	0.8	1.1	0.7	0.7	0.4	1.4
Wakayama	0.5	-	0.8	-	-	1.0	0.5	0.8	0.4	2.1	0.4	-	0.4
Yamagata	0.7	1.2	0.5	0.5	0.8	0.6	0.3	0.9	0.6	1.0	0.5	0.3	0.3
Yamaguchi	0.3	0.2	0.4	0.4	-	-	-	0.2	0.5	0.2	0.3	0.5	0.3
Yamanashi	0.2	0.3	-	-	0.4	0.	-	1.1	-	-	-	0.5	-

See footnotes at end of table.

TABLE 91. -- INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

OTHER DISEASE PECULIAR TO THE FIRST YEAR OF LIFE (161)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	3.3	3.6	4.2	4.5	3.8	2.8	2.9	3.2	2.8	2.1	2.4	2.9	3.8
All "Shi"	2.7	2.9	3.5	3.4	3.2	2.2	2.4	2.7	2.6	1.9	1.9	2.2	2.8
All "Gun"	3.6	3.9	4.6	5.1	4.2	3.1	3.1	3.5	2.8	2.3	2.6	3.2	4.4
Aichi	3.4	3.3	3.2	4.5	4.8	4.2	3.2	4.4	3.9	1.3	1.0	2.6	4.6
Akita	3.3	3.5	3.9	5.7	5.6	2.4	2.8	1.5	1.8	2.6	1.4	2.3	5.2
Aomori	2.6	2.4	2.3	3.7	3.3	3.6	3.3	2.6	1.2	1.3	1.8	2.2	3.8
Chiba	4.2	4.8	7.0	6.2	4.5	3.3	2.4	4.0	2.7	3.0	3.6	3.6	3.7
Ehime	4.2	4.5	4.6	5.4	4.4	5.3	2.2	6.1	2.6	2.3	5.3	3.1	3.7
Fukui	3.3	2.2	4.1	5.5	6.0	2.6	2.2	4.1	3.1	2.0	3.0	1.8	3.2
Fukuoka	3.1	3.9	3.5	3.6	3.9	1.8	3.1	2.3	2.2	2.7	2.7	2.9	3.4
Fukushima	2.6	2.9	2.7	3.3	2.9	2.1	1.8	3.0	2.0	2.0	1.3	3.0	4.3
Gifu	4.5	4.6	5.4	5.2	5.4	4.2	4.9	5.5	2.8	2.2	3.4	3.7	5.8
Gumma	2.6	3.3	3.4	3.1	3.1	1.9	1.6	1.0	2.4	2.9	1.2	1.7	4.5
Hiroshima	2.9	1.9	2.6	3.2	4.3	2.5	4.1	3.7	1.7	2.0	1.5	3.8	4.5
Hokkaido	2.8	2.9	4.1	4.4	4.5	2.7	2.5	2.2	2.6	1.6	1.4	1.9	2.3
Ibigo	2.7	2.1	3.8	2.9	3.7	2.7	2.6	3.1	2.5	2.3	1.8	2.0	2.6
Ibaraki	4.2	6.1	3.7	6.1	4.0	3.7	3.2	2.0	2.5	3.6	3.7	4.8	5.3
Ishikawa	3.8	5.3	6.1	3.6	1.8	3.7	3.3	5.2	3.7	1.2	2.1	3.1	5.7
Iwate	3.9	3.8	5.1	8.8	5.2	2.7	1.8	2.2	3.3	1.9	2.7	3.1	4.3
Kagawa	4.5	5.4	6.9	6.2	3.0	3.2	4.2	4.3	3.8	2.8	2.6	3.2	7.4
Kagoshima	2.9	4.0	3.5	4.9	1.7	1.5	3.3	1.7	2.1	2.0	2.5	3.2	3.9
Kanagawa	2.5	3.1	2.4	3.9	1.2	1.2	2.9	3.3	1.7	2.4	1.8	2.6	2.4
Kochi	3.0	3.5	1.7	5.2	5.0	1.0	2.6	1.9	1.4	1.8	2.3	2.8	6.1

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

OTHER DISEASE PECULIAR TO THE FIRST YEAR OF LIFE (161)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
<u>Cont'd:</u>													
Kumamoto	3.5	4.5	5.7	3.4	3.4	3.1	1.9	3.7	3.9	0.9	1.9	3.1	5.3
Kyoto	3.0	3.4	3.6	4.7	2.7	3.0	2.7	3.4	1.7	1.0	3.1	3.1	3.0
Mie	4.6	7.0	6.4	6.0	5.9	2.5	4.9	3.5	3.8	1.5	3.6	4.2	4.6
Miyagi	2.8	3.2	3.8	5.5	2.4	2.2	3.1	1.2	1.4	1.8	2.0	2.5	3.0
Miyazaki	4.3	5.3	5.8	6.9	3.2	4.7	3.3	4.6	5.1	1.2	4.3	2.4	4.3
Nagano	2.8	1.9	3.8	5.1	3.8	2.7	2.4	2.6	2.3	1.4	2.1	3.3	2.4
Nagasaki	3.8	4.4	5.3	4.3	3.3	3.0	3.2	4.9	4.4	2.9	2.4	3.2	3.4
Nara	4.2	3.6	5.1	4.5	6.4	3.1	3.9	6.2	4.5	1.2	4.3	4.5	3.6
Niigata	2.0	1.5	2.7	2.1	2.7	1.9	2.1	2.3	2.3	0.8	1.2	2.4	2.9
Oita	4.7	5.1	7.1	6.2	3.9	2.9	3.9	6.1	3.8	2.7	3.6	4.1	5.3
Okayama	4.4	6.7	6.8	5.5	4.2	3.9	2.9	2.4	2.4	2.8	3.5	3.6	5.5
Osaka	3.2	2.2	3.6	4.9	3.6	2.5	2.6	3.6	3.0	2.7	2.2	2.8	4.2
Saga	4.6	5.4	7.3	4.9	5.1	1.6	4.3	3.9	3.3	2.8	5.0	4.6	6.1
Saitama	3.6	4.3	4.1	5.2	4.3	3.5	2.2	2.7	4.1	2.0	2.1	3.5	4.7
Shiga	4.0	3.3	6.1	5.4	5.1	3.3	3.8	3.1	5.3	2.1	4.7	1.6	3.2
Shimane	3.4	3.9	6.2	6.1	3.2	2.3	4.0	3.5	-	2.6	3.2	1.8	2.9
Shizuoka	4.8	5.2	5.3	6.6	5.4	4.1	3.9	6.2	4.2	4.1	4.0	2.9	5.3
Tochigi	3.0	2.1	3.6	4.1	4.5	1.9	2.4	3.2	2.3	1.6	3.0	3.4	4.2
Tokushima	4.0	4.2	4.3	5.0	3.5	5.1	5.0	2.3	2.6	2.2	3.0	3.9	6.2
Tokyo	2.1	2.0	2.4	3.0	2.6	1.8	2.0	2.0	1.7	1.5	1.5	2.0	2.1
Tottori	3.4	4.0	7.6	5.7	2.4	3.6	1.6	0.7	3.6	2.1	3.0	0.7	4.3
Toyama	3.5	4.4	6.6	13.2	5.3	2.6	2.7	3.9	2.9	3.4	1.5	2.4	2.3
Wakayama	3.9	3.6	6.1	3.0	4.4	1.9	5.2	2.5	5.9	4.2	2.7	3.9	4.0
Yamagata	3.1	3.7	4.0	3.6	4.4	3.6	3.3	4.2	1.7	1.5	1.5	4.0	1.3
Yamaguchi	3.1	2.9	2.6	3.1	4.5	3.9	2.3	2.8	3.8	2.6	2.0	3.2	3.5
Yamanashi	2.6	3.3	3.5	3.6	3.1	1.9	1.6	1.1	2.1	4.1	3.1	0.5	1.6

See footnotes at end of table.

TABLE 91. -- INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 -- Cont'd
(Rates per 1,000 live births each month)

ACCIDENTAL DEATHS (169-195)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.7	0.7	0.6	0.8	0.7	0.6	0.7	0.6	0.5	0.5	0.6	1.0	1.2
All "Shi"	0.7	0.8	0.8	0.9	0.8	0.5	0.5	0.5	0.4	0.4	0.6	1.2	1.5
All "Gun"	0.7	0.6	0.6	0.8	0.7	0.6	0.8	0.7	0.6	0.5	0.6	0.9	1.1
Aichi	0.7	0.8	0.5	0.9	0.4	0.3	1.2	0.8	0.6	0.6	0.4	1.0	1.0
Akita	0.8	0.7	0.2	0.7	0.7	0.6	1.7	0.3	0.8	0.7	1.2	0.5	1.5
Aomori	0.8	0.8	0.9	0.6	0.4	0.5	1.1	1.0	0.5	0.2	-	1.7	2.6
Chiba	0.3	0.1	0.2	0.2	0.4	0.4	0.7	0.2	0.5	0.4	0.2	0.6	0.2
Ehime	0.5	0.3	0.4	0.9	-	0.5	0.6	0.5	0.2	0.7	0.5	1.2	1.0
Fukui	1.2	0.3	0.8	0.9	1.5	2.1	1.1	2.1	1.5	-	1.5	1.2	3.2
Fukuoka	0.7	0.9	0.5	0.8	0.7	0.5	0.5	-	0.6	0.2	0.6	1.1	1.4
Fukushima	1.0	1.0	1.3	1.6	0.7	0.5	1.0	1.1	0.7	0.5	0.6	1.7	1.2
Gifu	0.9	0.5	1.5	1.5	1.6	1.3	-	1.3	0.5	0.8	1.3	0.3	0.3
Gumma	0.6	0.5	0.2	0.2	0.2	-	1.1	1.7	-	1.0	0.7	0.5	0.8
Hiroshima	0.8	0.6	0.5	1.8	1.4	0.6	0.4	0.6	0.4	0.2	0.2	1.8	1.4
Hokkaido	0.8	0.9	0.6	0.7	0.6	0.7	0.7	0.9	0.5	0.4	0.5	1.6	1.5
Hyogo	0.7	1.1	0.4	0.6	0.5	0.7	0.8	0.7	0.6	0.3	0.7	0.7	1.4
Ibaraki	0.4	0.4	0.3	0.5	0.2	0.6	0.4	0.6	0.6	0.2	0.2	0.6	0.4
Ishikawa	0.7	1.0	0.6	-	1.1	-	0.5	1.3	0.4	0.4	-	1.7	1.9
Iwate	1.0	1.6	0.6	0.8	1.0	2.0	-	0.6	0.5	1.1	1.4	1.8	0.6
Kagawa	0.4	0.9	0.3	0.3	-	-	-	0.8	0.4	0.4	-	0.5	0.5
Kagoshima	1.1	0.9	0.2	0.9	0.9	-	2.6	2.1	1.9	1.3	1.1	1.3	0.5
Kanagawa	0.6	0.4	0.3	0.9	1.2	-	0.5	-	0.2	0.3	0.8	0.7	1.4
Kochi	0.7	0.3	0.4	-	1.5	1.6	1.0	0.9	0.9	0.5	-	0.5	0.9

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

ACCIDENTAL DEATHS (169-195)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	0.6	0.3	0.7	0.2	1.1	0.4	0.5	0.8	0.4	0.2	0.2	0.9	1.2
Kyoto	0.7	1.1	1.0	0.6	1.6	0.5	0.3	0.5	-	0.3	0.5	0.3	2.0
Mie	0.5	0.4	0.5	0.5	0.6	-	0.7	0.3	0.3	0.3	0.3	0.6	1.2
Miyagi	0.6	0.6	0.9	1.1	0.2	1.0	0.3	0.5	0.2	0.2	0.8	0.4	0.9
Miyazaki	0.8	0.6	1.2	0.6	0.6	0.3	0.7	1.6	1.5	0.9	0.3	-	0.9
Nagano	0.9	0.7	0.9	1.3	1.0	0.4	1.5	0.7	1.2	-	1.0	1.3	1.2
Nagasaki	1.0	1.2	0.4	0.9	0.2	1.1	0.5	0.6	1.6	0.2	0.8	1.3	2.8
Nara	0.4	0.4	1.5	0.5	0.6	-	-	-	0.6	-	-	0.6	0.6
Niigata	0.8	0.4	0.3	0.6	1.1	1.3	0.6	0.7	0.9	0.7	0.5	2.0	1.1
Oita	0.5	0.4	0.5	0.3	0.6	0.3	-	0.6	0.3	1.2	-	1.3	1.0
Okayama	0.6	0.6	1.0	1.1	0.7	0.8	0.3	1.2	-	0.8	0.3	-	0.6
Osaka	0.7	0.7	0.8	1.2	0.4	0.4	0.7	0.3	0.5	0.6	0.6	0.9	0.8
Saga	0.6	0.9	0.3	0.6	0.8	0.8	0.5	0.4	-	0.7	0.7	0.4	1.4
Saitama	0.3	0.1	0.3	0.5	0.9	0.4	-	0.5	0.3	0.2	0.3	0.2	0.3
Shiga	0.7	0.7	0.8	1.5	0.5	0.5	1.1	-	0.5	1.0	-	1.1	1.1
Shimane	1.5	1.1	1.1	1.7	2.3	1.8	3.0	0.4	0.4	0.4	1.6	1.3	3.4
Shizuoka	0.5	0.4	0.4	0.4	0.3	0.7	0.2	0.6	0.3	0.5	0.3	1.2	1.0
Tochigi	0.6	0.3	0.6	0.4	0.2	0.2	0.5	0.2	1.1	0.9	1.6	0.7	0.7
Tokushima	0.7	1.3	0.4	1.1	1.3	0.5	-	0.9	0.9	-	-	0.9	0.4
Tokyo	0.9	0.8	0.8	1.3	0.9	0.6	0.5	0.3	0.1	0.1	0.8	1.6	2.4
Tottori	0.7	0.8	1.2	-	0.6	-	0.8	-	-	0.7	0.6	-	3.6
Toyama	0.8	0.2	1.9	0.3	1.3	0.4	1.3	0.8	0.7	1.0	0.4	0.8	-
Wakayama	0.5	-	0.8	1.1	-	0.5	1.0	-	0.4	0.4	1.3	0.9	-
Yamagata	0.8	0.4	1.1	0.2	0.8	1.8	1.0	0.3	-	1.0	1.0	1.7	0.7
Yamaguchi	0.7	0.5	0.9	1.3	0.5	0.8	0.3	1.2	-	0.2	0.3	0.8	1.4
Yamanashi	0.6	0.3	0.4	0.4	0.9	0.5	0.5	1.1	0.5	0.5	-	1.1	1.1

See footnotes at end of table.

TABLE 91 - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

III-DEFINED AND UNKNOWN CAUSES (199-200)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	0.9	0.8	1.0	1.3	1.3	1.0	0.9	0.8	0.6	0.5	0.9	1.1	1.3
All "Shi"	0.8	0.8	0.8	1.0	1.1	0.6	0.6	0.7	0.6	0.5	0.9	0.7	1.1
All "Gun"	1.0	0.8	1.1	1.4	1.4	1.2	1.1	0.9	0.6	0.5	0.9	1.3	1.4
Aichi	0.7	0.6	0.5	0.9	1.0	0.6	0.8	0.8	0.1	0.5	0.7	0.5	1.5
Akita	1.3	1.5	1.7	2.4	1.2	1.8	1.0	0.6	0.3	0.5	1.2	1.6	1.2
Aomori	2.0	1.5	0.7	3.2	3.1	2.1	3.3	2.3	1.4	1.5	1.0	2.2	2.0
Chiba	1.0	0.7	1.2	0.8	1.6	1.8	0.9	0.8	0.4	0.5	0.5	1.3	1.6
Ehime	1.2	0.9	2.5	2.2	1.5	1.6	1.1	1.7	0.2	0.2	1.2	0.7	1.0
Fukui	1.8	0.9	1.2	3.8	2.0	2.1	1.6	3.1	1.5	1.0	1.0	1.2	1.9
Fukuoka	0.6	0.4	0.4	0.7	1.2	0.3	0.8	0.4	1.0	0.4	0.8	0.4	0.3
Fukushima	1.1	1.0	0.8	0.7	1.8	1.2	0.8	1.0	0.5	0.8	1.0	1.1	1.9
Gifu	0.7	0.6	0.4	1.1	0.5	1.3	1.2	0.5	0.8	0.3	1.3	0.5	0.3
Gunma	0.8	0.6	1.3	1.3	0.9	0.5	1.1	0.5	0.7	0.5	0.5	1.0	0.3
Hiroshima	0.5	0.2	0.2	1.3	1.4	0.2	0.2	0.4	-	0.2	0.4	0.4	0.7
Hokkaido	1.6	1.3	1.5	2.1	2.9	2.4	0.8	1.4	1.1	0.5	1.1	1.5	2.9
Hyogo	0.9	0.6	1.3	0.5	1.0	0.9	1.1	0.7	1.0	0.6	0.6	1.3	1.4
Ibaraki	0.9	0.7	0.9	1.3	1.0	0.9	1.3	1.0	1.3	0.4	0.9	1.2	0.2
Ishikawa	0.9	0.5	-	0.6	0.7	0.8	2.4	1.7	-	-	1.6	1.7	1.4
Iwate	1.4	0.9	2.1	2.4	1.0	2.2	0.9	1.7	0.3	0.8	1.0	1.8	1.4
Kagawa	1.3	0.7	1.0	2.1	1.7	1.9	0.9	1.2	-	0.8	2.1	1.4	2.8
Kagoshima	0.6	0.9	0.7	0.9	0.4	0.7	0.9	0.2	0.2	0.7	0.5	0.5	0.9
Kanagawa	0.7	0.4	1.7	1.2	0.9	0.5	0.5	0.3	0.3	0.2	0.7	0.5	1.0
Kochi	0.8	0.3	0.4	1.7	0.5	1.6	0.5	-	0.5	0.5	0.5	1.4	2.3

TABLE 91. - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

III-DEFINED AND UNKNOWN CAUSES (199-200)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	0.4	0.6	0.4	0.5	0.2	0.2	0.2	-	-	-	0.4	1.3	0.6
Kyoto	0.6	0.6	0.8	0.6	0.2	0.5	1.3	0.2	0.5	0.8	0.8	-	0.8
Mie	0.9	0.7	1.0	1.3	1.3	1.3	1.0	0.9	1.1	0.3	0.3	0.8	0.6
Miyagi	1.0	0.6	0.6	2.0	2.0	1.0	0.3	1.0	0.2	0.4	0.8	1.7	1.6
Miyazaki	0.6	0.9	0.3	0.3	-	0.6	0.4	1.0	-	0.6	0.3	0.3	2.0
Nagano	0.7	0.4	0.7	1.3	0.6	0.4	0.7	0.9	0.5	0.4	0.8	1.1	0.7
Nagasaki	0.5	0.7	0.4	0.4	1.3	0.2	1.2	0.4	-	0.6	0.2	0.8	0.4
Nara	1.7	1.1	2.6	2.0	2.9	1.2	1.9	1.1	1.1	1.2	1.8	2.3	1.2
Niigata	1.3	1.0	1.4	1.4	1.4	0.9	0.7	1.5	1.2	0.4	1.5	2.7	1.8
Oita	0.8	0.5	1.0	1.6	0.6	0.6	-	0.3	0.6	0.3	0.6	1.6	1.3
Okayama	0.7	0.6	0.4	0.9	1.2	0.6	0.9	-	0.2	-	1.3	1.4	0.6
Osaka	0.9	1.3	1.1	1.3	2.1	0.4	0.2	0.8	0.6	0.7	0.7	0.6	1.2
Saga	0.7	0.2	1.6	-	1.2	0.4	0.9	-	0.7	0.7	1.1	0.4	1.8
Saitama	1.0	0.8	1.4	1.4	0.9	1.4	2.0	0.9	0.2	0.2	1.0	0.7	1.6
Shiga	1.0	1.3	0.4	1.9	1.4	0.5	0.5	0.5	-	0.5	1.0	1.6	1.6
Shimane	0.7	0.8	0.7	1.0	1.6	0.9	1.0	-	0.4	0.4	-	0.9	0.5
Shizuoka	0.8	0.7	0.7	2.1	0.9	0.5	1.1	0.8	0.5	0.2	1.2	1.1	0.3
Tochigi	1.2	0.8	2.1	1.8	1.6	0.7	1.9	0.5	1.1	0.9	0.7	1.0	1.4
Tokushima	1.2	1.6	1.4	1.4	0.4	1.9	1.0	0.9	0.9	0.4	1.3	1.7	1.2
Tokyo	0.9	1.0	1.4	0.8	1.3	0.7	0.5	0.6	0.5	0.5	0.7	0.7	1.7
Tottori	0.4	0.4	-	0.6	-	0.7	-	1.4	-	1.4	0.6	-	-
Toyama	1.5	0.5	1.6	1.4	2.6	0.4	2.2	0.8	1.8	-	1.5	3.3	3.2
Wakayama	1.2	1.4	1.5	0.7	0.4	1.9	1.6	0.8	0.4	0.8	2.2	1.3	0.9
Yamagata	1.0	0.6	-	1.7	0.6	1.8	0.7	0.9	1.1	1.3	0.5	1.7	1.6
Yamaguchi	0.8	1.4	0.7	1.8	1.0	0.3	-	0.5	0.7	0.2	0.3	1.1	1.4
Yamanashi	1.2	1.2	0.9	1.8	0.9	1.0	1.6	1.1	0.5	1.0	1.0	1.6	2.2

See footnotes at end of table.

TABLE 91 -- INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

ALL OTHER CAUSES

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	4.2	4.2	5.0	5.5	4.6	4.2	3.5	2.9	2.9	2.7	3.1	3.9	5.4
All "Shi"	3.5	3.5	4.2	4.3	3.9	3.5	2.8	2.5	2.5	2.3	2.7	3.2	4.1
All "Gun"	4.6	4.5	5.4	6.2	5.0	4.6	3.9	3.1	3.1	2.9	3.3	4.3	6.1
Aichi	4.5	4.1	5.7	6.8	6.2	4.3	4.5	3.5	3.9	2.6	3.1	4.2	5.3
Akita	5.0	5.4	2.6	7.0	6.1	5.1	5.2	3.2	3.1	3.3	4.2	5.2	10.7
Aomori	6.8	5.6	7.7	8.9	8.4	12.4	6.5	7.9	4.2	3.3	3.3	4.7	10.5
Chiba	4.0	4.4	4.8	4.3	4.1	4.9	4.2	3.4	2.9	3.3	1.6	4.2	5.8
Ehime	4.1	4.6	5.4	5.2	4.9	4.7	4.8	2.4	4.7	3.2	2.8	2.4	4.5
Fukui	5.9	2.5	6.2	12.4	8.0	6.3	5.4	4.6	3.1	3.5	6.6	6.5	7.8
Fukuoka	3.8	3.6	4.4	4.5	4.7	4.1	4.1	3.4	2.4	2.8	4.3	3.5	4.2
Fukushima	4.5	3.8	5.1	5.6	7.2	4.5	5.4	2.1	2.2	1.3	3.7	7.5	5.7
Gifu	5.2	5.9	8.0	6.9	4.9	7.1	3.2	3.1	4.1	3.8	3.9	5.5	4.7
Gunma	4.0	4.9	6.9	6.7	2.8	1.9	2.9	2.7	3.4	2.9	3.2	3.0	5.0
Hiroshima	4.1	3.5	5.5	4.3	5.5	3.8	4.1	3.3	4.0	2.8	3.1	2.9	6.8
Hokkaido	4.2	4.4	4.5	5.2	5.5	4.6	3.6	3.9	3.3	2.5	3.5	4.0	5.2
Ibigo	4.3	3.5	5.7	5.3	5.2	4.6	4.1	3.3	3.6	2.1	3.6	4.6	5.6
Ibaraki	4.1	3.7	5.1	5.1	5.4	4.1	5.4	3.8	3.2	3.4	3.0	1.9	5.4
Ishikawa	5.5	3.1	4.9	5.3	10.0	8.2	4.3	4.3	3.3	5.5	3.7	5.7	9.0
Iwate	6.5	6.3	6.8	10.8	10.2	7.0	5.4	2.8	4.3	4.6	2.7	4.2	10.5
Kagawa	4.1	4.4	6.9	4.8	2.1	4.6	2.8	5.4	3.8	0.4	5.5	2.8	4.1
Kagoshima	3.6	4.0	3.3	3.4	2.4	3.7	3.1	6.2	2.7	3.9	2.6	3.8	4.0
Kanagawa	3.2	2.5	4.2	4.6	4.1	3.4	3.3	3.0	2.5	1.6	2.7	3.4	2.7
Kochi	4.4	3.5	4.7	5.2	5.5	4.7	7.3	2.8	0.9	2.3	4.1	6.5	5.6

TABLE 91 - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

ALL OTHER CAUSES

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Cont'd:													
Kumamoto	3.5	3.4	6.0	3.8	5.5	3.1	3.6	1.9	3.1	1.7	2.7	3.2	3.9
Kyoto	3.3	2.6	2.8	5.0	5.0	3.0	6.0	2.1	1.9	2.5	2.1	2.8	3.3
Nie	4.8	4.4	5.6	7.7	7.7	5.0	4.7	3.4	3.8	4.7	3.0	3.4	6.1
Niigata	3.7	2.6	2.7	4.8	7.3	4.1	4.5	3.2	3.5	2.4	1.8	3.3	4.8
Niigata	4.4	4.0	6.0	6.0	3.8	3.2	3.6	3.6	4.5	2.4	4.0	3.9	7.2
Nagano	4.2	3.1	4.3	7.4	7.0	3.9	3.4	4.0	3.0	2.3	3.5	4.5	4.1
Nagasaki	3.4	3.0	4.0	3.7	4.6	3.2	3.7	3.7	3.0	1.9	3.1	2.3	4.2
Nara	4.8	5.4	7.2	12.1	6.4	6.8	4.5	3.4	2.3	2.9	1.8	1.7	1.8
Niigata	5.7	5.7	5.9	7.2	8.0	6.9	6.3	5.6	2.3	4.0	3.2	6.1	7.3
Osaka	5.0	5.1	6.1	5.2	6.7	5.2	5.3	5.2	3.2	2.7	4.6	3.8	7.3
Okayama	4.4	5.1	5.8	6.8	5.4	4.4	4.7	2.9	2.4	3.4	2.4	3.3	4.4
Osaka	3.1	3.8	3.8	3.9	3.6	3.9	3.2	2.2	1.8	2.5	1.3	3.1	3.9
Saga	4.5	5.2	3.8	7.8	5.1	4.5	5.7	2.7	3.3	2.5	2.8	7.1	3.6
Saitama	3.7	4.4	6.3	5.2	5.4	3.3	3.0	3.5	1.4	1.2	2.8	2.3	5.6
Shiga	4.8	5.2	6.9	3.8	6.5	5.7	4.4	4.1	2.4	2.6	2.6	4.9	8.5
Shimane	5.2	2.8	4.4	6.1	5.9	6.9	5.9	7.5	3.5	4.7	3.6	4.9	7.3
Shizuoka	3.9	4.4	5.0	5.4	5.0	4.9	2.8	2.8	2.5	1.7	1.9	4.2	5.0
Tochigi	3.8	5.9	5.2	3.9	5.7	3.3	3.7	4.2	1.6	0.9	3.7	3.9	4.0
Tokushima	4.9	4.9	4.7	7.5	4.7	3.2	4.5	4.1	3.0	4.8	4.2	4.8	7.1
Tokyo	2.9	3.2	2.8	4.0	3.9	2.7	2.5	2.0	2.1	1.5	2.6	2.9	4.0
Tottori	4.4	4.4	5.3	1.9	7.8	3.6	4.8	3.5	4.3	2.8	3.0	5.8	5.7
Toyama	5.8	5.6	6.9	5.5	7.2	7.8	4.9	3.6	3.6	3.8	5.5	3.3	12.3
Wakayama	4.2	5.8	4.5	5.6	4.9	2.9	2.6	2.9	2.1	2.5	4.9	5.2	4.9
Yamagata	5.0	5.3	5.5	5.3	7.2	6.9	5.3	5.4	2.2	5.1	1.5	4.8	6.2
Yamaguchi	4.6	4.5	6.3	6.0	4.5	6.4	5.2	4.6	3.2	2.4	3.3	3.5	6.3
Yamanashi	3.5	4.3	5.6	4.9	3.1	3.4	6.5	1.6	1.6	2.5	3.1	1.1	3.8

See footnotes at end of table. (on next page)

TABLE 91 - INFANT DEATH RATES FOR SELECTED CAUSES BY MONTH BY PREFECTURE: JAPAN, 1949 - Cont'd
(Rates per 1,000 live births each month)

FOOTNOTES:

Data refer to infant deaths (deaths under 1 year of age) of Japanese nationals in Japan.
 No infant deaths were reported during 1949 for typhoid fever, paratyphoid fever, cholera, anthrax, leprosy, glanders, malaria, yellow fever, and rabies.
 A dash (-) indicates that no infant deaths were reported and that the infant death rate was zero
 A rate of 0.0 indicates that there were some deaths but that the rate was less than 0.1.

SOURCES:

Rates were computed by Public Health and Welfare Section, GHQ, SCAP.
 Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 92. - STILLBIRTHS BY MONTH BY PREFECTURE: JAPAN, 1949

Area	Total Stillbirths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	192970	14885	14195	16044	15603	16238	14828	16653	18042	17899	16934	15276	16373
All "Shi"	88862	6111	5875	6989	7062	7649	7155	7984	8563	8577	8107	7342	7548
All "Jun"	104108	8774	8220	9055	8541	8589	7673	8769	9479	9322	8827	7934	8825
Aichi	8901	582	513	654	698	750	700	818	788	782	717	698	661
Akita	3399	279	260	326	270	248	247	280	280	283	280	276	310
Aomori	2893	213	199	189	239	253	262	234	233	258	281	255	277
Chiba	4149	340	321	355	346	345	270	361	386	370	348	328	379
Ebire	3357	262	240	292	282	277	225	346	312	344	260	249	268
Fukui	1642	133	125	151	147	133	120	133	132	163	115	120	170
Fukuoka	9288	694	586	752	727	771	755	763	870	1004	861	749	756
Fukushima	5310	387	393	475	422	489	369	441	482	491	465	405	491
Gifu	3462	270	250	277	277	279	263	278	300	310	295	331	332
Gumma	4218	327	351	353	359	365	341	359	394	347	379	309	334
Hiroshima	4054	317	318	394	347	326	327	372	373	358	328	294	288
Hokkaido	9038	738	684	772	857	825	793	883	931	881	856	789	929
Hyogo	8466	701	597	761	705	745	642	728	749	814	707	685	632
Ibaraki	4327	431	374	422	404	456	369	373	444	392	369	384	409
Ishikawa	2009	164	185	181	177	176	152	170	175	158	148	153	169
Iwate	3458	268	255	318	293	315	261	277	278	310	278	277	328
Kagawa	2323	191	197	208	172	163	152	201	261	221	192	180	185
Kagoshima	4032	343	330	253	278	307	300	319	410	386	356	344	256
Kanagawa	4698	356	393	392	384	414	373	411	406	376	401	393	399
Kochi	1632	111	119	121	135	123	112	158	177	163	127	136	150

TABLE 92. - STILLBIRTHS BY MONTH BY PREFECTURE: JAPAN, 1949 - cont'd

Area	Total Stillbirths	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	3993	316	321	296	311	347	292	369	409	372	357	315	288
Kyoto	4312	333	300	366	332	363	344	392	402	398	379	351	332
Mie	3204	291	225	233	291	273	249	277	344	347	267	239	255
Miyagi	4282	314	331	363	355	362	321	277	391	391	346	346	413
Miyazaki	3189	227	209	234	248	234	250	238	377	346	304	273	249
Nagano	5322	410	424	437	445	421	457	438	453	483	472	410	472
Nagasaki	3884	260	288	273	317	264	312	300	304	376	360	312	291
Nara	1526	120	106	144	121	125	136	114	139	129	130	131	121
Niigata	6578	462	483	543	560	543	498	583	621	592	572	526	595
Oita	3098	258	267	330	237	252	179	262	298	267	296	238	214
Okayama	4421	334	342	378	371	390	301	422	391	469	369	321	333
Osaka	9547	680	631	719	732	790	766	828	909	913	933	811	835
Saga	2308	165	156	193	169	175	162	203	251	250	215	158	211
Saitama	4639	432	375	363	399	422	351	361	407	370	407	372	380
Shiga	1887	132	132	162	142	167	132	170	170	188	184	145	173
Shimane	2424	133	192	182	192	220	182	219	212	235	234	184	189
Shizuoka	5550	469	420	441	428	452	435	488	563	496	499	422	437
Tochigi	3244	255	258	301	245	294	244	247	280	292	284	257	287
Tokushima	2187	187	168	193	179	187	158	194	218	190	181	168	174
Tokyo	11061	844	802	938	880	928	924	883	1029	1001	1008	877	947
Tottori	1792	132	116	143	120	153	125	186	174	186	165	129	153
Toyama	2096	178	148	189	189	178	166	199	184	172	159	143	191
Wakayama	2020	170	155	175	157	161	134	179	199	202	194	141	153
Yamagata	3123	235	246	251	232	241	223	240	283	269	295	269	319
Yamaguchi	3838	278	264	276	287	312	287	357	390	375	368	277	367
Yameneshi	200	173	146	165	152	182	156	182	173	176	170	164	161

Footnotes: Data refer to vital events of Japanese nationals in Japan.

Sources were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 93. - STILLBIRTH RATES BY MONTH BY PREFECTURE: JAPAN, 1949
(Rates per 1,000 live births each month)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	70.8	45.6	58.1	64.3	70.6	79.7	78.1	78.6	82.2	80.7	77.0	72.3	70.9
All *Shi*	95.7	55.6	72.4	85.0	97.8	111.9	105.8	103.2	111.0	112.5	110.3	101.6	104.9
All *Gun*	58.0	40.6	50.9	54.1	57.5	63.4	62.7	64.7	66.6	64.0	60.3	57.1	56.4
Aichi	77.5	42.9	53.8	71.4	76.8	94.4	96.0	96.3	89.5	92.8	86.8	76.1	81.3
Akita	69.9	52.0	56.5	71.4	65.4	74.3	86.3	82.3	75.0	66.2	65.5	72.0	95.1
Aomori	56.0	40.1	46.6	40.8	52.7	60.3	71.0	59.9	54.8	56.4	57.7	63.2	80.8
Chiba	60.9	41.5	54.5	56.0	62.4	67.8	58.8	72.6	70.3	64.8	62.1	62.0	69.3
Ehime	63.6	40.5	50.2	62.9	68.7	72.8	63.0	81.8	73.2	78.3	59.9	59.7	66.7
Fukui	65.9	41.3	51.5	64.4	73.1	69.5	64.7	68.2	67.2	80.4	58.0	70.9	110.3
Fukuoka	74.0	43.6	52.2	66.5	76.3	87.8	86.3	75.1	84.0	95.0	87.0	78.8	79.4
Fukushima	71.9	48.5	62.5	70.5	68.9	84.6	74.0	84.0	80.2	80.6	69.4	64.4	87.0
Gifu	69.3	41.7	54.1	60.0	65.3	73.8	75.7	72.3	76.4	83.4	76.4	87.4	91.2
Gumma	80.5	51.5	73.5	74.1	84.7	87.2	90.3	86.9	95.4	83.3	94.7	76.9	84.2
Hiroshima	64.3	39.4	56.1	70.9	68.4	69.3	73.3	68.2	71.4	71.2	68.1	66.2	65.5
Hokkaido	59.8	36.4	45.6	47.1	62.4	62.9	64.5	70.9	71.3	63.7	63.0	64.7	81.7
Hyogo	84.4	57.7	63.8	79.0	89.9	97.2	84.5	85.7	89.1	104.8	98.9	96.4	98.0
Ibaraki	71.7	57.1	63.7	67.2	69.8	83.0	79.2	74.3	89.9	74.9	68.7	74.1	71.6
Ishikawa	62.3	39.5	56.7	53.8	63.2	72.2	72.3	73.4	71.5	62.2	60.8	66.9	80.3
Iwate	69.5	48.4	54.6	64.7	60.8	78.5	77.8	77.6	75.4	84.3	67.1	72.2	99.1
Kagawa	74.7	44.5	67.9	71.5	73.4	75.6	70.6	78.2	99.8	81.8	81.8	82.8	85.1
Kagoshima	62.9	44.1	61.3	65.9	51.8	67.6	70.4	68.1	79.5	71.6	62.4	61.7	62.7
Kanagawa	62.2	40.0	61.6	58.6	67.9	71.1	64.6	68.2	68.2	50.3	66.5	66.9	64.1
Kochi	61.4	35.1	51.1	52.8	68.0	64.1	58.2	75.0	80.0	75.2	57.6	63.1	70.3

TABLE 93. - STILLBIRTH RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - cont'd
(Rates per 1,000 live births each month)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	62.8	41.0	56.8	53.5	66.0	76.3	69.2	76.2	79.6	70.3	67.8	56.6	56.6
Kyoto	81.5	51.6	60.5	74.8	74.9	91.3	90.0	92.2	95.7	100.5	99.2	89.8	83.2
Mie	73.5	42.7	57.2	60.9	77.8	86.1	83.1	85.0	92.5	101.4	73.5	66.9	77.7
Miyagi	74.6	47.6	62.8	64.7	70.5	92.0	89.3	79.9	91.8	85.6	68.4	71.6	95.2
Miyazaki	78.7	48.3	60.1	67.2	78.2	74.1	90.3	77.8	112.3	105.2	93.6	82.0	71.7
Nagano	89.7	56.0	76.0	78.9	89.6	86.5	111.0	103.1	104.5	99.7	97.1	91.3	114.1
Nagasaki	62.9	37.7	52.2	51.0	66.1	65.4	77.2	76.6	78.5	72.4	75.2	59.3	57.6
Nara	69.5	44.4	54.3	72.3	70.1	77.2	87.5	61.7	78.4	75.8	79.0	74.3	77.5
Niigata	77.9	50.7	62.9	62.9	79.6	81.9	92.9	95.2	89.9	77.1	76.3	80.0	108.7
Oita	72.9	47.3	65.2	85.7	66.0	81.7	62.8	79.4	86.8	79.2	90.0	75.1	70.8
Okayama	88.0	50.5	70.7	83.2	91.2	108.3	88.4	101.3	94.6	121.4	98.2	88.6	92.1
Osaka	84.3	52.3	61.6	70.4	86.7	92.9	86.4	81.5	94.5	103.8	109.3	95.7	99.8
Saga	67.1	37.1	49.5	62.4	65.7	71.3	76.7	79.4	92.7	87.7	76.3	55.9	75.2
Saitama	64.6	51.1	59.4	55.3	71.2	82.0	70.3	64.0	69.4	61.1	70.4	65.1	66.4
Shiga	73.5	43.3	53.4	62.3	66.1	79.9	72.1	87.6	81.4	96.6	96.2	79.6	91.6
Shimane	81.7	51.4	69.6	62.2	75.7	100.5	90.1	96.3	92.8	100.2	93.5	82.6	91.8
Shizuoka	63.2	47.0	58.6	66.1	62.6	77.0	77.0	79.1	88.6	75.9	72.7	64.0	64.3
Tochigi	60.0	40.9	53.9	58.9	55.0	69.9	64.9	61.2	63.3	65.2	62.2	67.5	67.5
Tokushima	73.3	48.7	60.2	65.7	77.9	86.7	78.5	87.6	93.8	82.1	75.8	72.9	72.4
Tokyo	64.6	42.0	55.8	63.1	66.6	74.5	72.7	63.5	73.4	70.1	73.6	63.0	68.6
Tottori	94.8	52.3	68.1	90.4	72.1	109.2	100.4	130.5	125.7	129.4	100.5	92.9	109.0
Toyama	60.9	43.3	46.4	54.2	62.0	66.0	73.3	78.5	65.6	59.0	58.8	58.4	87.3
Wakayama	69.3	47.4	58.7	65.2	69.6	77.9	69.4	74.3	83.7	84.8	86.3	61.6	67.7
Yamagata	70.4	45.9	64.8	60.4	69.3	72.4	74.2	72.1	78.9	68.4	76.1	76.6	104.5
Yamaguchi	75.6	44.8	57.7	61.4	71.1	87.3	86.6	85.9	88.0	83.3	72.1	74.2	99.8
Yamanashi	78.6	52.6	63.0	73.3	66.3	87.4	81.8	97.7	92.8	89.2	88.4	86.8	86.7

Footnotes: Data refer to vital events of Japanese nationals in Japan.

Sources: Rates were computed by Public Health and Welfare Section, CHQ, SCAP. Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 94. - MARRIAGES BY MONTH BY PREFECTURE; JAPAN, 1949

Area	Total Marriages	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	846,014	82,805	92,232	90,231	85,271	83,220	61,169	54,808	54,026	53,957	56,226	56,925	75,144
All "Shi"	278,456	25,802	28,245	28,017	26,283	27,276	22,469	18,561	18,618	17,940	19,037	21,323	24,885
All "Gun"	567,558	57,003	63,987	62,214	58,988	55,944	38,700	36,247	35,408	36,017	37,189	35,602	50,259
Aichi	31,438	3,124	3,582	3,328	2,970	3,051	2,242	2,055	2,169	1,971	2,086	2,409	2,451
Akita	14,572	1,462	1,679	1,499	1,360	1,196	1,100	1,030	915	873	870	1,015	1,573
Aomori	14,376	1,403	1,558	1,536	1,279	1,032	972	1,014	1,085	1,170	1,098	961	1,268
Chiba	20,246	2,001	2,189	2,234	2,153	2,026	1,390	1,429	1,103	1,275	1,409	1,201	1,836
Ehime	16,370	1,576	1,876	1,702	1,487	1,637	1,056	1,108	1,150	1,126	1,141	1,148	1,363
Fukui	8,408	840	773	876	898	835	665	581	548	543	580	530	739
Fukuoka	37,671	3,619	3,957	4,016	3,443	3,491	2,868	2,738	2,566	2,789	2,640	2,570	2,974
Fukushima	23,657	2,276	2,572	2,595	2,753	2,410	1,707	1,463	1,362	1,478	1,469	1,448	2,124
Gifu	16,028	1,648	1,883	1,695	1,553	1,707	1,023	936	1,034	966	1,171	1,061	1,351
Gunma	16,382	1,518	1,906	1,800	2,010	1,983	1,135	798	844	797	960	941	1,670
Hiroshima	22,804	2,365	2,520	2,542	2,167	2,146	1,608	1,542	1,490	1,688	1,515	1,489	1,732
Hokkaido	44,755	4,296	4,420	4,634	4,332	3,869	3,586	3,183	3,115	3,051	3,156	3,268	3,815
Hyogo	32,209	3,227	3,670	3,227	3,074	3,083	2,532	2,151	2,236	2,189	2,257	2,144	2,619
Ibaraki	21,021	1,991	2,214	2,354	2,192	2,000	1,336	1,376	1,272	1,477	1,614	1,374	1,821
Ishikawa	9,857	1,020	1,069	1,146	943	894	711	618	627	734	590	635	870
Iwate	14,866	1,471	1,619	1,500	1,503	1,419	1,201	1,014	992	861	854	937	1,495
Kagawa	10,661	1,107	1,215	1,168	993	1,014	688	714	809	678	771	670	894
Kagoshima	19,392	2,108	2,143	2,211	1,984	1,731	1,356	1,147	1,342	1,274	1,325	1,260	1,511
Kanagawa	21,423	1,835	2,271	2,185	2,199	2,352	1,700	1,373	1,314	1,152	1,414	1,555	2,073
Kochi	9,385	935	1,092	957	905	760	617	700	694	656	644	405	820

TABLE 94. - MARRIAGES BY MONTH BY PREFECTURE: JAPAN, 1949 - cont'd

Area	Total Marriages	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	19,834	1,970	2,284	2,209	2,121	2,051	1,539	1,209	1,276	1,246	1,238	1,175	1,516
Kyoto	16,353	1,382	1,858	1,817	1,642	1,638	1,243	1,129	996	1,082	1,032	1,182	1,352
Me	14,820	1,552	1,747	1,628	1,441	1,450	940	858	892	977	1,134	987	1,214
Miyagi	17,553	1,724	1,836	1,801	1,649	1,715	1,281	1,115	1,173	1,219	1,205	1,218	1,617
Miyazaki	11,967	1,220	1,319	1,391	1,211	1,146	798	708	793	783	803	774	1,021
Nagano	21,297	2,187	2,155	2,197	2,384	2,643	1,690	1,227	1,026	866	1,226	1,151	2,545
Nagasaki	17,978	1,675	1,865	1,980	1,860	1,830	1,434	1,237	1,181	1,137	1,141	1,144	1,474
Nara	8,444	821	991	967	734	751	525	546	559	625	666	629	640
Niigata	26,344	3,021	2,514	2,844	2,988	2,886	1,885	1,556	1,339	1,373	1,259	1,539	3,136
Oita	13,418	1,322	1,604	1,530	1,434	1,300	882	843	959	893	890	775	986
Okayama	18,028	1,810	1,992	1,804	1,648	1,642	1,244	1,319	1,334	1,250	1,274	1,323	1,388
Osaka	35,815	3,311	3,959	3,736	3,287	3,376	2,675	2,411	2,534	2,532	2,495	2,748	2,751
Saga	11,190	1,118	1,235	1,264	1,189	1,141	783	766	707	714	707	701	881
Saitama	20,955	2,097	2,316	2,195	2,314	2,341	1,360	1,298	1,090	1,325	1,385	1,142	2,092
Shiga	8,643	783	1,075	1,122	920	940	567	464	509	508	612	505	638
Shimane	9,822	992	1,087	1,072	902	890	643	650	664	689	691	731	811
Shizuoka	23,781	2,262	2,920	2,579	2,626	2,500	1,636	1,267	1,236	1,157	1,729	1,896	1,943
Tochigi	16,435	1,627	1,948	1,821	1,658	1,550	1,122	931	1,015	974	1,206	1,040	1,543
Tokushima	9,650	987	1,216	1,137	991	942	604	665	602	602	608	575	721
Tokyo	49,237	4,248	4,769	4,869	4,829	4,883	4,207	3,309	3,311	2,926	3,169	3,852	4,865
Tottori	6,727	678	810	829	695	729	435	397	400	399	399	395	561
Toyama	10,342	1,248	1,087	1,131	955	947	712	597	604	710	619	651	1,081
Wakayama	10,595	963	1,258	1,053	1,064	996	708	701	659	730	803	876	797
Yamagata	16,997	1,606	1,530	1,473	1,968	1,828	1,225	1,095	891	896	829	1,186	2,470
Yamaguchi	16,306	1,579	1,695	1,684	1,654	1,603	1,169	1,084	1,102	1,125	1,132	1,130	1,349
Yamanashi	7,962	810	954	889	909	866	569	456	457	441	426	451	734

Footnotes: Data refer to marriages in Japan Proper and include all marriages in which either husband or wife was a Japanese national.

Sources were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 95. - MARRIAGE RATES BY MONTH BY PREFECTURE: JAPAN, 1949
(Rates per 1,000 population per annum)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	10.3	11.9	14.6	12.9	12.6	11.9	9.1	7.9	7.7	8.0	8.1	8.4	10.8
All "Shi"	9.8	10.7	13.0	11.6	11.3	11.3	9.6	7.7	7.7	7.7	7.9	9.1	10.3
All "Gun"	10.5	12.5	15.5	13.6	13.2	12.2	8.8	7.9	7.7	8.1	8.1	8.1	11.0
Aichi	9.5	11.1	14.1	11.9	10.9	10.9	8.3	7.3	7.7	7.3	7.4	8.9	8.7
Akita	11.1	13.1	16.6	13.4	12.6	10.7	10.2	9.2	8.2	8.1	7.8	9.4	14.1
Aomori	11.5	13.2	16.3	14.5	12.5	9.7	9.5	9.6	10.2	11.4	10.4	9.4	7.0
Chiba	9.2	10.7	13.0	12.0	11.9	10.9	7.7	7.7	5.9	7.1	7.5	6.7	9.9
Ehime	10.8	12.2	16.1	13.2	11.9	12.7	8.5	8.6	8.9	9.0	8.9	9.2	10.6
Fukui	11.2	13.2	13.4	13.7	14.5	13.1	10.8	9.1	8.6	8.8	9.1	8.6	11.6
Fukuoka	11.1	12.6	15.2	13.9	12.3	12.1	10.3	9.5	8.9	10.0	9.2	9.2	10.3
Fukushima	11.4	12.9	16.1	14.7	16.1	13.7	10.0	8.3	7.7	8.7	8.3	8.5	12.0
Gifu	10.3	12.4	15.7	12.8	12.1	12.9	8.0	7.1	7.8	7.5	8.8	8.3	10.2
Gumma	9.9	10.8	15.1	12.9	14.8	14.2	8.4	5.7	6.2	5.9	6.9	6.9	11.9
Hiroshima	10.9	13.3	15.7	14.3	12.6	12.1	9.3	8.7	8.4	9.8	8.5	8.6	9.7
Hokkaido	10.9	12.3	14.0	13.2	12.8	11.1	10.6	9.1	9.0	9.0	9.0	9.6	10.9
Hyogo	10.0	11.7	14.8	11.7	11.6	11.2	8.8	7.8	8.1	8.2	8.2	8.1	9.5
Ibaraki	10.0	11.2	13.8	13.2	12.7	11.2	7.8	7.7	7.1	8.6	9.1	8.0	10.2
Ishikawa	10.2	12.4	14.4	14.0	11.9	10.9	9.0	7.5	7.6	9.3	7.2	8.0	10.6
Iwate	11.2	13.1	15.9	13.3	13.8	12.6	11.0	9.0	8.8	7.9	7.6	8.6	13.3
Kagawa	11.1	13.6	16.5	14.4	12.6	12.5	8.7	8.8	10.0	8.6	9.5	8.5	10.3
Kagoshima	10.7	13.7	15.4	14.4	13.3	11.3	9.1	7.5	8.7	8.6	8.6	8.5	9.3
Kanagawa	9.0	9.1	12.5	10.8	11.3	11.7	8.7	6.8	6.5	5.9	7.0	8.0	10.3
Kochi	10.6	12.4	16.0	12.7	12.4	10.1	8.5	9.3	9.2	9.0	8.5	8.2	10.9

TABLE 95. - MARRIAGE RATES BY MONTH BY PREFECTURE: JAPAN, 1949 - cont'd
(Rates per 1,000 population per annum)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	10.8	12.7	16.3	14.2	14.1	13.2	10.2	7.8	8.2	8.3	8.0	7.8	9.8
Kyoto	8.9	8.9	13.2	11.7	10.5	10.9	8.3	7.3	6.4	7.2	6.6	7.9	8.7
Mie	10.0	12.3	15.3	12.9	11.8	11.5	7.7	6.8	7.1	8.0	8.0	8.1	9.6
Miyagi	10.7	12.4	14.6	13.0	12.3	12.3	9.5	8.0	8.4	9.1	8.7	9.1	11.6
Miyazaki	11.1	13.3	15.9	15.2	13.7	12.5	9.0	7.7	8.7	8.8	9.8	8.7	11.1
Nagano	10.0	12.1	13.2	12.1	13.6	14.6	9.6	6.8	5.7	4.9	6.8	6.6	14.1
Nagasaki	11.2	12.3	15.2	14.5	14.1	13.4	10.9	9.1	8.7	8.6	8.4	8.8	10.8
Nara	10.6	12.0	16.2	14.3	11.2	11.1	8.0	8.1	8.2	9.5	9.8	9.6	9.4
Niigata	10.6	11.3	13.1	13.4	14.6	13.6	9.2	7.3	6.3	6.7	5.9	7.5	14.8
Oita	10.5	12.2	16.4	14.1	13.7	12.0	8.4	7.8	8.8	8.5	8.2	7.4	9.1
Okayama	10.7	12.6	15.4	12.6	11.9	11.4	8.9	9.2	9.3	9.0	8.9	9.5	9.7
Osaka	9.9	10.8	14.3	12.2	11.1	11.0	9.0	7.9	8.3	8.6	8.2	9.3	9.0
Saga	11.7	13.8	16.9	15.6	15.2	14.1	10.0	9.4	8.7	9.1	8.5	8.9	10.9
Saitama	9.6	11.3	13.8	11.8	12.9	12.6	7.6	7.0	5.9	7.4	7.5	6.4	11.3
Shiga	9.7	10.3	15.7	14.8	12.5	12.4	7.7	5.1	6.7	6.9	8.1	6.9	8.4
Shimane	10.6	12.6	15.3	13.6	11.9	11.3	8.4	8.3	8.4	9.1	8.8	9.6	10.3
Shizuoka	9.6	10.8	15.4	12.3	13.0	11.9	8.1	6.0	5.9	5.9	8.3	9.4	9.3
Tochigi	10.3	12.0	15.9	13.4	12.6	11.4	8.6	6.9	7.5	7.4	8.9	7.9	11.4
Tokushima	10.8	13.0	17.8	15.0	13.5	12.5	8.2	8.8	8.0	8.2	8.0	7.9	9.5
Tokyo	18.9	9.0	11.2	10.3	10.6	10.4	9.2	7.0	7.0	6.4	6.7	8.4	10.3
Tottori	11.1	13.1	17.4	16.1	13.9	14.1	8.7	7.7	7.8	8.0	7.7	7.9	10.9
Toyama	10.1	14.4	13.9	13.0	11.4	10.9	8.5	6.9	7.0	8.4	7.1	7.7	12.4
Wakayama	10.6	11.3	16.3	12.3	12.9	11.7	8.6	8.2	7.7	8.8	9.4	9.5	10.3
Yamagato	12.3	13.7	14.5	12.6	17.4	15.6	10.8	9.3	7.6	7.9	7.1	10.5	21.1
Yamaguchi	10.6	12.1	14.3	12.9	13.0	12.2	9.2	8.3	8.4	8.9	8.6	8.9	10.3
Yamanashi	9.5	11.4	14.9	12.5	13.2	12.2	8.3	6.4	6.4	6.4	6.0	6.6	10.3

Footnotes: Data refer to marriages in Japan Proper and include all marriages in which either the husband or wife was a Japanese national.

Rates were computed by Public Health and Welfare Section, CHQ, SCAP. Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 96. - DIVORCES BY MONTH BY PREFECTURE: JAPAN, 1949

Area	Total Divorces	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	82,872	6,302	7,113	7,720	7,164	7,286	5,993	6,078	7,171	7,551	6,904	6,171	7,390
All "Shi"	31,580	2,195	2,644	2,891	2,738	2,781	2,460	2,350	2,728	2,918	2,721	2,468	2,706
All "Guh"	51,292	4,107	4,469	4,839	4,426	4,505	3,473	3,728	4,443	4,633	4,273	3,703	4,592
Aichi	2,904	194	228	257	250	236	207	259	265	288	262	219	239
Akita	1,785	150	130	172	159	146	121	154	168	155	117	141	172
Aomori	1,529	117	154	145	109	138	117	112	117	149	136	119	116
Chiba	1,614	112	139	154	158	154	94	134	117	117	159	131	145
Ehime	1,808	128	180	152	158	134	119	142	161	181	146	141	166
Fukuji	876	73	83	76	86	84	56	63	67	90	76	50	72
Fukuoka	3,853	252	360	340	317	329	290	293	315	381	358	291	327
Fukushima	2,269	197	178	209	207	221	166	147	172	192	195	168	216
Gifu	1,454	134	108	141	117	114	87	120	116	143	109	100	135
Gunma	1,432	108	150	140	131	120	90	89	127	108	145	91	132
Hiroshima	2,604	185	207	263	204	240	201	168	229	264	202	213	228
Hokkaido	4,070	332	364	380	369	356	327	311	346	393	396	279	397
Hyogo	3,207	239	267	262	262	285	257	208	299	298	267	269	267
Ibaraki	1,441	127	128	157	119	118	91	98	120	128	109	84	162
Ishikawa	1,184	105	109	103	119	100	80	92	97	101	81	86	111
Iwate	1,461	128	125	141	150	121	97	103	125	126	125	93	127
Kagawa	1,246	106	106	117	102	100	92	81	130	115	114	92	91
Kagoshima	1,893	166	153	171	167	162	107	129	174	182	156	165	161
Kanagawa	1,921	143	160	176	177	181	146	146	157	149	185	141	160
Kochi	1,171	89	102	102	98	99	87	86	121	100	104	86	96

TABLE 96. - DIVORCES BY MONTH BY PREFECTURE: JAPAN, 1949 - cont'd

Area	Total Divorces	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	1,921	160	191	166	168	162	144	127	159	207	143	138	156
Kyoto	1,700	138	127	157	150	148	112	140	149	138	153	125	163
Mie	1,340	105	119	116	105	121	86	92	138	120	118	99	121
Miyagi	1,452	141	111	154	137	135	97	102	101	121	121	80	152
Miyazaki	1,099	91	98	116	79	101	88	73	101	93	90	66	103
Nagano	1,598	120	146	147	127	167	136	106	136	143	132	92	146
Nagasaki	2,042	149	175	161	175	182	156	159	190	210	148	155	182
Nara	819	52	66	72	59	63	55	67	83	97	66	65	74
Niigata	2,799	217	232	289	217	250	208	202	216	258	205	216	289
Oita	1,323	95	132	145	128	122	83	85	113	125	98	86	111
Okayama	1,860	146	160	174	142	161	137	117	155	159	171	152	186
Osaka	3,850	270	314	353	332	321	297	309	355	330	305	320	344
Saga	1,030	68	89	112	75	86	77	70	93	108	84	76	92
Saitama	1,552	119	134	134	144	130	114	112	130	142	135	114	144
Shiga	734	45	65	85	64	69	43	40	57	64	73	63	66
Shimane	991	79	95	88	92	90	61	75	91	91	75	68	86
Shizuoka	2,368	159	182	223	213	225	174	172	215	229	220	173	183
Tochigi	1,297	110	111	120	117	118	102	91	110	112	107	88	111
Tokushima	933	63	77	96	92	78	49	83	82	97	72	69	75
Tokyo	5,368	343	475	497	488	484	401	392	463	430	477	430	488
Tottori	702	42	63	62	57	70	47	44	58	64	57	56	82
Toyama	1,260	90	111	129	112	97	74	96	101	126	95	104	125
Wakayama	1,106	88	93	104	84	97	76	86	96	111	98	90	83
Yamagata	1,589	137	117	139	125	147	125	126	130	146	133	109	155
Yamaguchi	1,788	145	142	163	175	155	110	136	146	180	138	147	151
Yamanashi	629	45	57	64	48	69	49	41	50	49	66	31	60

Footnotes: Data refer to divorces in Japan Proper and include all divorces in which either the husband or wife was a Japanese national. Sources were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 97. - DIVORCE RATES BY MONTH BY PREFECTURE: JAPAN, 1949
(Rates per 1,000 population per annum)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
All Japan	1.0	0.9	1.1	1.1	1.1	1.0	0.9	0.9	1.0	1.1	1.0	0.9	1.1
All "Shi"	1.1	0.9	1.2	1.2	1.2	1.2	1.1	1.0	1.1	1.2	1.1	1.1	1.2
All "Gin"	1.0	0.9	1.1	1.1	1.0	1.0	0.8	0.8	1.0	1.1	0.9	0.8	1.0
Aichi	0.9	0.7	0.9	0.9	0.9	0.8	0.8	0.9	0.9	1.1	0.9	0.8	0.9
Akita	1.4	1.3	1.3	1.5	1.5	1.3	1.1	1.4	1.5	1.4	1.0	1.3	1.5
Aomori	1.2	1.1	1.6	1.4	1.1	1.3	1.1	1.1	1.1	1.5	1.3	1.2	1.1
Chiba	0.7	0.6	0.8	0.8	0.9	0.8	0.5	0.7	0.6	0.6	0.9	0.7	0.8
Ehime	1.2	1.0	1.5	1.2	1.3	1.0	1.0	1.1	1.2	1.5	1.1	1.1	1.3
Fukui	1.2	1.1	1.4	1.2	1.4	1.3	0.9	1.0	1.0	1.5	1.2	0.9	1.1
Fukuoka	1.1	0.9	1.4	1.2	1.1	1.1	1.0	1.0	1.1	1.4	1.2	1.0	1.1
Fukushima	1.1	1.1	1.1	1.2	1.2	1.3	1.0	0.8	1.0	1.1	1.1	1.0	1.2
Gifu	0.9	1.0	0.9	1.1	0.9	0.9	0.7	0.9	1.1	1.1	0.8	0.8	1.0
Gumma	0.9	0.8	1.2	1.0	1.0	0.9	0.7	0.6	0.9	0.8	1.0	0.7	0.9
Hiroshima	1.2	1.0	1.3	1.5	1.2	1.3	1.2	0.9	1.3	1.5	1.1	1.2	1.3
Hokkaido	1.0	0.9	1.2	1.1	1.1	1.0	1.0	0.9	1.0	1.0	1.0	0.9	1.0
Hyogo	1.0	0.9	1.1	0.9	1.0	1.0	1.0	0.8	1.1	1.1	1.1	1.0	1.0
Ibaraki	0.7	0.7	0.8	0.9	0.7	0.7	0.5	0.6	0.7	0.7	0.6	0.5	0.9
Ishikawa	1.2	1.3	1.5	1.3	1.5	1.2	1.0	1.1	1.2	1.3	1.0	1.1	1.4
Iwate	1.1	1.1	1.2	1.3	1.4	1.1	0.9	0.9	1.1	1.2	1.1	0.9	1.1
Kanagawa	1.3	1.3	1.4	1.4	1.3	1.2	1.2	1.0	1.6	1.5	1.4	1.2	1.1
Yamaguchi	1.0	1.1	1.1	1.1	1.1	1.1	0.7	0.8	1.1	1.2	1.0	1.1	1.0
Kanagawa	0.8	0.7	0.9	0.9	0.9	0.9	0.7	0.7	0.8	0.8	0.9	0.7	0.8
Kochi	1.3	1.2	1.5	1.4	1.3	1.3	1.2	1.1	1.6	1.4	1.4	1.2	1.3

TABLE 97. - DIVORCE RATES BY MONTH BY PREFECTURE: JAPAN, 1949
(Rates per 1,000 population per annum)

Area	Annual	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Kumamoto	1.0	1.0	1.4	1.1	1.1	1.0	1.0	0.8	1.0	1.4	0.9	0.9	1.0
Kyoto	0.9	0.9	0.9	1.0	1.0	1.0	0.7	0.9	1.0	0.9	1.0	0.8	1.0
Mie	0.9	0.8	1.0	0.9	0.9	1.0	0.7	0.7	1.1	1.0	0.9	0.8	1.0
Miyagi	0.9	1.0	0.9	1.1	1.0	1.0	0.7	0.7	0.7	0.9	0.9	0.6	1.1
Miyazaki	1.0	1.0	1.2	1.3	0.9	1.1	1.0	0.8	1.1	1.0	1.0	0.7	1.1
Nagano	0.7	0.7	0.9	0.8	0.7	0.9	0.8	0.6	0.8	0.8	0.7	0.5	0.8
Nagasaki	1.3	1.1	1.4	1.2	1.3	1.3	1.2	1.2	1.4	1.6	1.1	1.2	1.3
Nara	1.0	0.8	1.1	1.1	0.9	0.9	0.8	1.0	1.2	1.5	1.0	1.0	1.1
Niigata	1.1	1.0	1.2	1.4	1.1	1.2	1.0	1.0	1.0	1.3	1.0	1.1	1.4
Oita	1.0	0.9	1.3	1.3	1.2	1.1	0.8	0.8	1.0	1.2	0.9	0.8	1.0
Okayama	1.1	1.0	1.2	1.2	1.0	1.1	1.0	0.8	1.1	1.1	1.2	1.1	1.3
Osaka	1.1	0.9	1.1	1.2	1.1	1.0	1.0	1.0	1.2	1.1	1.0	1.1	1.1
Saga	1.1	0.8	1.2	1.4	1.0	1.1	1.0	0.9	1.1	1.4	1.0	1.0	1.1
Saitama	0.7	0.6	0.8	0.7	0.8	0.7	0.6	0.6	0.7	0.8	0.7	0.6	0.8
Shiga	0.8	0.6	0.9	1.1	0.9	0.9	0.6	0.5	0.8	0.9	1.0	0.9	0.9
Shimane	1.1	1.0	1.3	1.1	1.2	1.1	0.8	1.0	1.2	1.2	1.0	0.9	1.1
Shizuoka	1.0	0.8	1.0	1.1	1.1	1.1	0.9	0.8	1.0	1.1	1.1	0.9	0.9
Tochigi	0.8	0.8	0.9	0.9	0.9	0.9	0.8	0.7	0.8	0.9	0.8	0.7	0.8
Tokushima	1.0	0.8	1.1	1.3	1.3	1.0	0.7	1.1	1.1	1.3	1.0	0.9	1.0
Tokyo	1.0	0.7	1.1	1.1	1.1	1.0	0.9	0.8	1.0	0.9	1.0	0.9	1.0
Tottori	1.2	0.9	1.4	1.5	1.1	1.4	0.9	0.9	1.1	1.3	1.1	1.1	1.6
Toyama	1.2	1.0	1.4	1.5	1.3	1.1	0.9	1.1	1.2	1.5	1.1	1.2	1.4
Wakayama	1.1	1.0	1.2	1.2	1.0	1.1	0.9	1.0	1.1	1.3	1.1	1.1	1.0
Yamagato	1.2	1.2	1.1	1.2	1.1	1.3	1.1	1.1	1.1	1.3	1.1	1.0	1.3
Yamaguchi	1.2	1.1	1.2	1.2	1.4	1.2	0.9	1.0	1.1	1.4	1.1	1.2	1.2
Yamaguchi	0.8	0.6	0.9	0.9	0.7	1.0	0.7	0.6	0.7	0.7	0.9	0.5	0.8

Footnotes: Data refer to divorces in Japan Proper and include all divorces in which either the husband or wife was a Japanese national.
Sources: Rates were computed by Public Health and Welfare Section, CHQ, SCAP. Sources of original data were Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 98. - 1/NUMBER OF HOSPITALS BY KIND, TOTAL PATIENTS,
IN AND OUT PATIENTS, BED CAPACITY AND PERCENT OF BEDS OCCUPIED: JAPAN 1949

TOTAL HOSPITALS 2/

Area	No. of Hospitals	Total Patients	4/ In Patients	5/ Out Patients	6/ Bed Capacity	Percent Beds Occupied
All Japan	3019	460177	158470	301707	249042	63.6
Hokkaido	215	36520	9589	26931	14709	65.2
Aomori	36	6336	2804	3532	3843	73.0
Iwate	50	7748	2728	5020	3945	69.2
Miyagi	65	11044	4725	6319	6407	73.7
Akita	40	6655	1962	4693	3153	62.2
Yamagata	29	5182	1893	3289	2761	68.6
Fukushima	52	7680	2185	5495	3314	55.8
Ibaraki	64	6001	2430	3571	4374	55.6
Tochigi	43	5539	1816	3723	3185	57.0
Gunma	41	5158	2721	2437	3312	71.4
Saitama	104	7512	2338	5174	4549	51.4
Chiba	72	8535	4951	3584	7057	70.2
Tokyo	259	52353	21288	31065	29487	72.2
Kanagawa	120	18599	7369	11230	11149	66.1
Niigata	75	11417	3924	7493	5729	68.5
Toyama	41	5914	1844	4070	2864	64.4
Ishikawa	57	7257	2572	4685	4370	58.9
Fukui	25	2933	1021	1912	1634	62.5
Yamanashi	23	1734	584	1150	1205	48.5
Nagano	72	7617	2920	4697	5179	56.4
Gifu	48	5982	1977	4005	2851	69.3
Shizuoka	62	9843	3517	6326	6438	54.6
Aichi	123	18740	6423	13317	9360	57.9
Mie	65	8270	2343	5927	4516	51.9
Shiga	27	3193	1099	2094	1633	67.3

TABLE 98. - 1/NUMBER OF HOSPITALS BY KIND, TOTAL PATIENTS,
IN AND OUT PATIENTS, BED CAPACITY AND PERCENT OF BEDS OCCUPIED: Japan 1949 - Cont'd

2/ TOTAL HOSPITALS - Cont'd

Area	No. of Hospitals	Total Patients	4/ In Patients	5/ Out- Patients	6/ Bed Capacity	Percent Beds Occupied
Kyoto	78	12614	4665	7949	8425	55.4
Osaka	142	26106	9222	16884	16648	55.4
Hyogo	124	18801	5511	13290	9118	60.4
Nara	16	1988	614	1374	1044	58.8
Wakayama	24	3170	911	2259	1592	57.2
Tottori	18	2998	1092	1906	1722	63.4
Shimane	22	3401	1362	2039	1837	74.1
Okayama	57	9166	4593	4573	6303	72.9
Hiroshima	80	12052	3551	8501	6208	57.2
Yamaguchi	68	8723	2625	6104	4798	54.7
Tokushima	29	2668	1242	1426	1946	63.8
Karawa	33	4050	1655	2395	2650	62.5
Ehime	42	5637	1645	3992	2938	56.0
Kochi	37	3323	1151	2172	1714	67.2
Fukuoka	137	42797	8924	33873	12463	71.6
Saga	54	6326	2165	4161	3230	67.0
Nagasaki	63	9312	2425	6887	4594	52.8
Kumamoto	68	8250	3416	4834	5067	67.4
Oita	37	3398	1717	1681	2904	59.1
Miyazaki	36	3154	1061	2093	1770	59.9
Kagoshima	46	4475	2900	1575	3947	73.5

See footnotes at end of table.

TABLE 98. - 1/NUMBER OF HOSPITALS BY KIND, TOTAL PATIENTS,
IN AND OUT PATIENTS, BED CAPACITY AND PERCENT OF BEDS OCCUPIED: JAPAN 1949 - Cont'd

TUBERCULOSIS SANATORIA

Area	No. of Hospitals	Total Patients	4/ In Patients	5/ Out Patients	6/ Bed Capacity	Percent Beds Occupied
All Japan	294	47319	43019	4300	54404	79.1
Hokkaido	14	2076	1891	195	2668	70.5
Aomori	3	591	552	29	691	79.9
Iwate	3	682	574	108	664	86.4
Miyagi	4	1386	1175	181	1194	98.4
Akita	4	523	480	43	785	61.1
Yamanata	3	283	239	44	259	92.3
Fukushima	3	631	527	104	936	56.3
Ibaraki	8	1200	1130	70	1594	70.9
Tochigi	3	620	583	37	842	90.8
Guma	7	509	439	70	516	85.1
Saitama	6	1024	789	235	941	83.8
Chiba	14	2745	2473	272	2811	88.0
Tokyo	30	6003	5642	361	6236	90.5
Kanagawa	13	2617	2391	226	2925	81.7
Niigata	10	1222	1136	86	1275	89.1
Toyama	2	750	708	42	861	82.2
Ishikawa	6	729	692	37	1109	58.2
Fukui	3	406	360	46	443	81.3
Yamanashi	1	133	131	2	123	106.5
Narano	9	1298	1226	72	1493	82.1
Gifu	6	821	761	60	837	90.9
Shizuoka	4	915	806	109	1088	74.1
Aichi	10	1972	1719	253	2721	63.2
Mie	5	639	548	91	810	67.7
Shiga	5	366	355	11	375	94.7

TABLE 98. - 1/NUMBER OF HOSPITALS BY KIND, TOTAL PATIENTS
IN AND OUT PATIENTS, BED CAPACITY AND PERCENT OF BEDS OCCUPIED: JAPAN, 1949 - Cont'd

TUBERCULOSIS SANATORIA - Cont'd

Area	No. of Hospitals	Total Patients	4/ In Patients	5/ Out Patients	6/ Bed Capacity	Percent Beds Occupied
Kyoto	7	1289	1193	96	1580	75.5
Osaka	12	2726	2540	186	4043	62.8
Hyogo	20	2130	1640	490	2516	65.2
Nara	2	145	136	9	180	75.6
Wakayama	2	142	138	4	136	101.5
Tottori	1	54	47	7	70	67.1
Shimane	1	484	466	18	454	102.6
Okayama	4	753	733	20	967	75.8
Hiroshima	9	1436	1292	144	1927	67.0
Yamaguchi	5	511	485	26	538	90.1
Tokushima	2	679	629	50	737	85.3
Kagawa	2	173	167	6	173	96.5
Ehime	3	702	682	20	779	87.5
Kochi	2	147	129	18	136	94.9
Fukuoka	22	2510	2360	150	2645	89.2
Saga	3	711	647	64	740	87.4
Nagasaki	4	199	161	38	215	74.9
Kumamoto	3	961	874	87	955	91.5
Oita	5	383	368	15	451	81.6
Niigasaki	1	54	48	6	48	100.0
Nagoshima	8	1029	967	62	1037	93.2

See footnotes at end of table.

TABLE 98. - 1/NUMBER OF HOSPITALS BY KIND, TOTAL PATIENTS,
IN AND OUT PATIENTS, BED CAPACITY AND PERCENT OF BEDS OCCUPIED: JAPAN 1949 - Cont'd

HOSPITAL HOSPITALS

Area	No. of Hospitals	Total Patients	4/ In Patients	5/ Out Patients	6/ Bed Capacity	Percent Beds Occupied
All Japan	122	12796	12335	461	15541	79.4
Hokkaido	6	432	399	34	444	89.9
Aomori	1	41	40	1	86	46.5
Iwate	1	96	96	-	60	160.0
Miyagi	2	200	199	1	236	84.3
Akita	1	109	104	5	121	86.0
Yamagata	1	133	127	6	125	101.6
Fukushima	2	138	137	1	135	101.5
Ibaraki	2	90	89	1	114	78.1
Tochigi	4	232	206	26	272	75.7
Gumma	1	356	345	11	300	115.0
Saitama	4	348	329	19	433	76.0
Chiba	4	407	356	51	526	67.7
Tokyo	12	2891	2822	69	3299	85.5
Kanagawa	6	638	630	8	824	76.5
Niigata	1	219	216	3	190	113.7
Toyama	2	126	122	4	97	125.8
Ishikawa	3	198	193	5	256	75.4
Fukui	1	146	111	35	111	100.0
Yamanashi	1	58	54	4	52	103.8
Nagano	2	212	209	3	258	81.0
Gifu	1	191	188	3	202	93.1
Shizuoka	3	312	297	15	289	102.8
Aichi	5	336	333	3	609	54.7
Mie	1	112	109	3	146	74.7
Shiga	1	117	117	-	150	78.0

TABLE 98. - 1/NUMBER OF HOSPITALS BY KIND, TOTAL PATIENTS,
IN AND OUT PATIENTS, BED CAPACITY AND PERCENT OF BEDS OCCUPIED: JAPAN 1949 - Cont'd

MENTAL HOSPITALS - Cont'd

Area	No. of Hospitals	Total Patients	4/ In Patients	5/ Out Patients	6/ Bed Capacity	Percent Beds Occupied
Kyoto	5	368	358	10	529	66.4
Osaka	5	1129	1108	21	1438	77.1
Hyogo	6	675	662	13	1161	57.0
Nara	2	106	103	3	180	57.2
Wakayama	-	-	-	-	-	-
Tottori	1	79	75	4	75	100.0
Shimane	1	47	46	1	36	127.8
Okayama	1	202	202	-	196	103.1
Niioshima	4	280	274	6	301	91.0
Yamaguchi	2	108	97	11	98	99.0
Tokushima	3	163	159	4	211	75.4
Kagawa	1	67	60	3	90	66.7
Ehime	1	168	162	6	180	90.0
Kochi	2	140	131	9	174	75.3
Fukuoka	6	392	374	18	597	62.6
Saga	3	378	316	22	329	96.0
Nagasaki	2	45	43	2	83	51.8
Kumamoto	2	125	125	-	146	85.6
Oita	3	75	63	12	132	47.7
Miyazaki	-	-	-	-	-	-
Kagoshima	4	154	149	5	240	62.1

See footnotes at end of table.

TABLE 98. - 1/NUMBER OF HOSPITALS BY KIND, TOTAL PATIENTS,
IN AND OUT PATIENTS, BED CAPACITY AND PERCENT OF BEDS OCCUPIED: JAPAN 1949 - Cont'd

LEPTOSPIRIA

Area	No. of Hospitals	Total Patients	4/ In Patients	5/ Out Patients	6/ Bed Capacity	Percent Beds Occupied
All Japan	13	8250	8234	16	9102	90.5
Fukushima	-	-	-	-	-	-
Aomori	1	602	602	-	600	100.3
Iwate	-	-	-	-	-	-
Miyagi	1	497	497	-	621	80.0
Akita	-	-	-	-	-	-
Yamagata	-	-	-	-	-	-
Fukushima	-	-	-	-	-	-
Ibaraki	-	-	-	-	-	-
Tochigi	-	-	-	-	-	-
Gunma	1	970	970	-	1200	80.8
Saitama	-	-	-	-	-	-
Chiba	-	-	-	-	-	-
Tokyo	1	1111	1111	-	1200	92.6
Kanagawa	-	-	-	-	-	-
Niigata	-	-	-	-	-	-
Toyama	-	-	-	-	-	-
Ishikawa	-	-	-	-	-	-
Fukui	-	-	-	-	-	-
Yamanashi	1	42	42	-	65	64.6
Nagano	-	-	-	-	-	-
Gifu	-	-	-	-	-	-
Shizuoka	2	265	255	10	237	107.6
Aichi	-	-	-	-	-	-
Nie	-	-	-	-	-	-
Shiga	-	-	-	-	-	-

TABLE 98. - 1/NUMBER OF HOSPITALS BY KIND, TOTAL PATIENTS,
IN AND OUT PATIENTS, BED CAPACITY AND PERCENT OF BEDS OCCUPIED: JAPAN 1949 - Cont'd

LEPROSARIA - Cont'd

Area	No. of Hospitals	Total Patients	4/ In Patients	5/ Out Patients	6/ Bed Capacity	Percent Beds Occupied
Kyoto	-	-	-	-	-	-
Osaka	-	-	-	-	-	-
Hyogo	-	-	-	-	-	-
Nara	-	-	-	-	-	-
Wakayama	-	-	-	-	-	-
Tottori	-	-	-	-	-	-
Shimane	-	-	-	-	-	-
Okayama	2	2100	2100	-	2483	88.2
Hiroshima	-	-	-	-	-	-
Yamaguchi	-	-	-	-	-	-
Tokushima	-	-	-	-	-	-
Kagawa	1	641	675	6	638	99.5
Shime	-	-	-	-	-	-
Yochi	-	-	-	-	-	-
Fukuoka	-	-	-	-	-	-
Saga	-	-	-	-	-	-
Nagasaki	-	-	-	-	-	-
Kumamoto	2	1050	1050	-	1158	90.7
Oita	-	-	-	-	-	-
Miyazaki	-	-	-	-	-	-
Yamaguchi	1	883	883	-	900	98.1

TABLE 98. - 1/NUMBER OF HOSPITALS BY KIND, TOTAL PATIENTS, IN AND OUT PATIENTS, BED CAPACITY AND PERCENT OF BEDS OCCUPIED: JAPAN, 1949 - Cont'd

3/ OTHER HOSPITALS

Area	No. of Hospitals	Total Patients	4/ In Patients	5/ Out Patients	6/ Bed Capacity	Percent Beds Occupied
All Japan	2590	391912	94882	296930	169995	55.8
Hokkaido	195	34011	7390	29702	11597	67.0
Aomori	31	5112	1610	3502	2466	65.3
Iwate	46	6970	2058	4912	3221	63.9
Miyagi	59	8991	2884	6137	4356	65.5
Akita	35	6023	1378	4645	2247	61.3
Yamagata	25	4766	1527	3239	2377	64.2
Fukushima	47	6911	1821	5390	2843	53.5
Ibaraki	54	4711	1211	3500	2666	45.5
Tochigi	36	4687	1027	3660	2271	45.2
Gumma	32	3323	967	2356	1796	53.8
Saitama	94	6140	1220	4920	3175	38.4
Chiba	54	5383	2122	3261	3720	57.0
Tokyo	216	42242	11713	30635	18752	62.5
Kanagawa	101	15744	4748	10996	7400	58.8
Miitata	64	9976	2572	7404	4264	60.3
Toyama	37	5038	1014	4024	1906	53.2
Ishikawa	48	6330	1687	4643	2925	57.7
Fukui	21	2381	550	1831	1080	50.9
Yamanashi	20	1501	357	1144	965	37.0
Nagano	61	6107	1485	4622	3428	42.3
Gifu	41	4970	1028	3942	1812	56.7
Shizuoka	53	8351	2159	6192	4824	44.8
Aichi	108	16472	3371	13061	6030	55.9
Mie	59	7519	1696	5833	3560	47.4
Shiga	21	2710	627	2083	1108	56.6

TABLE 98. - 1/NUMBER OF HOSPITALS BY KIND, TOTAL PATIENTS, BED CAPACITY AND PERCENT OF BEDS OCCUPIED: JAPAN 1949 - Cont'd
IN AND OUT PATIENTS, BED CAPACITY AND PERCENT OF BEDS OCCUPIED: JAPAN 1949 - Cont'd

3/OTHER HOSPITALS - Cont'd

Area	No. of Hospitals	Total Patients	4/ In Patients	5/ Out Patients	6/ Bed Capacity	Percent Beds Occupied
Kyoto	66	10957	3114	7843	6306	49.4
Osaka	125	22251	5574	16677	11167	49.9
Hyogo	98	15996	3209	12787	5441	59.0
Nara	12	1737	375	1362	684	54.8
Wakayama	22	3028	773	2255	1456	53.1
Tottori	16	2865	970	1895	1577	61.5
Shimane	20	2870	850	2020	1347	63.1
Okawama	50	6022	1469	4553	2657	55.3
Hiroshima	67	10336	1985	8351	3980	49.9
Yamaguchi	61	8110	2043	6067	4162	49.1
Tokushima	24	1826	454	1372	998	45.5
Karawa	29	3173	793	2380	1749	45.3
Shime	38	4767	801	3966	1979	40.5
Kochi	33	3036	891	2145	1404	63.5
Fukuoka	109	39895	6190	33705	9221	67.1
Saga	48	5277	1202	4075	2161	55.6
Narasaki	57	9068	2221	6847	4296	51.7
Kumamoto	61	6114	1367	4747	2908	48.7
Oita	29	2940	1286	1654	2321	53.4
Miyazaki	35	3100	1013	2087	1722	58.8
Kagoshima	32	2409	901	1508	1770	50.9.

See footnotes at end of table.

TABLE 98. - 1/NUMBER OF HOSPITALS BY KIND, TOTAL PATIENTS,
IN AND OUT PATIENTS, BED CAPACITY AND PERCENT OF BEDS OCCUPIED: JAPAN 1949 - Cont'd

FOOTNOTES:

- 1/ Data refer to average number of hospitals of 20 or more beds operating during 1949.
- 2/ Total hospitals includes tuberculosis sanatoria, mental hospitals, leprosaria, other specialized hospitals and general hospitals.
- 3/ All hospitals except tuberculosis sanatoria, mental hospitals and leprosaria.
- 4/ In-patients includes all patients spending at least one night in the hospital.
- 5/ Out-patients includes visitors to out-patient clinics and patients treated at home by physicians on hospital staffs.
- 6/ Bed capacity refers to official rated capacity.
- 7/ Bed occupancy ratio is the number of in-patients per 100 beds of rated capacity.

SOURCE: Monthly Hospital Strength Report, Ministry of Welfare.
Bed occupancy rates calculated by Public Health & Welfare Section, GHQ, SCAP.

TABLE 99 - TOTAL CASE LOAD OF VENEREAL DISEASE CLINICS BY MONTH:
JAPAN, 1949

Month	All Venereal Diseases	Syphilis		All Others	Gonorrhea		Chancroid	All Other Venereal Diseases
		Total	Primary		Congenital	Total		
Jan	72,489	46,602	9,865	34,141	2,596	21,697	3,670	520
Feb	72,006	46,174	9,707	33,847	2,620	21,434	3,823	575
Mar	74,956	48,975	10,289	35,934	2,752	21,570	3,852	559
Apr	76,861	50,215	10,392	36,987	2,836	22,163	3,914	569
May	78,895	51,981	10,580	38,370	3,031	22,496	3,839	579
Jun	81,539	53,565	10,664	39,664	3,237	23,435	3,944	595
Jul	84,077	55,513	10,971	41,174	3,368	24,258	3,807	499
Aug	84,780	56,251	11,133	41,697	3,401	24,290	3,795	464
Sep	84,014	54,927	10,861	40,680	3,386	24,832	3,824	431
Oct	83,605	55,063	10,709	40,899	3,455	24,218	3,880	444
Nov	83,537	54,681	10,635	40,552	3,494	24,509	3,954	393
Dec	79,408	53,606	9,698	38,446	3,162	23,687	3,675	440
Average Per Month	79,681	52,128	10,459	38,532	3,137	23,216	3,831	506

SOURCE:
Monthly Reports, Ministry of Welfare.

TABLE 100 - PATIENTS NOT PREVIOUSLY TREATED BY ANY CLINIC OR PHYSICIAN ADMITTED TO
VENEREAL DISEASE CLINICS BY MONTH: JAPAN, 1949

Month	All Venereal Diseases	Syphilis	Gonorrhea	Chancroid	All other Venereal Diseases
Total	176,642	85,716	80,740	9,287	899
Jan	14,021	6,524	6,425	992	80
Feb	14,491	7,635	5,939	824	93
Mar	15,501	7,574	6,934	893	100
Apr	14,498	7,142	6,507	773	76
May	16,848	8,075	7,856	775	142
Jun	16,131	7,887	7,470	712	62
Jul	16,176	8,177	7,230	713	56
Aug	15,904	7,241	7,778	841	44
Sep	15,463	7,451	7,172	758	82
Oct	13,304	6,626	5,925	711	42
Nov	12,710	5,855	6,084	699	72
Dec	11,595	5,529	5,420	596	50

SOURCE:

Monthly Reports, Ministry of Welfare.

TABLE 101 - CASES DISCONTINUING TREATMENT WITHOUT PERMISSION AT VENEREAL DISEASE CLINICS
AND NUMBER OF VISITS FOR DELINQUENT CASES BY MONTH, JAPAN, 1949

Month	Cases Discontinuing Treatment				Visits for Delinquent Cases	
	All Venereal Diseases	Syphilis	Gonorrhea	Chancroid	All Other Venereal Diseases	
Jan	8,785	6,801	1,706	256	22	1,439
Feb	6,585	4,878	1,403	218	86	1,436
Mar	7,283	5,467	1,525	257	34	1,443
Apr	7,253	5,483	1,533	197	40	1,825
May	7,990	6,111	1,616	192	71	1,662
Jun	7,722	5,737	1,648	255	82	1,802
Jul	7,761	5,816	1,753	157	55	1,947
Aug	8,296	6,434	1,654	177	31	1,990
Sep	8,197	5,751	2,209	211	26	2,167
Oct	6,805	5,064	1,507	174	60	2,404
Nov	9,712	6,849	2,358	479	26	2,343
Dec	6,514	5,040	1,283	153	38	2,190
Total	92,923	69,431	20,195	2,726	571	22,648

SOURCE:

Monthly Reports, Ministry of Welfare.

TABLE 102 CONTACTS REPORTED AT VENEREAL DISEASE CLINICS BY MONTH:
JAPAN, 1949

Month	All Venereal Diseases	Syphilis	Gonorrhea	Chancroid	All Other Venereal Diseases
Total	97,815	67,473	28,105	1,967	270
Jan	7,373	4,940	2,247	180	6
Feb	8,328	5,647	2,421	212	48
Mar	7,488	5,043	2,206	196	43
Apr	7,582	5,323	2,087	155	17
May	8,158	5,756	2,216	140	46
Jun	7,761	5,460	2,154	131	16
Jul	7,471	4,996	2,273	175	27
Aug	8,351	5,721	2,427	193	10
Sep	10,525	7,707	2,673	137	8
Oct	9,124	6,288	2,660	165	11
Nov	7,880	5,462	2,249	145	24
Dec	7,774	5,130	2,492	138	14

SOURCE:

Monthly Reports, Ministry of Welfare.

TABLE 103 - VISITS FOR CONTACT TRACING AND NUMBER OF CONTACTS
FOUND BY VENEREAL DISEASE CLINICS BY MONTH, JAPAN, 1949

Month	Visits for Contact Tracing				Cases Found by Contact Tracing
	All Venereal Diseases	Syphilis	Gonorrhea	Chancroid	All Other Venereal Diseases
Jan	5,096	3,474	1,486	130	6
Feb	4,623	3,369	1,079	127	48
Mar	5,084	3,302	1,607	163	12
Apr	5,441	3,720	1,567	137	17
May	5,988	4,222	1,635	110	21
Jun	5,505	3,826	1,551	114	14
Jul	5,551	3,804	1,630	107	10
Aug	6,977	4,999	1,855	120	9
Sep	7,999	5,800	2,096	96	7
Oct	7,702	5,418	2,147	128	9
Nov	7,369	5,268	1,973	108	20
Dec	6,954	4,656	2,146	107	45
Total	74,289	51,852	20,772	1,447	218

SOURCE:

Monthly Reports, Ministry of Welfare.

TABLE 104 - CONSUMPTION OF TOTAL AND RATIONED FOODS IN CALORIES PER CAPITA PER DAY
EACH QUARTERLY NUTRITION SURVEY; ALL JAPAN, TOKYO, OTHER CITIES AND RURAL AREAS - 1949

Kind of Food and Amount	All Japan			Tokyo			11 Cities 1/			Other Cities 2/			Rural Areas 3/		
	Calories Total	Percent Rationed	Calories Total	Percent Rationed	Calories Total	Percent Rationed	Calories Total	Percent Rationed	Calories Total	Percent Rationed	Calories Total	Percent Rationed	Calories Total	Percent Rationed	Calories Total
TOTAL FOOD 4/															
February 1949	2,063	638	30.9	1,987	1,358	68.4	1,975	1,234	62.5	2,028	1,141	56.3	2,089	360	17.3
May 1949	2,085	717	34.4	2,039	1,389	68.1	1,979	1,319	66.8	1,997	1,195	59.8	2,127	450	21.2
August 1949	2,052	663	32.3	1,882	1,329	70.6	1,945	1,283	66.0	1,968	1,116	56.7	2,103	401	19.1
November 1949	2,188	671	30.7	2,020	1,491	73.8	2,035	1,321	64.9	2,119	1,226	57.8	2,241	364	16.2
Annual Average	2,097	672	32.1	1,982	1,392	70.2	1,983	1,289	65.0	2,028	1,169	57.7	2,110	394	18.4
CITY FOODS 5/															
February 1949	1,758	587	33.4	1,627	1,238	76.0	1,628	1,161	71.3	1,685	1,066	63.3	1,805	325	18.0
May 1949	1,779	661	37.2	1,676	1,283	76.5	1,636	1,245	76.1	1,654	1,114	67.4	1,811	407	22.1
August 1949	1,765	622	35.2	1,587	1,267	79.8	1,634	1,227	75.1	1,652	1,060	64.1	1,829	369	20.2
November 1949	1,877	630	33.6	1,676	1,356	80.9	1,678	1,268	75.6	1,765	1,164	65.9	1,950	398	17.3
Annual Average	1,795	625	34.8	1,641	1,286	78.3	1,644	1,225	74.5	1,689	1,101	65.2	1,856	360	19.4
RICE															
February 1949	1,186	426	35.9	1,053	933	88.6	986	772	78.3	1,106	765	69.2	1,245	244	19.6
May 1949	1,176	456	38.7	990	836	84.4	904	731	80.9	1,092	812	74.3	1,218	288	23.0
August 1949	1,059	407	38.4	878	765	87.1	854	721	84.4	973	684	70.3	1,123	258	23.0
November 1949	1,132	393	34.8	904	796	89.0	876	715	81.6	1,014	731	72.1	1,205	223	18.4
Annual Average	1,138	421	37.0	956	832	87.0	905	735	81.2	1,046	748	71.5	1,208	253	21.0
WHEAT															
February 1949	165	103	62.2	309	236	76.4	367	303	82.8	231	176	76.2	109	46	42.0
May 1949	182	110	60.3	432	351	81.2	409	340	83.1	207	144	69.8	127	53	41.3
August 1949	285	106	37.2	391	268	68.5	411	286	69.6	307	176	57.3	255	51	20.0
November 1949	170	80	47.4	317	231	73.0	304	225	73.8	214	136	63.5	128	35	28.9
Annual Average	200	100	49.8	362	272	75.0	373	288	77.4	240	158	65.9	155	46	29.7
BATLEY															
February 1949	175	46	26.6	102	49	47.6	172	80	46.3	157	92	58.8	186	29	15.5
May 1949	205	57	27.9	89	41	45.7	194	100	51.8	164	94	57.7	228	43	18.6
August 1949	278	75	26.9	150	85	56.9	232	139	59.9	234	141	60.0	307	47	15.3
November 1949	254	85	33.3	196	163	83.0	239	161	67.6	216	143	66.5	272	52	19.0
Annual Average	228	66	28.8	134	84	62.8	209	120	57.4	193	118	61.1	248	42	17.1

TABLE 104 - CONSUMPTION OF TOTAL AND RATIONED FOODS IN CALORIES PER CAPITA PER DAY EACH
QUARTERLY NUTRITION SURVEY: ALL JAPAN, TOKYO, OTHER CITIES AND RURAL AREAS - 1949, Cont'd.

Kind of Food and Amount	All Japan			Tokyo			11 Cities 1/			Other Cities 2/			Rural Areas 3/		
	Calories Total	Percent Rationed	Calories Total	Calories Total	Percent Rationed	Calories Total	Calories Total	Percent Rationed	Calories Total	Calories Total	Percent Rationed	Calories Total	Calories Total	Percent Rationed	Calories Total
OTHER GRAINS 6/															
February 1949	42	3	7.1	19	11	58.6	3	7/	11.5	31	8	24.3	52	1	2.5
May 1949	53	20	37.1	44	39	88.2	65	59	88.4	41	23	57.2	56	13	22.3
August 1949	34	4	13.0	9	4	47.7	21	9	42.4	25	7	27.9	43	3	8.0
November 1949	29	2	8.0	5	3	54.1	3	2	62.1	20	7	34.8	37	1	2.7
Annual Average	40	7	18.6	19	14	74.1	23	17	75.7	29	11	38.2	46	5	9.7
SWEET POTATOES															
February 1949	152	8	5.2	118	6	5.3	76	3	3.7	124	21	17.1	173	5	2.8
May 1949	120	16	13.6	88	10	11.8	45	12	27.0	114	37	31.9	133	11	8.5
August 1949	26	11	40.5	18	16	87.3	53	44	82.0	29	17	57.3	22	4	19.2
November 1949	247	67	27.2	219	154	66.5	222	161	72.5	262	143	54.4	248	27	10.9
Annual Average	136	26	18.7	111	47	42.2	99	55	55.4	132	54	41.0	144	12	8.3
OTHER POTATOES 8/															
February	38	1	3.4	27	3	10.1	25	3	10.8	36	4	10.5	41	7/	0.5
May	42	2	4.6	33	6	17.9	19	3	14.5	36	4	10.2	47	1	1.9
August	84	20	23.8	141	129	91.2	63	28	44.8	84	35	42.4	82	6	7.0
November	46	2	3.9	35	9	25.7	34	5	14.7	39	4	9.3	51	7/	0.6
Average	53	6	12.0	59	37	61.9	35	10	27.3	49	12	24.0	55	2	3.3
LEGUMES															
February	94	18	19.2	93	44	47.3	79	26	32.7	96	28	29.6	95	12	12.5
May	85	19	22.5	96	48	50.1	64	24	37.8	88	31	35.2	86	13	15.0
August	78	14	18.2	66	36	53.6	55	22	39.2	74	23	30.9	83	9	11.0
November	87	16	18.2	76	39	51.9	68	23	33.6	85	28	32.6	91	10	10.5
Average	86	17	19.5	83	42	50.5	67	24	35.5	85	27	32.1	89	11	12.3
FISH															
February	70	9	12.9	93	25	26.7	101	13	13.0	89	11	12.8	59	7	11.3
May	91	16	17.7	109	22	19.7	119	16	13.2	112	21	19.0	80	14	17.7
August	85	7	7.9	100	13	13.1	104	8	7.6	105	10	10.0	75	5	6.5
November	98	10	10.4	130	65	49.7	127	6	4.6	125	9	7.4	85	7	7.8
Average	86	11	12.2	108	31	28.8	113	11	9.5	108	13	12.2	75	8	10.8

TABLE 104. - CONTRIBUTION OF TOTAL AND RATIONED FOODS IN CALORIES PER CAPITA PER DAY EACH
QUARTERLY NUTRITION SURVEY: ALL JAPAN, TOKYO, OTHER CITIES AND RURAL AREAS - 1949, Cont'd.

Kind of Food and Amount	All Japan			Tokyo			11 Cities 1/			Other Cities 2/			Rural Areas 3/		
	Calories	Percent	Total	Calories	Percent	Total	Calories	Percent	Total	Calories	Percent	Total	Calories	Percent	Total
MEAT, POULTRY, EGGS, MILK & MILK PRODUCTS															
February	16	1	8.7	38	11	23.3	30	2	6.6	22	2	10.2	11	2.7	
May	18	2	9.7	31	3	8.5	38	7	17.8	24	3	10.6	12	6.5	
August	16	1	2.5	30	2	6.3	35	1	3.2	21	1	4.3	11	0.9	
November	14	1	3.6	30	2	5.8	34	1	4.2	20	1	5.5	9	2.7	
Average	16	1	6.3	32	4	13.4	34	3	8.5	22	2	7.8	11	2.7	
LEAFY, GREEN AND YELLOW VEGETABLES															
February	21	1/	1.9	27	4	13.2	22	1	3.1	23	1/	1.8	20	0.5	
May	24	1/	0.4	22	1	2.2	22	1/	0.4	25	1/	1.2	23	0.0	
August	25	1/	0.4	16	-	-	18	1/	1.6	27	1/	0.7	25	0.0	
November	20	1/	0.0	12	1/	0.9	18	1/	0.6	19	1/	0.0	22	0.0	
Average	22	1/	0.9	19	1	5.7	20	1/	1.5	23	1/	0.9	23	0.0	
OTHER FRUITS AND VEGETABLES															
February	38	1/	0.8	27	2	6.6	40	2	3.8	38	1	1.3	39	-	
May	28	1/	0.0	21	1/	1.0	32	1/	0.6	29	1/	0.7	28	0.0	
August	36	1/	0.3	31	1/	0.7	40	1/	0.7	39	1/	0.3	34	0.0	
November	44	1/	0.0	33	1/	0.6	49	1/	0.2	48	1/	0.4	44	0.0	
Average	37	1/	0.3	28	1	2.2	40	1	1.2	39	1/	0.8	36	0.0	

FOOTNOTES:-

- 1/ Nagoya, Osaka, Kure, Fukuoka, Sendai, Sapporo, Fuzusawa, Matsuyama, Kobe, Yokohama, and Kyoto.
- 2/ Includes all "Shi" (cities of 30,000 or more population) except Tokyo and those indicated in footnote 1.
- 3/ Includes all "Gun" (areas of less than 30,000 population).
- 4/ Total food includes all edible food consumed. Only certain specific foods are identified in this table.
- 5/ Staple foods include rice, wheat, barley, other grains, sweet and white potatoes, yams, and taro.
- 6/ Other grains include all cereal grains except rice, wheat, and barley.
- 7/ Less than one calorie per capita per day. 0.0 indicates less than 0.1 percent. A dash (-) indicates no consumption.
- 8/ Other potatoes include white potatoes, yams, and taro.

SOURCE:

Quarterly Nutrition Surveys, Ministry of Welfare.

TABLE 105. - NUTRIENTS IN GRAMS AND CALORIES PER DAY
EACH QUARTERLY NUTRITION SURVEY:
ALL JAPAN, TOKYO, OTHER LARGE CITIES AND RURAL AREAS
1949

	ANNUAL		1/ 11 Cities	2/ Other Cities	3/ Rural Areas
	All Japan	Tokyo			
Number of families	27,374	3,574	5,571	7,296	10,933
Number of persons	141,859	17,724	26,452	35,727	61,956
Adult units: <u>4</u> /					
Protein	0.855	0.867	0.862	0.856	0.853
Calories	0.836	0.808	0.808	0.812	0.849
Protein (grams)					
Total	65	66	69	68	65
Animal	14	18	20	18	12
Vegetable	51	48	49	50	53
Fat (grams)	16	19	18	17	15
Carbohydrates (grams)	423	380	388	401	437
Calories					
Total	2,097	1,982	1,983	2,028	2,140
Ration	572	1,392	1,289	1,169	394
Free Market	245	472	520	412	144
Home Production	1,152	81	145	407	1,578
Other	28	37	29	40	24
FEBRUARY					
Number of families	6,920	904	1,404	1,864	2,748
Number of persons	35,700	4,490	6,616	9,091	15,503
Adult units: <u>4</u> /					
Protein	0.859	0.867	0.865	0.862	0.856
Calories	0.814	0.811	0.805	0.804	0.819
Protein (grams)					
Total	64	66	67	67	62
Animal	13	18	18	16	10
Vegetable	51	48	49	51	52
Fat (grams)	15	18	17	16	14
Carbohydrates (grams)	419	389	388	404	429
Calories:					
Total	2,063	1,986	1,975	2,028	2,089
Ration	638	1,358	1,234	1,141	360
Free Market	240	491	529	418	134
Home Production	1,143	83	166	406	1,563
Other	41	54	46	63	32

TABLE 105. - NUTRIENTS IN GRAMS AND CALORIES PER DAY
EACH QUARTERLY NUTRITION SURVEY:
ALL JAPAN, TOKYO, OTHER LARGE CITIES AND RURAL AREAS
1949 - Cont'd

	MAY		1/	2/	3/
	All Japan	Tokyo	11 Cities	Other Cities	Rural Areas
Number of families	6,823	894	1,388	1,819	2,722
Number of persons	35,457	4,404	6,600	8,960	15,493
Adult units: <u>4/</u>					
Protein	0.853	0.873	0.861	0.859	0.849
Calories	0.834	0.801	0.806	0.812	0.847
Protein (grams)					
Total	66	69	71	67	65
Animal	15	18	21	18	13
Vegetable	51	51	50	49	52
Fat (grams)	16	21	19	18	15
Carbohydrates (grams)	419	394	383	392	433
Calories:					
Total	2,085	2,039	1,979	1,997	2,127
Ration	717	1,389	1,319	1,195	450
Free Market	246	540	520	396	145
Home Production	1,091	62	113	366	1,504
Other	31	48	27	40	28
AUGUST					
Number of families	6,836	892	1,395	1,810	2,739
Number of persons	35,326	4,400	6,600	8,813	15,513
Adult units: <u>4/</u>					
Protein	0.852	0.863	0.862	0.846	0.852
Calories	0.836	0.809	0.810	0.814	0.847
Protein (grams)					
Total	66	64	67	67	66
Animal	14	17	19	18	13
Vegetable	52	47	48	49	53
Fat (grams)	16	17	17	17	15
Carbohydrates (grams)	413	367	382	389	427
Calories:					
Total	2,052	1,882	1,945	1,968	2,103
Ration	663	1,329	1,283	1,116	401
Free Market	239	437	491	403	144
Home Production	1,132	91	151	420	1,543
Other	18	25	20	29	15

TABLE 105. - NUTRIENTS IN GRAMS AND CALORIES PER DAY
EACH QUARTERLY NUTRITION SURVEY:
ALL JAPAN, TOKYO, OTHER LARGE CITIES AND RURAL AREAS
1949 - Cont'd

	NOVEMBER		1/ 11 Cities	2/ Other Cities	3/ Rural Areas
	All Japan	Tokyo			
Number of families	6,795	884	1,384	1,803	2,724
Number of persons	35,376	4,430	6,636	8,863	15,447
Adult units: ^{4/}					
Protein	0.855	0.863	0.859	0.857	0.854
Calories	0.859	0.810	0.810	0.816	0.882
Protein (grams)					
Total	67	66	69	69	66
Animal	16	20	22	20	13
Vegetable	51	46	47	49	53
Fat (grams)	17	20	19	19	16
Carbohydrates (grams)	442	372	398	419	460
Calories:					
Total	2,188	2,020	2,035	2,119	2,241
Ration	671	1,491	1,321	1,226	364
Free Market	253	421	539	429	154
Home Production	1,242	89	149	437	1,703
Other	22	19	26	27	20

Footnotes:

- 1/ Includes Nagoya, Osaka, Kure, Fukuoka, Sendai, Sapparo, Kurazawa, Matsuyama, Kobe, Yokohama and Kyoto.
- 2/ Includes all "shi" (cities of more than 30,000 population) except Tokyo and those indicated in footnote 1.
- 3/ Includes all "gun" (areas of less than 30,000 population).
- 4/ Adult unit is the weighted average of adult units with due regard for sex, age and class of labor. Standard tables have been prepared showing the number of calories and grams of protein per person per day required by age, sex and class of labor. The adult unit for each age group and class of labor is the ratio of the corresponding standard to 2400 calories and 80 grams of protein which is the standard amount of calories and grams of protein for those 31-50 years of age doing medium labor.

Source:

Quarterly Nutrition Survey, Ministry of Welfare.

TABLE 106 - CONSUMPTION IN GRAMS PER CAPITA PER DAY, FOR EACH QUARTERLY NUTRITION SURVEY: ALL JAPAN, TOKYO, OTHER CITIES AND RURAL AREAS, 1949

Kind of Food	<u>All Japan</u>				
	<u>Annual</u>	<u>February</u>	<u>May</u>	<u>August</u>	<u>November</u>
<u>Grains</u>	473.1	472.8	471.5	485.2	462.8
Rice	333.1	359.0	340.6	306.1	326.8
Wheat	62.7	51.6	56.5	88.6	54.1
Barley	65.8	50.0	59.1	80.5	73.5
Other - 41/	11.5	12.2	15.3	10.0	8.4
<u>Nuts, etc.</u>	0.8	0.8	0.6	0.4	1.4
<u>Potatoes</u>	169.9	170.1	137.2	115.7	256.6
Sweet	108.3	125.1	89.6	14.4	204.1
White	41.8	25.9	27.3	99.8	14.2
Other - 5/	19.8	19.1	20.3	1.5	38.3
<u>Sugars</u>	5.2	6.6	4.9	5.0	4.1
<u>Oils</u>	1.8	1.6	1.8	2.0	1.9
<u>Legumes</u>	49.8	52.7	49.6	45.1	51.8
Soya	2.5	4.5	2.1	1.5	1.9
Soya Products	41.8	43.9	42.8	36.2	44.3
Other Beans	5.5	4.3	4.7	7.4	5.6
<u>Animal Foods</u>	68.5	60.3	71.4	67.5	74.6
Fish	55.8	47.8	57.8	54.2	63.2
Meat, Poultry	5.4	6.4	5.1	4.3	5.9
Eggs	3.2	3.0	4.4	3.6	1.8
Milk	4.1	3.1	4.1	5.4	3.7
<u>Leafy Green and Yellow Vegetables</u>	76.0	71.8	90.2	70.9	70.9
<u>Other Fruits and Vegetables</u>	144.4	152.1	98.7	174.1	160.6
Citrus and Tomatoes	12.0	11.9	7.0	25.1	3.9
Other Fruits	15.5	9.3	5.5	16.7	30.5
Other Vegetables	118.9	130.9	86.2	132.3	126.2
<u>Seaweeds</u>	3.4	2.8	3.8	4.0	3.1
<u>Processed Vegetables</u>	50.0	68.0	51.4	36.9	43.8
Dried	2.6	3.6	5.3	1.0	0.7
Pickled	47.4	64.4	46.1	35.9	43.1
<u>Flavors</u>	29.1	28.2	29.4	30.1	28.8

TABLE 106 (Cont'd)

FOOD CONSUMPTION IN GRAMS PER CAPITA PER DAY EACH QUARTERLY
NUTRITION SURVEY: ALL JAPAN, TOKYO, OTHER CITIES AND RURAL
AREAS, 1949

	<u>T O K Y O</u>				
<u>Kind of Food</u>	<u>Annual</u>	<u>February</u>	<u>May</u>	<u>August</u>	<u>November</u>
<u>Grains</u>	435.0	439.3	454.7	425.1	421.0
Rice	276.7	308.0	285.1	252.8	260.7
Wheat	114.1	96.9	130.8	126.7	102.1
Barley	38.8	29.5	26.1	43.1	56.6
Others 4/	5.4	4.9	12.7	2.5	1.6
<u>Nuts, etc.</u>	0.5	0.2	0.8	0.2	0.6
<u>Potatoes</u>	158.8	129.5	104.6	181.9	219.2
Sweet	88.0	97.2	69.5	7.3	177.9
White	60.6	24.1	22.5	173.5	22.4
Others 5/	10.2	8.2	12.6	1.1	18.9
<u>Sugars</u>	8.6	11.1	9.3	6.1	7.9
<u>Oils</u>	3.4	3.1	4.6	2.9	3.0
<u>Legumes</u>	49.0	50.9	53.4	44.5	47.2
Soya	1.3	3.0	1.0	0.6	0.4
Soya products	43.0	44.1	42.9	41.5	43.6
Other beans	4.7	3.8	9.5	2.4	3.2
<u>Animal Foods</u>	91.7	90.6	85.7	88.5	101.9
Fish	67.9	60.7	63.9	66.6	80.2
Meat, Poultry	13.3	20.7	9.5	10.2	12.8
Eggs	5.3	4.7	6.9	6.0	3.7
Milk	5.2	4.5	5.4	5.7	5.2
<u>Leafy, Green & Yellow Vegetables</u>	67.2	92.3	86.7	45.9	44.0
<u>Other Fruits & Vegetables</u>	111.9	89.4	69.0	169.1	120.0
Citrus, tomatoes	22.3	16.6	13.4	51.3	7.8
Other fruits	17.9	14.9	9.3	20.6	26.7
Other vegetables	71.7	57.9	46.3	97.2	85.5
<u>Seaweeds</u>	4.2	3.9	4.5	3.3	4.9
<u>Processed Vegetables</u>	31.6	38.5	29.4	28.9	29.6
Dried	1.5	3.1	2.3	0.1	0.4
Pickled	30.1	35.4	27.1	28.8	29.2
<u>Flavours</u>	28.7	25.0	28.9	33.0	27.7

TABLE 106 (Cont'd)

FOOD CONSUMPTION IN GRAMS PER CAPITA PER DAY EACH QUARTERLY
 NUTRITION SURVEY: ALL JAPAN, TOKYO, OTHER CITIES AND
 RURAL AREAS, 1949

<u>Kind of Food</u>	<u>Eleven Cities 1/</u>				
	<u>Annual</u>	<u>February</u>	<u>May</u>	<u>August</u>	<u>November</u>
<u>Grains</u>	456.9	462.4	473.9	457.9	433.2
Rice	261.1	287.3	261.9	243.4	251.7
Wheat	128.8	124.3	137.0	141.7	112.0
Barley	60.3	49.9	56.2	66.7	68.6
Others 4/	6.7	0.9	18.8	6.1	0.9
<u>Nuts, etc.</u>	0.6	0.4	0.3	0.4	1.3
<u>Potatoes</u>	113.4	90.5	49.3	92.9	220.8
Sweet	73.0	60.0	29.2	18.5	184.1
White	29.4	17.3	11.8	73.0	15.7
Others 5/	11.0	13.2	8.3	1.4	21.0
<u>Sugars</u>	7.1	8.5	7.1	7.1	5.5
<u>Oils</u>	2.8	2.5	3.1	2.5	3.1
<u>Legumes</u>	42.9	46.6	41.6	36.7	46.6
Soya	2.1	3.6	1.8	1.1	2.0
Soya products	37.0	39.0	36.5	31.5	41.0
Other beans	3.8	4.0	3.3	4.1	3.6
<u>Animal Foods</u>	98.9	90.2	103.6	93.8	107.9
Fish	73.2	68.3	75.1	66.9	82.4
Meat, Poultry	14.8	12.2	16.0	14.6	16.3
Eggs	4.9	4.2	6.4	5.7	3.5
Milk	6.0	5.5	6.1	6.6	5.7
<u>Leafy, Green & Yellow Vegetables</u>	72.6	79.6	85.9	60.2	64.5
<u>Other Fruits & Vegetables</u>	150.7	147.9	107.6	199.9	147.4
Citrus, tomatoes	22.5	21.4	15.5	45.0	8.0
Other fruits	21.6	14.6	12.3	27.4	32.0
Other vegetables	106.6	111.9	79.8	127.5	107.4
<u>Seaweeds</u>	5.3	4.3	7.4	4.5	5.0
<u>Processed Vegetables</u>	38.5	50.7	35.2	32.1	35.9
Dried	1.9	3.2	2.8	1.0	0.6
Pickled	36.6	47.5	32.4	31.1	35.3
<u>Flavours</u>	32.2	30.9	32.3	32.3	33.2

TABLE 106 (Cont'd) - FOOD CONSUMPTION IN GRAMS PER CAPITA PER DAY FOR EACH QUARTERLY NUTRITION SURVEY: ALL JAPAN, TOKYO, OTHER CITIES AND RURAL AREAS, 1949

<u>Kind of Food</u>	<u>Other Cities</u>				
	<u>Annual</u>	<u>February</u>	<u>May</u>	<u>August</u>	<u>November</u>
<u>Grains</u>	448.4	453.8	439.2	466.7	433.7
Rice	306.8	327.3	314.3	290.6	295.1
Wheat	76.7	71.9	65.4	99.3	70.2
Barley	56.1	45.1	47.3	69.2	62.6
Other - 4/	8.8	9.5	12.2	7.6	5.8
<u>Nuts, etc.</u>	1.0	1.2	1.0	0.2	1.4
<u>Potatoes</u>	160.3	144.0	119.0	117.0	261.1
Sweet	102.4	101.5	77.3	14.3	216.6
White	43.3	25.5	31.3	101.6	14.6
Other - 5/	14.6	17.0	10.4	1.1	29.9
<u>Sugars</u>	6.7	9.3	6.1	6.0	5.2
<u>Oils</u>	2.3	2.1	2.2	2.2	2.6
<u>Legumes</u>	52.4	55.4	53.6	46.8	54.0
Soya	2.4	4.8	1.8	1.3	1.7
Soya Products	45.2	46.8	46.4	39.6	48.1
Other Beans	4.8	3.8	5.4	5.9	4.2
<u>Animal Foods</u>	88.8	80.6	92.2	84.0	98.4
Fish	72.0	63.3	74.7	67.4	82.4
Meat, Poultry	7.4	8.2	6.7	6.4	8.5
Eggs	4.4	4.4	5.9	4.9	2.6
Milk	5.0	4.7	4.9	5.3	4.9
<u>Leafy Green and Yellow Vegetables</u>	78.1	80.5	87.7	74.7	69.3
<u>Other Fruits and Vegetables</u>	147.7	139.8	106.3	180.2	164.3
Citrus and Tomatoes	16.8	17.0	11.6	32.3	6.2
Other Fruits	20.7	15.4	7.8	22.6	37.1
Other Vegetables	110.2	107.4	86.9	125.3	121.0
<u>Seaweeds</u>	4.5	4.4	4.8	4.7	4.0
<u>Processed Vegetables</u>	42.3	55.7	43.5	32.6	37.2
Dried	1.9	2.5	3.8	0.6	0.5
Pickled	40.4	53.2	39.7	32.0	36.7
<u>Flavors</u>	31.3	30.9	31.9	31.4	31.1

TABLE 106 (Cont'd) - FOOD CONSUMPTION IN GRAMS PER CAPITA PER DAY FOR EACH QUARTERLY
NUTRITION SURVEY: ALL JAPAN, TOKYO, OTHER CITIES AND RURAL
AREAS, 1949

Kind of Food	Annual	February	May	August	November
Grains	485.4	492.2	482.0	498.8	478.4
Rice	354.1	381.1	362.2	322.5	350.6
Wheat	46.5	33.2	38.2	76.0	38.5
Barley	71.4	53.0	65.5	86.5	78.7
Other - 4/	13.4	14.9	16.1	11.8	10.6
Nuts, etc.	0.8	0.8	0.6	0.4	1.4
Potatoes	180.5	190.7	155.9	112.7	262.6
Sweet	115.9	142.2	102.1	14.5	204.9
White	41.4	27.2	28.5	96.5	13.2
Other - 5/	23.2	21.3	25.3	1.7	44.5
Sugars	4.2	5.3	3.9	4.4	3.3
Oils	1.5	1.2	1.3	1.8	1.5
Legumes	49.9	52.8	49.1	45.6	52.1
Soya	2.7	4.7	2.4	1.6	2.1
Soya Products	41.3	43.6	42.5	35.4	43.6
Other Beans	5.9	4.5	4.2	8.6	6.4
Animal Foods	56.9	48.3	60.2	57.8	61.4
Fish	47.9	39.7	50.2	47.8	53.9
Meat, Poultry	3.1	4.0	3.0	1.9	3.4
Eggs	2.4	2.3	3.5	2.8	1.1
Milk	3.5	2.3	3.5	5.3	3.0
Leafy Green and Yellow Vegetables	76.5	66.7	91.8	73.1	74.3
Other Fruits and Vegetables	148.2	161.3	97.7	169.6	164.4
Citrus and Tomatoes	8.5	8.9	4.1	18.5	2.5
Other Fruits	13.0	6.4	3.7	13.4	28.6
Other Vegetables	126.7	146.0	89.9	137.7	133.3
Seaweeds	2.8	2.0	3.0	3.8	2.4
Processed Vegetables	55.2	76.1	57.4	39.4	47.8
Dried	3.1	4.0	6.3	1.2	0.8
Pickled	52.1	72.1	51.1	38.2	47.0
Flavors	28.1	27.3	28.3	29.2	27.7

FOOTNOTES:

- 1/ Includes Nagoya, Osaka, Kure, Fukuoka, Sendai, Sapporo, Kanazawa, Matsuyama, Kobe, Yokohama and Kyoto.
- 2/ Includes all "shi" (cities of 30,000 or more population) except those indicated in footnote 1.

TABLE 106 (Cont'd) - FOOD CONSUMPTION IN GRAMS PER CAPITA PER DAY FOR EACH QUARTERLY
NUTRITION SURVEY: ALL JAPAN, TOKYO, OTHER CITIES AND RURAL
AREAS, 1949

FOOTNOTES - Cont'd:

- 3/ Includes all rural areas in 46 prefectures.
- 4/ Other grains includes all cereal grains except rice, wheat and barley.
- 5/ Other potatoes includes yams and taro

SOURCES:

Quarterly Nutrition Surveys, Ministry of Welfare

TABLE 107 - NUTRITION VALUE OF FOOD CONSUMED ACCORDING TO QUARTERLY NUTRITION SURVEYS: ALL JAPAN, TOKYO, OTHER CITIES, AND RURAL AREAS, 1949

Area and Month	Calories	Protein Total (grams)	Animal (grams)	Fat (grams)	Carbo- hydrates (grams)	Cal- cium (grams)	Phos- phorus (grams)	Iron (mgm)	A (init. units)	Vitamins B ₁ (mgm)	B ₂ (mgm)	Niacin (mgm)	C (mgm)
All Japan, total													
February	2,097	65	14	16	423	0.2	1.8	47	2,416	1.6	0.7	9.6	115
May	2,063	64	13	15	419	0.2	1.7	47	2,278	1.5	0.7	9.4	116
August	2,085	66	15	16	419	0.2	1.7	45	2,798	1.5	0.7	9.1	105
November	2,052	66	14	16	413	0.2	1.7	44	2,355	1.6	0.7	9.2	98
Tokyo, total	2,188	67	16	17	442	0.3	1.9	51	2,232	1.7	0.7	10.6	142
February	1,982	66	18	19	380	0.2	1.7	45	2,267	1.5	0.7	9.5	99
May	1,986	66	18	18	389	0.2	1.7	45	2,929	1.5	0.7	9.3	106
August	2,039	69	18	21	394	0.2	1.7	45	2,766	1.5	0.7	8.9	85
November	1,882	64	17	17	367	0.2	1.7	43	1,816	1.5	0.7	9.3	95
11 Cities 1/, total	2,020	66	20	20	372	0.2	1.8	48	1,557	1.6	0.7	10.3	110
February	1,983	69	20	18	388	0.2	1.7	47	2,452	1.6	0.7	9.7	102
May	1,975	67	18	17	388	0.2	1.7	46	2,609	1.6	0.7	9.4	100
August	1,979	71	21	19	383	0.2	1.6	45	2,838	1.6	0.7	9.2	83
November	1,945	67	19	17	382	0.2	1.7	45	2,223	1.7	0.8	9.3	97
Other cities total 2/	2,035	69	22	19	398	0.2	1.9	52	2,137	1.7	0.7	11.0	129
February	2,028	68	18	17	401	0.2	1.8	48	2,546	1.5	0.7	9.8	115
May	2,028	67	16	16	404	0.2	1.7	48	2,615	1.5	0.7	9.4	112
August	1,997	67	18	18	392	0.2	1.6	46	2,799	1.5	0.7	9.1	101
November	1,968	67	18	17	389	0.2	1.7	45	2,553	1.6	0.7	9.6	102
Rural areas total 3/	2,119	69	20	19	419	0.3	1.9	54	2,218	1.6	0.8	11.2	146
February	2,140	65	12	15	437	0.2	1.8	46	2,385	1.6	0.7	9.6	118
May	2,089	62	10	14	429	0.2	1.8	47	2,088	1.5	0.7	9.5	121
August	2,127	65	13	15	433	0.2	1.7	45	2,797	1.5	0.7	9.1	110
November	2,103	66	13	15	427	0.2	1.7	43	2,357	1.6	0.7	9.1	96
	2,241	66	13	16	460	0.3	1.9	49	2,299	1.6	0.7	10.5	146

TABLE 107 - NUTRITION VALUE OF FOOD CONSUMED ACCORDING TO QUARTERLY
NUTRITION SURVEYS: ALL JAPAN, TOKYO, OTHER CITIES, AND RURAL AREAS, 1949 Cont'd

FOOTNOTES:-

- 1/ Includes Nagoya, Osaka, Kure, Fukuoka, Sendai, Sapporo, Kurezawa, Matsuyama, Kobe, Yokohama and Kyoto.
- 2/ Includes all "shi" (cities of 30,000 or more population) except Tokyo and those indicated in footnote 1/.
- 3/ Includes all "gun" (areas of less than 30,000 population)

SOURCES:-

Quarterly Nutrition Surveys, Ministry of Welfare. Per capita consumption of minerals and vitamins calculated by Public Health and Welfare Section, CHQ, SOAP.

TABLE 108. - NUMBER OF PERSONS AND PERCENT OF TOTAL SURVEYED SHOWING DEFICIENCY SYMPTOMS
ACCORDING TO NUTRITION SURVEYS: ALL JAPAN, TOKYO, OTHER CITIES AND RURAL AREAS, 1949 Cont'd

Date and Area	Anemia	Hyper- kera- tosis	Xeroph- thalmia	Number of Persons Showing Symptoms of:							Delayed Menstru- ation	Deficit Lactation	No Symptoms	One or more Symptoms	
				Glossitis	Loss of Knee	Chronic Diarrhea	Brady- cardia	Menstru- ation	10/ 11/	11/					
		2/	3/	4/	5/	6/	7/	8/	9/						
All Japan total	2.7	1.1	0.1	5.9	1.0	6.7	1.5	0.6	2.4	9.5	25.1	80.3	19.7		
February	2.3	1.4	0.1	5.7	1.0	6.6	1.7	0.8	1.7	10.7	25.3	80.5	19.5		
May	2.5	1.2	0.1	5.4	1.2	7.2	1.4	0.6	2.2	10.8	26.1	80.0	20.0		
August	3.3	0.7	0.1	5.5	1.0	7.3	1.5	0.7	3.3	9.0	21.4	80.0	20.0		
November	2.7	1.1	0.2	7.0	0.7	5.8	1.3	0.4	2.4	7.8	27.6	80.6	19.4		
Tokyo total	1.5	0.9	0.0	3.6	0.4	6.0	1.1	0.5	1.2	7.9	28.7	85.4	14.6		
February	1.6	1.4	0.1	3.9	0.7	5.9	1.2	0.6	1.0	7.7	28.9	83.9	16.1		
May	1.5	0.8	0.0	3.5	0.4	6.0	1.1	0.4	1.2	10.6	41.7	84.3	15.7		
August	1.3	0.1	0.1	2.8	0.4	7.6	0.8	0.4	1.2	6.2	15.6	86.6	13.4		
November	1.4	1.0	0.0	4.3	0.3	4.4	1.4	0.4	1.3	7.5	26.3	86.7	13.3		
11 Cities total 12/	2.3	1.4	0.1	2.6	0.7	5.8	1.5	0.6	1.5	9.1	28.3	84.8	15.2		
February	3.1	1.7	0.1	2.7	0.9	7.0	2.2	0.9	1.0	9.9	26.8	81.7	18.3		
May	2.1	1.5	0.1	2.2	0.8	6.4	1.4	0.5	1.1	11.8	28.9	84.1	15.9		
August	2.2	1.3	0.0	2.4	0.7	5.6	1.1	0.6	2.5	7.9	23.7	86.2	13.8		
November	1.6	1.2	0.2	3.0	0.5	4.1	1.3	0.5	1.3	6.9	30.6	87.3	12.7		
Other Cities total 13/	2.4	1.2	0.2	5.1	0.8	6.9	1.7	0.7	2.6	9.4	23.5	80.6	19.4		
February	1.9	1.6	0.1	5.7	0.8	6.5	2.0	0.9	2.0	11.7	22.9	80.7	19.3		
May	2.4	1.2	0.1	4.1	0.7	7.7	1.7	0.8	2.5	8.8	20.5	81.0	19.0		
August	3.0	0.9	0.2	4.9	0.9	8.0	1.7	0.7	3.8	10.4	19.0	79.6	20.4		
November	2.4	0.9	0.3	5.9	0.7	5.3	1.3	0.3	2.3	6.8	38.5	81.2	18.8		
Rural Areas total 14/	3.3	1.0	0.1	8.3	1.4	7.2	1.4	0.7	2.9	10.2	23.8	76.9	23.1		
February	2.4	1.1	0.1	7.4	1.2	6.6	1.5	0.8	1.9	11.2	23.6	79.1	20.9		
May	3.0	1.2	0.1	8.0	2.0	7.5	1.3	0.6	2.8	11.5	25.7	76.7	23.3		
August	4.4	0.5	0.1	8.0	1.4	7.6	1.7	0.8	3.9	9.3	23.7	75.9	24.1		
November	3.7	1.2	0.2	10.0	0.9	7.2	1.2	0.4	3.2	9.0	21.2	75.9	24.1		

See footnotes on next page.

See footnotes on next page.

TABLE 108 - NUMBER OF PERSONS AND PERCENT OF TOTAL SURVEYED SHOWING DEFICIENCY SYMPTOMS
ACCORDING TO NUTRITION SURVEYS: ALL JAPAN, TOKYO, OTHER CITIES AND RURAL AREAS, 1949

Date And Area	Number of Persons Showing Symptoms of:												One or more Symptoms
	Anemia	Hyper- kera- tosis	Xeroph- thalmia	Cheilosis	Glossitis	Loss of Knee Jerk	Edema	Chronic Diarrhea	Brady- cardia	Delayed Menstru- ation	Deficit Lactation	No Symptoms	
		2/	3/	4/	5/	6/	7/	8/	9/	10/	11/		
All Japan total	3,382	1,398	160	7,411	1,235	8,456	1,860	795	2,011	2,167	460	100,842	24,769
February	750	442	40	1,860	312	2,140	563	271	363	599	163	26,197	6,353
May	794	383	26	1,699	389	2,258	442	187	469	600	139	25,158	6,276
August	1,013	231	33	1,715	316	2,273	459	218	688	514	80	24,769	6,201
November	825	342	61	2,137	218	1,785	396	119	491	454	78	24,718	5,939
Tokyo, total	204	116	6	495	59	816	154	64	100	207	58	11,644	1,996
February	56	49	2	133	25	202	40	20	21	47	26	285	549
May	53	29	1	121	13	204	38	14	26	66	20	2,893	537
August	46	5	2	94	12	259	28	15	25	42	7	2,951	457
November	49	33	1	147	9	151	48	15	28	52	5	2,949	453
11 Cities total 12/	537	338	21	607	168	1,369	355	148	231	414	97	20,011	3,591
February	187	101	6	163	52	423	134	55	39	114	42	4,940	1,106
May	128	88	5	129	45	381	82	29	43	132	22	5,007	945
August	128	78	1	140	43	329	62	36	98	88	14	5,047	808
November	94	71	9	175	28	236	77	28	51	80	19	5,017	732
Other Cities 13/	787	381	60	1,687	252	2,259	554	215	572	568	108	26,413	6,355
February	160	135	12	487	66	558	175	74	112	171	33	6,886	1,652
May	195	94	9	334	56	629	136	62	136	129	31	6,596	1,549
August	241	76	13	392	73	640	136	56	201	161	19	6,373	1,637
November	191	76	26	474	57	432	107	23	123	107	25	6,558	1,517
Rural Areas	1,854	563	73	4,622	756	4,012	797	368	1,108	978	197	42,774	12,827
February	347	157	20	1,077	169	957	214	122	191	267	62	11,520	3,046
May	418	172	11	1,115	275	1,044	186	82	264	273	66	10,662	3,245
August	598	72	17	1,089	188	1,045	233	111	364	223	40	10,398	3,299
November	491	162	25	1,341	124	966	164	53	289	215	29	10,194	3,237

TABLE 108 - NUMBER OF PERSONS AND PERCENT OF TOTAL SURVEYED SHOWING DEFICIENCY SYMPTOMS
ACCORDING TO NUTRITION SURVEYS: ALL JAPAN, TOKYO, OTHER CITIES AND RURAL AREAS, 1949 Cont'd

FOOTNOTES:-

- 1/ Anemic - Deficiency of quantity or quality of blood due to wasting disease, loss of blood or imperfect nutrition. Marked by paleness of the skin and mucous membranes, loss of energy, palpitation of the heart, etc.
- 2/ Hyperkeratosis - Hypertraphy of corneus layer of the skin.
- 3/ Xerophthalmia - An eye disease due to deficiency of Vitamin A.
- 4/ Cheilosis - A condition marked by lesions on the lips and corners of the mouth.
- 5/ Glossitis - Inflammation of the tongue.
- 6/ Loss of Knee Jerk - Absence of reflex contraction of the quadriceps muscle.
- 7/ Edema - Excessive fluid in body tissues.
- 8/ Chronic Diarrhea - Abnormally frequent and loose fecal discharges for a long period.
- 9/ Bradycardia - Abnormal slowness of the heart beat as evidences by slowing of the pulse rate. This examination included only persons over 13 years of age, and percentages refer to total examined who were over 13 years of age.
- 10/ Delayed Menstruation - Infrequency of sanguineous discharge of women 17 - 45 years of age. Percentage refer to total female population 17 - 45 years of age.
- 11/ Deficient Lactation - Inability of mother of baby under six months to furnish sufficient milk to breast feed. Percentage refer to total mothers of children under six months.
- 12/ 11 Cities - Nagoya, Osaka, Kure, Fukuoka, Sendai, Kurazawa, Matsuyama, Kobe, Yokohama, and Kyoto.
- 13/ Other Cities - All "Shi" (cities of 30,000 or more population) not included in footnote 12.
- 14/ Rural Areas - All 46 prefectures.

SOURCE:-

Quarterly Nutrition Surveys, Ministry of Welfare. Percentages for all Japan and annual percentages calculated by Public Health and Welfare Section, GHQ, SCAP.

TABLE 109 - NUMBER OF PERSONS FOUND UNDERWEIGHT AND OVERWEIGHT MEASURED FROM THE
STANDARD WEIGHT BY AGE GROUPS: ALL JAPAN, TOKYO, OTHER CITIES, AND RURAL AREAS - 1949
All Surveys

Weight Classification & Area Surveyed	AGE										41-50 yrs	51 years & over
	All Ages	Under 2 yrs	2 - 5 yrs	6 -10 yrs	11-15 yrs	16-20 yrs	21-30 yrs	31-40 yrs				
Total Persons Surveyed:												
All Japan	124,198	7,268	12,333	16,190	15,003	11,743	16,165	15,219	13,481	16,796		
Tokyo	13,541	814	1,756	2,027	1,470	1,028	1,771	1,850	1,382	1,443		
11 Cities 1/	23,337	1,368	2,265	3,139	2,724	2,177	2,979	3,088	2,855	2,742		
Other Cities 2/	32,355	1,974	3,140	4,185	4,068	3,088	4,102	4,191	3,629	3,978		
Rural Area 3/	54,965	3,112	5,172	6,839	6,741	5,450	7,313	6,090	5,615	8,673		
More than 10% Below Standard Weight:												
All Japan	17,008	1,820	1,722	1,048	1,015	991	1,946	2,244	2,526	3,696		
Tokyo	1,881	158	219	97	112	117	258	312	302	306		
11 Cities 1/	3,542	323	332	169	171	227	437	567	628	688		
Other Cities 2/	4,467	467	465	267	276	291	549	637	667	848		
Rural Areas 3/	7,118	872	706	515	456	356	702	728	929	1,854		
Between 10% Above & Below Standard Weight:												
All Japan	79,948	3,524	8,411	9,990	9,039	7,985	11,212	10,154	8,712	10,921		
Tokyo	8,873	401	1,181	1,324	916	707	1,274	1,241	872	957		
11 Cities 1/	15,127	663	1,592	1,951	1,746	1,523	2,112	2,014	1,784	1,742		
Other Cities 2/	20,959	967	2,093	2,654	2,521	2,090	2,820	2,788	2,397	2,639		
Rural Areas 3/	34,989	1,493	3,145	4,061	3,856	3,665	5,006	4,111	3,669	5,583		
More than 10% Above Standard Weight:												
All Japan	27,242	1,924	2,200	5,152	4,940	2,767	3,007	2,821	2,243	2,179		
Tokyo	2,787	255	356	606	442	204	239	297	208	180		
11 Cities 1/	4,668	382	341	1,019	807	427	430	507	443	312		
Other Cities 2/	6,929	540	582	1,264	1,271	707	733	766	575	491		
Rural Areas 3/	12,858	747	921	2,263	2,429	1,429	1,605	1,251	1,017	1,196		

TABLE 109 - NUMBER OF PERSONS FOUND UNDERWEIGHT AND OVERWEIGHT MEASURED FROM THE
STANDARD WEIGHT BY AGE GROUPS: ALL JAPAN, TOKYO, OTHER CITIES AND RURAL AREAS - 1949, Cont'd
February

Weight Classification and Area Surveyed	Age									
	All Ages	Under 2 yrs	2 - 5 yrs	6 - 10 yrs	11-15 yrs	16-20 yrs	21-30 yrs	31-40 yrs	41-50 yrs	51 years & over
Total Persons Surveyed:										
All Japan	32,117	1,948	3,089	4,110	3,874	3,100	4,267	3,936	3,464	4,329
Tokyo	3,381	235	450	485	371	224	452	475	345	344
11 Cities 1/	5,957	358	559	779	701	562	777	803	722	696
Other Cities 2/	8,414	525	781	1,093	1,057	813	1,114	1,084	936	1,011
Rural Areas 3/	14,365	890	1,299	1,753	1,745	1,501	1,924	1,574	1,461	2,278
More than 10% Below Standard Weight:										
All Japan	3,828	457	400	272	253	182	393	451	558	862
Tokyo	436	59	55	23	19	20	57	72	70	61
11 Cities 1/	825	100	95	41	33	34	102	113	141	166
Other Cities 2/	1,039	106	127	76	67	52	123	134	159	195
Rural Areas 3/	1,528	192	123	132	134	76	111	132	188	440
Between 10% Above & Below Standard Weight:										
All Japan	20,262	869	2,096	2,339	2,293	2,109	2,832	2,551	2,250	2,893
Tokyo	2,202	106	293	294	230	158	333	329	218	241
11 Cities 1/	3,788	119	365	450	455	388	528	515	474	464
Other Cities 2/	5,390	258	493	649	622	573	754	715	612	714
Rural Areas 3/	8,882	386	945	946	986	990	1,217	992	946	1,474
More than 10% Above Standard Weight:										
All Japan	8,027	592	593	1,499	1,328	809	1,042	934	656	574
Tokyo	743	70	102	168	122	46	62	74	57	42
11 Cities 1/	1,344	109	99	288	213	140	147	175	107	66
Other Cities 2/	1,985	161	161	968	968	188	237	235	165	102
Rural Areas 3/	3,955	252	231	675	625	435	596	450	327	364

TABLE 109 - NUMBER OF PERSONS FOUND UNDERWEIGHT AND OVERWEIGHT MEASURED FROM THE
STANDARD WEIGHT BY AGE GROUPS; ALL JAPAN, TOKYO, OTHER CITIES AND RURAL AREAS - 1949, Cont'd
May

Weight Classification and Area Surveyed	All Ages	Under 2 yrs	2 - 5 yrs	6 - 10 yrs	11-15 yrs	16-20 yrs	21-30 yrs	31-40 yrs	41-50 yrs	51 years & over
Total Persons Surveyed:										
All Japan	31,052	1,839	3,057	4,031	3,768	2,916	4,054	3,798	3,398	4,191
Tokyo	3,405	192	438	514	372	266	453	455	353	362
11 Cities 1/	5,889	352	559	785	700	549	761	780	717	686
Other Cities 2/	8,026	494	775	1,037	1,007	756	1,012	1,044	906	995
Rural Areas 3/	13,732	801	1,285	1,695	1,689	1,345	1,828	1,519	1,422	2,148
More than 10% Below Standard Weight:										
All Japan	4,055	472	496	314	200	214	480	522	568	789
Tokyo	434	33	59	29	22	22	62	68	72	67
11 Cities 1/	796	61	101	56	27	49	81	129	146	146
Other Cities 2/	983	126	110	58	43	58	132	151	142	163
Rural Areas 3/	1,842	252	226	171	108	85	205	174	208	413
Between 10% Above & Below Standard Weight:										
All Japan	19,980	860	2,038	2,525	2,289	1,918	2,777	2,547	2,244	2,782
Tokyo	2,273	94	287	360	243	176	331	312	226	244
11 Cities 1/	3,785	165	371	464	482	382	551	507	443	440
Other Cities 2/	5,304	250	526	653	680	502	694	706	622	671
Rural Areas 3/	8,618	351	854	1,048	904	858	1,201	1,022	953	1,427
More than 10% Above Standard Weight:										
All Japan	7,017	507	523	1,192	1,279	784	797	729	586	620
Tokyo	698	65	82	125	107	68	60	75	55	51
11 Cities 1/	1,308	126	87	125	211	118	129	144	128	100
Other Cities 2/	1,739	118	139	326	284	196	186	187	142	161
Rural Areas 3/	3,272	198	205	476	677	402	422	323	261	308

TABLE 109 - NUMBER OF PERSONS FOUND UNDERWEIGHT AND OVERWEIGHT MEASURED FROM THE
STANDARD WEIGHT BY AGE GROUPS: ALL JAPAN, TOKYO, OTHER CITIES AND RURAL AREAS - 1949, Cont'd
August

Weight Classification & Area Surveyed	All Ages	Under 2 yrs	2 - 5 yrs	6 - 10 yrs	11-15 yrs	16-20 yrs	21-30 yrs	31-40 yrs	41-50 yrs	51 years & over
Total Persons Surveyed:										
All Japan	30,646	1,800	3,121	3,958	3,673	2,916	3,900	3,791	3,336	4,151
Tokyo	3,375	202	439	498	360	273	431	471	338	363
11 Cities 1/	5,790	339	585	777	664	542	715	756	724	688
Other Cities 2/	7,930	491	790	1,006	987	756	979	1,043	895	983
Rural Areas 3/	13,551	768	1,307	1,677	1,662	1,345	1,775	1,521	1,379	2,117
More than 10% Below Standard Weight:										
All Japan	5,164	532	458	216	286	349	629	734	813	1,117
Tokyo	620	46	71	32	45	44	88	99	91	104
11 Cities 1/	1,037	78	68	30	63	80	137	178	193	210
Other Cities 2/	1,356	137	116	62	95	107	168	199	200	272
Rural Areas 3/	2,151	271	203	92	83	118	236	258	329	561
Between 10% Above & Below Standard Weight:										
All Japan	20,210	903	2,188	2,646	2,359	2,108	2,805	2,566	2,085	2,550
Tokyo	2,157	104	305	304	218	190	295	305	209	227
11 Cities 1/	3,869	203	461	536	418	389	517	497	435	413
Other Cities 2/	5,180	238	515	716	629	526	686	694	572	604
Rural Areas 3/	9,004	358	907	1,090	1,094	1,003	1,307	1,070	869	1,306
More than 10% Above Standard Weight:										
All Japan	5,272	365	475	1,096	1,028	459	466	491	438	454
Tokyo	598	52	63	162	97	39	48	67	38	32
11 Cities 1/	884	58	56	211	183	73	61	81	96	65
Other Cities 2/	1,394	116	159	228	263	123	125	150	123	107
Rural Areas 3/	2,396	139	197	495	485	224	232	193	181	250

TABLE 109 - NUMBER OF PERSONS FOUND UNDERWEIGHT AND OVERWEIGHT MEASURED FROM THE
STANDARD WEIGHT BY AGE GROUPS; ALL JAPAN, TOKYO, OTHER CITIES AND RURAL AREAS - 1949 - Cont'd

Weight Classification & Area Surveyed	November									
	All Ages	Under 2 yrs	2 - 5 yrs	6 - 10 yrs	11-15 yrs	16-20 yrs	21-30 yrs	31-40 yrs	41-50 yrs	51 years & over
Total persons surveyed										
All Japan	30,389	1,681	3,066	4,091	3,688	2,811	3,944	3,694	3,283	4,125
Tokyo	3,380	185	429	530	367	265	435	449	346	374
11 Cities 1/	5,701	319	562	798	659	524	728	749	692	672
Other Cities 2/	7,985	464	794	1,049	1,017	763	997	1,020	892	989
Rural Areas 3/	13,317	713	1,281	1,714	1,645	1,259	1,766	1,476	1,353	2,090
More than 10% below standard weight										
All Japan	3,961	359	368	246	276	246	444	537	587	898
Tokyo	391	20	34	13	26	31	51	73	69	74
11 Cities 1/	884	84	68	42	48	64	117	147	148	166
Other Cities 2/	1,089	98	112	71	71	74	126	153	166	218
Rural Areas 3/	1,597	157	154	120	131	77	150	164	204	440
Between 10% above & below standard weight										
All Japan	19,496	862	2,089	2,480	2,098	1,850	2,798	2,490	2,133	2,696
Tokyo	2,241	97	296	366	225	183	315	295	219	245
11 Cities 1/	3,685	116	395	501	411	364	516	495	432	425
Other Cities 2/	5,085	221	559	636	590	489	686	673	581	650
Rural Areas 3/	8,485	398	839	977	872	814	1,281	1,027	901	1,376
More than 10% above standard weight										
All Japan	6,926	460	609	1,365	1,314	715	702	667	563	531
Tokyo	748	68	99	151	116	51	69	81	58	55
11 Cities 1/	1,132	89	99	255	200	96	93	107	112	81
Other Cities 2/	1,811	145	123	342	356	200	185	194	145	121
Rural Areas 3/	3,235	158	288	617	642	368	355	285	248	274

FOOTNOTES:-

1/ Includes Nagoya, Osaka, Kure, Fukuoka, Sendai, Sapporo, Kanazawa, Matsuyama, Kobe, Yokohama and Kyoto.

2/ Includes all "Shi" (cities of 30,000 or more population) not included in footnote 1.

3/ Includes all "Gun" (places of less than 30,000 population).

SOURCE:-

Quarterly Nutrition Surveys, Ministry of Welfare

TABLE 110 - PERCENT OF PERSONS FOUND UNDERWEIGHT AND OVERWEIGHT MEASURED FROM THE STANDARD
WEIGHT BY AGE GROUPS: ALL JAPAN, TOKYO, OTHER CITIES, AND RURAL AREAS, 1949
All Surveys

	All Ages	Under 1 year	Age					16-20 yrs	21-30 yrs	31-40 yrs	41-50 yrs	51 years & over
			2 - 5 yrs	6 -10 yrs	11-15 yrs							
All Persons Surveyed:												
All Japan	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Tokyo	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
11 Cities 1/	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Other Cities 2/	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Rural Areas 3/	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
More than 10% under standard weight:												
All Japan	13.7	25.0	14.0	6.5	6.8	8.4	12.0	14.8	18.7	22.0	22.0	22.0
Tokyo	13.9	19.4	12.5	4.8	7.6	11.4	14.6	16.9	21.9	25.1	25.1	25.1
11 Cities 1/	15.2	23.6	14.7	5.4	6.3	10.4	14.7	18.4	22.0	25.1	25.1	25.1
Other Cities 2/	13.8	23.6	14.8	6.4	6.8	9.4	13.4	15.2	18.4	21.3	21.3	21.3
Rural Areas 3/	12.9	28.0	13.7	7.5	6.8	6.5	9.6	12.0	16.6	21.5	21.5	21.5
Between 10% above and below standard weight:												
All Japan	64.4	48.5	68.2	61.7	60.2	68.0	69.4	66.7	64.6	65.0	65.0	65.0
Tokyo	65.5	49.3	67.2	65.3	62.3	68.8	71.9	67.1	63.1	66.3	66.3	66.3
11 Cities 1/	64.8	48.5	70.3	62.1	64.1	70.0	70.9	65.2	62.5	63.5	63.5	63.5
Other Cities 2/	64.8	49.0	66.7	63.4	62.0	67.7	68.7	66.5	65.8	66.3	66.3	66.3
Rural Areas 3/	63.7	48.0	68.5	59.4	57.2	67.3	68.5	67.5	65.3	64.7	64.7	64.7
More than 10% above standard weight:												
All Japan	21.9	26.5	17.8	31.8	33.0	23.6	18.6	18.5	16.7	13.0	13.0	13.0
Tokyo	20.6	31.3	20.3	29.9	30.1	19.8	13.5	16.0	15.0	12.5	12.5	12.5
11 Cities 1/	20.0	27.9	15.0	32.5	29.6	19.6	14.4	16.4	15.5	11.4	11.4	11.4
Other Cities 2/	21.4	27.4	18.5	30.2	31.2	22.9	17.9	18.3	15.8	12.4	12.4	12.4
Rural Areas 3/	23.4	24.0	17.8	33.1	36.0	26.2	21.9	20.5	18.1	13.8	13.8	13.8

TABLE 110 - PERCENT OF PERSONS FOUND UNDERWEIGHT AND OVERWEIGHT MEASURED FROM THE STANDARD
WEIGHT BY AGE GROUPS: ALL JAPAN, TOKYO, OTHER CITIES, AND RURAL AREAS, 1949
February

	All Ages	Under 1 year	Age					21-30 yrs	31-40 yrs	41-50 yrs	51 years & over
			2-5 yrs	6-10 yrs	11-15 yrs	16-20 yrs					
All Persons Surveyed:											
All Japan	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Tokyo	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
11 Cities 1/	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Other Cities 2/	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Rural Areas 3/	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
More than 10% below standard weight											
All Japan	11.9	23.5	12.9	6.6	6.5	5.9	9.2	11.5	16.1	19.9	19.9
Tokyo	12.9	25.1	11.2	4.7	5.1	8.9	12.6	15.2	20.3	17.7	17.7
11 Cities 1/	13.8	27.9	17.0	5.3	4.7	6.0	13.1	14.1	19.5	23.9	23.9
Other Cities 2/	12.3	20.2	16.3	7.0	6.3	6.4	11.0	12.4	17.0	19.3	19.3
Rural Areas 3/	10.6	23.1	9.4	7.5	7.7	5.1	5.8	8.4	12.9	19.3	19.3
Between 10% above and below standard weight:											
All Japan	63.1	46.1	67.9	56.9	59.2	68.0	66.4	64.8	65.0	66.8	66.8
Tokyo	65.1	45.1	66.1	60.7	62.0	70.6	73.7	69.2	63.2	70.1	70.1
11 Cities 1/	63.6	41.7	65.3	57.7	64.9	69.1	68.0	64.1	65.7	66.6	66.6
Other Cities 2/	64.1	49.1	63.1	59.3	58.9	70.5	67.7	65.9	65.4	70.6	70.6
Rural Areas 3/	61.9	46.6	72.9	54.0	56.5	65.9	63.2	63.0	64.7	64.7	64.7
More than 10% above standard weight:											
All Japan	25.0	30.4	19.2	36.5	34.3	26.1	24.4	23.7	18.9	13.3	13.3
Tokyo	22.0	29.8	22.7	34.6	32.9	20.5	13.7	15.6	16.5	12.2	12.2
11 Cities 1/	22.6	30.4	17.7	30.4	30.4	24.9	18.9	21.8	14.8	9.5	9.5
Other Cities 2/	23.6	30.7	20.6	33.7	34.8	23.1	21.3	21.7	17.6	10.1	10.1
Rural Areas 3/	27.5	30.3	17.7	38.5	35.8	29.0	31.0	28.6	22.4	16.0	16.0

TABLE 110 - PERCENT OF PERSONS FOUND UNDERWEIGHT AND OVERWEIGHT MEASURED FROM THE STANDARD WEIGHT BY AGE GROUPS: ALL JAPAN, TOKYO, OTHER CITIES AND RURAL AREAS, 1949 Cont'd

May

	All Ages	Under 1 year	Age					41-50 yrs	51 years & over	
			2 - 5 yrs	6 -10 yrs	11-15 yrs	16-20 yrs	21-30 yrs			31-40 yrs
All Persons Surveyed:										
All Japan	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Tokyo	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
11 Cities 1/	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Other Cities 2/	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Rural Areas 3/	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
More than 10% below standard weight:										
All Japan	13.1	25.7	16.2	7.8	5.3	7.3	11.8	13.7	16.7	18.8
Tokyo	12.7	17.3	13.5	5.6	5.9	8.3	13.7	14.9	20.4	18.5
11 Cities 1/	13.5	17.3	18.1	7.1	3.9	8.9	10.6	16.5	20.4	21.3
Other Cities 2/	12.2	25.5	14.2	5.5	4.3	7.7	13.0	14.5	15.7	16.4
Rural Areas 3/	13.4	31.4	17.6	10.1	6.4	6.3	11.2	11.5	14.6	19.2
Between 10% above and below standard weight:										
All Japan	64.3	46.7	66.7	62.6	60.8	65.8	68.5	67.1	66.0	66.4
Tokyo	66.8	48.8	65.5	70.1	65.3	66.1	73.1	68.6	64.0	67.4
11 Cities 1/	64.4	46.9	66.3	59.1	66.0	69.6	72.5	65.0	61.7	64.1
Other Cities 2/	66.1	50.7	67.9	63.1	67.5	66.4	68.6	67.6	68.6	67.4
Rural Areas 3/	62.8	43.9	66.4	61.8	53.5	63.9	65.8	67.3	67.1	66.5
More than 10% above standard weight:										
All Japan	22.6	27.6	17.1	29.6	33.9	26.9	19.7	19.2	17.3	14.8
Tokyo	20.5	33.9	21.0	24.3	28.8	25.6	13.2	16.5	15.6	14.1
11 Cities 1/	22.1	35.8	15.6	33.8	30.1	21.5	16.9	18.5	17.9	14.6
Other Cities 2/	21.7	23.8	17.9	31.4	28.2	25.9	18.4	17.9	15.7	16.2
Rural Areas 3/	23.8	24.7	16.0	28.1	40.1	29.8	23.0	21.2	18.3	14.3

TABLE 110 - PERCENT OF PERSONS FOUND UNDERWEIGHT AND OVERWEIGHT MEASURED FROM THE STANDARD WEIGHT BY AGE GROUP; ALL JAPAN, TOKYO, OTHER CITIES, AND RURAL AREAS, 1949 Cont'd

August

	All Ages	Under 1 year	Age					31-40 yrs	41-50 yrs	51 years & over
			2-5 yrs	6-10 yrs	11-15 yrs	16-20 yrs	21-30 yrs			
All persons surveyed:										
All Japan	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Tokyo	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
11 Cities 1/	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Other Cities 2/	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Rural Areas 3/	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
More than 10% below standard weight:										
All Japan	16.9	29.5	14.7	5.5	7.8	12.0	16.1	19.4	24.4	27.6
Tokyo	18.4	22.8	16.2	6.4	12.5	16.1	20.4	21.0	26.9	28.7
11 Cities 1/	17.9	23.0	11.6	3.9	9.5	14.8	19.2	23.5	26.7	30.6
Other cities 2/	17.1	27.9	14.8	6.2	9.6	14.1	17.2	19.1	22.3	27.6
Rural areas 3/	15.9	35.3	15.5	5.5	5.0	8.8	13.3	17.0	23.8	26.5
Between 10% above and below standard weight:										
All Japan	65.9	50.2	70.1	66.8	64.2	72.3	71.9	67.7	62.5	61.4
Tokyo	63.9	51.5	69.4	61.1	60.6	69.6	68.5	64.8	61.9	62.5
11 Cities 1/	66.9	59.9	78.8	68.9	62.9	71.7	70.9	65.8	60.0	60.0
Other cities 2/	65.3	48.5	65.1	71.1	63.8	69.6	70.0	66.5	64.0	61.5
Rural areas 3/	66.4	46.6	69.4	65.0	65.8	74.5	73.6	70.3	63.1	61.7
More than 10% above standard weight:										
All Japan	17.2	20.3	15.2	27.7	28.0	15.7	12.0	12.9	13.1	11.0
Tokyo	17.7	25.7	14.4	32.5	28.9	14.3	11.1	14.2	11.2	8.8
11 Cities 1/	15.2	17.1	9.6	27.2	27.6	13.5	9.9	10.7	13.3	9.4
Other Cities 2/	17.6	23.6	20.1	22.7	26.6	16.3	12.8	14.4	13.7	10.9
Rural areas 3/	17.7	18.1	15.1	29.5	29.2	16.7	13.1	12.7	13.1	11.8

TABLE 110 - PERCENT OF PERSONS FOUND UNDERWEIGHT AND OVERWEIGHT MEASURED FROM THE STANDARD WEIGHT BY AGE GROUP: ALL JAPAN, TOKYO, OTHER CITIES, AND RURAL AREAS, 1949 Cont'd

November

	Age									
	All Ages	Under 1 year	2 - 5 yrs	6 - 10 yrs	11-15 yrs	16-20 yrs	21-30 yrs	31-40 yrs	41-50 yrs	51 years and over
All persons surveyed:										
All Japan	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Tokyo	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
11 cities ^{1/}	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Other cities ^{2/}	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Rural areas ^{3/}	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
More than 10% below standard weight:										
All Japan	19.0	21.3	12.0	6.0	7.5	8.8	11.3	14.5	17.9	21.8
Tokyo	11.6	10.8	7.9	2.5	7.1	11.7	11.7	16.3	19.9	19.8
11 cities ^{1/}	15.5	26.3	12.1	5.3	7.3	12.2	16.1	19.7	21.4	24.7
Other cities ^{2/}	13.6	21.1	14.1	6.8	7.0	9.7	12.8	15.0	18.6	22.0
Rural areas ^{3/}	12.0	22.0	12.0	7.0	8.0	6.1	8.4	11.1	15.1	21.1
Between 10% above and below standard weight:										
All Japan	64.2	51.3	68.1	60.6	56.9	65.8	70.9	67.4	65.0	65.3
Tokyo	66.3	52.4	69.0	69.0	61.3	69.1	66.4	65.7	63.3	65.5
11 cities ^{1/}	64.6	45.8	70.3	62.7	62.4	69.5	71.1	66.0	62.4	63.2
Other cities ^{2/}	63.7	47.6	70.4	60.6	58.0	64.1	71.1	66.0	65.1	65.8
Rural areas ^{3/}	63.7	55.8	65.5	57.0	53.0	64.7	71.7	69.6	66.6	65.8
More than 10% above standard weight:										
All Japan	22.8	27.4	19.9	33.4	35.6	25.4	17.8	18.1	17.1	12.9
Tokyo	22.1	36.8	23.1	28.5	31.6	19.2	21.9	18.0	16.8	14.7
11 cities ^{1/}	19.9	27.9	17.6	32.0	30.3	18.3	12.8	14.3	16.2	12.1
Other cities ^{2/}	22.7	31.3	15.5	32.6	35.0	26.2	16.1	19.0	16.3	12.2
Rural areas ^{3/}	24.3	22.2	22.5	36.0	39.0	29.2	19.9	19.3	18.3	13.1

TABLE 110 - PERCENT OF PERSONS FOUND UNDERWEIGHT AND OVERWEIGHT MEASURED FROM THE STANDARD WEIGHT BY AGE GROUPS: ALL JAPAN, TOKYO, OTHER CITIES, AND RURAL AREAS, 1949 Cont'd

FOOTNOTES:-

- 1/ Includes Nagoya, Osaka, Kure, Fukuoka, Sendai, Sapporo, Kanazawa, Matsuyama, Kobe, Yokohama and Kyoto.
- 2/ Includes all "Shi" (cities of 30,000 or more population) except Tokyo and those included in footnote 1/.
- 3/ Includes all "Gun" (areas of less than 30,000 population)

SOURCES:-

Quarterly Nutrition Surveys, Ministry of Welfare. Percentages for all Japan and annual percentages calculated Public Health and Welfare Section, GHQ, SCAP.

TABLE 111. - AVERAGE WEIGHT DEVIATION IN KILOGRAMS PER PERSON
ABOVE AND BELOW THE TEN PERCENT LEVEL MEASURED FROM THE STANDARD WEIGHT BY AGE GROUPS:
ALL JAPAN, TOKYO, OTHER CITIES, AND RURAL AREAS, 1949

	Under 2 yrs	2 - 5 years	6 - 10 years	11 - 15 years	16 - 20 years	21 - 30 years	31 - 40 years	41 - 50 years	51 years and over
All areas									
BELOW STANDARD WEIGHT									
All surveys									
All Japan	4.3	1.0	1.5	2.0	3.7	5.1	5.5	5.7	5.6
Tokyo	4.4	1.1	1.5	2.1	3.7	5.3	5.6	5.8	5.6
11 Cities 1/	4.6	1.0	1.5	2.0	3.9	5.2	5.7	5.9	5.8
Other Cities 2/	4.2	1.0	1.5	2.0	3.7	5.2	5.4	5.6	5.5
Rural Areas	4.1	1.0	1.5	2.1	3.6	5.0	5.4	5.6	5.5
February									
All Japan	4.1	1.0	1.5	2.0	3.8	5.0	5.4	5.6	5.5
Tokyo	4.1	1.1	1.5	2.0	3.6	5.4	5.5	5.8	5.5
11 Cities 1/	4.3	1.1	1.5	1.9	3.9	5.0	5.4	5.7	5.7
Other Cities 2/	4.1	1.0	1.5	2.0	4.2	5.0	5.4	5.6	5.4
Rural Areas 3/	4.0	1.0	1.5	2.1	3.6	4.9	5.2	5.4	5.4
May									
All Japan	4.0	1.0	1.5	2.1	3.7	5.1	5.5	5.6	5.4
Tokyo	4.3	1.0	1.5	2.2	3.7	5.3	5.5	5.7	5.4
11 Cities 1/	4.4	1.0	1.6	2.1	4.0	5.2	5.7	5.8	5.5
Other Cities 2/	4.1	1.0	1.4	2.0	3.7	5.3	5.5	5.5	5.4
Rural Areas 3/	3.8	1.0	1.4	2.1	3.6	4.9	5.3	5.4	5.4
August									
All Japan	4.5	1.0	1.5	2.0	3.6	5.2	5.6	5.8	5.8
Tokyo	4.6	1.1	1.4	2.1	3.8	5.4	5.6	5.9	5.8
11 Cities 1/	5.0	0.9	1.4	2.1	3.8	5.4	5.9	6.1	6.1
Other Cities 2/	4.4	1.0	1.5	1.8	3.4	5.2	5.4	5.6	5.8
Rural Areas 3/	4.4	1.1	1.5	2.1	3.4	5.1	5.5	5.8	5.7
November									
All Japan	4.4	1.0	1.5	2.0	3.7	5.1	5.5	5.7	5.5
Tokyo	4.7	1.0	1.4	2.0	3.7	5.2	5.5	5.7	5.5
11 Cities 1/	4.6	1.0	1.5	2.0	3.8	5.2	5.6	5.8	5.5
Other Cities 2/	4.3	1.0	1.5	2.0	3.8	5.2	5.5	5.7	5.4
Rural Areas 3/	4.2	1.0	1.4	2.0	3.6	5.0	5.3	5.5	5.5

TABLE 111. - AVERAGE WEIGHT DEVIATION IN KILOGRAMS PER PERSON
ABOVE AND BELOW THE TEN PERCENT LEVEL MEASURED FROM THE STANDARD WEIGHT BY AGE GROUPS:
ALL JAPAN, TOKYO, OTHER CITIES, AND RURAL AREAS, 1949 - Cont'd

		AGE STANDARD WEIGHT									
		Under 2 yrs	2 - 5 years	6 - 10 years	11 - 15 years	16 - 20 years	21 - 30 years	31 - 40 years	41 - 50 years	51 years and over	
All areas											
All surveys											
All Japan											
Tokyo	4.1	1.0	1.4	2.6	4.2	5.7	5.7	5.7	5.5	5.2	
11 Cities 1/	3.8	1.2	1.5	2.6	4.1	5.5	5.5	5.6	5.5	5.2	
Other cities 2/	4.0	1.1	1.5	2.6	4.1	5.5	5.6	5.6	5.5	5.2	
Rural Areas 3/	4.0	1.0	1.5	2.5	4.0	5.5	5.5	5.6	5.5	5.2	
	4.4	1.0	1.4	2.7	4.3	5.9	5.9	5.8	5.6	5.3	
February											
All Japan											
Tokyo	4.3	1.1	1.5	2.7	4.4	6.0	5.9	5.8	5.6	5.3	
11 Cities 1/	3.7	1.1	1.6	2.5	4.4	5.6	5.5	5.5	5.6	5.3	
Other Cities 2/	4.1	1.2	1.6	2.6	4.1	5.7	5.8	5.8	5.5	5.2	
Rural Areas 3/	4.1	1.1	1.5	2.6	4.2	5.8	5.7	5.7	5.6	5.2	
	4.6	1.0	1.3	2.9	4.6	6.2	6.1	6.0	5.7	5.3	
May											
All Japan											
Tokyo	4.3	1.1	1.5	2.6	4.3	5.8	5.8	5.7	5.6	5.3	
11 Cities 1/	3.9	1.1	1.6	2.7	4.2	5.7	5.5	5.6	5.5	5.2	
Other Cities 2/	4.1	1.1	1.4	2.6	4.4	5.7	5.6	5.7	5.6	5.4	
Rural Areas 3/	4.1	1.2	1.5	2.7	4.1	5.6	5.6	5.6	5.5	5.4	
	4.6	1.0	1.5	2.5	4.3	6.0	6.0	5.8	5.6	5.3	
August											
All Japan											
Tokyo	3.7	0.9	1.3	2.5	3.8	5.0	5.3	5.4	5.3	5.0	
11 Cities 1/	3.6	1.1	1.4	2.6	3.9	5.1	5.3	5.5	5.3	5.1	
Other Cities 2/	3.8	0.9	1.4	2.5	3.9	5.1	5.3	5.3	5.5	5.2	
Rural Areas 3/	3.5	0.7	1.5	2.2	3.7	4.6	5.1	5.5	5.1	4.8	
	3.8	1.0	1.1	2.6	3.9	5.0	5.5	5.4	5.4	5.1	
November											
All Japan											
Tokyo	4.1	1.1	1.5	2.6	4.2	5.7	5.6	5.6	5.5	5.3	
11 Cities 1/	3.8	1.3	1.5	2.7	3.8	5.5	5.5	5.6	5.5	5.3	
Other Cities 2/	4.1	1.1	1.5	2.6	4.0	5.4	5.4	5.5	5.6	5.3	
Rural Areas 3/	4.1	1.1	1.5	2.5	4.1	5.7	5.6	5.7	5.6	5.3	
	4.2	1.0	1.5	2.7	4.4	5.8	5.6	5.6	5.5	5.3	
Footnotes:											
1/		Includes Maraca, Osaka, Kure, Fukuoka, Sendai, Sapporo, Kanazawa, Matsuyama, Kobe, Yokohama and Kyoto.									
2/		Includes all "shi" (cities of 30,000 or more population) except Tokyo and those indicated in footnote 1.									
3/		Includes all "gun" (areas of less than 30,000 population)									
Source:		Quarterly Nutrition Surveys, Ministry of Welfare. Percentage calculated by PH&W, GHQ, SCAP.									

TABLE 112 - LIVE BIRTHS, DEATHS, INFANT DEATHS, STILLBIRTHS, MARRIAGES, AND DIVORCES
OF NON-JAPANESE NATIONALS IN JAPAN BY MONTH: 1949

Month	Live Births	Deaths	1/ Infant Deaths	Stillbirths	2/ Marriages	2/ Divorces
Total	21,869	5,222	1,475	1,261	896	24
Jan	2,207	427	159	88	64	-
Feb	1,945	411	150	95	73	2
Mar	1,993	508	169	119	83	1
Apr	1,669	488	156	95	70	2
May	1,661	452	130	123	68	2
Jun	1,705	476	105	107	81	3
Jul	1,803	439	104	127	77	2
Aug	1,797	405	82	95	75	1
Sep	1,717	374	84	106	69	2
Oct	1,709	380	74	105	71	2
Nov	1,896	387	121	108	78	6
Dec	1,767	475	141	93	87	1

FOOTNOTES:

1/ Deaths under 1 year of age.

2/ Data refer to marriages and divorces in which both husband and wife were not Japanese nationals.

SOURCES:

Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

TABLE 113 - LIVE BIRTHS, DEATHS AND INFANT DEATHS OF JAPANESE NATIONALS
OUTSIDE JAPAN BY MONTH: 1949

Month	Live Births	Deaths	1/ Infant Deaths
Total	5,958	27,113	567
Jan	601	3,176	51
Feb	715	3,427	61
Mar	788	3,657	73
Apr	570	2,862	51
May	454	2,372	45
Jun	409	1,809	29
Jul	396	1,851	36
Aug	429	1,715	39
Sep	426	1,647	60
Oct	425	1,769	50
Nov	347	1,646	35
Dec	398	1,182	37

FOOTNOTES:

1/ Deaths under 1 year of age.

SOURCES:

Monthly Vital Statistics Schedule Reports, Ministry of Welfare.

Smith

